

./ed108a145ab04954a0647850dfc7d95e@cgi.com.mbx.txt

Tue Nov 12 15:15:04 2024

1

From mboxrd@z Thu Jan 1 00:00:00 1970

Return-Path: <users-return-57541-archive-asf-public=cust-asf.ponee.io@activemq.apache.org>

X-Original-To: archive-asf-public@cust-asf.ponee.io

Delivered-To: archive-asf-public@cust-asf.ponee.io

Received: from mxout1-ec2-va.apache.org (mxout1-ec2-va.apache.org [3.227.148.255])

by mx-eu-03.ponee.io (Postfix) with ESMTPS id 9E2B53E689

for <archive-asf-public@cust-asf.ponee.io>; Mon, 14 Oct 2024 22:41:58 +0000 (UTC)

C)

Received: from mail.apache.org (mailgw-he-de.apache.org [116.203.246.181])

(using TLSv1.3 with cipher TLS_AES_256_GCM_SHA384 (256/256 bits))

(No client certificate requested)

by mxout1-ec2-va.apache.org (ASF Mail Server at mxout1-ec2-va.apache.org) with

ESMTPS id 999F049625

for <archive-asf-public@cust-asf.ponee.io>; Mon, 14 Oct 2024 22:41:57 +0000 (UTC)

C)

Received: (qmail 1976799 invoked by uid 998); 14 Oct 2024 22:41:55 -0000

Mailing-List: contact users-help@activemq.apache.org; run by ezmlm

Precedence: bulk

List-Help: <mailto:users-help@activemq.apache.org>

List-Unsubscribe: <mailto:users-unsubscribe@activemq.apache.org>

List-Post: <mailto:users@activemq.apache.org>

List-Id: <users.activemq.apache.org>

Reply-To: users@activemq.apache.org

Delivered-To: mailing list users@activemq.apache.org

Received: (qmail 1976705 invoked by uid 116); 14 Oct 2024 22:41:44 -0000

Received: from spamproc1-he-de.apache.org (HELO spamproc1-he-de.apache.org) (116.203.196.100)

by apache.org (qpsmtpd/0.94) with ESMTTP; Mon, 14 Oct 2024 22:41:44 +0000

Authentication-Results: apache.org; auth=none

Received: from localhost (localhost [127.0.0.1])

by spamproc1-he-de.apache.org (ASF Mail Server at spamproc1-he-de.apache.org) with

ESMTTP id 227FD2001E9

for <users@activemq.apache.org>; Mon, 14 Oct 2024 22:41:44 +0000 (UTC)

X-Virus-Scanned: Debian amavisd-new at spamproc1-he-de.apache.org

X-Spam-Flag: NO

X-Spam-Score: -0.199

X-Spam-Level:

X-Spam-Status: No, score=-0.199 tagged_above=-999 required=6.31

tests=[DKIM_SIGNED=0.1, DKIM_VALID=-0.1, DKIM_VALID_AU=-0.1,

DKIM_VALID_EF=-0.1, RCVD_IN_DNSWL_BLOCKED=0.001, SPF_PASS=-0.001,

URIBL_BLOCKED=0.001] autolearn=disabled

Authentication-Results: spamproc1-he-de.apache.org (amavisd-new);

dkim=pass (2048-bit key) header.d=cgi.com

Received: from mx1-he-de.apache.org ([116.203.227.195])

by localhost (spamproc1-he-de.apache.org [116.203.196.100]) (amavisd-new, port

10024)

with ESMTTP id kld6ZX3YMIy for <users@activemq.apache.org>;

Mon, 14 Oct 2024 22:41:42 +0000 (UTC)

Received-SPF: Pass (mailfrom) identity=mailfrom; client-ip=2620:100:900c:1:67:231:158:130; helo=mx0c-00131701.pphosted.com; envelope-from=prvs=0017eee589=erwin.dondorp@cgi.com; receiver=<UNKNOWN>

Received: from mx0c-00131701.pphosted.com (mx0c-00131701.pphosted.com [IPv6:2620:100:900c:1:67:231:158:130])

by mx1-he-de.apache.org (ASF Mail Server at mx1-he-de.apache.org) with ESMTTP id 2BDC082053

for <users@activemq.apache.org>; Mon, 14 Oct 2024 22:41:11 +0000 (UTC)

Received: from pps.filterd (m0088533.ppops.net [127.0.0.1])

by -00131701.pphosted.com (8.18.1.2/8.18.1.2) with ESMTTP id 49EE3Ci1032123

for <users@activemq.apache.org>; Mon, 14 Oct 2024 22:41:05 GMT

X-ASF-DKIM-Sig: v=1; a=rsa-sha256; c=relaxed/relaxed; d=cgi.com; h=content-transfer-encoding:content-type:date:from:in-reply-to:message-id:mime-version:references:subject:to; s=

./ed108a145ab04954a0647850dfc7d95e@cgi.com.mbx.txt

Tue Nov 12 15:15:04 2024

4

List-Id: <users.activemq.apache.org>
Reply-To: users@activemq.apache.org
Delivered-To: mailing list users@activemq.apache.org
Received: (qmail 531848 invoked by uid 116); 18 Oct 2024 15:54:52 -0000
Received: from spamproc1-he-de.apache.org (HELO spamproc1-he-de.apache.org) (116.203.196.100)
by apache.org (qpsmtpd/0.94) with ESMTP; Fri, 18 Oct 2024 15:54:52 +0000
Authentication-Results: apache.org; auth=none
Received: from localhost (localhost [127.0.0.1])
by spamproc1-he-de.apache.org (ASF Mail Server at spamproc1-he-de.apache.org) with ESMTP id 190F92000E1
for <users@activemq.apache.org>; Fri, 18 Oct 2024 15:54:52 +0000 (UTC)
X-Virus-Scanned: Debian amavisd-new at spamproc1-he-de.apache.org
X-Spam-Flag: NO
X-Spam-Score: -0.199
X-Spam-Level:
X-Spam-Status: No, score=-0.199 tagged_above=-999 required=6.31
tests=[DKIM_SIGNED=0.1, DKIM_VALID=-0.1, DKIM_VALID_AU=-0.1, DKIM_VALID_EF=-0.1, RCVD_IN_DNSWL_BLOCKED=0.001, SPF_PASS=-0.001, URIBL_BLOCKED=0.001] autolearn=disabled
Authentication-Results: spamproc1-he-de.apache.org (amavisd-new); dkim=pass (2048-bit key) header.d=cgi.com
Received: from mx1-he-de.apache.org ([116.203.227.195])
by localhost (spamproc1-he-de.apache.org [116.203.196.100]) (amavisd-new, port 10024)
with ESMTP id eFVMcNzAe8CM for <users@activemq.apache.org>; Fri, 18 Oct 2024 15:54:51 +0000 (UTC)
Received-SPF: Pass (mailfrom) identity=mailfrom; client-ip=2620:100:900c:1:67:231:158:130; helo=mx0c-00131701.pphosted.com; envelope-from=prvs=0021ece35e=erwin.dondorp@cgi.com; receiver=<UNKNOWN>
Received: from mx0c-00131701.pphosted.com (mx0c-00131701.pphosted.com [IPv6:2620:100:900c:1:67:231:158:130])
by mx1-he-de.apache.org (ASF Mail Server at mx1-he-de.apache.org) with ESMTPS id 6457382089
for <users@activemq.apache.org>; Fri, 18 Oct 2024 15:54:51 +0000 (UTC)
Received: from pps.filterd (m0101452.pops.net [127.0.0.1])
by -00131701.pphosted.com (8.18.1.2/8.18.1.2) with ESMTP id 49IDimgI012582
for <users@activemq.apache.org>; Fri, 18 Oct 2024 15:54:44 GMT
X-ASF-DKIM-Sig: v=1; a=rsa-sha256; c=relaxed/relaxed; d=cgi.com; h=content-transfer-encoding:content-type:date:from:in-reply-to:message-id:mime-version:references:subject:to; s=cgi-hosted-201911; bh=DqO5CEPkT51fq7ERl1McqefawsZGd5JmP2iQQseif3c=; b=jttZX7HcyEqQSuaoumkQ8CPy8b8kDfxWg8/mtguz0aAzdsdL15JU0S+GXZm4CauXYQWF+4Ksx5oYLTmu0OwhA3c1L6hodTSajijJeDzTeWSGrFU/aPcbWyocsW XuTcNcB9/DsaHQ/kANMMLnehvu+QJkk3q7mmj4moiJQfspTA9I5z5aDG5t5DF20g B9G3nAFrVgYm9pPoPZkaz5+Z88MozsVB5/Qc3QCULLL4f7y0hqdy7B8u50jvvDWD dPFh5Nmy/5C0BUT/CSnfeuMDp3+H5UjVNIIvhWrqe0htRLb0glWZYJvN+UWv79u9 jnS7kh3/yvkyxZLZD2t2hFEyEf9g==
Received: from globalmail.cgi.com (globalmail-eu.cgi.com [217.150.168.72])
by -00131701.pphosted.com (PPS) with ESMTPS id 427hw09b2s-1
(version=TLSv1.2 cipher=ECDHE-RSA-AES256-GCM-SHA384 bits=256 verify=OK)
for <users@activemq.apache.org>; Fri, 18 Oct 2024 15:54:43 +0000 (GMT)
Received: from SE-EX10114.groupinfra.com (142.101.45.153) by
SE-EX10115.groupinfra.com (142.101.45.154) with Microsoft SMTP Server (version=TLS1_2, cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.2.1544.11; Fri, 18 Oct 2024 17:54:41 +0200
Received: from SE-EX10114.groupinfra.com ([142.101.45.153]) by
SE-EX10114.groupinfra.com ([142.101.45.153]) with mapi id 15.02.1544.011; Fri, 18 Oct 2024 17:54:41 +0200
From: "Dondorp, Erwin" <erwin.dondorp@cgi.com.INVALID>
To: "users@activemq.apache.org" <users@activemq.apache.org>
Subject: RE: new Artemis Console question
Thread-Topic: new Artemis Console question

./ed108a145ab04954a0647850dfc7d95e@cgi.com.mbx.txt
Tue Nov 12 15:15:04 2024 8

OfpM5Jbu4jp25KL3Ep3A@mail.gmail.com>
<CAA9ykMJkOiFqpgSUEQdmgSeq-2dWTfXY8Fssv1CmxnTnYuJ60g@mail.gmail.com>
<ed108a145ab04954a0647850dfc7d95e@cgi.com> <814ef35a77554ce2ba61ff271bcd5f19@cgi.com>
In-Reply-To: <814ef35a77554ce2ba61ff271bcd5f19@cgi.com>
From: Andy Taylor <andy.tayls67@gmail.com>
Date: Tue, 22 Oct 2024 09:25:31 +0100
Message-ID: <CAA9ykMJBf=2n-J8vgMu-gHMLx=HNpJ=RaUe6HSmbRXqHMsLXNg@mail.gmail.com>
Subject: Re: new Artemis Console question
To: users@activemq.apache.org
Content-Type: multipart/alternative; boundary="000000000000d9dc5f06250c8393"

--000000000000d9dc5f06250c8393
Content-Type: text/plain; charset="UTF-8"
Content-Transfer-Encoding: quoted-printable

good to hear.

On Fri, 18 Oct 2024 at 16:55, Dondorp, Erwin <erwin.dondorp@cgi.com.invalid=>
>
wrote:

> Classification: Public
>
> Andy,
>
> I found the issue.
> I'm (forced to) using port forwarding to connect to the artemis system.
> But I'm using an alias for 127.0.0.1 (like "computer-xyz") so that cookie=
s
> and passwords are properly remembered by the browser.
> In the "connect" screen, I can only enter hostnames as "localhost" becaus=
e
> it does not know my local aliases.
> That change in hostname confused the new artemis-console internals enough
> to give the below error.
> Reverting everything to "localhost" solved it (at least good enough for
> demonstration purposes).
>
> Thx!
> Erwin
>

> -----Original Message-----

> From: Dondorp, Erwin
> Sent: Tuesday, October 15, 2024 12:41 AM
> To: 'users@activemq.apache.org' <users@activemq.apache.org>
> Subject: RE: new Artemis Console question
>

> Classification: Public
>

> Andy,
>

> Thx for the answers!
> I was first using "localhost", then "127.0.0.1" after I found the IPv6
> warning in the documentation.
> I will experiment further now that I know it is not a trivial known cause=
.
>

> Thx!
> e.
>

> -----Original Message-----

> From: Andy Taylor <andy.tayls67@gmail.com>
> Sent: Monday, October 14, 2024 1:35 PM

./ed108a145ab04954a0647850dfc7d95e@cgi.com.mbx.txt

Tue Nov 12 15:15:04 2024

9

```
> To: users@activemq.apache.org
> Subject: Re: new Artemis Console question
>
>
> EXTERNAL SENDER: Do not click any links or open any attachments unless
> you trust the sender and know the content is safe.
> EXP=C3=89DITEUR EXTERNE: Ne cliquez sur aucun lien et n=E2=80=99ouvrez=
aucune pi=C3=A8ce
> jointe =C3=A0 moins qu=E2=80=99ils ne proviennent d=E2=80=99un exp=C3=A9d=
iteur fiable, ou que vous
> ayez l'assurance que le contenu provient d'une source s=C3=BBre.
>
> I have spoken to hawtIO dev and he pointed me at
> https://urldefense.com/v3/__https://developer.mozilla.org/en-US/docs/Web/=
Security/Secure_Contexts__;!!AaIhyw!sjCWzezh19QJxKckg_zjVdAppKD3T5ahKCjpkLk=
Si_5Hw2_RT95JJYzUfpuGz2YkAjsfJhz7UeUbUg3kaU-3IgI$
>
> So I am guessing the URL you are using is causing this to happen, saying
> that localhost/127.0.0.1 should work, anything else you need to configure
> https. Maybe you are using a different hostname or localhost isnt mapped
> correctly?
>
>
> On Mon, 14 Oct 2024 at 10:06, Andy Taylor <andy.tayls67@gmail.com> wrote:
>
> > I haven't seen that before, can you supply your connection config for
> > jolokia. Also what version of Artemis are you using?
> >
> > On Sun, 13 Oct 2024 at 21:27, Dondorp, Erwin
> > <erwin.dondorp@cgi.com.invalid>
> > wrote:
> >
> >> Classification: Public
> >>
> >> Hello,
> >>
> >> I'm trying the new Artemis Console.
> >> Installing it with jetty-home-12.0.14 and
> >> apache-artemis-console-1.0.0 was fine. I followed the details from
> >> https://urldefense.com/v3/__https://activemq.apache.org/components/ar
> >> temis-console/documentation/__;!!AaIhyw!sjCWzezh19QJxKckg_zjVdAppKD3T
> >> 5ahKCjpkLkSi_5Hw2_RT95JJYzUfpuGz2YkAjsfJhz7UeUbUg3krEGfpGM$
> >> I only needed to tell jetty to use port 8162, as 8080 and 8161 were
> >> already in use.
> >> The connection to the broker could be added in the gui.
> >> When the connection is used with a wrong username/password, the error
> >> message "Incorrect username or password" appears as expected.
> >>
> >> But with the right username/password, nothing visibly happens, and
> >> the following error appears in the webbrowser console.
> >> Uncaught (in promise) TypeError: window.crypto.subtle is undefined
> >>     Ep crypto.ts:6
> >>     b d0339a10.chunk.js:1.238
> >> This happens for Firefox and Edge to rule out specific browser behavio=
r.
> >>
> >> Does this look familiar to anyone? Any hints?
> >>
> >> thx!
> >> Erwin
> >>
> >
>
```


./ed108a145ab04954a0647850dfc7d95e@cgi.com.mbx.txt
Tue Nov 12 15:15:04 2024 14

From: Andy Taylor <andy.tayls67@gmail.com>
Date: Mon, 14 Oct 2024 10:06:04 +0100
Message-ID: <CAA9ykMKAew4ygXzUD9PPWX364dLpjs0fpM5Jbu4jp25KL3Ep3A@mail.gmail.com>
Subject: Re: new Artemis Console question
To: users@activemq.apache.org
Content-Type: multipart/alternative; boundary="00000000000002cacal06246c26fa"

--00000000000002cacal06246c26fa
Content-Type: text/plain; charset="UTF-8"

I haven't seen that before, can you supply your connection config for jolokia. Also what version of Artemis are you using?

On Sun, 13 Oct 2024 at 21:27, Dondorp, Erwin <erwin.dondorp@cgi.com.invalid> wrote:

> Classification: Public
>
> Hello,
>
> I'm trying the new Artemis Console.
> Installing it with jetty-home-12.0.14 and apache-artemis-console-1.0.0 was
> fine. I followed the details from
> <https://activemq.apache.org/components/artemis-console/documentation/>
> I only needed to tell jetty to use port 8162, as 8080 and 8161 were
> already in use.
> The connection to the broker could be added in the gui.
> When the connection is used with a wrong username/password, the error
> message "Incorrect username or password" appears as expected.
>
> But with the right username/password, nothing visibly happens, and the
> following error appears in the webbrowser console.
> Uncaught (in promise) TypeError: window.crypto.subtle is undefined
> Ep crypto.ts:6
> b d0339a10.chunk.js:1.238
> This happens for Firefox and Edge to rule out specific browser behavior.
>
> Does this look familiar to anyone? Any hints?
>
> thx!
> Erwin
>

--00000000000002cacal06246c26fa--
From mboxrd@z Thu Jan 1 00:00:00 1970
Return-Path: <users-return-57537-archive-asf-public=cust-asf.ponee.io@activemq.apache.org>
X-Original-To: archive-asf-public@cust-asf.ponee.io
Delivered-To: archive-asf-public@cust-asf.ponee.io
Received: from mxout1-he-de.apache.org (mxout1-he-de.apache.org [95.216.194.37])
by mx-eu-03.ponee.io (Postfix) with ESMTPS id 6B3403E72B
for <archive-asf-public@cust-asf.ponee.io>; Sun, 13 Oct 2024 20:27:42 +0000 (UTC)
Received: from mail.apache.org (mailgw-he-de.apache.org [IPv6:2a01:4f8:c2c:d4aa::1])
(using TLSv1.3 with cipher TLS_AES_256_GCM_SHA384 (256/256 bits)
key-exchange X25519 server-signature RSA-PSS (4096 bits) server-digest SHA256)
(No client certificate requested)
by mxout1-he-de.apache.org (ASF Mail Server at mxout1-he-de.apache.org) with ES
MTPS id 490396402D
for <archive-asf-public@cust-asf.ponee.io>; Sun, 13 Oct 2024 20:27:42 +0000 (UTC)
Received: (qmail 3211897 invoked by uid 998); 13 Oct 2024 20:27:41 -0000
Mailing-List: contact users-help@activemq.apache.org; run by ezmlm

./ed108a145ab04954a0647850dfc7d95e@cgi.com.mbx.txt
Tue Nov 12 15:15:04 2024 16

To: "users@activemq.apache.org" <users@activemq.apache.org>
Subject: new Artemis Console question
Thread-Topic: new Artemis Console question
Thread-Index: Adsdq4nDa0jff2yfRRKk0znKMYb+uw==
Date: Sun, 13 Oct 2024 20:27:24 +0000
Message-ID: <c39ffabe5ec249b1a5a45a9216ca9cee@cgi.com>
Accept-Language: nl-NL, en-US
Content-Language: en-US
X-MS-Has-Attach:
X-MS-TNEF-Correlator:
msip_labels: MSIP_Label_d9290083-bd2f-48a2-8ac5-09a524b17d15_Enabled=true;
MSIP_Label_d9290083-bd2f-48a2-8ac5-09a524b17d15_SetDate=2024-10-13T20:27:22Z;
MSIP_Label_d9290083-bd2f-48a2-8ac5-09a524b17d15_Method=Privileged;
MSIP_Label_d9290083-bd2f-48a2-8ac5-09a524b17d15_Name=d9290083-bd2f-48a2-8ac5-09a524b17
d15;
MSIP_Label_d9290083-bd2f-48a2-8ac5-09a524b17d15_SiteId=b9fec68c-c92d-461e-9a97-3d03a0f
18b82;
MSIP_Label_d9290083-bd2f-48a2-8ac5-09a524b17d15_ActionId=c4ec8d00-7f62-48af-8521-d3e52
0476ee7;
MSIP_Label_d9290083-bd2f-48a2-8ac5-09a524b17d15_ContentBits=1
x-originating-ip: [142.101.28.247]
Content-Type: multipart/alternative;
boundary="_000_c39ffabe5ec249b1a5a45a9216ca9ceecgicom_"
MIME-Version: 1.0
X-Proofpoint-GUID: kk1pi9xkpAGuK2X_oaStFFWdzCCg6g4a
X-Proofpoint-ORIG-GUID: kk1pi9xkpAGuK2X_oaStFFWdzCCg6g4a

--_000_c39ffabe5ec249b1a5a45a9216ca9ceecgicom_
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable

Classification: Public

Hello,

I'm trying the new Artemis Console.
Installing it with jetty-home-12.0.14 and apache-artemis-console-1.0.0 was =
fine. I followed the details from [https://activemq.apache.org/components/ar=
temis-console/documentation/](https://activemq.apache.org/components/artemis-console/documentation/)
I only needed to tell jetty to use port 8162, as 8080 and 8161 were already=
in use.
The connection to the broker could be added in the gui.
When the connection is used with a wrong username/password, the error messa=
ge "Incorrect username or password" appears as expected.

But with the right username/password, nothing visibly happens, and the foll=
owing error appears in the webbrowser console.

Uncaught (in promise) TypeError: window.crypto.subtle is undefined

Ep crypto.ts:6

b d0339a10.chunk.js:1.238

This happens for Firefox and Edge to rule out specific browser behavior.

Does this look familiar to anyone? Any hints?

thx!
Erwin

--_000_c39ffabe5ec249b1a5a45a9216ca9ceecgicom_--