4.3 Studies — Little Albert, Desensitisation, Prosocial Media, Dehumanisation

What this workbook covers 本册讲什么

Spec 4.3: one classic study, Watson and Rayner (1920) Conditioned emotional reactions; one contemporary study, Capafóns et al. (1998) Systematic desensitisation in the treatment of the fear of flying; plus Prot et al. (2014) and Bastian et al. (2012) — the two optional contemporary studies the textbook covers in full. Describe and evaluate each.

How to use this booklet 怎么用

1. **Fill it in as you go** — check the answer key (last page) after each page.
2. **The Little Albert timeline (p.3–4) and the Capafóns results table (p.7) matter most.** Numbers and ages are exactly what examiners check.

Content map 内容地图

Page	Topic	What you must be able to do afterwards
p.2	W&R aim + sample	State the aim; give sample details (age, character, hospital)
p.3	W&R baseline + conditioning	Retell the baseline test and the 11m3d/11m10d trials
p.4	W&R generalisation + final test	Retell 11m15d to 1y21d; draw the CC diagram
p.5	W&R conclusions + evaluation	State conclusions; two strengths, three weaknesses
p.6	Capafóns aim + sample + measures	Name the scales and the physiological measures
p.7	Capafóns treatment + results	Retell the therapy; read Table 24.1; state the conclusion
p.8	Capafóns evaluation	Give strengths and weaknesses incl. the waiting-list ethics fix
p.9	Prot study one	State aim, 7-country sample, IRI and Brief Prosocial Scale
p.10	Prot study two	State the longitudinal design; retell the Time 1→2→3 chain
p.11	Prot conclusions + evaluation	State what empathy mediates; evaluate self-report and samples
p.12	Bastian studies one and two	Retell both games, both samples, both results tables
p.13	Bastian evaluation + checkpoint	Evaluate (victim confound, gynocentric sample); textbook checkpoint
p.14	Exam practice + answer key	Textbook questions 1+1+4+2+8; mark honestly; brain dump

Revision tracker 复习打卡

☐ p.2–5 Albert ☐ p.6–8 Capafóns ☐ p.9–11 Prot ☐ p.12–13 Bastian ☐ p.14 exam

The whole chapter in one sentence 一句话总结

Watson and Rayner showed a phobia can be **classically conditioned** in one infant; Capafóns showed systematic desensitisation **reduces fear of flying** against a waiting-list control; Prot showed prosocial media lifts helping behaviour **through empathy**; Bastian showed violent games **diminish how human we feel** — four studies, one method lesson: description earns the marks, evaluation earns the grade.

Watson & Rayner (1920): Aim and Sample

Aim 目的

Using the principles of _____ conditioning （classical）, investigate whether a human child could learn to be afraid of a previously _____ stimulus — a white rat that initially caused no fear （neutral） — and whether this reaction would be _____ to similar objects （generalised）.

Sample 样本

Detail	Fact
Design	A _____ case experiment （single）
Who	One child, '_____ B', a nine-month-old infant （Albert）
Why him	Chosen for his '_____ and unemotional' character （stolid） — he barely cried
Setting	Raised almost from birth in a _____ environment （hospital）; his mother was a wet nurse in the Harriet Lane Home for Invalid Children
Health	Healthy from birth, one of the best developed youngsters at the hospital; weighed _____ pounds at nine months （21）

中文理解：为什么考试爱问样本

单一个孩子叫 single case experiment；挑他是因为 stolid and unemotional，这个细节两面用：支持方说这种性格抗干扰少哭闹，反方说那他就代表不了普通婴儿。评价样本代表性时把这句话搬出来就有课本依据。

Key terms check 关键词自查

Single case experiment: an experiment with only _____ participant （one）.

Stolid and unemotional: calm, showing little _____, the character trait Albert was chosen for （emotion）.

Wet nurse: a woman who breastfeeds another woman's baby. Albert's mother worked as one in the hospital, so Albert was raised there from nearly _____ （birth）.

Warm-up 检查

How old was Albert when conditioning began, roughly? _____ （about 11 months — conditioning started two months after the baseline test）

W&R: Baseline Test and First Conditioning Trials

Baseline test 基线测试

First, Albert's responses were tested to various stimuli: a _____, a mask, a white rat, _____ wool and burning _____ (dog; cotton; newspaper). He responded adversely to none. Then a _____ was struck on a four-foot steel pole hanging from the ceiling (hammer): first hit → startled; second hit → lips began to _____ (pucker); third hit → broke down in a _____ fit (crying). The hammer strike became the _____ stimulus (unconditioned (UCS)).

Timeline so far 时间线（前半）

Age	What happened
9 months	Baseline test of the five stimuli; hammer on pole tested as the _____ (UCS)
11 m 3 d	Conditioning began. Placed on a _____ on a table in a well-lit room (mattress). Rat presented alone: _____ fear, he reached for it (no). Then the steel bar was struck _____ Albert's back whenever he touched the rat (behind): first time shocked but no cry; second time jumped _____ and whimpered (violently)
11 m 10 d	Rat alone (with wooden _____ to play with) — no fear (blocks). Then rat + bar struck: startled and _____ over (fell); repeated two more times; then rat alone → began to _____ and crawled away (cry). The conditioned response was established

中文理解：基线测试存在的意义

先证明这五样东西都不吓人，再证明响声本身能吓哭他。两头卡住之后，「白鼠 × 响声」配对产生的恐惧才说得清是谁带来的。没有基线，恐惧可能本来就在，因果链就断了。这就是评价里「有 control」的证据。

Quick check 快问

What was the UCS? _____ (the loud noise of the steel bar being struck)

What was the neutral stimulus before conditioning? _____ (the white rat)

Put it in order 排序

Number these events 1–4: _____ rat alone → cries and crawls away · _____ five stimuli tested, no adverse response · _____ rat + steel bar struck, shocked but no cry · _____ hammer strike tested as the UCS

(order: five stimuli = 1, hammer UCS = 2, rat + bar = 3, rat alone crying = 4)

Why were the wooden blocks presented between the frightening stimuli? _____ (to calm him down — and to show he did not fear non-furry objects)

W&R: Generalisation, Change of Setting, Final Test

Timeline 时间线（后半）

Age	What happened
11 m 15 d	_____ testing （generalisation）. Blocks → no fear; rat alone → leaned _____ （away）. A rabbit appeared → burst into tears, buried his head in the mattress. Then a dog, seal fur coat, cotton wool, Watson's own hair, and a _____ mask （Santa Claus）. Negative reaction to all _____ stimuli （furry）. Blocks given between each stimulus to _____ him down （calm）
11 m 20 d	Rat alone: no cry but _____ himself away （withdrew）. To _____ the response （refresh）: rat placed on his hand and bar struck — reaction recorded as '_____' （violent）. Rabbit fear refreshed the same way; dog shook head, whimpered, crawled away
Different setting	Moved to a large well-lit _____ room, placed on a table under a skylight （lecture）. Purpose: test whether the same response occurs in a _____ setting — eliminating _____ as an extraneous variable （different; context）
1 y 21 d	Final test: Santa mask, fur coat, rat, rabbit, dog. Withdrew from the mask, wrinkled his nose at the coat, cried when he touched it by accident. Rat on his arm and chest → fret and covered his _____ （eyes）. Fear persisted after _____ days （31）, though it grew _____ towards the end （weaker）. Mother withdrew him before he could be _____ （deconditioned）

Generalisation vs discrimination 泛化与分化

Stimulus generalisation = fear spreading to objects _____ to the rat （similar）: evidence = he feared the rabbit, dog, seal fur coat and the _____ mask （Santa Claus）. **Stimulus discrimination** = no fear of objects clearly _____ from the rat （different）: evidence = he played calmly with the wooden _____ （blocks）.

Exam link: checkpoint Q3 uses this exact contrast — he cried at furry things (generalisation) but stayed calm with blocks (discrimination).

Draw the classical conditioning diagram 画条件反射图

Fill in the boxes: before conditioning (UCS → UCR; NS → no response), during (NS + UCS → UCR), after (CS → CR).

Before	During	After
Loud noise → _____ **Rat → no response** **（fear/crying (UCR)）**	**Rat +** _____ **→ fear** **（loud noise (UCS)）**	**Rat alone →** _____ **（fear (CR); rat is now the CS）**

Conclusions 结论

- A phobia of a previously unfearful object can be _____ (learned): rat (NS→CS) + loud noise (UCS) → fear (CR).
- _____ generalisation was observed: fear transferred to similar animals and objects (Stimulus).
- Fear lasted _____ days after the emotional tests (31), so such conditioned emotional responses have the potential to last a _____ (life time).

Evaluation 评价

	Point
Strength	_____ methodology: control over the stimulus-response link (Scientific). Measured fear before conditioning as a _____ comparison (baseline); conducted part of the study in another room to eliminate _____ as an extraneous variable (context); behaviours at every stage carefully _____, ensuring replication (documented)
Weakness 1	Lack of _____ validity: laboratory-like location; tasks not those of normal everyday life (ecological)
Weakness 2	_____: Albert obviously distressed; could not be deconditioned; physical and psychological well-being neglected (Ethical issues)
Weakness 3	Generalisation: one _____ child, selected for his unemotional character, may not represent others of the same age and gender (individual)
Weakness 4	_____ bias: Albert and researchers all represent one culture (USA) (cultural)
Later doubt	Fridlund et al. (_____): Albert had suffered _____ since birth (build-up of cerebrospinal fluid in the brain) and Watson knew (2012; hydrocephalus) — casts doubt on the findings and raises further ethical questions

中文理解：评价 Alberta 的三条主线

方法线（有基线、换房间控制情境，科学）；伦理线（吓哭婴儿还没法消除恐惧）；样本线（就一个情绪稳的娃，还可能脑积水）。三条线任何一条都能写成 4 分题。nature–nurture 也能挂上：响声的惊吓是天生反应，把它绑到白鼠身上是环境干的，两个都有份。

Capafóns et al. (1998): Aim, Sample, Measures

Aim 目的

To investigate the effectiveness of _____ _____ as a treatment for a fear of flying （systematic desensitisation）.

Sample 样本

Detail	Fact
Recruitment	A _____ campaign offering a free-of-charge intervention programme （media）
Total	_____ participants came forward （41）
Treatment group	____ participants (____ males, ____ females), randomly assigned （20; 8; 12）
Control group	____ participants (____ males, ____ females) — waiting for therapy （21; 9; 12）

Measures 量表与生理指标

Measure	What it assesses
IDG-FV	Spanish general _____ information tool on fear of flying: life history aspects （diagnostic）
EMV	Degree of _____ perceived in different flight situations （anxiety）: fear during flight, of flight preliminaries, without involvement
EPAV-A / EPAV-B	Frequency of _____ thoughts (e.g. engines catching fire) and physiological reactions in a flight situation （catastrophic）
Physiological	_____ rate, muscle _____, skin _____ （heart; tension; temperature）

中文理解：为什么既要量表又要生理指标

量表是自述，怕人嘴上说一套；心率、肌电、皮温是身体反应，藏不住。两边都测，评价时「objective measures + validated scales」这条 strength 才站得住。三分钟的习惯化（habituation）让被试先适应场景，量出来的基线更稳。

Capafóns et al. (1998): Procedure, Results, Conclusions

Procedure 步骤

1. Individual interview + IDG-FV; later watched a _____ of a plane trip, told to feel as involved as possible (video).
2. Before the video: _____ session to get acquainted with the situation; heart rate, temperature and muscular tension measured for _____ minutes (habituation; three).
3. Interval between pre- and post-test: about _____ weeks (eight).
4. Treatment group: two one-hour _____ a week, _____ sessions in total (sessions; 12–15).
5. Techniques: breathing, _____ muscle relaxation and imagination (progressive); combined _____ (imagined situations) and _____ (real-life exposure) elements; stop thinking and brief relaxation where the phobic stimulus was present (in vitro; in vivo).

Results (Table 24.1) 结果表

Measure	Treatment pre	Control pre	Treatment post	Control post	Significance
Fear during flight (EMV)	_____ (25.6)	26.05	_____ (13.25)	25.81	_____ ($p < 0.001$)
Catastrophic thoughts (EPAV)	10.30	9.76	_____ (5.0)	9.67	$p < 0.01$
Heart rate	1.04	1.07	_____ (0.99)	_____ (1.31)	$p < 0.01$

Pre-test scores were similar: a fairly _____ sample (homogenous). Control group: the mere passing of time led to no reduction. Treatment group: significant arousal reduction except for _____ participants — only _____ per cent showed no significant reduction (two; ten).

Conclusion 结论

Systematic desensitisation is an _____ treatment for decreasing or eradicating fear of flying (effective). But it is not _____ — ten per cent were incorrectly classified, so future research should ask why the therapy works better for some patients (infallible).

中文理解：这表怎么读

三行数据看两个方向：治疗组三个指标全降（25.6→13.25 最直观），对照组原地不动甚至心率反升（1.07→1.31）。结论一句话：降的只有治疗组，所以降的是治疗带来的，时间没功劳。p<0.001 就是差这情况巧到千分之一以下。

Capafóns et al. (1998): Evaluation

Evaluation 评价（课本依据）

	Point
Strength 1	Scientific assessment: quantifiable data from _____ plus objective measures (heart rate, body temperature); many scales _____ for reliability （scales; validated）
Strength 2	_____ group as a baseline comparison: differences can be tested for statistical significance （control）
Strength 3	_____ in a consistent laboratory-based environment: every participant experienced the initial stages the same way, minimising extraneous variables （Standardisation）
Strength 4	Practical _____: if the therapy works, it should be a main method for treating fear of flying — personal, social and economic benefits （application）
Weakness 1	Small sample of _____ people → problem of _____ （41; generalisability）
Weakness 2	Interview questioning relies on _____: closed-ended questions with pre-set responses mean respondents pick what 'best fits' （self-reporting）, so the true view may not be matched
Weakness 3	Ethics: not acceptable to _____ the control group the treatment; lessened because they were placed on a _____ list （deny; waiting）

中文理解：waiting list 是伦理题的万能钥匙

对照组不给治疗看似缺德，但课本给了台阶：他们在候补名单上，疗程结束就轮到他们。答 8 分评价题时先摆问题再摆补救，一负一正连着写，比单写「不伦理」高一档。

Exam tip from the textbook 课本考试提醒

'Not significant' ≠ worthless

'Not significant' does not mean no difference was found — it means a five per cent greater likelihood the results were due to chance. If two therapies show no significant difference but one is cheap, health authorities can direct resources to the cheaper one.

Prot et al. (2014): Study One

Background and aim 背景

Prosocial media can encourage _____ behaviour in real life （helping）. The researchers hypothesised that greater prosocial media use would be associated with more frequent helping, and that this association would be explained by _____ （empathy）. Aim: investigate the association across _____ different countries, and the impact of age, gender and culture （seven）.

Sample 样本

Country	n	Country	n	Country	n
Australia	_____ (462)	**China**	_____ (203)	**Croatia**	_____ (438)
Germany	_____ (200)	**Japan**	_____ (395)	**Romania**	_____ (233)
USA	_____ (307)	**Total _____ adolescents and young adults, mean age _____ years (SD = 5.6) (2202; 21)**			

Design: a _____ analysis （cross-sectional）.

Procedure 步骤

- Questionnaire online or _____ to face （face）; list three favourite TV shows, movies and video games with monthly frequency; rate each for prosocial and violent content.
- Game items included 'How often do characters help each other in this game?' and 'How often do characters try to _____ injure each other?' （physically）.
- Empathy: _____ items from the empathic-concern and perspective-taking subscales of the _____ Reactivity Index (IRI) （14; Interpersonal）; assumed a stable personality characteristic.
- Prosocial behaviour: _____ items from the Brief Prosocial Scale （ten）, e.g. 'I try to be helpful to people even if I don't expect to see them again'.

Results 结果

Race, education, socioeconomic status and parental education were _____ associated with media use or helping （not significantly）, so not analysed further. In _____ all seven countries there was an association between prosocial media use and helping behaviour with empathy as an influencing variable （each）.

中文理解：cross-sectional 是「快照」

七个国家同一时刻拍一张合照：谁玩亲社会游戏多、谁共情高、谁爱助人，横向一比。快、量大，但拍不到变化过程，所以得不出因果，这正是 study two 存在的理由。

Prot et al. (2014): Study Two

Why a second study 为什么要第二个研究

Study one found a relationship, but no _____ conclusions could be drawn from the cross-sectional design （causal）. Study two used a _____ design to establish firm causal conclusions （longitudinal）.

Sample and procedure 样本与步骤

Detail	Fact
Where	_____ only （Singapore）
Time 1	_____ children and adolescents （3034） (73% male, 27% female) from six primary and six secondary schools, mean age _____ （11.2 years）
Time 2 / Time 3	_____ and _____ participants （2360; 2232）
Timing	Questionnaires via class teacher _____ times over two _____ （three; years）
Media measure	List three favourite video games; frequency on a _____-point scale (none to more than ten hours) （16）; content rated on a four-point scale, e.g. 'How often do you shoot or kill creatures in this game?' (violent) vs 'How often do you help others?' (prosocial)
Empathy	The Children's Empathic Attitudes Questionnaire, e.g. 'I would feel bad if my mother's friend got sick'
Helping	Subscales of the Prosocial Orientation Questionnaire, e.g. 'I would spend time and money to help those in need'

Results (Table 24.3 chain) 结果链

Prosocial video game use at _____ had a positive indirect effect on prosocial behaviour at _____ through _____ at Time 2 （Time 1; Time 3; empathy）. Violent video game use at Time 1 had a negative indirect effect on prosocial behaviour at Time 3 through its effect on empathy at Time 2.

中文理解：中介效应一句话版

亲社会游戏（T1）→ 共情变多（T2）→ 助人变多（T3）；暴力游戏走同一条链但方向相反。答题时把三个时间和箭头写全，才像懂 mediation。 empathy 是中间的传送带，不是旁路。

Prot et al. (2014): Conclusions and Evaluation

Conclusions 结论

- Prosocial media use is _____ correlated with prosocial behaviour in real life; the key to the relationship is _____ （positively; empathy）.
- Study two found long-term positive effects of prosocial media and long-term negative effects of _____ media （violent）, mediated by changes in empathy.
- More time using media, _____ of content, the less prosocial behaviour shown （regardless） — less social interaction means less chance to learn empathy.

Evaluation 评价（课本依据）

	Point
Weakness	Heavy reliance on _____ methods: participants rate how often they helped or harmed others, so _____ desirability may reduce validity （self-report; social）
Strength 1	Ratings produced _____ data, objectively analysed; comparisons across the sample via statistical analysis （quantitative）
Strength 2	Study one: very large sample of _____ from seven countries → cross-cultural comparisons （2202）. But study two only used _____ participants （Singapore）, so culture could have shaped the results
Strength 3	Effects replicated by Harrington and O'Connell (_____): prosocial games developed empathic concern and prosocial behaviour as reported by teachers （2016） — results can be considered _____ （reliable）
Strength 4	Reliable _____: the IRI is commonly used, known to have internal reliability and construct validity, so others can repeat with the same measure （inventories）
Application	Parents can make informed choices about children's media; policymakers and media corporations can decide what to censor or encourage

中文理解：两个研究互相补台

study one 给广度（七国两千人），study two 给因果（同一批娃追两年）。评价时两边分开说：夸样本夸 study one，夸设计夸 study two，批文化局限批 study two 的 Singapore-only。这套分工结构在 8 分题里非常好用。

Bastian et al. (2012): Studies One and Two

Background 背景

Before 2011 it was not well documented whether violent game play could have _____ effects on players （dehumanising）. Brock Bastian, Jolanda Jetten and Helena Radke investigated how games affected perception of one's own _____ and that of co-players （humanity）.

Study one 研究一

Detail	Fact
Games	_____ (violent) vs Top Spin Tennis (non-violent) （Mortal Kombat）
Sample	_____ participants (_____ women, _____ men), undergraduates aged 17–34 （106; 74; 32）; randomly assigned; 52 violent, 54 non-violent
Procedure	Two-player game for _____ minutes with a dividing wall between players （15）; questionnaire on enjoyment, excitement, frustration (1–7 Likert-type scale)
Humanness scale	Eight questions: four assessed human _____ (e.g. 'I felt that I was emotional'), four assessed human _____ (e.g. 'I felt like I was refined and cultured') （nature; uniqueness）; self and opponent both rated
Results	Self-humanity lower in violent condition (_____ vs _____) （3.74; 4.35）; others' humanity lower (_____ vs _____) （4.43; 4.93）; still significant after accounting for gender, enjoyment and frustration. Both games equally _____, but Mortal Kombat more exciting （frustrating）

Study two 研究二

Detail	Fact
Questions asked	Mortal Kombat characters are not human — was reduced humanness because players saw themselves as game characters? Or just conflict against another person? Or feeling bad after playing?
Sample	_____ undergraduates, mean age _____, ten male and 28 female, for course credit or US $10 （38; 20.18 years）
Procedure	_____ vs Top Spin Tennis （Call of Duty 2）; played as co-players against a computer _____ （avatar）, not opponents; screen split so participant saw own viewpoint and the avatar's. Self-esteem measured with the State Self-Esteem Scale; mood with the 20-item _____ （PANAS）
Results (Table 24.4)	Self-humanity: violent _____ vs non-violent _____ （3.82; 4.48） — still reduced. Other humanity: 4.89 vs 4.86 — no _____ （difference）

中文理解：study two 在补什么洞

study one 三个疑点：角色非人、对手冲突、输了心情差。study two 换成打电脑 avatar、并肩作战、外加自尊和情绪量表，结果 self-humanity 照样降，mood 没背锅。结论收窄成一句：暴力游戏只削「我有多像人」，不影响对别人的感知（除非对方是对手）。

Conclusions and evaluation 结论与评价

- Playing a violent game reduces perception of our own humanity, even if the opponent is an _____ （avatar）. It does not make us feel bad or see ourselves negatively; it only affects how human we feel.
- _____ application: gaming popular, consoles affordable, animation realistic; such studies helped justify age certification of games （Real-world）.
- Results _____ previous research (Anderson and Bushman, 2001; Anderson, Gentile and Buckley, 2007) （concur with）.
- Problem: participants were also _____ of game violence (by a player or avatar) — perhaps being a victim lowered self-humanity scores （victims）.
- Ethically appropriate: fully _____, limited deception, competent research team （informed）.
- Generalisability: small, biased sample; majority women across both studies (_____ result) （gynocentric） — not representative of a typical gaming population.
- Validity: Bastian admitted participants might have been _____ to rate themselves less human given the context; but participants did not suspect the dehumanisation link （compelled）.

中文理解：victim confound 是本研究的招牌批评
在游戏里你既打人也挨打。自我人性感降低，可能是「玩暴力」造成的，也可能是「挨打当受害者」造成的，混在一起分不开。考场上一句 victims of game violence 就能体现你真读过这个研究。

Checkpoint（课本）

1. Match the sample to the study: a) 41 participants from a media campaign _____ b) 2202 adolescents and young people _____ c) one nine-month-old chosen for being stolid and unemotional _____ d) 106 undergraduates _____

2. W&R conditioned a phobia of what? a) a loud noise b) a small well-lit room c) a white rat → _____

3. Little Albert showed stimulus discrimination because: a) he cried at the Santa mask b) he played nicely with the wooden blocks c) he feared the furry rabbit → _____

4. Capafóns investigated which treatment? a) psychoanalysis b) behaviour shaping c) systematic desensitisation → _____

5. How many sessions per week in Capafóns? a) two one-hour sessions b) one two-hour session c) one one-hour session → _____

Exam practice（课本）

1. State one aim from your chosen contemporary study (Prot, 2014, or Bastian et al., 2012). (1 mark)

2. Watson and Rayner (1920) used classical conditioning in their study on Little Albert. (a) Identify the unconditioned stimulus (UCS). (1) (b) Explain two ethical weaknesses of the study. (4) (c) Explain one improvement that could be made to the sample. (2)

3. Evaluate the contemporary study by Capafóns et al. (1998): Systematic desensitisation in the treatment of the fear of flying. (8 marks)

Answer key 答案速查

p.2 classical · neutral · generalised · single · Albert · stolid · hospital · 21 · one · emotion · birth.
p.3 dog, cotton, newspaper · hammer · pucker · crying · unconditioned (UCS) · UCS · mattress · no · behind · violently · blocks · fell · cry · order: 1/2/3/4 · to calm him down (and show no fear of non-furry objects).
p.4 generalisation · away · Santa Claus · furry · calm · withdrew · refresh · violent · lecture · different · context · eyes · 31 · weaker · deconditioned · similar · Santa Claus · different · blocks · diagram: fear/crying (UCR); loud noise (UCS); fear (CR), rat = CS.
p.5 learned · Stimulus · 31 · life time · Scientific · baseline · context · documented · ecological · Ethical issues · individual · cultural · 2012; hydrocephalus.
p.6 systematic desensitisation · media · 41 · 20/8/12 · 21/9/12 · diagnostic · anxiety · catastrophic · heart/tension/temperature.
p.7 video · habituation · three · eight · sessions · 12–15 · progressive · in vitro/in vivo · 25.6 · 13.25 · p<0.001 · 5.0 · 0.99 · 1.31 · homogenous · two · ten · effective · infallible.
p.8 scales · validated · control · Standardisation · application · 41 · generalisability · self-reporting · deny · waiting.
p.9 helping · empathy · seven · 462/203/438/200/395/233/307 · 2202 · 21 · cross-sectional · face · physically · 14 · Interpersonal · ten · not significantly · each.
p.10 causal · longitudinal · Singapore · 3034 · 11.2 · 2360; 2232 · three · years · 16 · Time 1 · Time 3 · empathy.
p.11 positively · empathy · violent · regardless · self-report · social · quantitative · 2202 · Singapore · 2016 · reliable · inventories.
p.12 dehumanising · humanity · Mortal Kombat · 106/74/32 · 15 · nature · uniqueness · 3.74/4.35 · 4.43/4.93 · frustrating · 38 · 20.18 · Call of Duty 2 · avatar · PANAS · 3.82/4.48 · difference.
p.13 avatar · Real-world · concur with · victims · informed · gynocentric · compelled · checkpoint: a Capafóns, b Prot, c W&R, d Bastian · 2c · 3b · 4c · 5a.

Model answer highlights 高分要点

Q2(b) 两条伦理弱点（4 分骨架） + Q3 Capafóns 8 分骨架

Q2(b): 1. Protection from harm: Albert was obviously distressed and cried during trials, and his fear was deliberately strengthened over time. 2. Right to withdraw / no deconditioning: his mother withdrew him before he could be deconditioned, so the harm could not be undone. Each point: state the issue + link to what actually happened.

Q3 — Strengths: validated scales + objective physiological measures (scientific); waiting-list control group allows significance testing; standardised lab procedure; strong practical application. Weaknesses: small sample (41) limits generalisability; closed-ended interview self-report limits validity of responses. Conclusion: effective therapy supported by converging self-report and physiological data, but check with larger, more diverse samples.

Brain dump 空白重写

Rewrite, from memory and in full, any answer you got wrong or left blank above: