UNI-T Product Catalogue

Electrical testing / Environment / Equipment maintenance

ELECTRICAL TESTING

UT12D-ROW

Non-contact AC Voltage Detector



Quickly checks for AC voltage in cables, sockets and electrical equipment without direct conductor contact.

Low mode	24-1000 V AC
High mode	90-1000 V AC
Frequency	50 / 60 Hz
Features	Buzzer, LED & flashlight

Manufacturer specifications

TEMPERATURE

UT300A+

Infrared Thermometer



Measures surface temperature without contact for routine electrical, equipment and maintenance checks.

Temperature	-20 to 400 °C
Distance-to-spot	10:1
Response time	≤500 ms
Emissivity	0.95 fixed

Manufacturer specifications

CABLE DIAGNOSTICS

UT683KIT

Wire Tracker Kit



Transmitter and receiver kit for locating network and telephone cables and identifying common wiring faults.

Connections	RJ11 / RJ45
Tests	Open, short & polarity
Features	Port flashing & NCV
Battery	1050 mAh rechargeable

Manufacturer specifications

ELECTRICAL TESTING

UT501A

Digital Insulation Resistance Tester



Tests the insulation condition of cables, motors and electrical installations using selectable test voltages.

Test voltages	100 / 250 / 500 / 1000 V
Insulation	Up to 5 GΩ
AC voltage	30-750 V
Features	Auto discharge & backlight

Manufacturer specifications

UNI-T Product Catalogue

Electrical testing / Environment / Equipment maintenance

ELECTRICAL TESTING

UT521

Digital Earth Tester



Checks grounding resistance in electrical systems, building earthing and lightning-protection installations.

Earth resistance	20 / 200 / 2000 Ω ranges
AC earth voltage	0-200 V
Test methods	2-wire / 3-wire
Data storage	20 readings

Manufacturer specifications

ELECTRICAL TESTING

UT582+

Digital RCD Tester



Checks trip performance of residual-current devices used for earth-leakage protection in electrical installations.

Operating supply	195-253 V AC
RCD settings	10 / 20 / 30 / 100 / 300 / 500 mA
Voltage test	30-600 V
Functions	Trip timing & auto ramp

Manufacturer specifications

ELECTRICAL TESTING

UT33D+

Palm-size Digital Multimeter



Compact manual-range multimeter for everyday voltage, current and resistance checks, with non-contact voltage detection.

AC / DC voltage	Up to 600 V
DC current	Up to 10 A
Resistance	Up to 200 MΩ
Features	NCV, diode & continuity

Manufacturer specifications

ENVIRONMENT

UT333

Temperature & Humidity Meter



Measures ambient temperature and relative humidity for indoor comfort, storage areas and workplace monitoring.

Temperature	-10 to 60 °C
Relative humidity	0-100% RH
Accuracy	±1 °C / ±5% RH
Features	MAX / MIN / data hold

Manufacturer specifications

016-2297839 | Bgselectricaltrading@gmail.com

2719, Jalan Permata 4, Taman Permata, 53300 Kuala Lumpur

UNI-T Product Catalogue

Electrical testing / Environment / Equipment maintenance

AIR MOVEMENT

UT363

Mini Anemometer



Handheld wind-speed and temperature meter for checking fans, ventilation outlets and general air movement.

Wind speed	0-30 m/s
Temperature	-10 to 50 °C
Wind scale	Beaufort levels 0-12
Features	MAX / AVG / data hold

Manufacturer specifications

AIR MOVEMENT

UT363S

Split-type Digital Anemometer



Separate vane sensor makes it easier to position the probe at ventilation outlets while reading the display.

Wind speed	0.4-30 m/s
Temperature	-10 to 50 °C
Sensor design	Separate wired vane probe
Features	MAX / MIN / AVG

Manufacturer specifications

ROTATIONAL SPEED

UT371

Non-contact Tachometer



Uses a laser and reflective tape to measure rotating shafts or discs without touching the equipment.

Rotational speed	10-99,999 rpm
Target distance	50-200 mm
Count range	0-99,999
Features	MAX / MIN / AVG

Manufacturer specifications

ROTATIONAL SPEED

UT372D

2-in-1 Tachometer



Combines contact and optical speed measurement for motors, fans and rotating equipment; also measures surface speed and length.

Optical speed	1-99,999 rpm
Contact speed	1-19,999 rpm
Target distance	50-500 mm
Connectivity	Bluetooth with iENV app

Manufacturer specifications

016-2297839 | Bgselectricaltrading@gmail.com

2719, Jalan Permata 4, Taman Permata, 53300 Kuala Lumpur

UNI-T Product Catalogue

Electrical testing / Environment / Equipment maintenance

LIGHT MEASUREMENT

UT383

Mini Light Meter



Checks illuminance in offices, workshops, display areas and other indoor lighting environments.

Illuminance	0-199,900 lux
Alternative unit	0-18,500 foot-candles
Sampling time	0.5 s
Features	MAX / MIN / data hold

Manufacturer specifications

ELECTRICAL TESTING

UT202A+

True RMS AC Clamp Meter



Measures AC current by clamping around a conductor, with voltage and resistance functions for electrical troubleshooting.

AC current	Up to 600 A
AC / DC voltage	Up to 600 V
Display	6000 counts, True RMS
Jaw opening	28 mm

Manufacturer specifications

ELECTRICAL TESTING

UT203+

True RMS AC/DC Clamp Meter



Measures both AC and DC current for maintenance and troubleshooting across electrical equipment and DC-powered systems.

AC / DC current	Up to 400 A
AC / DC voltage	Up to 600 V
Display	4000 counts, True RMS
Jaw opening	28 mm

Manufacturer specifications

BGS ELECTRICAL TRADING

Product enquiries

Contact us with the model code and quantity you need.

Call
016-2297839

Email
Bgselectricaltrading@gmail.com

Specifications checked against UNI-T product data.