



**Colledia Control
Configuration File Description**

logdelete.xml

Copyright SBS 2006

March 7, 2016

1 Purpose

This document describes the Colledia Control configuration file logdelete.xml

The intended audience for the document is system developers and system maintainers.

1.1 Introduction

The configuration file logdelete.xml is a XML file that stores configuration settings for the workstation manager application to delete log files.

1.2 Location

The logdelete.xml file is located at:

%CC_ROOT%\%CC_SYSTEM%\config\logdelete.xml

1.3 Contents

A logdelete.xml element consists of an optional id indicating a specific workstation and a global section that is used if there is not a specific workstation section.

For each item the following items are required:-

- “id” this is the ID of the workstation, or “global”
- “enable”, when set to true allows the workstation manager to delete the specified logs.
- “daysback” is the number of day of logs that are kept, older logs are deleted. Note that this is based on the last date the file was modified.

There can then be a list of directories that are to be searched and old items deleted, this is shown in the example configuration.

1.4 Example Configuration

```
<?xml version="1.0" ?>
<!DOCTYPE logdelete SYSTEM "logdelete.dtd">
<logdelete>
  <workstation id="global" enable="true" daysback="24">
    <dir name="c:\bnclslogssssss"/>
  </workstation>
  <workstation id="10" enable="true" default="false"
daysback="24">
    <dir name="c:\bnclslogssssss"/>
    <dir name="blah"/>
  </workstation>
</logdelete>
```

Sample contents for logdelete.xml

2 Version Control

Version	Date	Author	Comments
0.1	02/04/2007	Mark Baldry	Initial document

