



**Colledia Control  
Configuration File Description**

**stylesheet.xml**

Copyright SBS 2006

**March 7, 2016**

## 1 Purpose

This document describes the Colledia Control configuration file stylesheet.xml

The intended audience for the document is system developers and system maintainers.

### 1.1 Introduction

The configuration file stylesheet.xml is a XML file that defines the settings for states and styles. For a detailed description of states and styles please refer to the separate user documentation.

### 1.2 Location

The g\_pnlman.ini file is located at:

%CC\_ROOT%\%CC\_SYSTEM%\config\stylesheet.xml

### 1.3 Contents

For each object there is an XML element, the unique “name” attribute defines the name of the object. For each style the following XML attributes are detailed.

Name	Detail
name	Unique name for the style.
type	state/style/setting, detailing what type of item it is.
suitablefor	Type of control the setting is suitable for.
description	Short description of use.

For each style element there can be multiple settings saved as a “value”, the value can be any string that a control understands, see the separate documentation for each control for specifics.

### 1.4 Example Configuration

```
<?xml version="1.0" ?>
<stylesheet>
  <style name="pm_title" type="setting" suitablefor="panelman"
description="Panelman title">
    <setting value="style=label"/>
    <setting value="labelstyle=lowered"/>
    <setting value="colour.background=#000066"/>
    <setting value="colour.text=#ffffff"/>
    <setting value="font.face=Arial" />
    <setting value="font.size=14" />
    <setting value="font.style=bold " />
  </style>
  <style name="enum_selected" type="state"
suitablefor="generic" description="Enum button selected">
    <setting value="colour.background=#80e080" />
    <setting value="colour.text=#black" />
  </style>
  <style name="enum_deselected" type="state"
suitablefor="generic" description="Enum button deselected">
    <setting value="colour.background=" />
  </style>
</stylesheet>
```

```
<setting value="colour.text=" />
</style>
</stylesheet>
```

**Figure 1 Sample contents for object\_settings.xml**

The shown example shows that there are 3 objects, in this case the PCR stack has a list of PAL destinations and a list of SDI destinations. There are also 2 PO1 mixers, each with their own set of associated items.

## 2

### Version Control

Version	Date	Author	Comments
0.1	09/11/2006	Mark Baldry	Initial document created