



**Colledia Control  
Configuration File Description**

**navPluginConfig.xml**

Copyright SBS 2006

**March 7, 2016**

## 1 Purpose

This document describes the Colledia Control configuration file navPluginConfig.xml

The intended audience for the document is system developers and system maintainers.

### 1.1 Introduction

The configuration file navPluginConfig.xml is an xml file that defines the menu structure that appears in the configuration tool main navigation menu, but not the tree-view.

### 1.2 Location

The buttons.xml file is located at:

%CC\_ROOT%\%CC\_SYSTEM%\config\plugins\navPluginConfig.xml

### 1.3 Contents

For each page on the navigation system there is an XML section detailing the items that appear, the items may be either another navigation page, an editor or a mixture. For each page there is a key, and a desc (description). The starting point is always the “Home” page.. For each item the following items of information are stored.

Name	Detail
name	The name that appears on the navigation page.
target	The target item that is called when the user presses the menu item. Note that this can either be the reference coded in to the plug-in module or a key to another section of this file for a sub-page of items.
pixmap	The image that appears on the navigation page.

### 1.4 Example Configuration

```
<?xml version="1.0" ?>
<ConfigNavPages>
    <page key="Home" desc="Home Page" >
        <link name="Alarms" target="Home/Alarms" pixmap="alarm.png" />
        <link name="Developer" target="Home/Developer" pixmap="developer.png" />
        <link name="User Interface" target="Home/User Interface" pixmap="ui.png"/>
        <link name="System" target="Home/System" pixmap="system.png"/>
    </page>
    <page key="Home/Alarms" desc="Alarm System Inputs" >
        <link name="System" target="Home/Alarms/Overview" pixmap="alarm.png" />
        <link name="Processes" target="Home/Alarms/Processes" pixmap="alarm.png" />
        <link name="Inputs" target="Home/Alarms/Inputs" pixmap="alarm.png" />
        <link name="Outputs" target="Home/Alarms/Outputs" pixmap="alarm.png" />
    </page>
    <page key="Home/Alarms/Inputs" desc="Alarm System Inputs" >
```

```
<link name="BNCS Acquisition" target="Home/Alarms/Inputs/cBNCS
acquisition" pixmap="alarm.png" />
</page>
<page key="Home/Alarms/Outputs" desc="Alarm System Outputs" >
    <link name="BNCS Output" target="Home/Alarms/Outputs/Bncs Output"
pixmap="alarm.png"/>
        <link name="Database" target="Home/Alarms/Outputs/Database"
pixmap="alarm.png"/>
    </page>
</ConfigNavPages>
```

### Sample contents for navPluginConfig.xml

In the example configuration shown has a “Home” page with 4 items on it, shown are the target sub-pages for the alarms as well as the targets that are the actual editor plug-ins.

## 2 Version Control

Version	Date	Author	Comments
0.1	13/11/2006	Mark Baldry	Initial document