



# PARALLAX OCCLUSION MAPPING


Law Smith & David Bocek

# PROBLEM

- Not enough speed / memory for 3d details
  - Large stone bricks
  - Stones / sand
  - Bullet holes / destruction

# PROBLEM

- Normal mapping fails at grazing angles





# BACKGROUND

- Parallax Occlusion Mapping (POM) [1]
- Ex: CryEngine, Unigine (Oculus Rift)
- Offset Textures on a plane





# APPROACH

- Texturemap AND Heightmap
- Change ray to 2D tangent space





# APPROACH

- Height curve along the tangent direction
  - From Heightmap
  - Where the mesh would be if it was there




# APPROACH

- Discretize curve
- Adjust  $(u,v)$  cords based on intersection



# APPROACH

- Cast ray to lights for shadows









Standard Texture Mapping

Parallax Occlusion Mapping





# QUESTIONS?

- [http://developer.amd.com/wordpress/media/2012/10/Dachsbacher-Tatarchuk-Prism\\_Parallax\\_Occlusion\\_Mapping\\_with\\_Accurate\\_Silhouette\\_Generation\(SI3D07\).pdf](http://developer.amd.com/wordpress/media/2012/10/Dachsbacher-Tatarchuk-Prism_Parallax_Occlusion_Mapping_with_Accurate_Silhouette_Generation(SI3D07).pdf)
- <http://ati.amd.com/developer/techreports/2006/I3D2006/Tatarchuk-POM-SI3D06.pdf>