



Project Explorer

- CRUD operation using Hibernate
- CRUD operation using Java Annotation
- JRE System Library [jdk1.8.0_211]
- src
 - com.tech.entity
 - Product.java
 - com.tech.operation
 - Test.java
 - com.tech.util
 - IMG_20200321_100224.jpg
- Referenced Libraries
 - hibernate_practice
 - hibernate_program
 - Hibernate_Using_XML_base
 - Hibernate Practice1
 - HibernateUsing javabase
 - Hibernate using Java Base
 - Java base using Hibernate
 - JDBC1
 - JDBC statement
 - JDBC with statment
 - New_Project
- Project on HB -CURD operation
 - JRE System Library [jdk1.8.0_211]
 - src
 - com.tech.entity
 - Employee.java
 - com.tech.operation
 - Main.java
 - Operation.java
 - com.tech.util
 - HibernateUtil.java
- Referenced Libraries

Main

```
1 package
2
3 import
4
5 public
6
7 pub
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34 }
35
36 }
37
```

Console

```
<terminated> Main (4) [Java Application] D:\Hibernate\jdk1.8.0_211 (1) (1)\jdk1.8.0_211\bin\javaw.exe (28-Jul-2023, 7:35:19 pm - 7:36:36 pm) [pid: 10844]
WARN: HHH10001002: Using Hibernate built-in connection pool (not for production use!)
Jul 28, 2023 7:35:23 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl buildCreator
INFO: HHH10001005: using driver [com.mysql.jdbc.Driver] at URL [jdbc:mysql://localhost:3306/mydata]
Jul 28, 2023 7:35:23 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl buildCreator
INFO: HHH10001001: Connection properties: {user=root, password=****}
Jul 28, 2023 7:35:23 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl buildCreator
INFO: HHH10001003: Autocommit mode: false
Jul 28, 2023 7:35:23 PM org.hibernate.engine.jdbc.connections.internal.PooledConnections <init>
INFO: HHH000115: Hibernate connection pool size: 20 (min=1)
Jul 28, 2023 7:35:23 PM org.hibernate.dialect.Dialect <init>
INFO: HHH000400: Using dialect: org.hibernate.dialect.MySQL55Dialect
Jul 28, 2023 7:35:23 PM org.hibernate.engine.jdbc.env.internal.LobCreatorBuilderImpl useContextualLobCreation
INFO: HHH000423: Disabling contextual LOB creation as JDBC driver reported JDBC version [3] less than 4
Jul 28, 2023 7:35:24 PM org.hibernate.resource.transaction.backend.jdbc.internal.DdlTransactionIsolatorNonJtaImpl
getIsolatedConnection
INFO: HHH10001501: Connection obtained from JdbcConnectionAccess
[org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator$ConnectionProviderJdbcConnectionAccess@3d9c13b5] for (non-
JTA) DDL execution was not in auto-commit mode; the Connection 'local transaction' will be committed and the Connection will
be set into auto-commit mode.
1.Save Data
2.Update Data
3.Get Data
4.Delete Data

1
enter employee id
107
enter employee Name
mahesh
enter employee Address
pune
enter employee Salary
50000
Hibernate: insert into Employee (date, eAddr, eName, eSalary, eId) values (?, ?, ?, ?, ?)
Jul 28, 2023 7:36:36 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl stop
INFO: HHH10001008: Cleaning up connection pool [jdbc:mysql://localhost:3306/mydata]
Data saved Successfully
```



- Project Explorer X
- > CRUD operation using
- > CRUD operation using
- > JRE System Library
- > src
 - > com.tech.entity
 - > Product.java
 - > com.tech.operati
 - > Test.java
 - > com.tech.util
 - IMG_20200321_1
- > Referenced Libraries
- > hibernate_practice
- > hibernate_program
- > Hibernate_Using_XML
- > Hibernate Practice1
- > HibernateUsing javaba
- > Hibernate using Java B
- > Java base using Hibern
- > JDBC1
- > JDBC statement
- > JDBC with statment
- > New_Project
- > Project on HB -CURD c
 - > JRE System Library
 - > src
 - > com.tech.entity
 - > Employee.java
 - > com.tech.operati
 - > Main.java
 - > Operation.java
 - > com.tech.util
 - > HibernateUtil
- > Referenced Libraries

MySQL Query Browser - Connection: root@localhost:3306 / root

File Edit View Query Script Tools Window Help

Transaction Explain Compare

Resultset 1

SQL Query Area

```
1 SELECT * FROM mydata.employee e;
```

id	eAddrs	eName	eSalary	date
101	pune	vaibhav	60000	NULL
102	mumbai	sajed	65000	NULL
103	nashik	mayur	45000	NULL
104	nashik	ishwar	41000	NULL
105	pune	Asha	61000	2023-07-28 17:54:38

5 rows fetched in 0.0085s (0.0003s)

Edit Apply Changes Discard Changes First Last Search

Schemata

- hbjava
- hbjava1
- hbxm100
- hbxm101
- hbxm102
- information_schema
- mydata
 - customer
 - employee
- mysql
 - mysql01
 - mysql07
- prepstmt
- root
- userip

Syntax Functions Params Trx

- Data Definition Statements
- Data Manipulation Statements
- MySQL Utility Statements
- MySQL Transactional and Locking ...
- Database Administration Statements
- Replication Statements
- SQL Syntax for Prepared Statements

```

id: 10844]
ConnectionProviderImpl buildCreator
:3306/mydata]
ConnectionProviderImpl buildCreator
ConnectionProviderImpl buildCreator
ns <init>
seContextualLobCreation
n [3] less than 4
ansactionIsolatorNonJtaImpl
ConnectionAccess@3d9c13b5] for (non-
L be committed and the Connection will
?)
ConnectionProviderImpl stop
    
```

Project Explorer

- CRUD operation using
- CRUD operation using
- JRE System Library
- src
 - com.tech.entity
 - Product.java
 - com.tech.operati
 - Test.java
 - com.tech.util
 - IMG_20200321_1
- Referenced Libraries
- hibernate_practice
- hibernate_program
- Hibernate_Using_XML
- Hibernate Practice1
- HibernateUsing javaba
- Hibernate using Java B
- Java base using Hibern
- JDBC1
- JDBC statement
- JDBC with statment
- New_Project
- Project on HB -CURD c
 - JRE System Library
 - src
 - com.tech.entity
 - Employee.java
 - com.tech.operati
 - Main.java
 - Operation.java
 - com.tech.util
 - HibernateUtil

MySQL Query Browser - Connection: root@localhost:3306 / root

File Edit View Query Script Tools Window Help

Transaction Explain Compare

Resultset 1

SQL Query Area

```
1 SELECT * FROM mydata.employee e;
```

eid	eAddrs	eName
101	pune	vaibhav
102	mumbai	sojed
103	nashik	mayur
104	nashik	ishwar
105	pune	Asha
107	pune	maresh

6 rows fetched in 0.0097s (0.0003s)

Edit Apply Changes Discard Changes First Last Search

Schemata

- hbjava
- hbjava1
- hbxml00
- hbxml01
- hbxml02
- information_schema
- mydata
 - customer
 - employee
- mysql
- mysql01
- mysql07
- prepstmt
- root
- userip

Syntax

- Data Definition Statements
- Data Manipulation Statements
- MySQL Utility Statements
- MySQL Transactional and Locking ...
- Database Administration Statements
- Replication Statements
- SQL Syntax for Prepared Statements

```

...id: 10844]
...connectionProviderImpl buildCreator
...3306/mydata]
...connectionProviderImpl buildCreator
...connectionProviderImpl buildCreator
...ns <init>
...seContextualLobCreation
...n [3] less than 4
...ansactionIsolatorNonJtaImpl
...cConnectionAccess@3d9c13b5] for (non-
...l be committed and the Connection will
...?)
...connectionProviderImpl stop
    
```


- Project Explorer
 - CRUD operation using
 - CRUD operation using
 - JRE System Library
 - src
 - com.tech.entity
 - Product.java
 - com.tech.operati
 - Test.java
 - com.tech.util
 - IMG_20200321_1
 - Referenced Libraries
 - hibernate_practice
 - hibernate_program
 - Hibernate_Using_XML
 - Hibernate Practice1
 - HibernateUsing javaba
 - Hibernate using Java B
 - Java base using Hibern
 - JDBC1
 - JDBC statement
 - JDBC with statment
 - New_Project
 - Project on HB -CURD c
 - JRE System Library
 - src
 - com.tech.entity
 - Employee.java
 - com.tech.operati
 - Main.java
 - Operation.java
 - com.tech.util
 - HibernateUtil

MySQL Query Browser - Connection: root@localhost:3306 / root

File Edit View Query Script Tools Window Help

Transaction Explain Compare SELECT FROM WHERE GROUP HAVING ORDER SET CREATE

Resultset 1

SQL Query Area

```
1 SELECT * FROM mydata.employee e;
```

eid	eAddrs	eName	eSalary	date
101	pune	vaibhav	60000	NULL
102	mumbai	sojed	65000	NULL
103	nashik	mayur	45000	NULL
104	nashik	ishwar	41000	NULL
105	pune	Asha	61000	2023-07-28 17:54:38
107	pune	maresh	50000	2023-07-28 19:38:36

6 rows fetched in 0.0097s (0.0003s)

Edit Apply Changes Discard Changes First Last Search

Schemata Bookmarks History

- hbjava
- hbjava1
- hbxml00
- hbxml01
- hbxml02
- information_schema
- mydata
 - customer
 - employee
- mysql
 - mysql01
 - mysql07
- prepstmt
- root
- userip

Syntax Functions Params Trx

- Data Definition Statements
- Data Manipulation Statements
- MySQL Utility Statements
- MySQL Transactional and Locking ...
- Database Administration Statements
- Replication Statements
- SQL Syntax for Prepared Statements

```

Manager <clinit>
ConnectionProviderImpl configure
ConnectionProviderImpl buildCreator
:3306/mydata]
ConnectionProviderImpl buildCreator
ConnectionProviderImpl buildCreator
s <init>
seContextualLobCreation
n [3] less than 4
ansactionIsolatorNonJtaImpl
ConnectionAccess@3d9c13b5] for (non-
l be committed and the Connection will
    
```



Project Explorer

- > CRUD operation using Hibernate
- > CRUD operation using Java Annotation
- > JRE System Library [jdk1.8.0_211]
- > src
 - > com.tech.entity
 - > Product.java
 - > com.tech.operation
 - > Test.java
 - > com.tech.util
 - IMG_20200321_100224.jpg
- > Referenced Libraries
- > hibernate_practice
- > hibernate_program
- > Hibernate_Using_XML_base
- > Hibernate Practice1
- > HibernateUsing javabase
- > Hibernate using Java Base
- > Java base using Hibernate
- > JDBC1
- > JDBC statement
- > JDBC with statment
- > New_Project
- > Project on HB -CURD operation
 - > JRE System Library [jdk1.8.0_211]
 - > src
 - > com.tech.entity
 - > Employee.java
 - > com.tech.operation
 - > Main.java
 - > Operation.java
 - > com.tech.util
 - > HibernateUtil.java
- > Referenced Libraries

Main

```
1 package
2
3 import
4
5 public
6
7 pub
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34 }
35
36 }
37
```

Console

```
<terminated> Main (4) [Java Application] D:\Hibernate\jdk1.8.0_211 (1) (1)\jdk1.8.0_211\bin\javaw.exe (28-Jul-2023, 7:37:19 pm - 7:39:11 pm) [pid: 27040]
Jul 28, 2023 7:37:20 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl buildCreator
INFO: HHH10001005: using driver [com.mysql.jdbc.Driver] at URL [jdbc:mysql://localhost:3306/mydata]
Jul 28, 2023 7:37:20 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl buildCreator
INFO: HHH10001001: Connection properties: {user=root, password=****}
Jul 28, 2023 7:37:20 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl buildCreator
INFO: HHH10001003: Autocommit mode: false
Jul 28, 2023 7:37:20 PM org.hibernate.engine.jdbc.connections.internal.PooledConnections <init>
INFO: HHH000115: Hibernate connection pool size: 20 (min=1)
Jul 28, 2023 7:37:20 PM org.hibernate.dialect.Dialect <init>
INFO: HHH000400: Using dialect: org.hibernate.dialect.MySQL55Dialect
Jul 28, 2023 7:37:21 PM org.hibernate.engine.jdbc.env.internal.LobCreatorBuilderImpl useContextualLobCreation
INFO: HHH000423: Disabling contextual LOB creation as JDBC driver reported JDBC version [3] less than 4
Jul 28, 2023 7:37:21 PM org.hibernate.resource.transaction.backend.jdbc.internal.DdlTransactionIsolatorNonJtaImpl
getIsolatedConnection
INFO: HHH10001501: Connection obtained from JdbcConnectionAccess
[org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator$ConnectionProviderJdbcConnectionAccess@3d9c13b5] for (non-
JTA) DDL execution was not in auto-commit mode; the Connection 'local transaction' will be committed and the Connection will
be set into auto-commit mode.
1.Save Data
2.Update Data
3.Get Data
4.Delete Data

2
Enter employee name
ishwar
Enter employee salary
50000
Enter employee id

104
Jul 28, 2023 7:39:10 PM org.hibernate.hql.internal.QueryTranslatorFactoryInitiator initiateService
INFO: HHH000397: Using ASTQueryTranslatorFactory
Hibernate: update Employee set eName=?, eSalary=? where eId=?
Jul 28, 2023 7:39:11 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl stop
INFO: HHH10001008: Cleaning up connection pool [jdbc:mysql://localhost:3306/mydata]
Data Updated Sucessfully
```



- Project Explorer
- CRUD operation using
- CRUD operation using
- JRE System Library
- src
 - com.tech.entity
 - Product.java
 - com.tech.operati
 - Test.java
 - com.tech.util
 - IMG_20200321_1
- Referenced Libraries
- hibernate_practice
- hibernate_program
- Hibernate_Using_XML
- Hibernate Practice1
- HibernateUsing javaba
- Hibernate using Java B
- Java base using Hibern
- JDBC1
- JDBC statement
- JDBC with statment
- New_Project
- Project on HB -CURD c
 - JRE System Library
 - src
 - com.tech.entity
 - Employee.java
 - com.tech.operati
 - Main.java
 - Operation.java
 - com.tech.util
 - HibernateUtil
- Referenced Libraries

MySQL Query Browser - Connection: root@localhost:3306 / root

File Edit View Query Script Tools Window Help

Transaction Explain Compare SELECT FROM WHERE GROUP HAVING ORDER SET CREATE

Resultset 1

SQL Query Area

```
1 SELECT * FROM mydata.employee e;
```

eId	eAddrs	eName	eSalary	date
101	pune	vaibhav	60000	NULL
102	mumbai	sojed	65000	NULL
103	nashik	mayur	45000	NULL
104	nashik	ishwar	50000	NULL
105	pune	Asha	61000	2023-07-28 17:54:38
107	pune	mahesh	50000	2023-07-28 19:36:36

6 rows fetched in 0.0094s (0.0002s)

Edit Apply Changes Discard Changes First Last Search

Schemata

- hbjava
- hbjava1
- hbxm100
- hbxm101
- hbxm102
- information_schema
- mydata
 - customer
 - employee
- mysql
- mysql01
- mysql07
- prepstmt
- root
- userip

Syntax Functions Params Trx

- Data Definition Statements
- Data Manipulation Statements
- MySQL Utility Statements
- MySQL Transactional and Locking ...
- Database Administration Statements
- Replication Statements
- SQL Syntax for Prepared Statements

```

id: 27040]
ConnectionProviderImpl buildCreator
3306/mydata]
ConnectionProviderImpl buildCreator
ConnectionProviderImpl buildCreator
ns <init>
seContextualLobCreation
n [3] less than 4
ansactionIsolatorNonJtaImpl
ConnectionAccess@3d9c13b5] for (non-
L be committed and the Connection will
iateService
ConnectionProviderImpl stop
    
```




Project Explorer

- CRUD operation using Hibernate
- CRUD operation using Java Annotation
- JRE System Library [jdk1.8.0_211]
- src
 - com.tech.entity
 - Product.java
 - com.tech.operation
 - Test.java
 - com.tech.util
 - IMG_20200321_100224.jpg
- Referenced Libraries
- hibernate_practice
- hibernate_program
- Hibernate_Using_XML_base
- Hibernate Practice1
- HibernateUsing.javabase
- Hibernate using Java Base
- Java base using Hibernate
- JDBC1
- JDBC statement
- JDBC with statment
- New_Project
- Project on HB -CURD operation
 - JRE System Library [jdk1.8.0_211]
 - src
 - com.tech.entity
 - Employee.java
 - com.tech.operation
 - Main.java
 - Operation.java
 - com.tech.util
 - HibernateUtil.java
- Referenced Libraries

Main

```
1 package
2
3 import
4
5 public
6
7 pub
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34 }
35
36 }
37
```

<terminated> Main (4) [Java Application] D:\Hibernate\jdk1.8.0_211 (1) (1)\jdk1.8.0_211\bin\javaw.exe (28-Jul-2023, 7:41:12 pm – 7:41:21 pm) [pid: 21916]

[org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator\$ConnectionProviderJdbcConnectionAccess@3d9c13b5] for (non-JTA) DDL execution was not in auto-commit mode; the Connection 'local transaction' will be committed and the Connection will be set into auto-commit mode.

- 1.Save Data
- 2.Update Data
- 3.Get Data
- 4.Delete Data

3

Jul 28, 2023 7:41:20 PM org.hibernate.hql.internal.QueryTranslatorFactoryInitiator initiateService

INFO: HHH000397: Using ASTQueryTranslatorFactory

Hibernate: select employee0_.eId as eId1_0_, employee0_.date as date2_0_, employee0_.eAddr as eAddr3_0_, employee0_.eName as eName4_0_, employee0_.eSalary as eSalary5_0_ from Employee employee0_

101

vaibhav

60000.0

pune

null

102

sajed

65000.0

mumbai

null

103

mayur

45000.0

nashik

null

104

ishwar

50000.0

nashik

null

105





Project Explorer

- CRUD operation using Hibernate
- CRUD operation using Java Annotation
- JRE System Library [jdk1.8.0_211]
- src
 - com.tech.entity
 - Product.java
 - com.tech.operation
 - Test.java
 - com.tech.util
 - IMG_20200321_100224.jpg
- Referenced Libraries
 - hibernate_practice
 - hibernate_program
 - Hibernate_Using_XML_base
 - Hibernate Practice1
 - HibernateUsing javabase
 - Hibernate using Java Base
 - Java base using Hibernate
 - JDBC1
 - JDBC statement
 - JDBC with statment
 - New_Project
- Project on HB -CURD operation
 - JRE System Library [jdk1.8.0_211]
 - src
 - com.tech.entity
 - Employee.java
 - com.tech.operation
 - Main.java
 - Operation.java
 - com.tech.util
 - HibernateUtil.java
- Referenced Libraries

Main

```
1 package
2
3 import
4
5 public
6
7 pub
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34 }
35
36 }
37
```

```
<terminated> Main (4) [Java Application] D:\Hibernate\jdk1.8.0_211 (1)\jdk1.8.0_211\bin\javaw.exe (28-Jul-2023, 7:41:12 pm - 7:41:21 pm) [pid: 21916]
60000.0
pune
null
*****
102
sajed
65000.0
mumbai
null
*****
103
mayur
45000.0
nashik
null
*****
104
ishwar
50000.0
nashik
null
*****
105
Asha
61000.0
pune
2023-07-28 17:54:38.0
*****
107
mahesh
50000.0
pune
2023-07-28 19:36:36.0
*****
Jul 28, 2023 7:41:21 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl stop
INFO: HHH10001008: Cleaning up connection pool [jdbc:mysql://localhost:3306/mydata]
data get successfully
```



Project Explorer

- CRUD operation using Hibernate
- CRUD operation using Java Annotation
- JRE System Library [jdk1.8.0_211]
- src
 - com.tech.entity
 - Product.java
 - com.tech.operation
 - Test.java
 - com.tech.util
 - IMG_20200321_100224.jpg
- Referenced Libraries
- hibernate_practice
- hibernate_program
- Hibernate_Using_XML_base
- Hibernate Practice1
- HibernateUsing javabase
- Hibernate using Java Base
- Java base using Hibernate
- JDBC1
- JDBC statement
- JDBC with statment
- New_Project
- Project on HB -CURD operation
 - JRE System Library [jdk1.8.0_211]
 - src
 - com.tech.entity
 - Employee.java
 - com.tech.operation
 - Main.java
 - Operation.java
 - com.tech.util
 - HibernateUtil.java
- Referenced Libraries

```

1 package
2
3 import
4
5 public class
6
7 publ
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34 }
35
36 }
37

```

```

<terminated> Main (4) [Java Application] D:\Hibernate\jdk1.8.0_211 (1) (1)\jdk1.8.0_211\bin\javaw.exe (28-Jul-2023, 7:41:59 pm - 7:42:29 pm) [pid: 16136]
Jul 28, 2023 7:42:00 PM org.hibernate.cfg.Environment <clinit>
INFO: HHH000206: hibernate.properties not found
Jul 28, 2023 7:42:00 PM org.hibernate.annotations.common.reflection.java.JavaReflectionManager <clinit>
INFO: HCANN000001: Hibernate Commons Annotations {5.0.1.Final}
Jul 28, 2023 7:42:00 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl configure
WARN: HHH10001002: Using Hibernate built-in connection pool (not for production use!)
Jul 28, 2023 7:42:00 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl buildCreator
INFO: HHH10001005: using driver [com.mysql.jdbc.Driver] at URL [jdbc:mysql://localhost:3306/mydata]
Jul 28, 2023 7:42:00 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl buildCreator
INFO: HHH10001001: Connection properties: {user=root, password=****}
Jul 28, 2023 7:42:00 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl buildCreator
INFO: HHH10001003: Autocommit mode: false
Jul 28, 2023 7:42:00 PM org.hibernate.engine.jdbc.connections.internal.PooledConnections <init>
INFO: HHH000115: Hibernate connection pool size: 20 (min=1)
Jul 28, 2023 7:42:00 PM org.hibernate.dialect.Dialect <init>
INFO: HHH000400: Using dialect: org.hibernate.dialect.MySQL55Dialect
Jul 28, 2023 7:42:01 PM org.hibernate.engine.jdbc.env.internal.LobCreatorBuilderImpl useContextualLobCreation
INFO: HHH000423: Disabling contextual LOB creation as JDBC driver reported JDBC version [3] less than 4
Jul 28, 2023 7:42:01 PM org.hibernate.resource.transaction.backend.jdbc.internal.DdlTransactionIsolatorNonJtaImpl
getIsolatedConnection
INFO: HHH10001501: Connection obtained from JdbcConnectionAccess
[org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator$ConnectionProviderJdbcConnectionAccess@3d9c13b5] for (non-
JTA) DDL execution was not in auto-commit mode; the Connection 'local transaction' will be committed and the Connection will
be set into auto-commit mode.
1.Save Data
2.Update Data
3.Get Data
4.Delete Data
4
enter employee id
103
Hibernate: select employee0_.eId as eId1_0_0_, employee0_.date as date2_0_0_, employee0_.eAddrs as eAddrs3_0_0_,
employee0_.eName as eName4_0_0_, employee0_.eSalary as eSalary5_0_0_ from Employee employee0_ where employee0_.eId=?
Jul 28, 2023 7:42:29 PM org.hibernate.engine.jdbc.connections.internal.DriverManagerConnectionProviderImpl stop
INFO: HHH10001008: Cleaning up connection pool [jdbc:mysql://localhost:3306/mydata]
data deleted successfully

```