Linux Commands Cheat Sheet

File and Directory Operations

List Files and Directories

These commands help you view and explore the contents of directories, which is essential for navigation and understanding file structure in Linux.

Use Cases: - Quick viewing of directory contents - Detailed inspection of file permissions and sizes - Hidden file discovery

```
        ls                 # List files in current directory
        ls -l              # List with details (permissions, owner, size, date)
        ls -a              # List all files including hidden files
        ls -R              # List recursively (all subdirectories)
        ls -lh             # List with human-readable file sizes
```

Change Directory

Navigation through the filesystem is fundamental to working efficiently in Linux environments.

Use Cases: - Move between project directories - Access different parts of the filesystem - Return to previous locations quickly

```
        cd /path/to/dir    # Change to specific directory
        cd ~               # Change to home directory
        cd -               # Change to previous directory
        cd ..              # Change to parent directory
        pwd                # Print current working directory
```

Copy Files and Directories

Copying is critical for backing up data, duplicating configurations, and managing file deployments across the system.

Use Cases: - Backup important files and configurations - Duplicate files for modification - Deploy applications and scripts - Archive data for safekeeping

```
        cp file1 file2                    # Copy file
        cp -r dir1 dir2                   # Copy directory recursively
        cp -v file1 file2                 # Copy with verbose output
        cp -p file1 file2                 # Copy and preserve permissions/ownership
        cp -u file1 file2                 # Copy only if source is newer
```

Move/Rename Files and Directories

Moving and renaming files are essential operations for organizing files and managing directory structures.

Use Cases: - Organize files into appropriate directories - Rename files with meaningful names - Reorganize project structure - Clean up temporary files

```
        mv oldname newname                # Rename file or directory
        mv file /path/to/destination      # Move file to another directory
        mv -v file destination            # Move with verbose output
        mv -i file destination            # Move with confirmation prompt
```

Remove Files and Directories

Deletion operations help maintain disk space and remove unwanted files from your system.

Use Cases: - Clean up temporary or test files - Remove outdated backups - Manage disk space - Delete sensitive files securely

```
        rm file                           # Delete file
        rm -r directory                   # Delete directory and contents
        rm -f file                        # Force delete without confirmation
        rm -i file                        # Delete with confirmation prompt
        rm -v file                        # Delete with verbose output
```

Create Files and Directories

Creating new files and directories forms the foundation of organizing and storing data.

Use Cases: - Initialize new project directories - Create configuration files - Create scripts for automation - Organize project structure

```
        touch filename                    # Create empty file or update timestamp
        mkdir dirname                     # Create new directory
        mkdir -p /path/to/nested/dir      # Create nested directories
        cat > filename << EOF             # Create file with content
        content here
        EOF
```

File Content Operations

View File Content

Viewing file content is essential for reading configurations, logs, and code without modifying them.

Use Cases: - Read configuration files - View application logs - Inspect code and scripts - Verify file contents

```
        cat filename                      # Display entire file
        cat file1 file2                   # Display multiple files
        head -n 20 filename               # Display first 20 lines
        tail -n 20 filename               # Display last 20 lines
        tail -f filename                  # Follow file (useful for logs)
        more filename                     # Display file with pagination
        less filename                     # Display with better navigation
        wc -l filename                    # Count lines in file
```

Edit Files

Text editing is crucial for modifying configurations, scripts, and code files in a Linux environment.

Use Cases: - Modify configuration files - Write and edit scripts - Update system files - Edit application settings

```
        nano filename                     # Open nano editor (beginner-friendly)
        vim filename                      # Open vim editor (powerful but steep learning curve)
        vi filename                       # Open vi editor (basic text editor)
        sed 's/old/new/' filename         # Replace text (stream editor)
```

File Permissions and Ownership

Change Permissions

File permissions control who can read, write, and execute files—critical for system security.

Use Cases: - Make scripts executable - Restrict access to sensitive files - Set appropriate permissions for applications - Enforce security policies

```
        chmod 755 filename                # Set permissions (rwx for owner, rx for others)
        chmod +x filename                 # Add execute permission
        chmod u+w filename                # Add write permission for owner
        chmod -R 755 directory            # Change permissions recursively
```

Change Owner

Changing ownership is important for managing access rights and application permissions.

Use Cases: - Transfer file ownership - Set application-specific permissions - Fix permission issues - Manage multi-user environments

```
        chown user filename               # Change file owner
        chown user:group filename         # Change owner and group
        chown -R user:group directory     # Change recursively
```

File Search and Filtering

Find Files

Finding files efficiently is essential for locating specific files in large directory structures.

Use Cases: - Locate configuration files - Find all files of a specific type - Search by modification date - Find large files consuming disk space

```
        find /path -name filename         # Find file by name
        find /path -type f -name "*.txt"  # Find all text files
        find /path -type d -name dirname  # Find directories
        find /path -mtime -7              # Find files modified in last 7 days
        find /path -size +100M            # Find files larger than 100MB
        find /path -exec command {} \;   # Execute command on found files
```

Search Content in Files

Text searching helps you find specific information within file contents.

Use Cases: - Find error messages in logs - Locate specific configurations - Debug code by searching patterns - Extract relevant information

```
        grep "pattern" filename           # Search for pattern in file
        grep -r "pattern" /path           # Search recursively
        grep -i "pattern" filename        # Case-insensitive search
        grep -n "pattern" filename        # Show line numbers
        grep -c "pattern" filename        # Count matching lines
        grep -E "regex_pattern" filename  # Use regular expressions
```

User and Group Management

User Operations

Managing users is fundamental for multi-user systems and access control.

Use Cases: - Create accounts for team members - Manage user permissions - Control system access - Audit user activities

```
        useradd username                  # Create new user
        userdel username                  # Delete user
        passwd username                   # Set/change user password
        id username                       # Display user ID and groups
        whoami                            # Display current user
```

Group Operations

Groups allow you to manage permissions for multiple users efficiently.

Use Cases: - Grant group-based access - Organize users by role - Simplify permission management - Control resource access

```
        groupadd groupname                # Create new group
        groupdel groupname                # Delete group
        usermod -g groupname username     # Add user to group
        usermod -aG groupname username    # Add user to group (keep other groups)
        id -Gn username                   # List user's groups
```

Process Management

View Running Processes

Monitoring processes helps you understand system activity and troubleshoot performance issues.

Use Cases: - Monitor running applications - Identify resource-intensive processes - Troubleshoot system issues - Manage background tasks

```
        ps                                # List current processes
        ps aux                            # List all processes with details
        ps -ef                            # List all processes (alternative format)
        top                               # Interactive process monitor
        htop                              # Enhanced interactive process monitor
        pgrep processname                 # Find process by name
```

Kill Processes

Terminating processes allows you to stop stuck or unwanted applications.

Use Cases: - Stop runaway processes - Restart services - Free system resources - Troubleshoot hung applications

```
        kill PID                          # Terminate process by ID
        kill -9 PID                       # Force kill process
        kill -STOP PID                    # Pause process
        kill -CONT PID                    # Resume process
        killall processname               # Kill all instances of process
        pkill processname                 # Kill process by name
```

Background and Foreground Jobs

Job control allows you to manage multiple tasks simultaneously in a terminal session.

Use Cases: - Run long-running tasks in background - Manage multiple terminal jobs - Resume suspended tasks - Optimize terminal workflow

```
        command &                         # Run command in background
        jobs                              # List background jobs
        fg %jobnumber                     # Bring job to foreground
        bg %jobnumber                     # Resume job in background
        Ctrl+Z                            # Suspend current job
        Ctrl+C                            # Terminate current job
        nohup command &                   # Run command immune to hangups
```

Disk and Storage Management

Check Disk Usage

Monitoring disk usage helps prevent storage problems and optimize system performance.

Use Cases: - Monitor disk space availability - Identify space-consuming directories - Plan disk capacity - Troubleshoot storage issues

```
        df -h                             # Display disk space usage (human-readable)
        df -i                             # Display inode usage
        du -sh directory                  # Show directory size
        du -h directory                   # Show size of all subdirectories
        lsblk                             # List block devices
        fdisk -l                          # List partitions
```

Mount/Unmount Filesystems

Mounting allows you to access additional storage devices and filesystems.

Use Cases: - Mount external drives - Access network shares - Connect USB devices - Manage multiple filesystems

```
        mount /dev/device /mount/point    # Mount filesystem
        umount /mount/point               # Unmount filesystem
        mount -t type device /mount/point # Mount with specific type
        mount | grep device               # Check mounted filesystems
        fstab                             # View permanent mount configuration
```

Network Configuration and Troubleshooting

Network Information

Understanding network configuration is essential for connectivity troubleshooting.

Use Cases: - Verify network connectivity - Check IP addresses - Diagnose network issues - Monitor network traffic

```
        ifconfig                          # Display network interfaces (older systems)
        ip addr show                      # Display IP addresses (modern systems)
        ip route show                     # Display routing table
        netstat -tuln                     # Display listening ports
        ss -tuln                          # Socket statistics (modern alternative)
        hostname                          # Display system hostname
        cat /etc/hostname                 # View hostname configuration
```

Test Connectivity

Network testing helps you diagnose connectivity problems quickly.

Use Cases: - Verify host reachability - Test DNS resolution - Troubleshoot network connectivity - Validate network configuration

```
        ping hostname                     # Send ICMP packets to test connectivity
        traceroute hostname               # Trace route to destination
        nslookup hostname                 # Query DNS records
        dig hostname                      # Advanced DNS query tool
        curl URL                          # Download file or test URL
        wget URL                          # Download file with resume capability
        telnet hostname port              # Test port connectivity
```

Network Configuration

Configuring network settings enables proper communication and connectivity.

Use Cases: - Set IP addresses - Configure DNS servers - Manage network interfaces - Establish VPN connections

```
        ip addr add IP/SUBNET dev interface          # Add IP address
        ip addr del IP/SUBNET dev interface          # Remove IP address
        ip link set interface up                     # Bring interface up
        ip link set interface down                   # Bring interface down
        ifup interface                               # Enable interface
        ifdown interface                             # Disable interface
        systemctl restart networking                 # Restart network service
```

System Information

Display System Information

System information helps you understand hardware and software configuration.

Use Cases: - Verify system specifications - Check OS information - Monitor system uptime - Document hardware configuration

```
        uname -a                          # Display system information
        cat /etc/os-release               # Display OS information
        lsb_release -a                    # Display Linux distribution info
        hostnamectl                       # Display hostname and OS info
        uptime                            # Display system uptime
        free -h                           # Display memory usage (human-readable)
        lscpu                             # Display CPU information
        cat /proc/cpuinfo                 # Display detailed CPU information
```

Package Management

Install, Update, Remove Packages

Package management allows you to install software and maintain system updates efficiently.

Use Cases: - Install new software - Update system packages - Remove unwanted software - Manage dependencies

```
        # For Debian/Ubuntu systems:
        apt update                        # Update package lists
        apt upgrade                       # Upgrade installed packages
        apt install package_name          # Install package
        apt remove package_name           # Remove package
        apt autoremove                    # Remove unused dependencies

        # For Red Hat/CentOS systems:
        yum update                        # Update system
        yum install package_name          # Install package
        yum remove package_name           # Remove package
        yum groupinstall "group_name"    # Install package group
```

Text Processing and Manipulation

String and Text Operations

Text processing is fundamental for working with configuration files and log analysis.

Use Cases: - Extract specific columns from data - Process log files - Transform data formats - Manipulate text files

```
        cut -d: -f1 filename              # Extract columns from file
        sort filename                     # Sort lines in file
        uniq filename                     # Remove duplicate lines
        sed 's/pattern/replacement/' file # Replace text (stream editor)
        awk '{print $1}' filename         # Extract fields (awk)
        tr 'a-z' 'A-Z' < filename         # Translate characters
```

Archive Operations

Compression and archiving help you save space and transport files efficiently.

Use Cases: - Create backups - Compress files for storage - Transport multiple files - Archive old data

```
        tar -cvf archive.tar files        # Create tar archive
        tar -xvf archive.tar              # Extract tar archive
        tar -czvf archive.tar.gz files    # Create gzip compressed archive
        tar -xzvf archive.tar.gz          # Extract gzip archive
        tar -cjvf archive.tar.bz2 files   # Create bzip2 compressed archive
        zip -r archive.zip files          # Create zip archive
        unzip archive.zip                 # Extract zip archive
        gzip filename                     # Compress file
        gunzip filename.gz                # Decompress gzip file
```

System Administration

Service Management

Managing services is essential for running applications and system daemons.

Use Cases: - Start/stop services - Enable services at boot - Check service status - Manage system daemons

```
        systemctl start service           # Start service
        systemctl stop service            # Stop service
        systemctl restart service         # Restart service
        systemctl enable service          # Enable at boot
        systemctl disable service         # Disable at boot
        systemctl status service          # Check service status
        systemctl list-units --type=service    # List all services
```

System Logs

Logs provide crucial information for troubleshooting and monitoring system events.

Use Cases: - Troubleshoot system issues - Monitor service failures - Audit user activities - Debug application errors

```
        journalctl                        # View system logs
        journalctl -u service_name        # View logs for specific service
        journalctl -n 50                  # View last 50 log entries
        journalctl -f                     # Follow logs in real-time
        journalctl --since "2 hours ago"  # View logs from last 2 hours
        tail -f /var/log/syslog           # View system log (older systems)
        tail -f /var/log/messages         # View messages log (Red Hat systems)
```

Environment Variables and Shell

Environment Variables

Environment variables control application behavior and system configuration.

Use Cases: - Set application settings - Configure PATH for executables - Pass credentials securely - Customize shell behavior

```
        echo $VARIABLE                    # Display variable value
        export VARIABLE=value             # Set environment variable
```

```
printenv                          # Display all environment variables
env command                       # Run command with custom environment
unset VARIABLE                    # Remove variable
source ~/.bashrc                  # Load shell configuration
```

Aliases and Functions

Aliases and functions allow you to create shortcuts and automate command sequences.

Use Cases: - Create command shortcuts - Automate routine tasks - Simplify complex commands - Improve command-line efficiency

```
alias shortcut='long command'     # Create command alias
unalias shortcut                  # Remove alias
function_name() { commands; }     # Define shell function
alias                             # List all aliases
```

Advanced Operations

File Transfer

Secure file transfer is essential for remote system administration and data synchronization.

Use Cases: - Copy files to/from remote servers - Synchronize directories - Backup data remotely - Deploy applications

```
scp local_file user@host:/path    # Copy to remote server
scp user@host:/path/file .        # Copy from remote server
scp -r directory user@host:/path  # Copy directory recursively
rsync -avz source/ destination/   # Synchronize directories
rsync -avz user@host:source/ dest/ # Remote synchronization
sftp user@host                    # Interactive SFTP session
```

SSH and Remote Access

SSH enables secure remote administration and execution of commands on distant systems.

Use Cases: - Remote system administration - Execute commands on remote servers - Secure remote access - Automated deployments

```
ssh user@hostname                 # Connect to remote server
ssh -p port user@hostname         # Connect using custom port
ssh -i key_file user@hostname     # Connect using specific key
ssh user@host 'command'           # Execute remote command
ssh-keygen -t rsa                 # Generate SSH key pair
ssh-copy-id user@host             # Copy SSH key to remote server
ssh-agent                         # SSH authentication agent
```

Pipes and Redirection

Pipes and redirection are powerful tools for chaining commands and managing input/output.

Use Cases: - Chain multiple commands together - Redirect output to files - Process command output - Filter and transform data

```
command > file                    # Redirect output to file (overwrite)
command >> file                   # Redirect output to file (append)
command < file                    # Use file as input
command1 | command2               # Pipe output of command1 to command2
command 2> errors.txt             # Redirect errors to file
command 2>&1                      # Redirect errors to output
command &> file                   # Redirect both output and errors
```

Regular Expressions

Regular expressions enable pattern matching and complex text manipulation.

Use Cases: - Validate input patterns - Extract specific data - Find and replace patterns - Parse log files

```
grep '^pattern' file              # Match at start of line
grep 'pattern$' file              # Match at end of line
grep 'pat.*rn' file               # Match with wildcards
grep '[0-9]' file                 # Match any digit
grep '[a-z]' file                 # Match any lowercase letter
grep -E '^[a-z]{3}[0-9]+$' file   # Extended regex pattern
```

Cron Jobs and Scheduling

Cron Job Management

Cron allows you to schedule tasks to run automatically at specified times.

Use Cases: - Automated backups - Scheduled maintenance - Report generation - System monitoring

```
crontab -e                        # Edit cron jobs
crontab -l                        # List cron jobs
crontab -r                        # Remove cron jobs
# Cron syntax: minute hour day month day_of_week command
0 2 * * * /path/to/backup.sh      # Run daily at 2 AM
*/5 * * * * /path/to/monitor.sh   # Run every 5 minutes
```

Tips and Tricks

Command History

Using command history efficiently speeds up your workflow.

Use Cases: - Reuse previous commands - Search command history - Avoid retyping long commands

```
history                           # Display command history
history 20                        # Display last 20 commands
!command                          # Execute last command starting with 'command'
!!                                # Execute previous command
Ctrl+R                            # Search command history interactively
```

Command Substitution

Command substitution allows you to use command output as input for other commands.

Use Cases: - Dynamic command execution - Process command output - Create complex command chains

```
$(command)                        # Modern syntax
`command`                         # Legacy syntax
command $(subcommand)             # Nested substitution
```

Last Updated: 2025-12-29 13:21:52