

ORGANIZATION
PabbaThiReddy

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 8 of 8

<

>

{} |

{

"_id": {}

"customer_id": 101,

"name": "Ravi Kumar",

"city": "Hyderabad",

"account_type": "Savings",

"balance": 85000,

"status": "Active"

}

{

"_id": {}

"customer_id": 102,

"name": "Priya Sharma",

"city": "Vijayawada",

"account_type": "Current",

"balance": 125000,

"status": "Active"

}

{

"_id": {}

"customer_id": 103,

"name": "Arjun Reddy",

"city": "Hyderabad",

"account_type": "Savings",

"balance": 85000,

"status": "Active"

}

ORGANIZATION
PabbaThiReddy

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 7 of 7

<

>

{} |

_id: ObjectId('6a89140bce9950b31e66b8ee')

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')

customer_id: 102

name: "Priya Sharma"

city: "Vijayawada"

account_type: "Current"

balance: 125000

status: "Active"

_id: ObjectId('6a891424ce9950b31e66b8f2')

customer_id: 103

name: "Arjun Reddy"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

ORGANIZATION PabbathiReddy PROJECT it0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents | Aggregations | Schema | Indexes | Validation

Generate query: { "account_type": "Savings" } [Explain] [Reset] [Find] [Options]

ADD DATA | BULK | EXPORT CODE

25 | 1-5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a89140bce9959...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a891424ce9959...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
3	ObjectId('6a89142ece9959...	104	"Sneha Rao"	"Marangal"	"Savings"	210000	
4	ObjectId('6a8914b3ce9959...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
5	ObjectId('6a8914cbce9959...	108	"Meena Devi"	"Chennai"	"Savings"	320000	

ORGANIZATION PabbathiReddy PROJECT it0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Generate query: { "amount": { "\$gt": 20000 } } [Explain] [Reset] [Find] [Options]

ADD DATA | BULK | EXPORT CODE

25 | 1-9 of 9

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce9959...	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce9959...	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce9959...	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce9959...	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a8915fdce9959...	1008	104	"Withdrawal"	25000	"ATM"	
6	ObjectId('6a89160fce9959...	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891628ce9959...	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce9959...	1014	108	"Deposit"	150000	"NEFT"	
9	ObjectId('6a89163ace9959...	1015	108	"Withdrawal"	30000	"ATM"	

ORGANIZATION PabbathiReddy PROJECT it0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Generate query: { "type": "Deposit" } [Explain] [Reset] [Find] [Options]

ADD DATA | BULK | EXPORT CODE

25 | 1-8 of 8

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce9959...	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce9959...	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce9959...	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce9959...	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a891607ce9959...	1009	105	"Deposit"	15000	"UPI"	
6	ObjectId('6a89160fce9959...	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891628ce9959...	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce9959...	1014	108	"Deposit"	150000	"NEFT"	

Organization: PabbathiReddy | Project: ct0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 | Aggregations | Schema | Indexes 1 | Validation

```
{
  "mode": "ATM"
}
```

Generate query | Explain | Reset | Find | Options

ADD DATA | BULK | EXPORT CODE

25 | 1-7 of 7

transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	ObjectId("6a8915c2ce9958...")	1002	101	"Withdrawal"	10000	"ATM"
2	ObjectId("6a8915d6ce9958...")	1004	102	"Withdrawal"	15000	"ATM"
3	ObjectId("6a8915e6ce9958...")	1006	103	"Withdrawal"	5000	"ATM"
4	ObjectId("6a8915f6ce9958...")	1008	104	"Withdrawal"	25000	"ATM"
5	ObjectId("6a891619ce9958...")	1011	106	"Withdrawal"	20000	"ATM"
6	ObjectId("6a891629ce9958...")	1013	107	"Withdrawal"	12000	"ATM"
7	ObjectId("6a89163ace9958...")	1015	108	"Withdrawal"	30000	"ATM"

Organization: PabbathiReddy | Project: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 | Aggregations | Schema | Indexes 1 | Validation

```
{
  "type": "Deposit",
  "amount": {
    "$gt": 50000
  }
}
```

Generate query | Explain

ADD DATA | BULK | EXPORT CODE

25 | 1-3 of 3

```
{
  "_id": {},
  "transaction_id": 1007,
  "customer_id": 104,
  "type": "Deposit",
  "amount": 100000,
  "mode": "NEFT",
  "date": "2026-08-04",
  "status": "Success"
}
```

```
{
  "_id": {},
  "transaction_id": 1010,
  "customer_id": 106,
  "type": "Deposit",
  "amount": 75000,
  "mode": "NEFT",
  "date": "2026-08-06",
  "status": "Success"
}
```

```
{
  "_id": {},
  "transaction_id": 1014,
  "customer_id": 108,
  "type": "Deposit",
  "amount": 150000
}
```

ORGANIZATION
PabbathiReddy

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{
 "city": "Hyderabad",
 "balance": {
 "\$gt": 100000
 }
}

ADD DATA BULK EXPORT CODE

{
 "_id": {},
 "customer_id": 106,
 "name": "Anjali Singh",
 "city": "Hyderabad",
 "account_type": "Savings",
 "balance": 175000,
 "status": "Active"
}

ORGANIZATION
PabbathiReddy

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

View monitoring

Visualize Your Data

Sort

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE PREVIEW STAGES TEXT WIZARD

Stage1 Sort

1 {
2 "balance": -1
3 }

Output preview after Sort stage (Sample of 8 documents)

_id: ObjectId('6a8914cbce9950b31e66b8fe')
customer_id: 108
name: "Meena Devi"
city: "Chennai"
account_type: "Savings"
balance: 320000
status: "Active"

_id: ObjectId('6a89142ecet...
customer_id: 104
name: "Sneha Rao"
city: "Marangal"
account_type: "Savings"
balance: 210000
status: "Active"

ORGANIZATION PabbathiReddy PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Sort

Generate aggregation Explain Run Options

Sort Customer... SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage1 Sort

```
1 {
2   "balance": -1
3 }
```

Output preview after \$sort stage (Sample of 8 documents)

```
{
  "_id": ObjectId("6a8914cbce9950b31e66b8fe"),
  "customer_id": 108,
  "name": "Meena Devji",
  "city": "Chennai",
  "account_type": "Savings",
  "balance": 320000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a89142cecf..."),
  "customer_id": 104,
  "name": "Sneha Rao",
  "city": "Warangal",
  "account_type": "Savings",
  "balance": 210000,
  "status": "Active"
}
```

ORGANIZATION PabbathiReddy PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

View monitoring

Group

Generate aggregation Explain

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT

15 Documents in the collection

Stage1 \$group

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "total_amount": 602000
}
```

ORGANIZATION PabbathiReddy PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

View monitoring

Group

Generate aggregation Explain

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT

15 Documents in the collection

Stage1 \$group

```
1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "average_amount": 40133.333333333336
}
```

ORGANIZATION PabbathiReddy PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Optimize

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

> 15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$type",
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 2 documents)

_id: "Deposit"	_id: "Withdrawal"
total_amount: 485000	total_amount: 117000

ORGANIZATION PabbathiReddy PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

> 15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$customer_id",
3   "transaction_count": {
4     "$sum": 1
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

_id: 103	_id: 102
transaction_count: 2	transaction_count: 2

ORGANIZATION PabbathiReddy PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Optimize

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer_details"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

_id: ObjectId('6a0915b8ce9950b31e66b002')	_id: ObjectId('6a0915c2ce9950b31e66b004')
transaction_id: 1001	transaction_id: 1002
customer_id: 101	customer_id: 101
type: "Deposit"	type: "Withdrawal"
amount: 25000	amount: 10000
mode: "ATM"	mode: "ATM"
date: "2026-08-01"	date: "2026-08-02"
status: "Success"	status: "Success"
customer_details: Array (1)	customer_details: Array (1)

Stage 2 \$unwind

```
1 "$customer_details"
```

Output preview after \$unwind stage (Sample of 10 documents)

_id: ObjectId('6a0915b8ce9950b31e66b002')	_id: ObjectId('6a0915c2ce9950b31e66b004')
transaction_id: 1001	transaction_id: 1002
customer_id: 101	customer_id: 101
type: "Deposit"	type: "Withdrawal"
amount: 25000	amount: 10000
mode: "ATM"	mode: "ATM"
date: "2026-08-01"	date: "2026-08-02"

ORGANIZATION PabbathiReddy PROJECT 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

Stage 1 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

```
{
  "_id": ObjectId("6a8915b8ce9950b31e6b902"),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2026-08-01",
  "status": "Success",
  "customer": Array (1)
}
```

Stage 2 \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 10 documents)

```
{
  "_id": ObjectId("6a8915b8ce9950b31e6b902"),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2026-08-01"
}
```

ORGANIZATION PabbathiReddy PROJECT 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 16 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

> 16 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$customer_id",
3   "total_transaction": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000
}
```

Stage 2 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000,
  "customer": Array (1)
}
```

Stage 3 \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000,
  "customer": Object (7)
}
```

Stage 4 \$project

```
1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }
```

Output preview after \$project stage (Sample of 8 documents)

```
{
  "total_transaction": 65000,
  "customer_id": 102,
  "customer_name": "Priya Sharma"
}
```

PabbathiReddy

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

customers transactions +

Cluster0 > bankdb > transactions

Documents 18 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Untitled - modified SAVE CREATE NEW EXPORT CODE

```
1 {  
2   "_id": 0,  
3   "customer_id": "$_id",  
4   "customer_name": "$customer.name",  
5   "total_transaction": 1  
6 }
```

total_transaction : 65000
customer_id : 102
customer_name : "Priya Sharma"

total_transaction : 95000
customer_id : 106
customer_name : "Anjali Singh"

total_transaction : 180000
customer_id : 108
customer_name : "Meena Devi"

total_transaction : 125000
customer_id : 104
customer_name : "Sneha Rao"

total_transaction : 210000
customer_id : 101
customer_name : "Ravi Kumar"

Stage 5 Sort

```
1 {  
2   "total_transaction": -1  
3 }
```

Output preview after Sort stage (Sample of 8 documents)

PabbathiReddy

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

customers transactions +

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Sort Customer... - modified SAVE CREATE NEW EXPORT CODE

8 Documents in the collection

Stage 1 \$match

```
1 {  
2   "status": "Active",  
3   "balance": {  
4     "$gt": 80000  
5   }  
6 }
```

Output preview after \$match stage (Sample of 6 documents)

_id: ObjectId('6a89140bce9950b31e66b8ee')
customer_id: 101
name: "Ravi Kumar"
city: "Hyderabad"
account_type: "Savings"
balance: 85000
status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"

Stage 2 \$lookup

```
1 {  
2   "from": "transactions",  
3   "localField": "customer_id",  
4   "foreignField": "customer_id",  
5   "as": "transactions"  
6 }
```

Output preview after \$lookup stage (Sample of 6 documents)

_id: ObjectId('6a89140bce9950b31e66b8ee')
customer_id: 101
name: "Ravi Kumar"
city: "Hyderabad"
account_type: "Savings"
balance: 85000
status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"

ORGANIZATION PROJECT
PabbathiReddy 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (0)

Search clusters

- Cluster0
 - admin
 - bankub
 - customers
 - transactions
 - local
 - oplogrs
 - sample_mflix

Cluster0 > bankub > customers

Documents Aggregations Schema Indexes Validation

Smatch Slookup Sunwind Sgroup Sort

Generate aggregation + Explain Run Options

Sort Customer... - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 3: Sunwind

1 *transactions*

Output preview after Sunwind if stage (Sample of 10 documents)

```
{ "_id": "6a89140bc9950b31e66b8ee", "customer_id": 101, "name": "Ravi Kumar", "city": "Hyderabad", "account_type": "Savings", "balance": 85000, "status": "Active", "transactions": [ ] }
```

Stage 4: Sgroup

1 * {

```
{ "_id": "$customer_id", "customer_name": { "first": "$name", "city": { "first": "$city", "balance": { "first": "$balance", "total_transactions": { "sum": "$transactions.amount", "transaction_count": { "sum": 1 } } } } }
```

Output preview after Sgroup if stage (Sample of 6 documents)

```
{ "_id": 104, "customer_name": "Sneha Rao", "city": "Marangal", "balance": 210000, "total_transactions": 125000, "transaction_count": 2 }
```

Alert System Status: All Good

ORGANIZATION PROJECT
PabbathiReddy

Data Explorer

My Queries
Data Modeling

CLUSTERS (0)

Search clusters

- Cluster0
 - admin
 - bankub
 - customers
 - transactions
 - local
 - oplogrs
 - sample_mflix

Cluster0 > bankub > customers

Documents Aggregations Schema Indexes Validation

Smatch Slookup Sunwind Sgroup Sort

Generate aggregation + Explain Run Options

Sort Customer... - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 5: Sort

1 * {

```
{ "total_transactions": -1 }
```

Output preview after Sort if stage (Sample of 6 documents)

```
{ "_id": 108, "customer_name": "Meena Devi", "city": "Chennai", "balance": 320000, "total_transactions": 180000, "transaction_count": 2 }
```