Mobile and Ergonomic Pallet Strapping System

ERGOPACK 700

MOBILE AND ERGONOMIC PALLET STRAPPING SYSTEM

SYSTEM INFORMATION:

Line:	Economy Line
Model:	700
Tariff Nr.:	842240
Dimensions (l, w, h):	630 x 770 x 1200 mm
Weight:	64,4 kg
Flexibility (pallet width):	30 - 255 cm
Flexibility (pallet height):	10 - 230 cm
Chain Speed:	Hand Crank

ERGOPACK 700

MOBILE AND ERGONOMIC PALLET STRAPPING SYSTEM

SYSTEM SPECIFICATIONS:

Chain:	Standard 6 m
Line-Laser Type 2:	Not available
Sledge 85:	Included
Control:	Hand Crank
Change settings:	With Pin

OPTIONS:

Tool-Lift:	Not available
Sledge[1]:	47 | 47S | 85L
Strap-Brake-Relief:	Optional
Headpiece with Bumper[2]:	Optional
MOHM[3] up to 3.05m:	Optional
Additional chain:	Optional

[1] Coil diameter: 406, 400, 200

OPTIONS INCLUDED IN SYSTEM AND PRICE

ErgoPack 700

Options included in System and Price

Sledge
- Standard sledge 85 included
- For clearance height >95mm

Optional Accessories

ERGOPACK 700

ADDITIONAL OPTIONS AND ACCESSORIES

STRAP-BRAKE-RELIEF

- For pallets higher than 120cm
- Relief in pulling out strap
- [Video](#)

HEAD PIECE WITH BUMPER

- For pallets with an overhang of max. 40mm
- Bumper to pass the overhang
- [Video](#)

SLEDGE

- 47 for pallets with a clearance height of 55mm to 95mm
- 47S for pallets with narrow entry, 160mm in width
- 47L extended skid for lower runner heights of up to 40mm

ErgoPack 700

ADDITIONAL OPTIONS AND ACCESSORIES

MOBILE OVERHEIGHT MODULE
- For pallets higher than 230cm
- Up to 305cm
- Video

MOBILE SLEDGE TUNNEL
- Goods strapped on scantlings
- One pair includes two tunnels
- Video

STATIONARY SLEDGE TUNNEL
- Adjustable sledge tunnel for different widths
- Video

ERGOPACK 700

APPLICATION EXAMPLES