



ERGOPACK RE

MOBILE AND ERGONOMIC PALLET STRAPPING SYSTEM



ERGOPACK RE

MOBILE AND ERGONOMIC PALLET STRAPPING SYSTEM



SYSTEM INFORMATION:

Line:	RE
Model:	<u>RE V</u>
Generation:	1
Tariff Nr.:	84224000
Dimensions (l, w, h):	665 x 770 x 1200 mm
Weight:	~90 kg
Flexibility (pallet width):	40 - 270 cm
Flexibility (pallet height):	10 - 230 cm
Chain Speed:	66m/min



ERGOSTRAP RE

MOBILE AND ERGONOMIC PALLET STRAPPING SYSTEM

SYSTEM SPECIFICATIONS:

Chain:	Standard 6m
<u>Line-Laser Type 2:</u>	Included
Sledge 47:	Included
Rewinder	Included
Control:	Electrical via joystick
Sealing head:	Mounted on Tool-Lift
Change settings:	Siemens industry touchscreen

AVAILABLE OPTIONS:

Rewinder:	Manual rewinder
Rewinder:	Automatical rewinder
Magazine:	Magazine



ERGOPACK RE

MOBILE AND ERGONOMIC PALLET STRAPPING SYSTEM

BATTERY:

Type:	Lithium-Ion
Dimensions (l, w, h):	393 x 153 x 82 mm
Weight:	~5 kg
Loading time:	~3,5 hours
Voltage (nominal):	36,3 V
Capacity (nominal):	24,15 Ah
Strapping cycles:	Up to 1200

CHARGING STATION:

Type:	Wide-range charger
Dimensions (l, w, h):	225 x 156 x 69 mm
Weight (incl. charger):	8,8 kg
Operating voltage:	100-240 V - 50/60 Hz
Power consumption:	Up to ~650 W
Current (nominal):	Up to 10 A

CERTIFICATIONS:

ISO 1200:100:	✓ Yes
EU Certificate of Conformity:	✓ Yes
AGR Certified:	✓ Yes

¹Sledge 47 for pallets with lower clearance height (min. clearance of 55mm); standard sledge 85 for EPAL and equivalent

²Max. 40mm overhang

³Mobile Overheight Module



ERGOPACK RE

OPTIONS INCLUDED IN SYSTEM AND PRICE

ERGOPACK RE

OPTIONS INCLUDED IN SYSTEM AND PRICE


CONTROL

- Electrical via joystick
- [Video](#)



DISPLAY

- Siemens Industry Touchscreen
- Easy change of settings
- Set pallet width
- [Video](#)



LINE LASER

- For optimal system positioning
- [Video](#)





ERGOPACK RE

OPTIONAL ACCESSORIES



ERGOPACK RE

ADDITIONAL OPTIONS AND ACCESSORIES

AUTOMATICAL REWINDER

- For automatically rewinding the Velcro



MORE CHAIN IN SYSTEM

- Up to 2m extra, 8m in total



SPARE BATTERY

- Optimal for multiple shifts





ERGOPACK RE

ADDITIONAL OPTIONS AND ACCESSORIES


MANUAL REWINDER

- For manually rewinding the Velcro



SCREEN PROTECTOR

- Protect the display from damages





ERGOPACK RE

ADDITIONAL OPTIONS AND ACCESSORIES

MOBILE OVERHEIGHT MODULE

- For pallets higher than 230cm
- Up to 305cm



MOBILE SLEDGE TUNNEL

- Goods strapped on scantlings
- One pair includes two tunnels



STATIONARY SLEDGE TUNNEL

- Adjustable sledge tunnel for different widths



ERGOPACK RE

APPLICATION EXAMPLES

