

A Strategic Imperative for JCB: Upholding a Legacy of Safety, Quality, and Efficiency

How ergonomic pallet strapping eliminates **unacceptable risk** and modernizes JCB's global logistics.



JCB

Ergopack
India

Made exclusively for JCB

Your Robots Are Waiting.

JCB has invested millions in robotic welding and automated paint shops. Yet, the final, critical step of dispatch packaging remains a primitive, manual bottleneck. This incongruity prevents the full realization of your automation strategy, limiting throughput and introducing unacceptable risk.



MANUAL 9 AM



MACHINE 9 AM



MANUAL 1 PM



MACHINE 5 PM



THE CONSISTENCY **CRISIS.**

Manual quality **degrades by 1 PM.** Machine precision is **constant 24/7.**

Ergonomic Hazard Elimination: A Process-Level Transformation

Manual Process - High Injury Risk (Total Time: 120s)



Spinal Load



Shoulder Strain



Trip Hazard



Repetitive Spinal Load



Wrist/Back Strain

Ergopack Process - Zero Bending (Total Time: 40s)



Upright Stance



Upright Stance



Upright Stance

The Ergopack system consolidates five physically hazardous, non-value-added movements into a single, fluid, and upright process. This radical simplification is the foundation for a safer, faster, and ISO 45001-compliant work environment.

Engineering Analysis: Overcoming Height and Mass Constraints

The Manual Limitation



'Throwing' method is inaccurate and loses tension. Operator reach is the primary physical constraint.

The Ergopack Solution

Standard/Triplex Tool-Lift

Lifts the sealing head to the optimal height.

Chain Lance

Feeds the strap under the pallet and back up to the operator.



Mobile Overheight Module (Optional)

Extends reach to over 3 meters for maximum capability.

The system uses mechanical lifts and a powered Chain Lance to precisely position and tension the strap at any height, removing human physical limitations.

Engineering the Hazard Out of the Process.

Ergopack is not just a tool, it is a fundamental redesign of the strapping process for human well-being. The patented Chain Lance shoots the strap under the pallet, eliminating all bending, crawling, and walking into forklift lanes. The operator remains stationary and upright, outside the 'Circle of Risk'.

The Manual Struggle



The Ergopack Solution



From a 120-Second Liability to a 40-Second Asset.

Efficiency Gains



The Zero Fatigue Factor



Employee Safety & Well-being

100%  **100%** 

Bending Eliminated: The patented chain-lance system removes the need for operators to bend, directly aligning with Nexteer's "every accident is preventable" goal.

Walking Eliminated: Reduces time, effort, and trip hazards in a busy environment.





400N CAN'T ARGUE WITH NEWTON'S FIRST LAW.

For a 500kg JCB engine block, weak tension isn't a securing method—it's an invitation for failure. Ergopack's 2500N of force turns the crate and pallet into one solid unit, conquering the physics of transit.



THE BREATHING GAP.

Loosening straps invite moisture. 2500N tension creates a perfect seal, preventing corrosion on arrival.



The True Cost of Manual Strapping is 90% Hidden.



The price of strapping material is insignificant compared to the systemic costs and risks of an outdated manual process. **Ergopack addresses the entire iceberg.**

A CURATED COLLECTION

From foundational reliability to ultimate technological performance, our collection offers a tailored solution for every operational need. We present not just machines, but answers to your specific workflow challenges.



ERGOPACK 700

The robust foundation for reliable, ergonomic strapping. Built for consistency and ease of use.



ERGOPACK GO

The intelligent entry into electric strapping, combining joystick control with versatile performance.



ERGOPACK 726X-LI

The ultimate expert, delivering unparalleled speed, smart technology, and maximum power for the most demanding environments.

Ergopack 726X-Li

The Pinnacle of Performance.



Intelligent Command Interface: A Siemens industry-grade touchscreen allows for precise, intuitive setting adjustments and flawless operational control.



Superior Power & Speed: Powered by a high-capacity Lithium-Ion battery, the 726X-Li delivers up to 1200 strapping cycles at a class-leading speed of 66 m/min.



Laser-Guided Precision: An integrated Line Laser ensures perfect positioning every time, maximizing efficiency and guaranteeing strapping consistency for the most demanding applications.

[YouTube Link](#)

[PDF: 726X](#)



INTELLIGENT STRAPPING




SIEMENS TOUCHSCREEN CONTROL

Precisely set pallet dimensions and system parameters for flawless, repeatable operation.



EFFORTLESS JOYSTICK CONTROL

Electrically powered chain feed and system movement for ultimate operator ease-of-use.



INTEGRATED LINE LASER

Ensures perfect alignment with the pallet for faster, more accurate positioning.



HIGH-SPEED CHAIN (66 M/MIN)

Maximizes strapping speed for high-throughput and time-critical environments.

ERGOPACK 726X-Li: TECHNICAL DATA & OPTIONS

SYSTEM SPECIFICATIONS

Line	X-pert (Generation 2)
Control	Electrically via Joystick
Interface	Siemens Industry Touchscreen
Pallet Width	40 - 270 cm
Pallet Height	10 - 230 cm
Chain Speed	66 m/min
Included Sledge	Sledge 85 (>95mm clearance)
Included Features	Standard Tool-Lift, Line Laser
Weight	~104 kg

SEALING HEAD & BATTERY

TENSION HEAD	400 - 2500 N
Strap Type	PP, PET (13-16mm width)
Battery Type	Lithium-Ion, 36.3V
Strapping Cycles	Up to 1200
Loading Time	~3.5 hours

AVAILABLE OPTIONS & ACCESSORIES

Triplex-Tool-Lift (TTL):
For pallets as low as 10cm high.

Strap-Brake-Relief:
For pallets >120cm high.

Easy Move Assistant:
For easier handling over long distances.

Spare Battery & Screen Protector:
For maximum uptime and protection.

All other options: (MOHM, Bumper, Sledges, etc.) | Available.

MODEL GO

THE AGILE PERFORMER.

The Ergopack GO elevates the experience with electric power. Featuring intuitive joystick control, it delivers enhanced speed and ergonomics for core strapping tasks, making operations smoother and faster.



EFFORTLESS ELECTRIC CONTROL

Joystick operation provides smooth, precise maneuverability and reduces operator fatigue.



OPTIMIZED FOR EFFICIENCY

Engineered for common pallet heights (80-190cm) with a swift chain speed of 40m/min.



DEPENDABLE POWER

A robust 24V lead-fleece battery provides up to 350 strapping cycles per charge.



[YouTube Link](#)

[PDF: GO](#)

ERGOPACK GO: DATA & ACCESSORIES

SYSTEM INFORMATION	
Line	GO
Model Base	700
Dimensions	630 x 770 x 1200 mm
Weight	90.0 kg

SYSTEM SPECIFICATIONS	
Pallet Width	30 - 240 cm
Pallet Height	80 - 190 cm
Chain Speed	40 m/min
Control	Electric via Joystick
Sealing Head	Flexible Mounting

BATTERY	
Type	24V Lead-Fleace
Cycles	~350 per charge

CHARGING	
Loading Time	8 - 10 hours
Voltage	100-240 V

OPTIONAL ACCESSORIES

- ✓ Alternative Sledges (47 / 47S / 47L)
- ✓ Headpiece with Bumper
- ✓ Spare Battery
- ✓ Additional Chain (Upon Request)



MODEL 700

THE ESSENTIAL FOUNDATION.

The Ergopack 700 is the cornerstone of ergonomic strapping. It provides a simple, robust, and effective solution that eliminates bending and walking around the pallet, transforming workplace safety and efficiency.



ROBUST MANUAL CONTROL

Simple, direct operation via a smooth hand crank ensures unwavering reliability.



VERSATILE APPLICATION

Accommodates a vast range of pallet sizes, up to 2.3m in height and 2.55m in width.



PROVEN ENGINEERING


Built to last, providing a dependable foundation for your logistics operations.

[YouTube Link](#) [Product PDF: 700](#)

ERGOPACK 700: SPECIFICATIONS

SYSTEM INFORMATION	
Line	Economy
Model	700
Dimensions	630 x 770 x 1200 mm
Weight	64.4 kg
Tariff Nr.	842240

SYSTEM SPECIFICATIONS	
Pallet Width	30 - 255 cm
Pallet Height	10 - 230 cm
Chain	Standard 6 m
Control	Hand Crank
Settings Change	With Pin
Included Sledge	Sledge 85
Possible Straps	PP, PET, Paper, Cord, Composite



THE ULTIMATE CUSTOMIZATION



TRIPLEX-TOOL-LIFT

For strapping pallets as low as 10cm from the floor.



MOBILE OVERHEIGHT MODULE

Extend strapping height to an impressive 3.05m.



EASY MOVE ASSISTANT

Improves handling and ergonomics over longer distances.



SLEDGE TUNNELS

For strapping goods resting on scantlings or runners.



SCREEN PROTECTOR

Protect the Siemens display in harsh environments.



SPARE BATTERY

Ensure continuous operation across multiple shifts.


FIND THE PERFECT FIT FOR YOUR OPERATION

FEATURE	700 (THE ESSENTIAL)	GO (THE VERSATILE)	726X-LI (THE X-PERT)
Control System	Manual Hand Crank	Electric Joystick	Electric Joystick & Touchscreen
Power Source	-	Lead-Fleece Battery	Lithium-Ion Battery
Chain Speed	Manual	Standard (40m/min)	High-Speed (66m/min)
Sealing Head	Optional Hand Tool	Flexible Mounting	Integrated on Tool-Lift
Line Laser	-	-	✓
Standard Tool-Lift	-	✓	✓
Ideal Application	Foundational Ergonomics & Reliability	Versatile Operations & Tool Integration	High-Throughput & Precision


Reclaim 200+ sq. ft. of Productive Floor Space.

Fixed turntable wrappers occupy a permanent, unproductive footprint of over 200 sq. ft. and create workflow bottlenecks. The fully mobile Ergopack system frees up this prime real estate for production or inventory and adapts to your workflow, not the other way around.


Fixed Turntable Wrapper



Mobile Ergopack System



You Are Over-Spending on Packaging to Compensate for Weak Strapping.



The Reality Check:

Most companies add extra wood, thicker crates, and more dunnage because they subconsciously don't trust the strap to hold the load.

This is a hidden cost center, burning money on "safety buffers."

THE TRUE COST OF MANUAL STRAPPING IS PAID BY YOUR PEOPLE.



50,000 Bends Per Year

(Sourced from "A Strategic Framework for JCB").

Leads to Musculoskeletal Disorders (MSDs), chronic pain, and an average of 51 sick days per year for back injuries.



Zero Bending. Zero Strain

(Sourced from Ergopack ergonomic principle).

A direct implementation of JCB's commitment to "proactive, preventative health culture."

ENGINEERING LEADERS CHOOSE ERGOPACK.



The standard for precision manufacturing and logistics. Join global titans like Siemens, Mercedes-Benz, BMW, and Audi who rely on Ergopack for their critical load security needs.

Secure Any Load. Safely.

From standard pallets of auto components to oversized goods and products on scantlings, the ErgoPack system is engineered for versatility. Our range of machines and accessories provides a tailored solution to secure your products safely and efficiently, no matter the challenge.



Double-Stacked Pallets



Tall & Narrow Components



Goods on Scantlings



Coils & Cylindrical Loads

A Solution as Robust and Reliable as the Machines You Build.

JCB doesn't compromise on quality. Your logistics and asset protection shouldn't either. ErgoPack is built to perform in the toughest industrial environments, delivering the reliability and performance that your brand and your customers demand.





Claim Your 'Complete Automation Badge'

Manual strapping is the final gap in JCB's otherwise world-class automated operation. By closing this loop, JCB India not only mitigates risk and unlocks new efficiency but solidifies its status as a true end-to-end leader in modern manufacturing. This is the final step to claiming the Complete Automation Badge.



Mobilizing Safety. Maximizing Uptime. Sustaining Leadership.