




Engineering the Next Level of Operational Excellence

A Strategic Partnership for Maruti Suzuki

You've Mastered 99% of the Process. But the Final Step Creates a Critical Vulnerability.

From stamping to final assembly, your production is a symphony of automation. Yet, the final, crucial step of securing your valuable goods for transit—pallet strapping—remains a manual process. This creates a bottleneck that compromises the three pillars of your success:
Safety, Efficiency, and Product Integrity.





9 AM



1 PM



The 9 AM Strap vs. The 1 PM Strap

A machine performs its first task and its thousandth task with identical precision. The same cannot be said for manual labor.

- 9 AM: Peak energy, optimal tension, perfect load security.
- 1 PM: Fatigue sets in, concentration wanes, tension becomes inconsistent.



This inconsistency is a direct threat to component integrity during transit.





The Hidden Human Cost of Manual Strapping

Manual pallet strapping is a primary driver of **Musculoskeletal Disorders (MSDs)**, one of the **leading causes of workplace injury** in manufacturing.



Chronic Strain: Constant bending, kneeling, and walking around pallets lead to cumulative back, knee, and shoulder injuries.



Lost Time Incidents: Each MSD case impacts your goal of **zero work-related injuries** and affects production continuity.



Misalignment with Welfare Goals: This physically demanding task contradicts your commitment to enhancing employee well-being and providing a safe, modern work environment.


The Manual Method: 5 Steps Backwards for Every Pallet Forward



Result: An exhausting, time-consuming process with inconsistent results and high risk of injury.

From 5 Strenuous Steps to 3 Simple Moves.

~~Manual Method~~



The Ergopack Process



67% Less Time. 90% Less Physical Strain.



Don't Move the Mountain. Move the Machine.

Your logistics flow shouldn't be dictated by a stationary strapping station. Ergopack's mobile design brings unparalleled flexibility to your floor.



Decentralized Strapping: Strap pallets wherever they are, reducing forklift traffic and saving critical time.



Agile & Adaptable: Easily move between production lines, packing areas, and dispatch zones at your Gurugram and Manesar facilities.




Optimized Workflow: Eliminates the wasted motion of bringing heavy loads to a fixed point.

From a 120-Second Liability to a 40-Second Asset.

Efficiency Gains



The Zero Fatigue Factor



Employee Safety & Well-being

100%

Bending Eliminated: The patented chain-lance system removes the need for operators to bend, directly aligning with Maruti's "every accident is preventable" goal.

100%

Walking Eliminated: Reduces time, effort, and trip hazards in a busy environment.



Reaching New Heights Should Be a Goal, Not a Workplace Hazard.

Securing tall pallets is inefficient and ergonomically dangerous, exposing your skilled workforce to significant risks:



Musculoskeletal Strain: Leading to injury, absenteeism, and potential health issues.



Compromised Safety: Awkward postures increase the risk of slips and falls.



Ineffective Strapping: It's nearly impossible to achieve consistent, high tension manually at this height.



Engineering Analysis: Overcoming Height and Mass Constraints

The Manual Limitation



'Throwing' method is inaccurate and loses tension. Operator reach is the primary physical constraint.

The Ergopack Solution




The system uses mechanical lifts and a powered Chain Lance to precisely position and tension the strap at any height, removing human physical limitations.

Your High-Tech Automation is Waiting for a Low-Tech Process.

Maruti Suzuki has invested heavily in world-class automation to maximize throughput. Yet, the entire efficiency of this system hinges on the speed of your manual strapping station.

- **Idle Assets:** Expensive robots and AGVs sit waiting, depreciating without creating value.
- **Process Bottleneck:** Manual strapping creates a chokepoint, artificially limiting the output of your entire production line and reducing the ROI on your automation investments.





The Journey's Gauntlet: The Physics of Load Security

A strapped pallet is not static. From the moment it leaves your facility, it is subjected to a relentless barrage of forces:


- * **Low-Frequency Vibration (Rail & Sea):** **Constant shaking** that causes pallet contents to settle and compress.
- * **Shunting Forces (Rail):** **High-impact jolts (up to 4G)** when rail cars are coupled.
- * **Sway & Surge (Sea):** **Multi-directional movements** that test load stability to its limits.

Securing a load isn't just about holding it together; it's about engineering it to withstand the physics of its entire journey.

The Moment of Impact: Shunting Force

The high-impact “**shunting**” force that occurs when rail cars are coupled is the ultimate test of load security. A loose strap provides zero protection against this force. The result: catastrophic load shifts, internal collisions, and damaged components, hidden from view until the container is opened at its destination.





The Unseen Force That Undoes Your Hard Work.

Rail transport involves constant low-frequency vibration. This causes the contents of a pallet to 'settle' or compress slightly.

If the strap was applied with inconsistent manual tension, this settling creates slack.

A loose strap fails to secure the load against the high-impact 'shunting' forces that occur when rail cars are coupled.

Your perfectly packed product is now unstable.

The ErgoPack Difference: Engineered for the Journey.

Manual Method: Load Shift & Failure





ErgoPack 726X-Li: Absolute Load Integrity



The ErgoPack 726X-Li applies a precise, electronically controlled tension of up to **2500N** every single time. This immense, consistent force pre-compresses the load, creating a solid, unified block that resists vibration and neutralizes shunting impacts. The protective barrier is never breached.

THE BREATHING GAP.

Loosening straps invite moisture. 2500N tension creates a perfect seal, preventing corrosion on arrival.



Electronically Controlled Tension. Guaranteed Load Integrity.

- Ergopack's system applies the precise, optimal tension every single time, removing human variability.
- Creates a tight, secure seal that prevents load shifting and protects against environmental factors like moisture and dust.
- The result: Your high-value components arrive in factory-perfect condition, every time.

100% CONSISTENT.
ZERO DAMAGE CLAIMS.

The Throughput Bottleneck: When Production Outpaces Logistics

Your production lines are a marvel of efficiency. But the efficiency of a system is defined by its slowest point. The manual strapping station is a critical bottleneck that throttles your entire logistics throughput.

- **Pace Mismatch:** Automated lines don't tire. The manual process cannot scale with production surges.
- **Increased WIP:** Pallets waiting to be strapped become Work-In-Progress, consuming valuable floor space.
- **Delayed Dispatch:** Every minute spent waiting adds to your lead time.



Solution Pillar: **EFFICIENCY**

Scale Production, Not Payroll.

THE OLD WAY



30 New Hires, Weeks of Training, Inconsistent Output.

- Hire and train ~**30 new workers.**
- Absorb significant overhead in HR, training, and supervision.
- Risk inconsistent quality and safety incidents with new staff.

THE ERGOPACK WAY



5 Machines, Trained in Hours, Perfect Output from Day 1.

- Deploy **5-6 Ergopack machines.**
- Operators are proficient in under an hour.
- Achieve immediate, consistent, and safe output.

Conclusion: Ergopack allows you to scale your operations with precision and predictability, not people problems.

The Iceberg of Hidden Costs in Manual Strapping



VISIBLE COSTS

Labor Wages



Strapping Material

HIDDEN COSTS



Workplace Injury Claims:

Medical bills, lost time, insurance hikes, contradicting your safety goals.



Damaged Goods & Returns:

Cost of goods, reverse logistics for parts sent to 100+ countries.



Customer Dissatisfaction:

Damaged reputation at dealerships and service centers.



Shipping Delays & Penalties:

Disrupting Just-In-Time supply chains.

HIDDEN COSTS



Excess Packaging Waste:

Over-use of stretch film and cardboard.



Production Bottlenecks:

Slowing down your 2 million+ vehicle/year output.



High Employee Turnover:

Costs of hiring and retraining for a strenuous, undesirable job.



Brand & Reputation Risk:

A damaged shipment reflects poorly on the Maruti Suzuki brand of excellence.

A CURATED COLLECTION

From foundational reliability to ultimate technological performance, our collection offers a tailored solution for every operational need. We present not just machines, but answers to your specific workflow challenges.



ERGOPACK 700

The robust foundation for reliable, ergonomic strapping. Built for consistency and ease of use.



ERGOPACK GO

The intelligent entry into electric strapping, combining joystick control with versatile performance.



ERGOPACK 726X-LI

The ultimate expert, delivering unparalleled speed, smart technology, and maximum power for the most demanding environments.

Ergopack 726X-Li

The Pinnacle of Performance.



Intelligent Command Interface: A Siemens industry-grade touchscreen allows for precise, intuitive setting adjustments and flawless operational control.



Superior Power & Speed: Powered by a high-capacity Lithium-Ion battery, the 726X-Li delivers up to 1200 strapping cycles at a class-leading speed of 66 m/min.



Laser-Guided Precision: An integrated Line Laser ensures perfect positioning every time, maximizing efficiency and guaranteeing strapping consistency for the most demanding applications.

[YouTube Link](#)

[PDF: 726X](#)



INTELLIGENT STRAPPING




SIEMENS TOUCHSCREEN CONTROL

Precisely set pallet dimensions and system parameters for flawless, repeatable operation.



EFFORTLESS JOYSTICK CONTROL

Electrically powered chain feed and system movement for ultimate operator ease-of-use.



INTEGRATED LINE LASER

Ensures perfect alignment with the pallet for faster, more accurate positioning.



HIGH-SPEED CHAIN (66 M/MIN)

Maximizes strapping speed for high-throughput and time-critical environments.

ERGOPACK 726X-Li: TECHNICAL DATA & OPTIONS

SYSTEM SPECIFICATIONS

Line	X-pert (Generation 2)
Control	Electrically via Joystick
Interface	Siemens Industry Touchscreen
Pallet Width	40 - 270 cm
Pallet Height	10 - 230 cm
Chain Speed	66 m/min
Included Sledge	Sledge 85 (>95mm clearance)
Included Features	Standard Tool-Lift, Line Laser
Weight	~104 kg

SEALING HEAD & BATTERY

TENSION HEAD	400 - 2500 N
Strap Type	PP, PET (13-16mm width)
Battery Type	Lithium-Ion, 36.3V
Strapping Cycles	Up to 1200
Loading Time	~3.5 hours

AVAILABLE OPTIONS & ACCESSORIES

Triplex-Tool-Lift (TTL):
For pallets as low as 10cm high.

Strap-Brake-Relief:
For pallets >120cm high.

Easy Move Assistant:
For easier handling over long distances.

Spare Battery & Screen Protector:
For maximum uptime and protection.

All other options: (MOHM, Bumper, Sledges, etc.) | Available.

MODEL GO

THE AGILE PERFORMER.

The Ergopack GO elevates the experience with electric power. Featuring intuitive joystick control, it delivers enhanced speed and ergonomics for core strapping tasks, making operations smoother and faster.



EFFORTLESS ELECTRIC CONTROL

Joystick operation provides smooth, precise maneuverability and reduces operator fatigue.



OPTIMIZED FOR EFFICIENCY

Engineered for common pallet heights (80-190cm) with a swift chain speed of 40m/min.



DEPENDABLE POWER

A robust 24V lead-fleece battery provides up to 350 strapping cycles per charge.



[YouTube Link](#)

[PDF: GO](#)

ERGOPACK GO: DATA & ACCESSORIES

SYSTEM INFORMATION	
Line	GO
Model Base	700
Dimensions	630 x 770 x 1200 mm
Weight	90.0 kg

SYSTEM SPECIFICATIONS	
Pallet Width	30 - 240 cm
Pallet Height	80 - 190 cm
Chain Speed	40 m/min
Control	Electric via Joystick
Sealing Head	Flexible Mounting

BATTERY	
Type	24V Lead-Fleace
Cycles	~350 per charge

CHARGING	
Loading Time	8 - 10 hours
Voltage	100-240 V

OPTIONAL ACCESSORIES

- ✓ Alternative Sledges (47 / 47S / 47L)
- ✓ Headpiece with Bumper
- ✓ Spare Battery
- ✓ Additional Chain (Upon Request)



MODEL 700


THE ESSENTIAL FOUNDATION.

The Ergopack 700 is the cornerstone of ergonomic strapping. It provides a simple, robust, and effective solution that eliminates bending and walking around the pallet, transforming workplace safety and efficiency.



ROBUST MANUAL CONTROL

Simple, direct operation via a smooth hand crank ensures unwavering reliability.



VERSATILE APPLICATION

Accommodates a vast range of pallet sizes, up to 2.3m in height and 2.55m in width.



PROVEN ENGINEERING


Built to last, providing a dependable foundation for your logistics operations.

[YouTube Link](#) [Product PDF: 700](#)

ERGOPACK 700: SPECIFICATIONS

SYSTEM INFORMATION	
Line	Economy
Model	700
Dimensions	630 x 770 x 1200 mm
Weight	64.4 kg
Tariff Nr.	842240

SYSTEM SPECIFICATIONS	
Pallet Width	30 - 255 cm
Pallet Height	10 - 230 cm
Chain	Standard 6 m
Control	Hand Crank
Settings Change	With Pin
Included Sledge	Sledge 85
Possible Straps	PP, PET, Paper, Cord, Composite



THE ULTIMATE CUSTOMIZATION



TRIPLEX-TOOL-LIFT

For strapping pallets as low as 10cm from the floor.



MOBILE OVERHEIGHT MODULE

Extend strapping height to an impressive 3.05m.



EASY MOVE ASSISTANT

Improves handling and ergonomics over longer distances.



SLEDGE TUNNELS

For strapping goods resting on scantlings or runners.



SCREEN PROTECTOR

Protect the Siemens display in harsh environments.



SPARE BATTERY

Ensure continuous operation across multiple shifts.


FIND THE PERFECT FIT FOR YOUR OPERATION

FEATURE	700 (THE ESSENTIAL)	GO (THE VERSATILE)	726X-LI (THE X-PERT)
Control System	Manual Hand Crank	Electric Joystick	Electric Joystick & Touchscreen
Power Source	-	Lead-Fleece Battery	Lithium-Ion Battery
Chain Speed	Manual	Standard (40m/min)	High-Speed (66m/min)
Sealing Head	Optional Hand Tool	Flexible Mounting	Integrated on Tool-Lift
Line Laser	-	-	✓
Standard Tool-Lift	-	✓	✓
Ideal Application	Foundational Ergonomics & Reliability	Versatile Operations & Tool Integration	High-Throughput & Precision


Reclaim 200+ sq. ft. of Productive Floor Space.

Fixed turntable wrappers occupy a permanent, unproductive footprint of over 200 sq. ft. and create workflow bottlenecks. The fully mobile Ergopack system frees up this prime real estate for production or inventory and adapts to your workflow, not the other way around.


Fixed Turntable Wrapper



Mobile Ergopack System



You Are Over-Spending on Packaging to Compensate for Weak Strapping.



The Reality Check:
Most companies add extra wood, thicker crates, and more dunnage because they subconsciously don't trust the strap to hold the load. This is a hidden cost center, burning money on "safety buffers."



Manual Compensation



Ergopack Optimization

Stop Over-Compensating. Start Optimizing.

Poor strapping forces teams to over-package with expensive, wasteful materials just to feel secure.

With Ergopack's guaranteed strap tension, you can re-engineer your packaging standards, reducing material consumption, cutting costs, and aligning with your sustainability goals.

A Catalyst for Continued Operational Excellence



Integrating ErgoPack into your operations creates a cascading effect of benefits that directly support Maruti Suzuki's core manufacturing objectives.

The Ergopack Way is the Suzuki Way

Ergopack is more than a machine; it is the physical embodiment of the principles that drive Maruti Suzuki.



省



Sho – Smaller
Smaller risk of injury and product damage.

少



Sho – Fewer
Fewer steps, less wasted time, and less material.

輕



Kei - Lighter
Lighter physical load and strain on your employees.

短



Tan - Shorter
Shorter process time for faster throughput.

美



Bi - Beauty
A beautifully consistent, secure, and professional result, every time.

ENGINEERING LEADERS CHOOSE ERGOPACK.



The standard for precision manufacturing and logistics. Join global titans like Siemens, Mercedes-Benz, BMW, and Audi who rely on Ergopack for their critical load security needs.

Secure Any Load. Safely.

From standard pallets of auto components to oversized goods and products on scantlings, the ErgoPack system is engineered for versatility. Our range of machines and accessories provides a tailored solution to secure your products safely and efficiently, no matter the challenge.



Double-Stacked Pallets



Tall & Narrow Components



Goods on Scantlings



Coils & Cylindrical Loads

Solution Pillar: **SAFETY & WELL-BEING**

Turning a High-Risk Job into a High-Value Role.

ErgoPack was designed to protect the operator. By eliminating bending, stretching, and walking on unstable surfaces, it drastically reduces the risk of back injuries, strains, and falls.

This is a direct investment in the health and safety of your most valuable asset—your people.



Ensuring Global Shipments Arrive in Perfect Condition

Maruti Suzuki is the largest car exporter in India. Every international shipment is an ambassador for your brand.

The 726X-li's high-tension strapping ensures that CKD kits and spare parts are completely immobilized, withstanding the rigors of sea transport—vibrations, humidity, and temperature shifts—to arrive at their destination defect-free.

From India to the World, ErgoPack protects your global promise.



Securing Your Global Ambition

As Maruti Suzuki expands its horizons to over 100 countries, the demands on packaging integrity have never been higher. A journey of thousands of miles begins with a single, perfectly secured pallet. Ergopack is your partner in global quality assurance, ensuring the Maruti Suzuki standard of excellence is delivered, intact, to every corner of the world.



Protecting Maruti Suzuki's Promise of Quality. From the Factory Floor to the World.

