
Module–2(Manual Testing)

1. What is Exploratory Testing?

Exploratory Testing is a type of testing where the tester checks the software freely without fixed test cases to find bugs.

2. What is Traceability Matrix?

A Traceability Matrix is a document used to track requirements and check whether all requirements are tested properly or not.

3. What is Boundary value testing?

Boundary value testing is a testing method where values at the minimum, maximum and near the limits are tested.

4. What is Equivalence partitioning testing?

- Equivalence Partitioning Testing means dividing input data into small groups and testing one value each group.
- It saves time and makes testing easier.

5. What is Integration testing?

- Integration testing is a type of testing where different modules or parts of a software are tested together.
- It checks whether all parts work properly with each other or not.

6. What determines the level of risk?

The level of risk is determined by how serious a problem is and how likely it is to happen.

7. What is Alpha testing?

Alpha Testing is Testing done by the company's team before releasing the software to users.

8. What is beta testing?

Beta testing is testing done by real users before the final software release to find remaining problems.

9. What is component testing?

Component testing is testing of a single part or module of software to check if it works correctly.

10. What is functional system testing?

Function System testing check whether all functions of the complete Software work correctly according to requirements.

11. What is Non-Functional Testing?

Non-Functional Testing checks the performance, speed, security, and usability of the software.

12. What is GUI Testing?

GUI Testing check whether the button, menus, colors, and screen of the software work and look correctly.

13. What is Adhoc testing?

Adhoc Testing is informal testing done without any test plan to quickly find errors in the software.

14. What is load testing?

Load testing checks how the software works when many users use it at the same time.

15. What is stress Testing?

Stress Testing checks how the software behaves under very heavy load or extreme conditions.

16. What is white box testing and list the types of white box testing?

White Box Testing is a testing method where the internal code and logic of the software are checked.

Types of White Box Testing

- Statement Testing
- Branch Testing
- Path Testing
- Loop Testing

17. What is black box testing? What are the different black box testing techniques?

White Box Testing is a testing method where the software is tested without checking the internal code.

Types of Black Box Testing

- Equivalence Partitioning
- Boundary Value Analysis
- Decision Table Testing
- State Transition Testing

18. Mention what are the categories of defects?

Categories of defects are:

- a. Critical Defect
- b. Major Defect
- c. Minor Defect
- d. Trivial Defect

19. Mention what bigbang testing is?

Big Bang Testing is a type of integration testing where all modules are combined and tested together at one time.

20. What is the purpose of exit criteria?

The purpose of exit criteria is to decide when testing is complete and the software is ready for release.

21. When should "Regression Testing" be performed?

Regression Testing should be performed after change, update, or bug fixes in the software.

22.What is 7 key principles? Explain in detail?

The 7 key principles of software testing are:

- Testing shows Presence of defects, not absence.
- Exhaustive testing is impossible.
- Early testing saves time and cost.
- Defects are usually found in a few modules.
- Repeating same tests becomes less effective.
- Testing depends on the project type.
- Error-free Software may still fail user needs.

23.Difference between QA v/s QC v/s Tester

QA (Quality Assurance)	QC (Quality Control)	Tester
Focuses on improving the process	Focuses on checking the product	Tests the software for bugs
Prevents defects	Finds defects	Executes test cases
Process-oriented	Product-oriented	Part of QC process

24.Difference between Smoke and Sanity?

Smoke Testing	Sanity Testing
Checks basic functions of software	Checks specific changed features
Don after new build release	Done after bug fixes or changes
Wide and basic testing	Small and focused testing

25. Difference between verification and Validation

Verification	Validation
Checks whether software is built correctly	Checks whether correct software is built
Done during development	Done after development
Focuses on process	Focuses on final product

26.Explain types of Performance testing.

- **Load Testing** – check software performance with many users.
- **Stress Testing** – Check software under heavy load.
- **Spike Testing** – Check performance with sudden increase in user.
- **Endurance Testing** – Check software performance for a long time.
- **Volume Testing** – Check performance with large amount of data.

27.What is Error, Defect, Bug and failure?

- **Error** – A mistake made by a developer or programmer.
- **Defect** – A problem found in the software.
- **Bug** – Another name for a defect in software.
- **Failure** – when software does not work as expected.

28.Difference between Priority and Severity

Priority	Severity
Shows how quickly a bug should be fixed	Shows how serious the bug is
Decided by manager or tester	Decided by tester
Related to business impact	Related to system impact

29.What is Bug Life Cycle?

Bug life cycle is the process that a bug follows from finding the bug until it is fixed and close.

30.Explain the difference between Functional testing and Non-Functional testing.

Functional Testing	Non-Functional Testing
Checks software functions and features	Checks performance, security, speed, etc.
Tests what the software does	Tests how the software works
Example: Login testing	Example: Load testing

31. What is the difference between the STLC (Software Testing Life Cycle) and SDLC(Software Development Life Cycle)?

STLC	SDLC
Focuses on software testing	Focuses on software development
Include test planning, testing, and bug reporting	Include test planning, design, coding, testing, and maintenance
Done by testing team	Done by development and testing teams

32. What is the difference between test scenarios, test cases, and test script?

Test Scenarios	Test Case	Test Script
Describes what to test	Describe steps and expected result	Contains automated testing code

High- level idea	Detailed testing steps	Used for automation testing
Example: Login feature	Example: Enter username and Password	Example: Selenium script

33. Explain what Test Plan is? What is the information that should be covered.

A Test plan is a document that describe how testing will be done in a project.

1. Testing objectives
2. Scope of testing
3. Test Strategy
4. Resources and roles
5. Test Schedule
6. Tools used
7. Risks and reports

34. What is priority?

Priority shows how quickly a bug or issue should be fixed.

35. What is severity?

Severity shows how serious a bug is and how much it affects the software.

36. Bug categories are...

1. Critical
2. Major
3. Minor
4. Trivial

37. Advantage of Bugzilla .

- Easy bug tracking and management.
- Helps assing bugs to team members.
- Tracks bug status and progress.
- Generates reports for testing activities.
- Free and open-source tool.

38. Difference between priority and severity

Priority	Severity
Shows how quickly a bug should be fixed	Shows how serious the bug is
Related to business impact	Related to software impact
Set by Tester/Manager	Usually set by Tester

39. What are the different Methodologies in Agile Development Model?

- **Scrum** – Work is done in small time periods called sprints.
- **Kanban** – Uses a board to track work progress.
- **Extreme programming (xp)** – Focuses on coding quality and customer feedback.
- **Lean** – Reduces waste and improves efficiency.
- **Crystal** – Flexible method based on team size and project needs.

40. Explain the difference between Authorization and Authentication in Web testing. What are the common problems faced in Web testing?

Authentication	Authorization
Checks who the user is	Checks what the user can access
Example: Login with username and password	Example: Admin can delete data, user cannot

Common Problems in Web Testing

- Broken links
- Slow page loading
- Browser compatibility issues
- Login and Security Problems
- Form validation errors

41. When to use Usability Testing?

Usability testing is used to check whether the software is easy to use, understand, and navigate for users.

42. What is the procedure for GUI Testing?

- Check all screens and pages.
- Verify buttons, menus, and links.
- Check colours, fonts, and layout.
- Verify input fields and messages.
- Ensure the interface is user- friendly and working properly.