

PROMPT 1 :

Write a beginner-friendly C++ console program that generates funny roast messages based on the user's name. Ask the user to enter their name. Store at least 20 roast templates in a vector. Use random selection to display a different roast each time the program runs. Replace {name} placeholders with the user's actual name. Handle empty input properly. Add comments for beginners. Use `strand(time(0))` for randomness. Keep the code simple and clean

PROMPT 2 :

My C++ roast generator gives the same roast everytime it runs. Fix the randomization issue and do not use any emoji or special character as it show something else in the terminal.

PROMPT 3 :

Make the update in the code as ask the user until he press x.

EXPLORER

FOCP-II-LAB-MANUAL

FOCP-II-ASSIGNMENTS

Al_roast_generator.cpp U

Al_roast_generator.exe U

Bank_Balance.cpp

Bank_Balance.exe U

Count_pairs.cpp

Count_pairs.png

Help_alice_to_find_the_parity....

Help_alice_to_find_the_parity....

Movie_ticket_booking_system...

Too_Chocolatey.cpp

Too_Chocolatey.png

Turn_off_light.cpp

Turn_off_lights.png

abstract.cpp

Bank_Balance.png A

classpractice.cpp

classpractice.exe

classques.cpp

classques.exe

Count_pairs.cpp A

Count_pairs.png A

debugging.cpp

OUTLINE

TIMELINE

file.cpp

file2.cpp

Movie_ticket_booking_system.cpp

Bank_Balance.cpp

Al_roast_generator.cpp U X

FOCP-II-ASSIGNMENTS > Al_roast_generator.cpp > main()

54

55 // Replace placeholder with user's name

56 string finalRoast = replaceName(roastTemplates[randomIndex], name);

57

58 // Display result

59 cout << endl;

60 cout << "Your Roast Message:" << endl;

61 cout << finalRoast << endl;

62

63 return 0;

64 }

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Code + -

Enter your name: Laxmi

Your Roast Message:

Laxmi writes code so messy that even spaghetti gets jealous.

PS C:\Users\singh\OneDrive\Documents\GitHub\FOCP-II-Lab-Manual\FOCP-II-ASSIGNMENTS> cd "c:\Users\singh\OneDrive\Documents\GitHub\FOCP-II-Lab-Manual\FOCP-II-ASSIGNMENTS" ; if (\$?) { g++ AI_roast_generator.cpp -o AI_roast_generator } ; if (\$?) { .\AI_roast_generator.exe } ; if (\$?) { }

Enter your name: laxmi

Your Roast Message:

laxmi treats deadlines like optional suggestions.

PS C:\Users\singh\OneDrive\Documents\GitHub\FOCP-II-Lab-Manual\FOCP-II-ASSIGNMENTS>

