





localhost:5173

API Testcase Generator

Clear

TC-API-003	POST	/data_push/stations/validation/rds-conflict	validation	Validate station RDS with valid input	High	View
TC-API-004	GET	/data_push/projects/validation	validation	Validate project with missing required query parameter	High	View
TC-API-005	POST	/data_push/project/{name}	negative	Upload project with invalid file type	Medium	View
TC-API-006	POST	/data_push/iec-otc	boundary	Upload IEC OTC with dry_run=true	Medium	View
TC-API-007	POST	/data_push/projects/sync	authentication	Synchronize project with invalid bearer token	High	View
TC-API-008	DELETE	/data_push/projects/{projectId}	authorization	Delete project without proper permissions	Medium	View
TC-API-009	POST	/data_push/datapackages	error-handling	Add datapackages with missing file	Medium	View
TC-API-010	POST	/data_push/parameters	boundary	Upload parameters with dry_run=true	Low	View

Download results

Export the generated testcases and validated specification.

JSON

Excel

Swagger

pytest (.py)

Generate Postman

localhost:5173

API Testcase Generator

Clear

STEP 3

Groq LLM - Mistral-7b-instruct

Clear

Generated API testcases

Grounded in the validated OpenAPI operations and schemas.

Total Testcases
10

Positive
2

Negative
1

Boundary
2

Authentication
1

Authorization
1

Validation
2

Search ID, endpoint, method, or title

All categories

ID	METHOD	ENDPOINT	CATEGORY	TITLE	PRIORITY	STATUS
TC-API-001	POST	/data_push/data_push	positive	Push valid project data	High	View
TC-API-002	GET	/data_push/logs	positive	Retrieve log details with valid auth	High	View
TC-API-003	POST	/data_push/stations/validation/rds-conflict	validation	Validate station RDS with valid input	High	View



Generate reliable API testcases from Swagger

Upload, validate, correct, generate, review, and export — through a single, structured workflow.

AI-powered

Spec-grounded

Postman & Excel export



10 API testcases generated.

STEP 3

Groq LLM - Mistral-7b-instruct

Clear

Generated API testcases

Grounded in the validated OpenAPI operations and schemas.



10 API testcases generated.

STEP 3

Groq LLM - Mistral-7b-instruct

Clear

Generated API testcases

Grounded in the validated OpenAPI operations and schemas.



Search ID, endpoint, method, or title

All categories

ID	METHOD	ENDPOINT	CATEGORY	TITLE	PRIORITY	STATUS
TC-API-001	GET	/pet/{petId}	positive	Retrieve valid pet by ID	High	View
TC-API-002	POST	/pet	positive	Add valid pet to store	High	View