Problem

Given an array of n integers x1,x2,...,xn, our task is to find the maximum sub array sum,i.e., For example, in the array [−1, 2, 4, −3, 5, 2, −5, 2] the following subarray produces the maximum sum 10: [−1, 2, 4, −3, 5, 2, −5, 2]

Input Format

Two line input First line should read an integer value which represents size of array Second line consits list of elements(integers) separated by space

Constraints

1

Output Format

It prints integer value which represents maximum sub array sum

Sample Input 0

```
8
-1 2 4 -3 5 2 -5 2
```

Sample Output 0

Submissions

Leaderboard

Change Theme Language Java 7

```java
public class Solution {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr=new int[n];
        int maxsofar=arr[0];
        int maxend=0;
        for(int i=0;i<n;i++){
            arr[i] = sc.nextInt();
            maxend=maxend+arr[i];
            if(maxsofar<maxend){
                maxsofar=maxend;
            }
            if(maxend<0){
                maxend=0;
            }
        }
      System.out.println(maxsofar);
    }
```

Line: 28 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code

Activate Windows
Go to Settings to activate Windows.

Problem

Submissions

Leaderboard

The merged array should also be sorted in non-decreasing order. Complete the function mergeSortedArrays that takes the following parameters:

int arr1[n]: the first sorted array int arr2[m]: the second sorted array Returns int[]: the merged sorted array

Input Format

The first line contains an integer n, the size of the first array. The second line contains n space-separated integers representing the first sorted array. The third line contains an integer m, the size of the second array. The fourth line contains m space-separated integers representing the second sorted array.

Constraints

1 ≤ n, m ≤ 10^5 -10^9 ≤ arr1[i], arr2[i] ≤ 10^9 Both arrays are sorted in non-decreasing order.

Output Format

Print the merged sorted array as space-separated integers.

Sample Input 0

```
4
```

Change Theme Language Java 7

```java
import java.text.*;
import java.math.*;
import java.util.regex.*;

public class Solution {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int s1 = sc.nextInt();
        int[] arr1=new int[s1];
         for (int i = 0; i < s1; i++) {
            arr1[i] = sc.nextInt();
        }
        int s2 = sc.nextInt();
           int[] arr2=new int[s2];

        for (int i = 0; i < s2; i++) {
            arr2[i] = sc.nextInt();
        }
        int[] res=new int[s1+s2];
        int i=0,j=0,k=0;
```

Line: 22 Col: 34

Upload Code as File

Test against custom input

Activate Windows
Go to Settings to activate Windows.

Run Code

Submit Code

Problem

Submissions

Leaderboard

Given an integer array of size n, find the majority element. A majority element is an element that appears more than ⌊n/2⌋ times.

If a majority element exists, print it. Otherwise, print -1. Complete the function majorityElement that takes the following parameter:

int arr[n]: an array of integers Returns int: the majority element if it exists; otherwise -1.

Input Format

The first line contains an integer n, the number of elements in the array. The second line contains n space-separated integers.

Constraints

1 ≤ n ≤ 10^5 -10^9 ≤ arr[i] ≤ 10^9

Output Format

Print the majority element if it exists; otherwise, print -1.

Change Theme Language Java 7

```java
import java.util.*;

public class Solution {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int n = sc.nextInt();
        int[] arr = new int[n];

        for (int i = 0; i < n; i++) {
            arr[i] = sc.nextInt();
        }

        int ans = -1;

        for (int i = 0; i < n; i++) {
            int count = 0;

            for (int j = 0; j < n; j++) {
```

Line: 8 Col: 30

Activate Windows
Go to Settings to activate Windows.

Upload Code as File

Test against custom input

Run Code

Submit Code