АТУСС – ОДСИЈЕК ВИСОКА ШКОЛА ЗА ИНФОРМАЦИОНЕ И КОМУНИКАЦИОНЕ ТЕХНОЛОГИЈЕ
AT JEC - OLCHER BREORA IIIROMA SA MITOO MALMOILE II ROM JIMRALMOIL TEATIONOTHIE
ДОКУМЕНТАЦИЈА
W Enouge
WireFrame
http://wireframe.codeus.me/
WEB PROGRAMIRANJE PHP 1
Лазар Лаловић 62/20

# Садржај

УВОД .		5
1.1	Коришћени програмски језици	5
1.2	Опис функционалности	5
1.3	Дизајн сајта	<del>(</del>
Стр	ранице на админ панелу	12
1.4 Организација сајта и база података		15
site	emap.xml	16
Кодови	и синтакса	20
admir	n/controllers	20
add	d_survey.php	20
ind	lex.php	22
me	essages.php	23
mo	odify.php	25
pos	sts.php	27
sur	veys.php	28
use	ers.php	29
admir	n/views	30
ind	lex.view.php	30
hea	ad.php	31
foo	oter.php	31
	enav.php	
admir	n/views/content	33
ind	lex.view.php	33
	essages.view.php	
	odify.view.php	
	sts.view.php	
	veys.view.php	
	ers.view.php	
	w-messages.view.php	
	g	
7	<u>ب</u>	

laзар Лаловић config.php	62/20 48
main	
index.php	
routes	
routes.php	
core	
bootstrap.php	
Request.php	
Router.php	
Utilities.php	
core/database	
Connection.php	57
QueryBuilder.php	
views/authentication	
login.view.php	78
registration.view.php	
verify.view.php	84
views/pages	85
author.view.php	85
contact.view.php	87
index.view.php	90
posts.view.php	93
views/posts	98
create-post.view.php	
edit-post.view.php	101
view-post.view.php	
views/users	
profile.view.php	
survey.view.php	112
views/partials	115
head.php	115
footer.php	116
navigation.php	
post-comment.php	

Лазар Лаловић controllers	62/20 132
author.php	
index.php	
surveys.php	
contact.php	
controllers/validations	
verify.php	
controllers/user	
profile.php	
survey.php	
update-image.php	
controllers/authentication	
login.php	
logout.php	
registration.php	
controllers/posts	
comment.php	
create-post.php	
delete-comment.php	
delete-post.php	
edit-post.php	
posts.php	
search.php	161
view-post.php	
CSS	
style.css	
JavaScript	
main.js	

# **УВОД**

# 1.1 Коришћени програмски језици

За израду сајта, коришћено је сљедеће:

- HTML
- CSS/SCSS (Materialize framework)
- JavaScript
- PHP
- PHP Mailer
- CKEditor
- Composer
- XML
- JSON
- Регуларни изрази

Сви наведени језици, библиотеке и фрејмворкови су писани унутар "Visual Studio Code" окружења.

# 1.2 Опис функционалности

Садржај свих страница се исписује динамички, изузев почетне "index" странице која је статичка (осим поруке добродошлице) и странице о аутору. Сајт је прављен дјелимично по узору на "MVC" структуру и уз сопствени "mini" фрејмворк. Главне функционалности које се требају навести јесу:

- Динамичко исписивање навигационог менија и видљивост по улогама
- Логовање и регистрација корисника, сви параметри се провјеравају и на клијентској и на серверској страни уз регуларне изразе
- Логовање и корисничким именом, а и мејлом
- Валидација регистрованог корисника путем "e-mail-a" верификационим токеном
- Контактирање администратора (у случају да је ауторизован корисник, аутоматски се попуњавају одређена поља)
- Могућност промјене профилне фотографије
- Анкетирање и памћење резултата (видљиво само администраторима)
- Креирање објава, које обавезно имају насловну фотографију, једну категорију(минимум) или више и само тијело објаве, које се може форматирати уз "СКЕditor"
- Коментарисање и одговарање на коментаре
- Рутер, који делегира захтјеване "web" локације, те спријечава унос локација које програмер није дефинисао
- Претрага објава AJAX-ом и аутоматско ажурирање резултата, филтрирање по категоријама

• Управљање садржајем сајта из админ-панела. Корисници са администраторским улогама могу:

- о Провјерити цјелокупно стање на сајту, број корисника, објава и сл.
- о Читати поруке (идентификација прочитане/непрочитане поруке)
- Додавати/брисати категорије (брисати само оне које нису повезане са ниједном објавом)
- о Креирати анкете
- о Деактивирати текуће, постојеће анкете
- о Одлучити која ће објава бити одобрена и приказана

# 1.3 Дизајн сајта

За израду сајта није коришћено готово рјешење, све је креирао аутор сајта. Прилагођен је за све врсте уређаја.

слика 1 . index



Welcome to WireFrame

The Developer's Blog to Keep You at the Top of Your Game.



### Stay informed!

The field of software engineering is constantly developing. (ba dum tss) With tech, frameworks, and programming best practices changing every day—even the best developers risk falling behind.

with developer blags. And, while we here at WireFrame are anti-littering, we are definitely pro-innovation, pro-growth and prolearning from the trials and errors of others so we don't have to wriste time ourselves.




# Interested in writing?

Simply create a profile and start writing programming topics, to help future generations


Join us, and we will change and create the web together.

REGISTER






слика 2. author




слика 3. posts




слика 4. contact



слика 5. register



слика 6. login




Изглед профилне странице из перспективе власника профила (*слика 8*.) и посјетиоца на профил (*слика 7*.)

Јасно можемо примјетити поруке које се приказују посјетиоцима и власнику профила и функционалности.



#### Hello, Lazar!





слика 8. profile (owner)

### What's new in C# 10?

Written by: <u>Luka Lukic</u> at: 2022-03-08 20:17:44



# What's new in C# 10


C# 10 adds the following features and enhancements to the C# (anguage: Record structs improvements of structure types interpolated string handlers global using directives File-scoped namespace declaration Estended property patterns improvements on inbands expressions Allow const interpolated strings Record hypes can be about 10 per 10 p

#### Record structs


You can declare value type records using the record struct or readonly record struct declarations. You can now clarify that a record is a reference type with the record class declaration.

слика 9. post-view

### Comments



слика 10. post-view komentari




Странице за креирање и измјену објаве.

Странице на админ панелу: dashboard/posts - Одобравање објава.



dashboard/modify - Модификација категорија.



dashboard/messages - Све поруке. (аутор је грешком отворио погрешну поруку... углавном зелена непрочитана, сива прочитана...)



EMPTY INBOX

dashboard/messages?view\_message=id - Тијело поруке.


Dashboard > Messages > Nije Otvorena Poruka

BACK DELETE

# Title: Nije otvorena poruka

Ovo nije otvorena poruka!


SentAt: 2022-03-06 23:40:55, by milkacanic@dobrovece.net



dashboard/users


Увид у кориснике и модификација улога.

dashboard/surveys - Анкетирање (лијево администраторски дио, десно кориснички)






### dashboard/index - Статистика



# 1.4 Организација сајта и база података

### Дијаграм базе података



## Мапа сајта

## sitemap.xml

```
<?xml version="1.0" encoding="utf-8" ?>
   <urlset xmlns="http://wwww.sitemaps.org/schemas/sitemap/0.9">
       <url>
           <lastmod>2022-03-11</lastmod>
           <loc>http://wireframe.codeus.me/profile</loc>
           <lastmod>2022-03-11</lastmod>
       </url>
           <loc>http://wireframe.codeus.me/dashboard/messages</loc>
           <lastmod>2022-03-11</lastmod>
```

```
<loc>http://wireframe.codeus.me/dashboard/index</loc>
   <lastmod>2022-03-07</lastmod>
   <priority>0.85</priority>
    <loc>http://wireframe.codeus.me/dashboard/users</loc>
   <lastmod>2022-03-09</lastmod>
   <priority>0.8</priority>
   <changefreq>monthly</changefreq>
<url>
   <lastmod>2022-03-01</lastmod>
    <changefreq>monthly</changefreq>
```

<u>Лазар Лаловић</u> 62/20

```
<lastmod>2022-03-02</lastmod>
    <lastmod>2022-03-02</lastmod>
</url>
   <loc>http://wireframe.codeus.me/contact</loc>
   <lastmod>2022-03-01</lastmod>
   <changefreq>yearly</changefreq>
    <loc>http://wireframe.codeus.me/author</loc>
```

<u>Лазар Лаловић</u> 62/20

# Кодови и синтакса

## admin/controllers

add\_survey.php

```
$access_method = Request::getMethod();
Utilities::redirect('/index');
        $question = $_POST['add_question'];
        $users = $database->selectRecords('Users');
        $database->insertRecords('Poll', [
        $last_poll = $database->selectLastRecords('Poll', 'PollId', 1, 0);
```

```
$last_poll_id = $last_poll[0]->PollId;

foreach($users as $user)
{
     $database->insertRecords('PollAnswers', [
         'PollId' => $last_poll_id,
         'Answer' => null,
         'UserId' => $user->UserId
     ]);
}

Utilities::redirect('/dashboard/surveys');
}
```

## index.php

```
$page_title = 'Dashboard';
$access_method = Request::getMethod();
    $posts_count = $database->getRecordCount('Posts');
    $comment_count = $database->getRecordCount('Comments');
    $categories_count = $database->getRecordCount('Categories');
    $users_count = $database->getRecordCount('Users');
    require 'admin/views/pages/index.view.php';
```

### messages.php

```
$page_title = 'Dashboard';
$access_method = Request::getMethod();
   if(isset($_GET['delete_message']) && isset($_SESSION['user_id']) && $_SESSION['role'] === 1)
       $message_id = $_GET['delete_message'];
       $database->deleteRecords('ContactMessages', 'MessageId', $message_id);
       Utilities::redirect('/dashboard/messages');
    else if(isset($_GET['view_message']) && isset($_SESSION['user_id']) && $_SESSION['role'] === 1)
        $message_id = $_GET['view_message'];
       $message = $database->selectFilteredRecord('ContactMessages', 'MessageId', $message_id);
```

```
$database->updateRecord('ContactMessages', 'HasRead', 1, 'MessageId', $message_id);
   require 'admin/views/partials/content/view-message.view.php';
else if(isset($_GET['delete_all']) && isset($_SESSION['user_id']) && $_SESSION['role'] === 1)
   $database->deleteAllRecords('ContactMessages');
   Utilities::redirect('/dashboard/messages');
   $messages = $database->selectRecords('ContactMessages', 1);
   require 'admin/views/pages/index.view.php';
```

## modify.php

```
$access_method = Request::getMethod();
        if(isset($_GET['delete_category']) && isset($_SESSION['user_id']) && $_SESSION['role'] === 1)
           $category_id = $_GET['delete_category'];
           $post_count = $database->selectPostsByCategory([$category_id]);
           if(count($post_count)) Utilities::redirect('/dashboard/modify?exception=You must first delete al posts bound
to this category!');
                $database->deleteRecords('Categories', 'CategoryId', $category_id);
               Utilities::redirect('/dashboard/modify');
```

```
$categories = $database->selectRecords('Categories');
        require 'admin/views/pages/index.view.php';
        if(empty(\$new\_category) \mid | !preg\_match('/^[a-zA-Z0-9\*\s\.]{2,50}\$/', \$new\_category))
Utilities::redirect('/dashboard/modify?error=Provide the name for new category!');
            $database->insertRecords('Categories', [
                'CategoryName' => $new_category
```

### posts.php

```
$page_title = 'Dashboard';
$access_method = Request::getMethod();
   $str_json = file_get_contents('php://input');
   $database->updateRecord('Posts', 'Approved', 1, 'PostId', $post_id);
    $posts = $database->selectFilteredRecords('Posts', 'Approved', 0);
    require 'admin/views/pages/index.view.php';
```

### surveys.php

```
$page_title = 'Dashboard';
$access_method = Request::getMethod();
   $str_json = file_get_contents('php://input');
   $database->updateRecord('Poll', 'IsActive', 0, 'PollId', $survey_id);
   $surveys = $database->selectRecords('Poll');
    require 'admin/views/pages/index.view.php';
```

### users.php

```
$access_method = Request::getMethod();
    $str_json = file_get_contents('php://input');
    $database->updateRecord('Users', 'RoleId', $role_id, 'UserId', $user_id);
   $users = $database->selectRecords('Users');
    $roles = $database->selectRecords('Roles');
    require 'admin/views/pages/index.view.php';
```

## admin/views

## index.view.php

```
$uri = substr(Request::getUri(), strpos(Request::getUri(), '/') + 1, strlen(Request::getUri()));
?php require 'admin/views/partials/main/head.php' ?>
  <?php require 'admin/views/partials/main/sidenav.php' ?>
       <nav class="mb-3">
           <div class="nav-wrapper blue lighten-1 pl-1">
               <div class="col s12">
                   <a href="/dashboard/index" class="breadcrumb">Dashboard</a>
                   <a href="/dashboard/<?= $uri ?>" class="breadcrumb page-name">
       <?php require 'admin/views/partials/content/' . $uri . '.view.php' ?>
 ohp require 'admin/views/partials/main/footer.php' ?>
```

### head.php

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.min.css" />
    <script type="text/javascript" src="/public/js/main.js" defer></script>
    <title>Dashboard</title>
```

### footer.php

```
<script>

$(document).ready(function(){

    $('.sidenav').sidenav()

    })

</script>

</body>
</html>
```

# sidenav.php

# admin/views/content

### index.view.php

```
Topics
<div class="col s12 m5 l2 offset-l2 stats-card">
   <i class="material-icons blue-text text-lighten-1 medium">comment</i>
   <i class="material-icons blue-text text-lighten-1 medium">assessment</i>
   Categories
<div class="col s12 m5 l2 offset-l2 stats-card">
   <i class="material-icons blue-text text-lighten-1 medium">get_app</i>
```

```
</div>
</div>
</div class="col s12 m5 offset-m2 12 offset-l2 stats-card">

<i class="material-icons blue-text text-lighten-1 medium">mood</i>

</pi>
</pr>

</div>

</div>

</div>
```

## messages.view.php

```
<thead>

MessageId

Subject

From

Received At

Delete

Delete
```

```
HasRead ? 'grey lighten-2' : 'green lighten-5' ?>">
      <a href="/dashboard/messages?view_message=<?= $message->MessageId ?>">
```

```
<a href="/dashboard/messages?delete_message=<?= $message->MessageId ?>">
              No messages found!
<?php if(!empty($messages)) : ?>
   <a href="/dashboard/messages?delete_all=1" class="btn red">
       EMPTY INBOX
```

#### modify.view.php

```
?php if(isset($_GET['exception'])) : ?>
   <span class="p-3 right red-text red lighten-3 text-darken-3">
       <?= $_GET['exception'] ?>
   </span>
<h4 class="mb-3">Add or remove categories</h4>
<div class="row">
   <button id="addCategoryBtn" class="btn blue lighten-1">
       <i class="material-icons">add</i>
   <form action="/dashboard/modify" method="POST">
       <div id="addCategoryField" class="input-field col 16 right <?= empty($_GET['error']) ? 'hide' : '' ?>">
           <input id="addCategory" name="add_category" type="text" />
           <label for="addCategory">Add category</label>
           <button type="submit" class="btn blue lighten-1"><i class="material-icons">add</i></button>
               <span class="red-text">
```

```
CategoryId
  Category name
```

posts.view.php

```
No pending requests found!
                $writer = $database->selectFilteredRecord('Users', 'UserId', $post->UserId);
                    <i class="white approve-post material-icons green-text">check</i>
/table>
```

#### surveys.view.php

```
<h4 class="mb-3">Add or deactivate surveys</h4>
   <button id="addQuestion" class="btn blue lighten-1">
   <form action="/dashboard/add_survey" method="POST">
       <div id="addQuestionField" class="input-field col 16 right <?= empty($_GET['error']) ? 'hide' : '' ?>">
          <input id="addQuestionInput" name="add_question" type="text" />
          <label for="addQuestionInput">Ask them something</label>
          <button type="submit" class="btn blue lighten-1">
              <i class="material-icons">add</i>
SurveyId
```

```
Question
```

#### users.view.php

```
<thead>
```

```
<select name="role" class="role-change">
```

```
$uri = substr(Request::getUri(), strpos(Request::getUri(), '/') + 1, strlen(Request::getUri()));
?php require 'admin/views/partials/main/head.php' ?>
   <?php require 'admin/views/partials/main/sidenav.php' ?>
           <div class="nav-wrapper blue lighten-1 pl-1">
                   <a href="/dashboard/index" class="breadcrumb">Dashboard</a>
                   <a href="/dashboard/<?= $uri ?>" class="breadcrumb page-name">
                   <span class="breadcrumb page-name">
       <a href="/dashboard/messages" class="btn blue">BACK</a>
       <a href="/dashboard/messages?delete_message=<?= $_GET['view_message'] ?>" class="btn red">DELETE</a>
```

# config

## config.php

## main

index.php

```
$database = require 'core/bootstrap.php';

require Router::loadRoutes('routes/routes.php')

->direct(Request::getUri(), Request::getMethod());
```

#### routes

#### routes.php

```
$router->GET('posts', 'controllers/posts/posts');
$router->GET('profile', 'controllers/user/profile');
$router->GET('survey', 'controllers/user/survey');
$router->GET('register', 'controllers/authentication/registration');
$router->GET('create-post', 'controllers/posts/create-post');
$router->GET('view-post', 'controllers/posts/view-post');
```

```
$router->GET('edit-post', 'controllers/posts/edit-post');
$router->POST('register', 'controllers/authentication/registration');
$router->POST('login', 'controllers/authentication/login');
$router->POST('create-post', 'controllers/posts/create-post');
$router->POST('edit-post', 'controllers/posts/edit-post');
$router->POST('update-image', 'controllers/user/update-image');
$router->POST('comment', 'controllers/posts/comment');
$router->POST('contact', 'controllers/contact');
$router->GET('dashboard/index', 'admin/controllers/index');
$router->GET('dashboard/posts', 'admin/controllers/posts');
$router->GET('dashboard/messages', 'admin/controllers/messages');
$router->GET('dashboard/surveys', 'admin/controllers/surveys');
$router->GET('dashboard/modify', 'admin/controllers/modify');
$router->POST('dashboard/modify', 'admin/controllers/modify');
$router->POST('dashboard/surveys', 'admin/controllers/surveys');
```

```
$router->POST('dashboard/add_survey', 'admin/controllers/add_survey');
$router->POST('dashboard/users', 'admin/controllers/users');
$router->POST('dashboard/posts', 'admin/controllers/posts');
$router->POST('surveys', 'controllers/surveys');
```

core

### bootstrap.php

```
$configuration = require 'config/config.php';
require 'Router.php';
require 'vendor/autoload.php';
require 'Utilities.php';
require 'Request.php';
require 'database/Connection.php';
require 'database/QueryBuilder.php';
return new QueryBuilder(
```

## Request.php

```
class Request
   public static function getUri()
       $uri = trim($_SERVER['REQUEST_URI'], '/');
   public static function getMethod()
       return $_SERVER['REQUEST_METHOD'];
```

## Router.php

```
public static function loadRoutes($file)
```

```
$this->routes['GET'][$uri] = $controller . '.php';
$this->routes['POST'][$uri] = $controller . '.php';
if(array_key_exists($uri, $this->routes[$method]))
   return $this->routes[$method][$uri];
```

### Utilities.php

```
class Utilities
    public static function dieDump($variable)
       die(var_dump($variable));
```

```
public static function checkRegex($value, $name)
    if(preg_match($utility->expressions[$name], $value)) return true;
```

## Connection.php

```
return new PDO
        'mysql:host=' . $cfg['host'] . ';'.
       $cfg['password']
catch (PDOException $exception)
   Utilities::dieDump($exception->getMessage());
```

## QueryBuilder.php

```
class QueryBuilder
       $this->pdo = $pdo;
```

```
$statement = $this->pdo->prepare($query);
        $statement->execute();
       return $statement->fetchAll(PDO::FETCH_CLASS);
   catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function selectLastRecords($table, $orderBy, $quantity, $approved = 0)
```

```
$statement = $this->pdo->prepare($query);
       return $statement->fetchAll(PDO::FETCH_CLASS);
   catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function selectFilteredRecord($table, $column, $condition)
     'SELECT * FROM %s WHERE %s = \'%s\' ',
```

```
$statement = $this->pdo->prepare($query);
       return $statement->fetch(PDO::FETCH_OBJ);
   catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function selectFilteredRecords($table, $column, $condition)
```

```
$statement = $this->pdo->prepare($query);
   return $statement->fetchAll(PDO::FETCH_CLASS);
catch (PDOException $exception)
   Utilities::dieDump($exception->getMessage());
```

<u>Лазар Лаловић</u> 62/20

```
public function selectCategoriesOfPost($post_id)
        'SELECT Categories.CategoryName
        FROM Categories
       INNER JOIN PostCategory ON Categories.CategoryId = PostCategory.CategoryId
       WHERE PostCategory.PostId = \'%s\'',
       $statement = $this->pdo->prepare($query);
       return $statement->fetchAll(PDO::FETCH_CLASS);
   catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
```

```
public function selectPostsByCategory($categories)
        FROM Posts
        INNER JOIN PostCategory ON Posts.PostId = PostCategory.PostId
        WHERE PostCategory.CategoryId IN (%s) AND Posts.Approved = 1
        $statement = $this->pdo->prepare($query);
        return $statement->fetchAll(PDO::FETCH_CLASS);
```

```
catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function selectComments($postId)
       ORDER BY Comments.CreatedAt DESC',
       $statement = $this->pdo->prepare($query);
```

```
$statement->execute();
       return $statement->fetchAll(PDO::FETCH_CLASS);
   catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function selectReplies($post_id, $parent_id)
        WHERE Comments.PostId = %s AND Comments.ParentId = %s
```

```
$statement = $this->pdo->prepare($query);
       return $statement->fetchAll(PDO::FETCH_CLASS);
   catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function getRecordCount($table)
```

```
$statement = $this->pdo->prepare($query);
        $statement->execute();
       return $statement->fetch(PDO::FETCH_OBJ);
    catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function selectUser($id)
```

```
$statement = $this->pdo->prepare($query);
   return $statement->fetch(PDO::FETCH_OBJ);
catch (PDOException $exception)
```

```
implode(', ', array_keys($parameters)),
       ':' . implode(', :', array_keys($parameters))
       $statement = $this->pdo->prepare($query);
   catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function updateRecord($table, $column, $newValue, $condition, $conditionValue)
       'UPDATE %s SET %s = "%s" WHERE %s = \'%s\' ',
```

```
$statement = $this->pdo->prepare($query);
    catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function updateAnswer($answer, $poll_id, $user_id)
```

```
$statement = $this->pdo->prepare($query);
        $statement->execute();
    catch (PDOException $exception)
        Utilities::dieDump($exception->getMessage());
public function updatePostBody($new_value, $condition_value)
```

```
'UPDATE Posts SET PostBody = :body WHERE PostId = "%s" ',
       $statement = $this->pdo->prepare($query);
        $statement->bindParam(':body', $new_value);
       $statement->execute();
   catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function deleteRecords($table, $column, $value)
       'DELETE FROM %s WHERE %s = %s',
```

```
$statement = $this->pdo->prepare($query);
   $statement->execute();
catch (PDOException $exception)
   Utilities::dieDump($exception->getMessage());
```

```
$statement = $this->pdo->prepare($query);
    catch (PDOException $exception)
        Utilities::dieDump($exception->getMessage());
public function selectPolls($user_id)
        FROM Poll
```

```
$statement = $this->pdo->prepare($query);
       return $statement->fetchAll(PDO::FETCH_CLASS);
   catch (PDOException $exception)
       Utilities::dieDump($exception->getMessage());
public function selectPollAnswers($poll_id)
```

```
$statement = $this->pdo->prepare($query);
   return $statement->fetchAll(PDO::FETCH_CLASS);
catch (PDOException $exception)
   Utilities::dieDump($exception->getMessage());
```

## views/authentication

#### login.view.php

```
?php require 'resources/views/partials/head.php' ?>
   <?php require 'resources/views/partials/navigation.php' ?>
   <div class="container mb-5">
      <h1>Log In</h1>
   <div class="container mb-5">
                   <div class="input-field mb-3">
empty($errors['password']) ? $values['credentials'] : '' ?>" />
                       <label for="userId">Username or E-mail</label>
                           <span class="red-text">
                           </span>
```

```
<div class="input-field mb-1">
                        <input id="userPassword" placeholder="Enter your password ..." name="user_password"</pre>
type="password" />
                        <label for="userPassword">Password</label>
                        <?php if(isset($errors['password'])) : ?>
                                <?= $errors['password'] ?>
                    <div class="row mb-3 center">
                        <button class="btn btn-large blue lighten-1 waves-effect waves-light" name="login_user"</pre>
id="loginButton">Log In</button>
                        Don't have an account? <a href="/register" class="link">Register</a>
```

## registration.view.php

```
<span class="red-text">
        </span>
    <input id="lastName" placeholder="e.g. Doe" name="last_name" type="text" value="<?=</pre>
<div class="input-field mb-3">
```

```
<input id="userName" placeholder="e.g. johndoe" name="user_name" type="text" value="<?=</pre>
<label for="userName">Username</label>
    <span class="red-text">
<input id="userMail" placeholder="e.g. johndoe@example.com" name="user_mail" type="email"</pre>
<?php if(isset($errors['usermail'])) : ?>
       <?= $errors['usermail'] ?>
```

```
<input id="password" placeholder="Min. 8 chars, one capital, one symbol! (max. - 20)"</pre>
    <label for="password">Password</label>
            <?= $errors['password'] ?>
        <span></span>
<div class="input-field mb-3">
    <input id="rePassword" placeholder="Repeat password" name="re_password" type="password" />
    <label for="rePassword">Re-enter password</label>
    <?php if(isset($errors['re_password'])) : ?>
        <span class="red-text">
           <?= $errors['re_password'] ?>
```

```
<div class="row mb-3 center">
                        <button class="btn btn-large blue lighten-1 waves-effect waves-light" name="register_user"</pre>
id="registerButton">REGISTER</button>
                        Already have an account? <a href="/login" class="link">Log In</a>
  php require 'resources/views/partials/footer.php' ?:
```

#### verify.view.php

# views/pages

author.view.php

```
<section class="section blue lighten-7 p-0">
            <div class="cross-section"></div>
               <div class="row">
                        <img class="responsive-img" src="public/img/author.jpeg" alt="Cute guy" />
                       <blockquote class="quote-border">Hello,</blockquote>
                        my name is Lazar Lalović. I am 22 years old. I was born in Zvornik and raised in a small town
called Milići,
                        Serbian Republic. Now, I am a second-year student at: "College of Vocational Studies for
Information and Communication Technologies",
                        where I am majoring in Web programming.
```

#### contact.view.php

```
<?= 'Hello, write us a message!' ?>
       <?php if(isset($_GET['success'])) : ?>
           <span class="green lighten-5 p-1 green-text text-darken-4 center">
                <form action="/contact" method="POST" id="loginForm">
                   <div class="row">
                           <div class="input-field mb-2">
                                <input id="contactMail" name="contact_mail" type="email" value="<?= isset($user) ? $user-</pre>
>UserMail : '' ?>" required />
                                <label for="contactMail">E-Mail</label>
                                    <span class="red-text">
                                      <?= $errors['credentials'] ?>
```

```
<div class="col 16 pr-0">
            <input id="messageTitle" name="message_title" type="text" />
            <label for="messageTitle">Message Title</label>
<div class="input-field mb-1">
    <textarea name="message_body" class="materialize-textarea" id="messageBody" required></textarea>
    <label for="messageBody">Write us something...</label>
    <?php if(isset($errors['message'])) : ?>
        <span class="red-text">
           <?= $errors['message'] ?>
```

## index.view.php

```
<div class="row container center">
   <h2 class="header">Welcome to WireFrame</h2>
  The Developer's Blog to Keep You at the Top of Your Game.
<div class="parallax-container">
     <img src="public/img/languages.jpeg" />
<div class="section white p-5">
 <div class="row container">
   <h2 class="header">Stay informed!</h2>
```

```
The field of software engineering is constantly developing. (ba dum tss) With tech, frameworks, and
programming best practices changing every day—even the best developers risk falling behind.
           Nobody really wants to dedicate large chunks of their time to continued education. We get that. Fortunately,
the internet is littered with developer blogs. And, while we here at WireFrame are anti-littering, we are definitely pro-
innovation, pro-growth and pro-learning from the trials and errors of others so we don't have to waste time ourselves.
       <div class="parallax">
           <img src="public/img/dev-blog.png" />
   <div class="section white p-5">
       <h2 class="header">Interested in writing?</h2>
       Simply create a profile and start writing programming topics, to help future generations!
```

## posts.view.php

```
<div class="row center">
                  <i class="material-icons prefix">search</i>
                  <input type="text" id="searchPosts" name="search_posts" />
                  <label for="searchPosts">Search for post</label>
       <div class="col s12 m2 offset-m1 12 offset-l1 mb-3">
          Categories
          <form action="/posts" method="GET">
              <input type="checkbox" name="categories[]" value="<?= $category->CategoryId ?>" <?=</pre>
in_array($category->CategoryId, $chosen_categories) ? 'checked' : '' ?>/>
```

```
<button type="submit" class="btn btn-small blue lighten-1 waves-effect waves-light">FILTER</button>
<div class="col s12 m2 push-m7 l2 push-l7 mb-3">
      <?php if(!empty($posts)) : ?>
             <a href="/view-post?id=<?= $recent_post->PostId ?>">
         No posts added...
```

```
<h5 class="grey-text text-lighten-1">No posts available at this moment!</h5>
                 <a href="/view-post?id=<?= $post->PostId ?>">
```

```
<?php if(!empty($posts) || count($posts) < 10) : ?>
          <?php for($i = 1; $i <= $pages_number; $i++) : ?>
                   if(empty($_GET['page'])) $page = 1;
                   else $page = $_GET['page'];
                ">
                   <a href="/posts?page=<?= $i ?>">
?php require 'resources/views/partials/footer.php' ?>
```

# views/posts

#### create-post.view.php

```
?php require 'resources/views/partials/head.php' ?>
  <?php require 'resources/views/partials/navigation.php' ?>
  <div class="container mb-3">
          <?= 'Create post' ?>
              <form action="/create-post" method="POST" enctype="multipart/form-data">
                      <input type="text" placeholder="CSS Grid system..." id="postTitle" value="<?= $values['title'] ?>"
                      <label for="postTitle">Title</label>
```

```
<select id="categorySelect" name="category_select[]" multiple>
    <option value="0" disabled selected>Categories:</option>
<label for="categorySelect">Category</label>
<?php if(isset($errors['category'])) : ?>
    <span class="red-text"><?= $errors['category'] ?></span>
<textarea id="textarea1" name="post_body" placeholder="Write something..." class="materialize-</pre>
<label for="textarea1">Post body</label>
```

```
<span class="red-text"><?= $errors['body'] ?></span>
                  <div class="row">
                          <div class="btn blue lighten-1 mr-1">
                              <span>Image</span>
                              <input type="file" name="image_path" id="coverImage" accept="image/png, image/jpg,</pre>
image/jpeg" />
                          <div class="file-path-wrapper">
                              <input class="file-path" type="text">
                          Upload cover image (important)
                          <?php if(isset($errors['image'])) : ?>
                              <span class="red-text">
                                  <?= $errors['image'] ?>
```

## edit-post.view.php

```
<div class="container ms">
                    <div class="input-field mb-3">
name="post_title" required />
                        <label for="postTitle">Title</label>
                        <select id="categorySelect" name="category_select[]" multiple>
                            <option value="0" disabled selected>Categories:</option>
                                <option class="blue-text" value="<?= $category->CategoryId ?>" <?= in_array($category-</pre>
```

```
<label for="categorySelect">Category</label>
                       <?php if(isset($errors['category'])) : ?>
                           <span class="red-text"><?= $errors['category'] ?></span>
                       <textarea id="textarea1" name="post_body" placeholder="Write something..." class="materialize-
textarea" required><?= $values['body'] ?></textarea>
                       <label for="textarea1">Post body</label>
                           <span class="red-text"><?= $errors['body'] ?></span>
                           <div class="btn blue lighten-1 mr-1">
                             <span>Image</span>
```

```
<input type="file" name="new_path" id="coverImage" accept="image/png, image/jpg,</pre>
image/jpeg" />
                          <div class="file-path-wrapper">
                              <input class="file-path" type="text" value="<?= $values['path'] ?>" />
                              <input type="hidden" value="<?= $values['path'] ?>" name="old_path" />
                          Upload cover image (important)
                      <button type="submit" class="btn btn-large blue lighten-1">SAVE POST</button>
                  <input type="hidden" name="post_id" value="<?= $_GET['id'] ?>" />
```

```
</div>
</div>
</div>
</php require 'resources/views/partials/footer.php' ?>
```

#### view-post.view.php

```
Pphp require 'resources/views/partials/head.php' ?>
   <?php require 'resources/views/partials/navigation.php' ?>
    <div class="container mb-3">
       <a class="btn btn-small yellow darken-2 waves-effect" href="/edit-post?id=<?= $post->PostId ?>">EDIT
POST</a>
```

```
<div class="container mb-3">
      <img class="responsive-img mb-3" src="public/img/covers/<?= $cover->CoverPath ?>" alt="Cover image" />
         <div class="divider"></div>
```

## views/users

## profile.view.php

```
<div class="col s10 m10 l2 offset-s1 offset-m1 offset-l1 pt-2" id="profilePictureContainer">
    <div id="profileImage">
        <img class="materialboxed" src="public/img/users/<?= $user->ProfilePicture ?>" alt="Profile picture"
<div class="col s12 m10 16 offset-m1 offset-l2 mb-3" id="userBio">
    <b>Mail:</b> <?= $user->UserMail ?> <br><br>
   <?php if(isset($_SESSION['user_id']) && $_SESSION['user_id'] === $user->UserId) : ?>
        <br/><b>Change profile picture:</b>
        <form action="/update-image" method="POST" enctype="multipart/form-data">
                <div class="col 18">
                        <div class="btn btn-small blue lighten-1">
                        <span>UPLOAD</span>
```

```
<input type="file" name="image_path" id="profileImage" accept="image/png,</pre>
image/jpg, image/jpeg" />
                                     <div class="file-path-wrapper">
                                         <input class="file-path" type="text" />
                            <div class="col 12 pt-1">
                                 <button class="btn btn-medium blue lighten-1 waves-effect" type="submit" >UPDATE</button>
                    \label{lighten-1} $$\arrowvey?user_id=<?= $\_SESSION['user_id'] ?>" class="btn blue lighten-1">Take poll</a>
        <div class="row mb-3">
                <div class="col center mb-1 push-l1">
```

```
<a class="btn btn-large waves-effect waves-light blue lighten-1 <?= empty($posts) ? 'pulse' : '' ?>"
href="/create-post">
                 <i class="material-icons">add</i>
            <h5 class="responsive-text"><?= $_SESSION['user_id'] === $user->UserId ? 'My' : $user->FirstName . '\'s'
           <?php if(empty($posts)) : ?>
                  You haven't posted anything yet!
                  <?= $user->FirstName ?> hasn't posted anything yet!
               PostId
                        Post title
```

```
Remove
<?php if($_SESSION['user_id'] === $user->UserId) : ?>
          <a href="/edit-post?id=<?= $post->PostId ?>">
      <a href="/delete-post?id=<?= $post->PostId ?>">
             <i class="material-icons red-text">cancel</i>
```

## survey.view.php

```
Question
         <form action="/surveys" method="post">
             <input type="hidden" name="poll_id" value="<?= $poll->PollId ?>" />
```

```
<input name="poll_answer" type="radio" value="Sometimes" />
                             <input name="poll_answer" type="radio" value="Always" />
                      <button type="submit" class="btn btn-small blue lighten-1">SEND</button>
            No polls active!
```

<u>Лазар Лаловић</u> 62/20

```
</div>

require 'resources/views/partials/footer.php' ?>
```

# views/partials

#### head.php

```
??php session_start() ?>
    <html lang="en">
            <meta http-equiv="X-UA-Compatible" content="IE=edge" />
            <meta name="viewport" content="width=device-width, initial-scale=1.0" />
            <meta name="keywords" content="Blog, programming, topics, developers, front end, back end, php, c#, sql,</pre>
databases, mysql, javascript, .net" />
            <meta name="description" content="Hello, we are WireFrame! Sign up and help us grow in the development</pre>
            <link rel="preconnect" href="https://fonts.googleapis.com"/>
            <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
```

```
<link href="https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,400;1,200&display=swap"</pre>
<link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet" />
<link href="public/img/icon.png" rel="icon" />
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.min.css"</pre>
<link rel="stylesheet" href="public/css/responsive.css" />
<script type="text/javascript" src="public/js/main.js" defer></script>
<script src="node_modules/ckeditor4/ckeditor.js"></script>
<title>Wireframe | <?= $page_title; ?></title>
```

#### footer.php

```
<div class="preloader-wrapper active big">
       <div class="spinner-layer spinner-blue-only">
           <div class="circle-clipper left">
           <div class="gap-patch">
           <div class="circle-clipper right">
<?php if(Request::getUri() !== 'dashboard') : ?>
   <footer class="page-footer grey darken-3">
       <div class="container">
               <div class="col s12 m3 13 left-on-med-and-up center-on-small-only">
                  <h2 class="white-text flow-text">USEFUL LINKS</h2>
```

```
<div class="row">
                                     <h2 class="flow-text">CONNECT WITH US</h2>
src="https://img.icons8.com/color/48/000000/rss.png"/></a>
                                     <a target="_blank" href="https://www.facebook.com"><img</pre>
src="https://img.icons8.com/color/48/000000/facebook.png"/></a>
                                     <a target="_blank" href="https://www.twitter.com"><img</pre>
src="https://img.icons8.com/color/48/000000/twitter.png"/></a>
                                     <a target="_blank" href="https://www.linkedin.com"><img</pre>
src="https://img.icons8.com/color/48/000000/linkedin.png"/></a>
                                     <a target="_blank" href="https://www.github.com/laxon17"><img</pre>
src="https://img.icons8.com/color/48/000000/github--v1.png"/></a>
```

```
<div class="row">
                                      <h3 class="grey-text">WireFrame</h3>
                              <h2 class="white-text flow-text">SITE ASSETS</h2>
                              <a class="grey-text text-lighten-4" target="_blank"</pre>
                                  <a class="grey-text text-lighten-4" target="_blank"</pre>
href="resources/assets/sitemap.xml">Sitemap</a>
                                  <a class="grey-text text-lighten-4" target="_blank"</pre>
                   <div class="footer-copyright grey darken-4">
```

```
Copyright © WireFrame 2022. All Rights Reserved.
/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4=" crossorigin="anonymous"></script>
           <script src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/js/materialize.min.js"></script>
               CKEDITOR.replace('textarea1')
```

## navigation.php

```
$links = $database->selectRecords('Navigation');
 $position = '/' . Request::getUri();
 <div class="navbar-fixed">
 <nav class="blue lighten-1">
  <div class="nav-wrapper container">
    <a href="<?= $links[0]->LinkPath ?>" class="brand-logo center">WireFrame</a>
    <a data-target="hiddenNavigation" class="sidenav-trigger">
     <i class="material-icons white-text">menu</i>
```

```
<a href="<?= $links[4]->LinkPath ?>"><?= $links[4]->LinkName ?></a>
 <?php if(empty($_SESSION['user_id'])) : ?>
  <?php for($i = 7; $i < 9; $i++) : ?>
```

```
<?php if(isset($_SESSION['user_id'])) : ?>
    <div class="user-view">
      <div class="background">
       <img src="public/img/cover.jpg" />
      <a href="#user"><img class="circle" src="public/img/users/<?= $user_info->ProfilePicture ?>"></a>
```

```
<a href="<?= $links[4]->LinkPath ?>"><?= $links[4]->LinkName ?></a>
<?php if(isset($_SESSION['user_id'])) : ?>
```

```
<?php endif ?>

<?php if(empty($_SESSION['user_id'])) : ?>

<?php for($i = 7; $i < 9; $i++) : ?>

LinkPath ? 'active' : '' ?>">

<a href="<?= $links[$i]->LinkPath ?>">

<?= $links[$i]->LinkName ?>

</a>

</ph>
</pr>

</ph>

</pr>
</pr>

</pr>

</pr>
</pr>

</pr>

</pr>

</pr>

</pr>

</pr>

</pr>

</pr>

</pr>

</pr>

</pr>

</pr>

</pr>

<pr
```

#### post-comment.php

```
$all_comments = $database->selectComments($_GET['id']);

$parent_comments = [];

foreach($all_comments as $comment)

{
    if($comment->ParentId == null) array_push($parent_comments, $comment);
}
```

```
<img class="prof-pic" src="public/img/users/<?= $parent_comment->ProfilePicture ?>" alt="Profile picture"
<a href="/profile?username=<?= $parent_comment->UserName ?>">
```

```
<div class="row mb-3">
  <div class="row">
        <div class="col">
          Reply
```

```
<div class="col 18 offset-14">
           <div class="input-field">
                <input type="text" name="comment_body" id="replyComment" />
                <label for="replyComment">Reply to <?= $parent_comment->FullName ?></label>
            <input type="hidden" name="post_id" value="<?= $parent_comment->PostId ?>" />
            <input type="hidden" name="parent_id" value="<?= $parent_comment->CommentId ?>" />
           <button type="submit" class="btn btn-small blue lighten-1 waves-effect waves-light">Reply</button>
$reply_comments = $database->selectReplies($parent_comment->PostId, $parent_comment->CommentId);
<div class="row">
```

```
<div class="col s10 offset-s2 m10 offset-m2 l10 offset-l2 reply-comment">
                       <div class="col 12">
                           <img class="prof-pic" src="public/img/users/<?= $reply_comment->ProfilePicture ?>"
alt="Profile picture" />
                       <div class="col 16">
                           </small>
                           <a class="delete-reply" href="/delete-comment?comment_id=<?= $reply_comment->CommentId?>">
                               <i class="material-icons red-text">close</i>
                   <div class="row">
```

```
<div class="col m10 offset-m2 l10 offset-l2">
```

```
<div class="comment-section center">
   <?php if(empty($comments)) : ?>
       <div class="row center">
           <form action="/comment" method="POST">
               <div class="input-field">
                   <textarea class="materialize-textarea" name="comment_body" id="commentBody" ></textarea>
                   <label for="commentBody">What do you think?</label>
               <input type="hidden" name="post_id" value="<?= $_GET['id'] ?>" />
               <button type="submit" class="btn btn-small blue lighten-1 waves-effect waves-light">Comment</button>
       <h6 class="mb-3">Only <a href="/register">registered</a> users can comment!</h6>
```

## controllers

author.php

```
<?php

$page_title = 'Author';

require 'resources/views/pages/author.view.php';</pre>
```

index.php

```
<?php

$page_title = 'Home';

require 'resources/views/pages/index.view.php';</pre>
```

surveys.php

```
$user = $database->selectFilteredRecord('Users', 'UserId', $user_id);

$database->updateAnswer($answer, $poll_id, $user_id);

Utilities::redirect('/profile?username=' . $user->Username);
}
```

#### contact.php

```
$access_method = Request::getMethod();
if($access_method === 'GET') require 'resources/views/pages/contact.view.php';
   $sender_mail = $_POST['contact_mail'];
    $message_title = $_POST['message_title'];
   $message_body = $_POST['message_body'];
   if(!Utilities::checkRegex($sender_mail, 'Mail')) $errors['credentials'] = 'E-mail is not as expected!';
```

```
if(empty($message_body)) $errors['message'] = 'Message can\'t be empty!';
   require 'resources/views/pages/contact.view.php';
   $database->insertRecords('ContactMessages', [
        'MessageTitle' => empty($message_title) ? 'No title' : $message_title,
        'MessageBody' => $message_body
   Utilities::redirect('/contact?success=Your message was sent successfully!');
```

# controllers/validations

## verify.php

```
$page_title = 'Verification';
    $user = $database->selectFilteredRecord('Users', 'UserToken', $token);
       $database->updateRecord('Users', 'UserVerified', 1, 'UserId', $user->UserId);
       require 'resources/views/authentication/verify.view.php';
if($_SERVER['HTTP_REFERER'] == null) Utilities::redirect('/index');
else require 'resources/views/authentication/verify.view.php';
```

## controllers/user

# profile.php

```
$page_title = 'Profile';
   $user = $database->selectFilteredRecord('Users', 'UserName', $_GET['username']);
    if(empty($user)) Utilities::redirect('/');
    $role_name = $database->selectFilteredRecord('Roles', 'RoleId', $user->RoleId);
    $posts = $database->selectFilteredRecords('Posts', 'UserId', $user->UserId);
    require 'resources/views/user/profile.view.php';
```

## survey.php

```
$access_method = Request::getMethod();
        require 'resources/views/user/survey.view.php';
else Utilities::redirect('/index');
```

## update-image.php

```
$image_path = $_FILES['image_path']['name'];
$target = 'public/img/users/' . basename($image_path);
$cover = $database->selectFilteredRecord('Users', 'UserId', $_SESSION['user_id']);
$database->updateRecord('Users', 'ProfilePicture', $image_path, 'UserId', $_SESSION['user_id']);
move_uploaded_file($_FILES['image_path']['tmp_name'], $target);
if($old_cover !== 'blank-profile.png') unlink("public/img/users/" . $cover['ProfilePicture']);
Utilities::redirect('/profile?username=' . $_SESSION['username']);
```

# controllers/authentication

## login.php

```
$page_title = 'Log In';
$access_method = Request::getMethod();
if($access_method === 'GET') require 'resources/views/authentication/login.view.php';
    $user_password = $_POST['user_password'];
    $errors = [];
    if(!Utilities::checkRegex($user_id, 'UserId')) $errors['credentials'] = 'Your ID is not as expected!';
    if(!Utilities::checkRegex($user_password, 'Password')) $errors['password'] = 'Password is not as expected!';
```

```
$user = $database->selectUser($user_id);
     if(empty($user)) $errors['credentials'] = 'User with given ID is not found. Try Again!';
        if(!$user->UserVerified) $errors['credentials'] = 'User with given ID, hasn\'t verified his identity yet!';
           again!';
```

```
require 'resources/views/authentication/login.view.php';
if($canBeLogged)
```

Лазар Лалови $\hbar$  62/20

# logout.php

```
session_start();
session_unset();
session_destroy();

Utilities::redirect('/index');
exit();
```

registration.php

```
$page_title = 'Register';

use PHPMailer\PHPMailer\PHPMailer;

use PHPMailer\PHPMailer\SMTP;

use PHPMailer\PHPMailer\Exception;

require 'vendor/autoload.php';

$accessMethod = Request::getMethod();
```

```
if($accessMethod === 'GET') require 'resources/views/authentication/registration.view.php';
   $first_name = $_POST['first_name'];
   $last_name = $_POST['last_name'];
   $user_mail = $_POST['user_mail'];
   $user_password = $_POST['password'];
   $password_repeat = $_POST['re_password'];
   $users = $database->selectRecords('Users');
   $values = [];
   if(!Utilities::checkRegex($first_name, 'FirstName')) $errors['firstname'] = 'First name is not as expected!';
   if(!Utilities::checkRegex($username, 'Username')) $errors['username'] = 'Username is not as expected!';
   $values['username'] = $username;
```

```
if(!Utilities::checkRegex($user_mail, 'Mail')) $errors['usermail'] = 'E-Mail is not as expected!';
if(!Utilities::checkRegex($user_password, 'Password')) $errors['password'] = 'Password is not as expected!';
if($user_password !== $password_repeat) $errors['re_password'] = 'Passwords don\'t match';
```

```
require 'resources/views/authentication/registration.view.php';
    'UserMail' => $user_mail,
    'UserPassword' => password_hash($user_password, PASSWORD_DEFAULT),
$mail = new PHPMailer(true);
   $mail->SMTPDebug = SMTP::DEBUG_SERVER;
```

```
$mail->isSMTP();
    $mail->Host = 'smtp.gmail.com';
    $mail->SMTPAuth = true;
    $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
    $mail->addAddress($user_mail);
    $mail->isHTML(true);
    $mail->Subject = 'WireFrame - Account Verification';
    $mail->Body = "Verify: <a href=\"http://localhost:8800/verify?token=$verification_token\">Verify</a>";
    $mail->AltBody = "Click to verify: http://localhost:8800/verify?token=$verification_token";
   $mail->send();
   Utilities::Redirect('/verify');
catch (Exception $exception)
```

<u>Лазар Лаловић</u> 62/20

```
{
    Utilities::dieDump($exception->getMessage());
}
```

## controllers/posts

## comment.php

```
$comment = $_POST['comment_body'];
if(empty($comment)) Utilities::redirect('/view-post?id=' . $post_id . '&errors="Comment body can\'t be empty!"');
   Utilities::redirect('/view-post?id=' . $post_id);
```

#### create-post.php

```
$page_title = 'Create post';
$access_method = Request::getMethod();
$categories = $database->selectRecords('Categories');
if($access_method !== 'POST') require 'resources/views/posts/create-post.view.php';
    $post_body = $_POST['post_body'];
    $image_path = $_FILES['image_path']['name'];
    $target = 'public/img/covers/' . $image_name;
    if(empty($_POST['category_select'])) $errors['category'] = 'Please, provide at least one category for post!';
```

```
foreach($_POST['category_select'] as $selected)
       array_push($post_category, $selected);
if(empty($post_title))
   $errors['title'] = 'Please, fill in the post title!';
   if(!preg_match('/^[A-Za-z0-9\-\?\s\#]{3,50}$/', $post_title')) $errors['title'] = 'Title is not as expected!';
if(empty($post_body)) $errors['body'] = 'Please, fill in the post body!';
else $values['body'] = $post_body;
if(empty($image_path)) $errors['image'] = 'Please, include a proper cover image!';
   require 'resources/views/posts/create-post.view.php';
```

```
$last_post = $database->selectLastRecords('Posts', 'PostId', 1);
if(empty($last_post)) $post_id = 1;
$database->insertRecords('CoverImages', [
    'CoverPath' => $image_name,
```

```
move_uploaded_file($_FILES['image_path']['tmp_name'], $target);
    $database->insertRecords('PostCategory', [
```

#### delete-comment.php

```
$comment_id = $_GET['comment_id'];

$writer = $database->selectFilteredRecord('Comments', 'CommentId', $comment_id);

session_start();
```

```
$comment = $database->selectFilteredRecord('Comments', 'CommentId', $comment_id);
else $database->deleteRecords('Comments', 'CommentId', $comment_id);
Utilities::redirect('/view-post?id=' . $post_id);
```

#### delete-post.php

```
<?php

$page_title = 'My profile';

$access_method = Request::getMethod();</pre>
```

```
if($access_method !== 'GET') Utilities::Redirect('/index');
   $writer = $database->selectFilteredRecord('Posts', 'PostId', $id);
       $cover = $database->selectFilteredRecord('CoverImages', 'PostId', $id);
       $database->deleteRecords('PostCategory', 'PostId', $id);
       $database->deleteRecords('CoverImages', 'PostId', $id);
       $database->deleteRecords('Comments', 'PostId', $id);
       $database->deleteRecords('Posts', 'PostId', $id);
       unlink("public/img/covers/" . $cover->CoverPath);
   else Utilities::Redirect('/index');
```

 Лазар Лаловић
 62/20

3

## edit-post.php

```
$page_title = 'Edit post';
$access_method = Request::getMethod();
$categories = $database->selectRecords('Categories');
    $post_body = $_POST['post_body'];
   $old_path = $_POST['old_path'];
    $new_path = $_FILES['new_path']['name'];
    $image_name = uniqid() . '_' . time();
    $target = 'public/img/covers/' . $image_name;
```

```
$errors = [];
if(empty($_POST['category_select'])) $errors['category'] = 'Please, provide at least one category for post!';
   foreach($_POST['category_select'] as $selected)
if(empty($post_title))
   if(!preg_match('/^[A-Za-z0-9\-\?\s\#]{3,50}$/', $post_title')) $errors['title'] = 'Title is not as expected!'; \\
if(empty($post_body)) $errors['body'] = 'Please, fill in the post body!';
```

```
require 'resources/views/posts/edit-post.view.php';
session_start();
$database->updateRecord('Posts', 'PostTitle', $post_title, 'PostId', $post_id);
$database->updatePostBody($post_body, $post_id);
if($new_path !== '') {
    $database->updateRecord('CoverImages', 'CoverPath', $image_name, 'PostId', $post_id);
   move_uploaded_file($_FILES['new_path']['tmp_name'], $target);
   unlink('public/img/covers/' . $old_path);
$database->deleteRecords('PostCategory', 'PostId', $post_id);
```

```
$database->insertRecords('PostCategory', [
   Utilities::redirect('/view-post?id=' . $post_id);
$post = $database->selectFilteredRecord('Posts', 'PostId', $_GET['id']);
$old_categories = $database->selectFilteredRecords('PostCategory', 'PostId', $_GET['id']);
$image = $database->selectFilteredRecord('CoverImages', 'PostId', $_GET['id']);
   array_push($post_categories, $category->CategoryId);
```

```
$values['title'] = $post->PostTitle;

$values['body'] = $post->PostBody;

$values['path'] = $image->CoverPath;

require 'resources/views/posts/edit-post.view.php';
}
```

#### posts.php

```
$access_method = Request::getMethod();
$categories = $database->selectRecords('Categories');
$recent_posts = $database->selectLastRecords('Posts', 'CreatedAt', 5, 1);
if($access_method === 'GET')
    $number_of_records = $database->selectRecords('Posts');
```

```
if(!isset($_GET['page'])) $start_point = 0;
    else $start_point = ($_GET['page']-1) * 5;
    if(isset($_GET['categories']))
        foreach($_GET['categories'] as $category_id) array_push($chosen_categories, $category_id);
       $posts = $database->selectPostsByCategory($chosen_categories, 0, 1, $start_point);
    require 'resources/views/pages/posts.view.php';
    if($_GET['page'] > $pages_number) Utilities::redirect('/index');
else Utilities::redirect('/posts');
```

#### search.php

```
$posts = $database->selectRecords('Posts');
       if(stristr(strtolower($post->PostTitle), $search_query)) array_push($suggested_posts, $post);
```

```
echo !empty($suggested_posts) ? json_encode($suggested_posts) : $posts;
```

## view-post.php

```
$post_id = $_GET['id'];

$post = $database->selectFilteredRecord('Posts', 'PostId', $post_id);

$cover = $database->selectFilteredRecord('CoverImages', 'PostId', $post_id);

$writer = $database->selectFilteredRecord('Users', 'UserId', $post->UserId);

$categories = $database->selectCategoriesOfPost($post_id);

$comments = $database->selectComments($_GET['id']);

$page_title = $post->PostTitle;

require 'resources/views/posts/view-post.view.php';
```

# CSS

## style.css

```
margin: 0;
padding: 0;
-webkit-box-sizing: border-box;
       box-sizing: border-box;
```

```
html .m-a {
 margin: 0 auto !important;
 margin-bottom: 1rem;
html .mb-2 {
 margin-bottom: 2rem;
html .mb-3 {
 margin-bottom: 3rem;
html .mb-5 {
 margin-bottom: 5rem !important;
```

```
html .p-0 {
 padding: 0 !important;
html .p-1 {
 padding: 1rem !important;
html .p-3 {
 padding: 3rem !important;
html .p-5 {
 padding: 5rem !important;
html .pt-1 {
 padding-top: 1rem !important;
html .pt-2 {
```

```
padding-top: 2rem !important;
html .pt-5 {
 padding-top: 5rem !important;
 padding-left: 0 !important;
html .pl-1 {
 padding-left: 1rem !important;
html .pl-2 {
 padding-left: 2rem !important;
 padding-right: 0 !important;
```

```
margin-right: 1rem !important;
html .blue.lighten-7 {
 background-color: white !important;
 border-left-color: #42a5f5 !important;
 overflow-x: hidden;
 margin-bottom: 25rem !important;
```

```
height: 50px;
 border-radius: 50%;
html body textarea#messageBody {
 height: 300px;
html body textarea:focus {
 border-bottom-color: #42a5f5 !important;
 -webkit-box-shadow: 0 1px 0 0 #42a5f5 !important;
         box-shadow: 0 1px 0 0 #42a5f5 !important;
 color: #42a5f5 !important;
html body .input-field .prefix.active {
```

```
-webkit-box-shadow: 0 0 2px 0 grey;
         box-shadow: 0 0 2px 0 grey;
 padding: 1rem .5rem;
html body .parent-comment .row .reply-comment {
 padding: 1rem;
 -webkit-box-shadow: 0 0 2px 0 grey;
         box-shadow: 0 0 2px 0 grey;
html body .parent-comment .row .reply-comment .delete-reply {
```

```
right: 20px;
html body .parent-comment .delete-comment {
 right: 10px;
html body .prof-pic {
 height: 60px;
html body .page-name {
html body .info-cards {
```

```
margin-bottom: 3rem;
display: -webkit-box;
display: flex;
-webkit-box-direction: normal;
        align-items: center;
    -ms-flex-pack: justify;
padding: 2rem !important;
margin-bottom: 3rem;
border-radius: 10px;
-webkit-transition: all 300ms ease !important;
transition: all 300ms ease !important;
```

```
-webkit-box-shadow: 0 0 3px 0 #42a5f5 !important;
          box-shadow: 0 0 3px 0 #42a5f5 !important;
 margin-bottom: 1rem;
html body .info-cards .stats-card p {
 margin-bottom: 1rem;
  -webkit-box-shadow: 0 0 10px 0 #42a5f5 !important;
          box-shadow: 0 0 10px 0 #42a5f5 !important;
```

```
border-bottom-color: #42a5f5 !important;
html body input.pass + label {
 color: #42a5f5 !important;
 border: 2px solid #42a5f5;
 background-color: #42a5f5 !important;
 border-bottom-color: #ff0000 !important;
html body input.fail + label {
 color: #ff0000 !important;
```

```
html body .verify-container {
 margin: 150px auto;
 padding: 3em;
  display: -ms-grid;
html body .verify-container > img {
```

```
margin-bottom: 5rem;
 text-align: center;
html body #userInfo #profilePictureContainer #profileImage {
 margin-bottom: 1rem;
 border-radius: 50%;
 width: 200px;
 height: 200px;
 overflow: hidden;
html body #userInfo #profilePictureContainer #profileImage img {
 cursor: pointer;
 background-color: #eef8ff;
```

```
padding: 3rem 1.5rem;
 border-radius: 10px;
html body .recent-post {
 margin-bottom: 1rem;
html body .recent-post p {
 color: grey;
 border-right: 2px solid #42a5f5;
```

```
html body #textarea1 {
 height: 300px;
 border-bottom-color: #42a5f5 !important;
 -webkit-box-shadow: 0 1px 0 0 #42a5f5 !important;
          box-shadow: 0 1px 0 0 #42a5f5 !important;
 color: #42a5f5 !important;
html body input:-ms-input-placeholder {
```

```
html body input::-ms-input-placeholder {
html body input:focus {
 border-bottom: 1px solid #42a5f5 !important;
 -webkit-box-shadow: 0 1px 0 0 #42a5f5 !important;
          box-shadow: 0 1px 0 0 #42a5f5 !important;
 color: #42a5f5 !important;
html body .preloader {
  display: -webkit-box;
```

```
display: flex;
       justify-content: center;
right: 0;
height: 70vh;
display: -webkit-box;
```

```
justify-content: center;
height: 25vh;
        clip-path: polygon(0 0, 100% 0, 100% 15%, 0 100%);
background-color: #f1f8ff;
        clip-path: polygon(100% 0%, 100% 100%, 0% 100%, 100% 15%);
```

<u>Лазар Лаловић</u> 62/20

```
html body footer .blog-info li {
  padding-left: .8rem;
  margin-bottom: .5rem;
}

html body footer .blog-info li a {
  color: #fff;
  font-size: 1.1rem;
}

/*# sourceMappingURL=style.css.map */
```

## JavaScript

## main.js

```
let urlPath = window.location.pathname
 if(urlPath === '/register') validateRegistration()
 if(urlPath === '/login') validateLogin()
 if(urlPath === '/reset') resetPasswordRequest()
 if(urlPath === '/posts') searchAjax()
 if(urlPath === '/dashboard/modify') categoryModify()
 if(urlPath === '/dashboard/surveys') addQuestion()
 function validateRegistration() {
     const firstNameRegex = /^[A-Z]{1}[a-z]{2,14}$/
     const lastNameRegex = /^[A-Z]{1}[a-z]{4,29}$/
     const passwordRegex = /^[A-Z]{1}[a-z0-9!@#$%^.&*]{7,19}$/
```

```
const\ user Mail Regex = /^[a-zA-Z0-9]([a-z]|[0-9]) + \\ \cdot ?-?_?([a-z]|[0-9]) * \\ \cdot ?([a-z]|[0-9]) * \\ \cdot ?([a-z]|
z]{2,4}\.)?([a-z]{2,4})$/
                            const userNameRegex = /^([a-z]{1})[a-z0-9]{4,29}$/
                            const registrationForm = document.getElementById('registrationForm')
                            const firstName = document.getElementById('firstName')
                            const lastName = document.getElementById('lastName')
                            const userPassword = document.getElementById('password')
                            const passwordRepeat = document.getElementById('rePassword')
                            const userMail = document.getElementById('userMail')
                            const userName = document.getElementById('userName')
                            registrationForm.addEventListener('submit', (event) => {
                                           if(!registerButton()) {
                                                          event.preventDefault()
                                                          checkField(firstName, 'First name', firstNameRegex)
                                                          checkField(userPassword, 'Password', passwordRegex)
                                                          checkField(passwordRepeat, 'Repeated password', passwordRegex)
                                                          checkPassword(userPassword.value, passwordRepeat.value)
```

```
function registerButton() {
        checkField(lastName, 'Last name', lastNameRegex) &&
        checkField(passwordRepeat, 'Repeated password', passwordRegex) &&
        checkField(userMail, 'Mail', userMailRegex) &&
        checkField(userName, 'Username', userNameRegex) &&
        checkPassword(userPassword.value, passwordRepeat.value)
   return 0
function checkPassword(password, repeat) {
   let infoText = passwordRepeat.nextElementSibling.nextElementSibling
        infoText.className = 'red-text'
        infoText.innerHTML = 'Repeated password does not match!'
```

```
addListenerForField(firstName, 'First name', firstNameRegex, 'keyup')
addListenerForButton(firstName, registerButton, 'keyup')
addListenerForField(lastName, 'Last name', lastNameRegex, 'keyup')
addListenerForButton(lastName, registerButton, 'keyup')
addListenerForField(userName, 'Username', userNameRegex, 'keyup')
addListenerForField(userName, 'Username', userNameRegex, 'blur')
addListenerForButton(userName, registerButton, 'keyup')
addListenerForField(userMail, 'Mail', userMailRegex, 'keyup')
addListenerForField(userMail, 'Mail', userMailRegex, 'blur')
addListenerForButton(userMail, registerButton, 'keyup')
addListenerForField(userPassword, 'Password', passwordRegex, 'keyup')
addListenerForField(userPassword, 'Password', passwordRegex, 'blur')
```

```
addListenerForButton(userPassword, registerButton, 'keyup')
                               passwordRepeat.addEventListener('keyup', checkPassword)
                               addListenerForField(passwordRepeat, 'Repeated password', passwordRegex, 'keyup')
                               addListenerForField(passwordRepeat, 'Repeated password', passwordRegex, 'blur')
                               addListenerForButton(passwordRepeat, registerButton, 'keyup')
               function validateLogin() {
                               const\ userIdRegex = /^(([a-zA-Z0-9]([a-z]|[0-9])+\cdot,?-?_?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot,?([a-z]|[0-9])*\cdot
z]{2,4}\.)?([a-z]{2,4}))|(([a-z]{1})[a-z0-9]{4,29}))$/
                               const passwordRegex = /^[A-Z]{1}[a-z0-9!@#$%^.&*]{7,19}$/
                               const loginForm = document.getElementById('loginForm')
                               const userId = document.getElementById('userId')
                               const userPassword = document.getElementById('userPassword')
                                addListenerForButton(userId, loginButton, 'keyup')
```

```
addListenerForField(userId, 'Your ID', userIdRegex,'keyup')
    addListenerForField(userPassword, 'Password', passwordRegex, 'keyup')
    addListenerForButton(userPassword, loginButton, 'keyup')
    function loginButton() {
            checkField(userPassword, 'Password', passwordRegex)
       return 0
function resetPasswordRequest() {
```

```
const\ user Mail Regex = /^[a-zA-Z0-9]([a-z]|[0-9]) + \\ \cdot ?-?_?([a-z]|[0-9]) * \\ \cdot ?([a-z]|[0-9]) * \\ \cdot ?([a-z]|
z]{2,4}\.)?([a-z]{2,4})$/
                                        const passwordResetForm = document.getElementById('resetForm')
                                        const mailField = document.getElementById('userMail')
                                        passwordResetForm.addEventListener('submit', (event) => {
                                                            if(!resetBtn()) {
                                                                                checkField(mailField, 'E-mail', userMailRegex)
                                                                                event.preventDefault()
                                        function resetBtn() {
                                                           return 0
                                        addListenerForButton(mailField, resetBtn, 'keyup')
                                        addListenerForField(mailField, 'E-mail', userMailRegex, 'blur')
                                        addListenerForField(mailField, 'E-mail', userMailRegex, 'keyup')
```

```
function fieldValid(field) {
    field.nextElementSibling.nextElementSibling.innerHTML = ''
function fieldInvalid(field, text) {
    field.nextElementSibling.nextElementSibling.innerText = `${text}`
    field.nextElementSibling.nextElementSibling.classList.add('red-text')
   let fieldValue = field.value
    return checkRegEx(expression, fieldValue, fieldName, field)
function checkRegEx(expression, fieldValue, fieldName, field) {
    if(expression.test(String(fieldValue))) {
        fieldValid(field)
```

```
function checkBtn(callback) {
   if(callback()) return 1
function addListenerForField(field, fieldName, expression, event) {
        checkBtn(callback)
```

```
function categoryModify() {
   document.getElementById('addCategoryBtn').addEventListener('click', () => {
        let inputField = document.getElementById('addCategoryField')
        if(inputField.classList.contains('hide')) {
            inputField.classList.remove('hide')
       } else inputField.classList.add('hide')
document.querySelectorAll('.deactivate-survey').forEach(button => {
   button.addEventListener('click', (event) => {
        let surveyId = event.target.parentElement.parentElement.children[0].innerText
        let xhr = new XMLHttpRequest()
        xhr.open('POST', '/dashboard/surveys', true)
```

```
xhr.setRequestHeader('Content-type', 'application/json')
         xhr.send(JSON.stringify(data))
         event.target.className = 'red-text material-icons'
         event.target.innerText = 'close'
 document.querySelectorAll('.approve-post').forEach(button => {
     button.addEventListener('click', (event) => {
         let postId = event.target.parentElement.parentElement.children[0].innerText
         let xhr = new XMLHttpRequest()
         xhr.open('POST', '/dashboard/posts', true)
         xhr.setRequestHeader('Content-type', 'application/json')
         xhr.send(JSON.stringify(data))
         event.target.className = 'green-text'
         event.target.innerText = 'Approved'
END OF APPROVE POST
```

```
document.querySelectorAll('.role-change').forEach(list => {
    list.addEventListener('change', (event) => {
        let selectedRole = event.target.value
        let user = event.target.parentElement.parentElement.parentElement.children[0].innerText
        let xhr = new XMLHttpRequest()
        xhr.open('POST', '/dashboard/users', true)
        xhr.setRequestHeader('Content-type', 'application/json')
        xhr.send(JSON.stringify(data))
function addQuestion() {
    let questionFields = document.getElementById('addQuestionField')
```

```
document.getElementById('addQuestion').addEventListener('click', () => {
       if(questionFields.classList.contains('hide')) {
            questionFields.classList.remove('hide')
       } else questionFields.classList.add('hide')
document.querySelectorAll('.reply-button').forEach(btn => {
   btn.addEventListener('click', (event) => {
       let clicked = event.target
       let replyField = clicked.parentElement.parentElement.parentElement.nextElementSibling
       if(replyField.classList.contains('hide')) {
            replyField.classList.remove('scale-out')
            replyField.classList.remove('hide')
            replyField.classList.add('scale-in')
            replyField.classList.remove('scale-in')
           replyField.classList.add('scale-out')
```

```
replyField.classList.add('hide')
function searchAjax() {
   document.getElementById('searchPosts').addEventListener('keyup', searchForPosts)
    const postsContainer = document.getElementById('postContainer')
    document.addEventListener('DOMContentLoaded', loadPosts)
   async function searchForPosts(event) {
        let query = event.target.value
        let response = (await fetch('/search?query=' + query)).json()
        response.then(posts => {
```

```
<a href="/view-post?id=${post.PostId}">
                        ${post.PostTitle}
                 postsContainer.innerHTML = postLink ? postLink : 'No posts found'
async function loadPosts() {
   let response = (await fetch('/posts')).json()
   response.then(posts => {
                 <a href="/view-post?id=${post.PostId}">
                       ${post.PostTitle}
```

```
postsContainer.innerHTML = postLink ? postLink : 'No posts found!'
function pageLoader() {
       $('.preloader').fadeOut();
```

```
// MATERIALIZE & JQUERY DEPENDENCIES LOAD

$(document).ready(() => {
    pageLoader()
    $('select').formSelect()
    $('.materialboxed').materialbox()

    $('.sidenav').sidenav()

    $('.parallax').parallax()

    $('.modal').modal()

})

// END OF MATERIALIZE & JQUERY DEPENDENCIES LOAD
```

## WireFrame