

Make creative landing

page report by

Leyan Monther Burait



: lyanbyrat53@gmail.com

[layanbuirat \(Leyan Buirat\) \(github.com\)](https://github.com/layanbuirat)

Contents

Object:.....	4
The first step:	5
The second step: header of landing page	6
Min-hight 100vh :.....	8
Then the header css design.....	9
To put all next each other use display flex	9
Without line under word in navbar	10
Use margin: 0 10px ; to do space between li in the navbar	10
The finally html div of header	10
Now will do div of content	11
Parent class content.....	12
Important note of css used to content div.....	12
To do text	13
The header (h2) .content.text h2	14
Paragraph in text : .content.text p{}	15
Link a of content text : .content. text a{}	15
Without line under word use text-decoration: none;	15
To padding the limited space use : paddind: 8px 20px;.....	15
To do radius of button use : border-radius: 20px;.....	15
Edit the image	16
But there are problem as shown bellow.....	16
All code of content index.html.....	18
So now all css code of content class	19
Now will do the icon of all image.....	20
Now will use absolute of icon div	20
The finally result.....	25

Table of figure

Figure 1:red phone.....	4
Figure 2: blue phone	4
Figure 3: all files	5

Figure 4: connect with css & javascript	5
Figure 5: class of container	6
Figure 6: header	6
Figure 7: structure of navbar	7
Figure 8 result after use min-hight:100vh.....	8
Figure 9when use display: flex	9
Figure 10use justify content : space between	9
Figure 11result of use space between	9
Figure 12: ul li a{}	10
Figure 13: resalt after do that	10
Figure 14: result after use margin	10
Figure 15: code of header in index.html	10
Figure 16: finally code in css of header	11
Figure 17: div text	11
Figure 18:div of image.....	11
Figure 19: parent class called content	12
Figure 20content class	12
Figure 21: result after do css of content parent class	13
Figure 22the text before	13
Figure 23: width of <p> text div	13
Figure 24: result after use width	14
Figure 25: result after edit the h2	14
Figure 26: result after edit the link.....	16
Figure 27: overflow: hidden; & the result of it after use.....	17
Figure 28: code of css content div.....	19

Object:

Do web as shown bellow & the background & image of phone change when click to small image




Figure 1:red phone




Figure 2: blue phone

The first step:

Create folder of your project have the fellow files: index.html , style.css, main.js & image file as shown bellow:




Figure 3: all files

Connect html file with style.css & Javascript file :main.js

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="style.css">
    <title>Apple | Leyan Burait</title>
  </head>
  <body>
    <script src="main.js"></script>
  </body>
</html>
```


A screenshot of the VS Code editor showing the 'index.html' file. The code is as follows:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="style.css">
    <title>Apple | Leyan Burait</title>
  </head>
  <body>
    <script src="main.js"></script>
  </body>
</html>
```

Two hand-drawn arrows point from the 'style.css' and 'main.js' file names in the code to the 'style.css' and 'main.js' files listed in the 'OPEN EDITORS' section of the Explorer sidebar.

Figure 4: connect with css & javascript

Then make div of class container will have all div of your project



```
index.html X # style.css JS main.js
index.html > html > body > div.container
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <link rel="stylesheet" href="style.css">
7      <title>Apple | Leyan Burait</title>
8  </head>
9  <body>
10 <div class="container">
11
12     </div>
13     <script src="main.js"></script>
14
15 </body>
16 </html>
```

Figure 5: class of container

Download all image in to image 

The second step: header of landing page



Figure 6: header

The header is contain of logo & navbar

1- Make div of header

```
<div class="header">
</div>
```

2- Do logo in link as

```
<a href="#">img.logo</a>
```

Then


```
<a href="#"></a>
```

3-create structure of navbar as you shown bellow:

```
<ul>
    <li><a href="#">Home</a></li>
    <li><a href="#">Product</a></li>
    <li><a href="#">New</a></li>
    <li><a href="#">About</a></li>
    <li><a href="#">contact</a></li>
</ul>
</div>
```


Figure 7: structure of navbar

The logo do not appear because the background is weight



- [Home](#)
- [Product](#)
- [New](#)
- [About](#)
- [contact](#)

In css do the bellow



```
index.html    # style.css  X  JS main.js  
> # style.css >  *  
*{  
    padding: 0;  
    margin: 0;  
    font-family: sans-serif;  
}
```

Min-height 100vh :

لتغطية الشاشة بالكامل

```
.container{  
    background: #444;  
    min-height: 100vh;  
    width: 100%;  
}
```




Figure 8 result after use min-height:100vh

Then the header css design

To put all next each other use display flex




Figure 9when use display:flex

```
.header{  
display: flex;  
justify-content: space-between;  
width: 80%;  
margin: auto;  
}
```

Figure 10use justify content : space between



Figure 11result of use space between

Home | Product | New | About | contact

To became list item next to each other as shown

```
ul li {
    display: inline-block;
    background-color: aquamarine;
    list-style: none;
}
```

Without line under word in navbar

```
ul li a{
    color: #fff;
    text-decoration: none;
}
```

Figure 12: `ul li a{}`

Home Product New About contact

Figure 13: result after do that

Use `margin: 0 10px;` to do space between li in the navbar



Home Product New About contact

Figure 14: result after use margin

The finally html div of header

```
<div class="header">
    <a href="#"></a>
    <ul>
        <li><a href="#">Home</a></li>
        <li><a href="#">Product</a></li>
        <li><a href="#">New</a></li>
        <li><a href="#">About</a></li>
        <li><a href="#">contact</a></li>
    </ul>
</div>
```

Figure 15: code of header in index.html

```
index.html X # style.css X JS main.js make creative landing page report.docx
all file > # style.css > ...
13 .header{
14   display: flex;
15   justify-content: space-between;
16   width: 80%;
17   margin: auto;
18 }
19
20 .logo{
21   width: 50%;
22 }
23 ul li {
24   display: inline-block;
25   list-style: none;
26 }
27 }
28
29 ul li a{
30   color: #fff;
31   text-decoration: none;
32   margin: 0 10px ;
33 }
```

Figure 16: finally code in css of header

Now will do div of content

Div of text & div of image then put it all in div of class called : content (parent classss)

```
<div class="text">
  <h2>iphone 13 pro max</h2>
  <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nesciunt tenetur, Saepe,
  distinctio? Facilis deserunt voluptatem hic.</p>
  <a href="#">all the products</a>
</div>
```

Figure 17: div text

```
<div class="image">
  
</div>
```

Figure 18:div of image

Parent class content

```
<div class="content">
  <div class="text">
    <h2>iphone 13 pro max</h2>
    <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nesciunt tenetur, Saepe,
       distinctio? Facilis deserunt voluptatem hic.</p>
    <a href="#">all the products</a>
  </div>

  <div class="image">
    
  </div>
</div>
```

Figure 19: parent class called content

Important note of css used to content div

Next to each other use : display: flex;

To do space between two div give the parents class : justify_content: space between;

To put all in the same line use: align-items: center;

To do space double side of parent div use : margin :auto;

```
.content{
  display: flex;
  justify-content: space-between;
  align-items: center;
  width: 80%;
  margin: auto;
}
```

Figure 20 content class



Figure 21: result after do css of content parent class

To do text

Before as shown bellow

iphone 13 pro max
Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nesciunt tenetur, Saepe, distinctio? Facilis deserunt voluptatem hic.
[all the products](#)

Figure 22 the text before

Then after do bellow proprieties' the result as shown bellow

```
.content .text{  
    color: #fff;  
    width: 40%;  
}
```

Figure 23: width of <p> text div



Figure 24: result after use width

The header (h2) .content.text h2

Will use

font-size: 40px; to change the size of font

text-transform: uppercase; to do h2 all litter in upper case




Figure 25: result after edit the h2

Paragraph in text : .content.text p{}

```
.content.text p {  
    font-size: 18px;  
    margin: 20px 0;  
}
```

Link a of content text : .content. text a{}

Without line under word use text-decoration: none;

To padding the limited space use : paddind: 8px 20px;

To do radius of button use : border-radius: 20px;

```
.content .text a {  
    text-decoration: none;  
    background: #fff;  
    color: #444;  
    padding: 8px 20px;  
    border-radius: 20px;  
}
```

The result after do that must be as shown bellow




Figure 26: result after edit the link

Edit the image

```
69  .content .image{  
70  |   width: 30%;  
71  }  
72  
73  .content .image img{  
74  |   width: 180px;  
75  }
```

But there are problem as shown bellow



To solve this

Go to the parent container then use `overflow: hidden;` as shown bellow



Figure 27: `overflow: hidden;` & the result of it after use

All code of content index.html

```
<div class="container">

    <div class="content">
        <div class="text">
            <h2>iphone 13 pro max</h2>
            <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nesciunt tenetur, Saepe,
               distinctio? Facilis deserunt voluptatem hic.</p>
            <a href="#">all the products</a>
        </div>

        <div class="image">
            
        </div>
    </div>

</div>
```

So now all css code of content class

```
.content {  
    display: flex;  
    justify-content: space-between;  
    align-items: center;  
    width: 80%;  
    margin: auto;  
}  
  
.content .text {  
    color: ■#ffff;  
    width: 40%;  
}  
  
.content .text h2 {  
    font-size: 40px;  
    text-transform: uppercase;  
}  
  
.content .text p {  
    font-size: 18px;  
    margin: 20px 0;  
}  
  
.content .text a {  
    text-decoration: none;  
    background: ■#ffff;  
    color: □#444;  
    padding: 8px 20px;  
    border-radius: 20px;  
}
```

```
.content .image{  
    width: 30%;  
}  
  
.content .image img{  
    width: 180px;  
}
```


Figure 28: code of css content div

Now will do the icon of all image


```
<div class="icon">
    
    
    
    
    
</div>
```

Now will use absolute of icon div

```
77     .icon {
78         position: absolute;
79         bottom: 0;
80
81     }
```



```
77     .icon {  
78         position: absolute;  
79         bottom: 0;  
80     }  
81  
82     .icon img{  
83         width: 50px;  
84     }  
85 }
```



To put it in center use

bottom: 20px; & transform: translateX(-50); in icon as shown bellow

```
,  
.icon {  
    position: absolute;  
    bottom: 20px;  
    transform: translateX(-50);  
}  
}
```



Home Product New About contact

IPHONE 13 PRO MAX

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nesciunt tenetur, Saepe, distinctio? Facilis deserunt voluptatem hic.



[all the products](#)



للتأخير بمقدار نص ثانية

```
.icon img{  
    width: 50px;  
    transition: 0.5s;  
}  
  
.icon img:hover{  
    transform: scale(1.2);  
}
```

هسا قبل لما اكبس عليهم ما بتتأثر ولا بضغط ع الصور بس اذا استخدمت اللي فوق بتتأثر الصور لما اكبس على



بعد الاستخدام لما ضغطت على الذهبي مثلا تأثر

all the products



ويمكن استخدام pointer

```
.icon img{  
    width: 50px;  
    transition: 0.5s;  
    cursor: pointer;  
}
```

now will start Javascript

1_ go to content then the div of img give class = 'img'

Before

```

```


After

```

```


```
37     </div>
38
39     <div class="icon">
40         
41         
42         
43         
44         
45
46     </div>
```

In main.js




```
index.html × # style.css JS main.js × make creative landing page
all file C:\Users\hp\Documents\projects\Make a creative landing page\index.html
1 let img = document.querySelector('.img');
2 let container = document.querySelector('.container');
3
4 function phones(phone) {
5     img.src = phone;
6 }
7
8 function back_ground(color) {
9     container.style.background = color;
10}
```

The finally result



A screenshot of a website page for the iPhone 13 Pro Max. The background is blue. At the top left is the Apple logo. At the top right are navigation links: Home, Product, New, About, and contact. Below the navigation is a large image of the back of an iPhone 13 Pro Max in a light blue color. To the left of the main image is the text "IPHONE 13 PRO MAX" and a short paragraph of placeholder text: "Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nesciunt tenetur, Saepe, distinctio? Facilis deserunt voluptatem hic." Below this text is a button labeled "all the products". At the bottom of the page is a horizontal row showing five smaller images of the iPhone 13 Pro Max in different colors: gold, light blue, dark grey, gold, and red.



A screenshot of the same iPhone 13 Pro Max product page, but with an olive green background instead of blue. The layout and content are identical to the first version, including the Apple logo at the top left, the navigation menu at the top right, the large back-image of the phone, the product title and description, the "all the products" button, and the color swatch at the bottom.



[Home](#) [Product](#) [New](#) [About](#) [contact](#)

IPHONE 13 PRO MAX

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nesciunt tenetur, Saepe, distinctio? Facilis deserunt voluptatem hic.

[all the products](#)



[Home](#) [Product](#) [New](#) [About](#) [contact](#)

IPHONE 13 PRO MAX

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nesciunt tenetur, Saepe, distinctio? Facilis deserunt voluptatem hic.

[all the products](#)





[Home](#) [Product](#) [New](#) [About](#) [contact](#)

IPHONE 13 PRO MAX

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Nesciunt tenetur, Saepe, distinctio? Facilis deserunt voluptatem hic.

[all the products](#)

