

Sourcing Funnel Analysis with AI-Assisted Candidate Prioritization

This report summarizes a fictional sourcing/recruitment dataset and translates funnel patterns into practical recommendations for recruiters.

1. Approach

The analysis focused on aggregate funnel movement, conversion by source channel and recruiter, candidate advancement signals, rejection reasons, and AI-assisted recruiter-note categorization. Candidate-level personal information was excluded from the analysis outputs.


2. Dataset Overview

Metric	Value
Total candidates	601
Total fields	35
Main dimensions	Channels, recruiters, roles, seniority, work mode, scores, funnel stages, rejection reasons, and notes

3. Funnel Analysis

Stage	Candidates	% from total	% from previous
Sourced	601	100.0%	100.0%
Responded	408	67.9%	67.9%
Screening Pass	308	51.2%	75.5%
Interview 1 Pass	234	38.9%	76.0%
Test Taken	201	33.4%	85.9%
Offer Sent	62	10.3%	30.8%
Hired	49	8.2%	79.0%


The main bottleneck is between Test Taken and Offer Sent: 201 candidates took the test, but only 62 received an offer (30.8% conversion from previous stage).



4. Source Channel Insights

Source	Sourced	Hired	Hired rate	Test-to-offer
Github	73	8	11.0%	42.3%
Inbound	69	7	10.1%	33.3%
Hunting	75	7	9.3%	37.0%
Banco de Talentos	68	6	8.8%	24.0%
LinkedIn	81	7	8.6%	25.9%
Comunidade	89	7	7.9%	37.0%
Evento	82	4	4.9%	20.7%
Indicação	64	3	4.7%	25.0%

GitHub, Inbound, and Hunting had the strongest hired rates. GitHub led with 11.0%.



5. Recruiter and Seniority Patterns


Recruiter	Sourced	Hired	Hired rate	Test-to-offer
Bruno	98	15	15.3%	41.7%
Ana	75	10	13.3%	37.1%
Carla	101	9	8.9%	37.5%
Gustavo	121	6	5.0%	26.2%
Diego	103	5	4.9%	20.7%
Fernanda	103	4	3.9%	18.5%

Recruiter conversion varied, with Bruno and Ana showing the strongest hired rates. This should be treated as directional because recruiter results may be influenced by role mix, channel strategy, hiring manager behavior, and requisition difficulty.

6. Candidate Advancement Signals

Signal	Hired avg.	Not hired avg.
Technical Test Score	82.39	72.87
Behavior Score	80.14	74.02
Manager Score	80.88	73.12
Years Experience	6.55	5.55
Response Time Days	5.73	6.03

Hired candidates showed stronger average technical, behavioral, and manager scores. They also had slightly higher average experience. These signals can help recruiters prioritize candidates more confidently.



7. Rejection / Drop-off Reasons

Reason	Count	Share
No response	210	56.0%
Failed technical test	25	6.7%
Timing mismatch	24	6.4%
Low technical fit	23	6.1%
Low engagement	23	6.1%
Headcount closed	22	5.9%
Salary mismatch	18	4.8%
Accepted another offer	18	4.8%
Culture add mismatch	12	3.2%

No response was the most common drop-off reason with 210 records, making candidate engagement a major funnel risk.

8. Applied Use of AI

AI was used to design a consistent taxonomy for recruiter notes. The categories translate unstructured notes into practical recruiting signals, such as Salary risk, Low engagement, Follow-up/timing risk, Strong technical fit, and Potential. A reproducible tagging function is included in the notebook so the workflow can be reviewed and improved.

AI note tag	Count	Share of candidates
General note	364	60.6%
Strong technical fit	116	19.3%
Follow-up/timing risk	66	11.0%
Salary risk	57	9.5%
Potential	55	9.2%

9. Practical Recommendations

- Prioritize high-converting channels such as GitHub, Inbound, and Hunting for similar roles.
- Investigate the test-to-offer stage to understand whether candidates are failing assessments, dropping due to timing, or being filtered by compensation/fit issues.
- Persist with candidates who show strong technical and manager scores, reach the test stage, and show timing-related concerns rather than capability gaps.
- Deprioritize candidates with repeated no-response patterns, low engagement, or clear salary mismatch unless the role has flexibility.
- Use AI note tags to flag risk patterns earlier and create more consistent follow-up decisions across recruiters.
- Compare practices from stronger-performing funnel segments to identify follow-up or qualification behaviors that can be reused.

10. Limitations and Next Steps

This dataset is fictional and should be interpreted as a structured analytical exercise. Recruiter comparisons should not be read as individual performance conclusions without controlling for role complexity, requisition urgency, hiring manager behavior, and candidate pool quality. Suggested next steps include adding time-to-stage analysis, testing a predictive model, and validating AI note tags with recruiter review.