



LINTEL SCHEDULE

- L1 = 8" X 14" CONCRETE LINTEL C/W  
1-10M BOTTOM BAR +  
10M STIRRUPS @ MAX. 7" O.C.
- L2 = 8" X 12" CONCRETE LINTEL C/W  
1-10M BOTTOM BAR +  
10M STIRRUPS @ MAX. 6" O.C.
- L3 = 8" X 22" CONCRETE LINTEL C/W  
1-10M BOTTOM BAR +  
10M STIRRUPS @ MAX. 11" O.C.
- L4 = 8" X 22" CONCRETE LINTEL C/W  
2-15M BOTTOM BAR +  
10M STIRRUPS @ MAX. 11" O.C.

design | planning | interiors | construction

1607-30 Charles st W | Toronto ON M4Y 1R5

t: (416) 528-1877 | e: mmacneill.mds@gmail.com

www.macneilldesignservices.com

The undersigned has reviewed and takes the responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.

QUALIFICATION INFORMATION

Required unless design is exempt under 2.17.5.1 of the building code

Michael MacNeill *Michael MacNeill* 47264  
NAME SIGNATURE BCIN

REGISTRATION INFORMATION

Required unless design is exempt under 2.17.5.1 of the building code

MacNeill Design Services 112901  
FIRM NAME BCIN

client  
Private Client

project  
Glen Morris Addition  
Private Address

The drawings and written material herein constitute original work of the designer, and as intellectual property and instruments of service, are subject to copyright and may not be reproduced, distributed, published or used in any way without the express written consent of the architect.

revisions

1 Issued for Permit 2021-05-01

title  
Floor Plans

project number 21002

date 2021-01-07

sheet

A1.02

1 Basement  
1 : 50