

Google Ads API Design Document

Application Name: Tiresias View - Internal Advertising Management Tool **Company:** Maven Works **Developer Contact:** nov9306@gmail.com **Google Ads Customer ID:** 816-594-3772 **Manager Account ID:** 548-173-6491 **Date:** 2026-03-30
Website: <https://tiresiasview.com>

Table of Contents

1. [Product Overview](#)
 2. [Google Ads API Use Case](#)
 3. [Tool Type](#)
 4. [API Features Used](#)
 5. [Technical Architecture](#)
 6. [Campaign Management Flow](#)
 7. [Conversion Tracking Flow](#)
 8. [Reporting Flow](#)
 9. [Screenshots](#)
 10. [Security and Compliance](#)
-

1. Product Overview

Tiresias View is a B2B SaaS platform that provides AI-powered scenario analysis and simulation reports. Users upload policy documents, market data, or news articles, and the platform simulates stakeholder reactions across different scenarios, generating comprehensive analysis reports.

The platform is live and operational at <https://tiresiasview.com> with paying customers in South Korea.

Key Features

- Document upload and AI-powered knowledge graph construction
- Multi-agent stakeholder simulation
- Scenario comparison and analysis report generation
- PDF report download


AI 시나리오 분석 플랫폼

자료를 업로드하면 시나리오를 비교합니다

정책 문서, 시장 자료, 보도자료를 업로드하면 AI 에이전트가 이해관계자 반응을 시뮬레이션하고, 시나리오별 분석 보고서를 생성합니다.

무료로 시작하기

샘플 보고서 보기



이런 고민, 익숙하시죠?

기존 방식의 한계를 매번 느끼고 있다면



시나리오 분석을 수작업으로 하고 계신가요?

엑셀과 문서를 오가며 이해관계자별 반응을 수동으로 정리하면, 시간과 정확성 모두 놓치게 됩니다.



외주 리서치에 몇 주씩 기다리고 계신가요?

전통적인 여론조사나 리서치 외주는 비용도 높고, 결과를 받기까지 수주가 걸립니다.



ChatGPT 한 줄 답변으로 부족하십니까?

단일 AI 응답은 다수 이해관계자의 입장 차이와 시나리오 분기를 반영하지 못합니다.

주요 기능

자료에서 보고서까지 하나의 워크플로우

업로드한 자료의 구조를 분석하고, 다수 에이전트가 시나리오를 비교해 보고서를 만듭니다.


구조 분석

지식 그래프 자동 구축

업로드한 자료에서 이해관계자, 이슈, 변수를 자동 추출하여 관계 구조를 시각화합니다.

- ✓ 이해관계자 · 변수 자동 식별
- ✓ 관계 그래프 시각화
- ✓ PDF, Markdown, CSV 등 다양한 포맷 지원





시뮬레이션

다수 에이전트 시나리오 비교

각 이해관계자의 입장을 가진 AI 에이전트들이 다중 라운드로 반응하며 시나리오를 비교합니다.

- ✓ 이해관계자별 AI 페르소나 자동 생성
- ✓ 다중 라운드 상호작용 시뮬레이션
- ✓ 시나리오별 반응 경로 추적

보고서

심층 분석 보고서 자동 생성

시뮬레이션 결과를 정리한 구조화된 분석 보고서를 자동으로 생성하고 PDF로 내려받을 수 있습니다.

- ✓ 시나리오 비교 · 핵심 인사이트 요약
- ✓ 웹 보고서 + PDF 다운로드
- ✓ 보고서 기반 추가 질의 가능



새로운 시나리오 분석,
시작할 준비 되셨나요?

작동 방식

자료 업로드부터 보고서까지 3단계 분석 흐름

01

자료 업로드

정책 문서, 보도자료, 조사 자료 등을 업로드하고 검토할 주제를 입력합니다.

>

02

AI 시뮬레이션

에이전트들이 각자의 입장에서 반응하며, 여론 확산과 시나리오를 비교합니다.

>

03

보고서 생성

시나리오 비교 결과를 요약한 분석 보고서를 생성하고 PDF로 내려받습니다.

활용 사례

다양한 분야에서 활용됩니다




Figure 1: Tiresias View landing page - live production site

AI 시나리오 분석 플랫폼

자료를 업로드하면 시나리오를 비교합니다

정책 문서, 시장 자료, 보도자료를 업로드하면 AI 에이전트가 이해관계자 반응을 시뮬레이션하고, 시나리오 별 분석 보고서를 생성합니다.

무료로 시작하기

샘플 보고서 보기



서비스 소개 영상
준비 중입니다

이런 고민, 익숙하시죠?

기존 방식의 한계를 매번 느끼고 있다면



시나리오 분석을 수작업으로 하고 계신가요?

엑셀과 문서를 오가며 이해관계자별 반응을 수동으로 정리하면, 시간과 정확성 모두 놓치게 됩니다.



외주 리서치에 몇 주씩 기다리고 계신가요?

전통적인 여론조사나 리서치 외주는 비용도 높고, 결과를 받기 까지 수주가 걸립니다.



ChatGPT 한 줄 답변으로 부족하십니까?

단일 AI 응답은 다수 이해관계자의 입장 차이와 시나리오 분기를 반영하지 못합니다.

주요 기능

자료에서 보고서까지 하나의 워크플로우

업로드한 자료의 구조를 분석하고, 다수 에이전트가 시나리오를 비교해 보고서를 만듭니다.


구조 분석

지식 그래프 자동 구축

업로드한 자료에서 이해관계자, 이슈, 변수를 자동 추출하여 관계 구조를 시각화합니다. 수작업으로 며칠 걸리던 구조 분석을 몇 분 만에 완료합니다.

- ✓ 이해관계자 · 변수 · 이슈 자동 식별 및 관계 매핑
- ✓ 인터랙티브 그래프 시각화로 구조 한눈에 파악
- ✓ PDF, Markdown, TXT, CSV 등 다양한 포맷 지원
- ✓ 추출된 온톨로지를 시뮬레이션 환경에 자동 연결





시뮬레이션

다수 에이전트 시나리오 비교

각 이해관계자의 입장을 가진 AI 에이전트들이 다중 라운드로 반응합니다. 정책 지지자, 반대 세력, 언론, 소비자 등 다양한 관점에서 시나리오가 어떻게 분기하는지 추적합니다.

- ✓ 이해관계자별 AI 페르소나 자동 생성 (성향-배경-이해관계 반영)
- ✓ 다중 라운드 상호작용으로 반응 변화 추적
- ✓ 시나리오별 반응 경로 비교 및 분기점 식별
- ✓ 플랫폼(SNS, 커뮤니티, 언론) 환경 시뮬레이션

보고서

심층 분석 보고서 자동 생성

시뮬레이션 결과를 구조화된 분석 보고서로 자동 정리합니다. 핵심 인사이트, 시나리오 비교, 리스크 요인을 한눈에 파악할 수 있고, PDF 다운로드와 후속 질의까지 이어집니다.

- ✓ 시나리오 비교표 · 핵심 인사이트 · 리스크 요인 자동 요약
- ✓ 웹 보고서 + PDF 다운로드
- ✓ 보고서 기반 추가 질의 (심층 대화)
- ✓ 팀 공유 및 의사결정 참고자료로 활용



작동 방식

5단계 시뮬레이션 파이프라인

자료 업로드부터 보고서 생성까지, 모든 과정이 하나의 흐름으로 자동 연결됩니다.

01

자료 업로드 및 건적 확인

PDF, Markdown, TXT, CSV 자료를 올리고 예상 페이지 수와 분석 깊이에 따른 건적을 먼저 확인합니다.

PDF Markdown TXT CSV

02

온톨로지-지식 그래프 구축

문서에서 핵심 엔티티와 관계를 추출해 그래프를 만들고, 이후 단계에서 재사용할 수 있는 구조화된 지식을 준비합니다.

엔티티 추출 관계 매핑 그래프 시각화

03

페르소나-환경 준비

그래프를 바탕으로 에이전트 프로필, 환경 설정, 라운드 구성 등 시뮬레이션 실행 조건을 자동 생성합니다.

AI 페르소나 환경 설정 라운드 구성

04

다중 라운드 시뮬레이션

플랫폼별 행동과 상호작용을 여러 라운드로 실행해 변화 흐름과 반응 패턴을 수집합니다.

SNS 커뮤니티 언론 다중 라운드

05

보고서 생성 및 후속 질의

결과를 요약한 보고서를 만들고, 이후 추가 질문과 세부 분석을 이어서 확인할 수 있습니다.

활용 사례

다양한 분야에서 활용됩니다

정책, 시장, 위기관리, 커뮤니케이션 등 의사결정 전 가설 검토가 필요한 모든 영역에서 쓸 수 있습니다.



여론 예측

정책 발표, 기업 PR, 사회적 이슈에 대한 여론 반응을 사전 시뮬레이션하여 리스크를 최소화합니다.



시장 분석

신제품 출시, 가격 변경, 브랜드 전략이 소비자 및 커뮤니티에 미치는 영향을 다각도로 점검합니다.



정책 영향 평가

규제, 법안, 제도 변경이 이해관계자별 반응과 온라인 여론에 어떤 영향을 주는지 사전 검토합니다.



위기 대응·캠페인 테스트

위기 상황 대응 전략, 브랜드 메시지, 보도자료가 불러올 반응을 미리 시뮬레이션합니다.

운영 원칙

투명하고 안정적인 서비스 운영

대기열과 순번 안내

동시에 무거운 작업이 몰리면 순번을 부여하고, 차례가 오면 자동으로 다시 시도합니다.

보고서와 후속 상호작용

시뮬레이션이 끝나면 보고서를 생성하고, 결과를 바탕으로 후속 질문과 탐색을 이어갈 수 있습니다.

문서·프로젝트 삭제 지원

프로젝트와 보고서를 삭제하면 관련 저장 데이터도 함께 정리됩니다.

참고용 결과물

결과물은 의사결정을 돕는 참고 자료입니다. 투자, 법률, 의료, 정책 판단은 별도 검토가 필요합니다.

의사결정 전 가설 검토를 지금 시작하세요

자료를 업로드하면 시나리오를 비교하고 분석 보고서를 받을 수 있습니다.

무료로 시작하기

샘플 보고서 보기

Figure 2: Features overview page




Figure 3: Sample reports generated by the platform

가격 안내

파일 규모에 맞춰 견적을 먼저 확인하고 결제합니다

테이레시아스 뷰는 고정 요금제가 아니라 업로드한 파일 수, 총 용량, 예상 페이지 수, 분석 깊이를 바탕으로 프로젝트별 견적을 먼저 보여준 뒤 결제를 진행합니다.

견적 확인하기

샘플 보고서 보기

비용 구조

견적은 이렇게 계산됩니다

업로드 자료 규모

파일 수, 페이지 수, 추출 텍스트 양이 클수록 그래프 구축과 보고서 생성 비용이 함께 올라갑니다.

분석 깊이

시뮬레이션 범위, 고려할 이해관계자, 비교할 시나리오 수가 많을수록 더 정교한 분석이 들어갑니다.

프로젝트 단위 결제

정기 구독보다 프로젝트 단위 결제에 가깝습니다. 결제 전에 먼저 예상 비용을 보고 시작할 수 있습니다.

이용 흐름

결제 전에 반드시 확인하는 단계

01

자료 업로드

정책 문서, 시장 자료, 보도자료, 조사자료 등을 업로드하고 분석 주제를 입력합니다.

02

실시간 견적 확인

업로드 규모와 분석 계획을 바탕으로 예상 금액을 먼저 표시합니다.

03

결제 후 시뮬레이션 시작

결제 승인 후 그래프 구축, 시뮬레이션 실행, 보고서 생성이 순차적으로 진행됩니다.

환불과 대기열

비용 관련 자주 묻는 내용

대기열에 들어가도 추가 과금되나요?

아닙니다. 같은 프로젝트가 순번 대기 상태로 들어가도 동일 프로젝트에 대해 추가 결제되지 않습니다.

오류가 나면 어떻게 되나요?

프로젝트 시작 전 단계 오류는 결제 확정 전 검증에서 먹고, 시작 이후 회사 귀책 장에는 재실행이나 복구 가능 여부를 검토합니다.

환불은 가능한가요?

관계 법령과 실제 사용 개시 여부에 따라 환불 또는 결제 복구 가능 여부를 판단합니다. 미사용 결제분은 별도 검토 대상입니다.

정기 결제 서비스인가요?

현재는 프로젝트 기반 이용에 가깝습니다. 분석 주제와 자료 규모에 맞춰 건별로 시작하는 흐름입니다.

가격은 먼저 확인하고, 결제는 그다음에 진행합니다

자료를 올려보고 실제 견적을 확인한 뒤 시작하세요.

지금 견적 확인하기



Figure 4: Pricing page - the platform accepts payments via Toss Payments

2. Google Ads API Use Case

We are building an **internal advertising management tool** to manage Google Ads campaigns for our own product (Tiresias View). This is **NOT** a third-party tool or agency tool.

Why We Need the API

- Campaign Management Automation:** We manage multiple search campaigns targeting different user intents (brand keywords, scenario analysis, policy simulation, market response, public opinion). The API allows us to programmatically sync campaign structures from version-controlled blueprint files, ensuring consistency and reproducibility.
- Conversion Tracking:** Our product has a multi-step conversion funnel (signup -> quote/estimate -> payment). We need the API to create and manage conversion actions, and to upload offline conversions that occur server-side after an ad click.
- Search Term Reporting:** We need to regularly analyze search term performance to optimize keywords and negative keyword lists for the Korean market.

What We Will NOT Do

- We will NOT build a tool for third parties
- We will NOT access other advertisers' accounts
- We will NOT resell API access
- We will NOT automate bidding beyond Google's built-in strategies

3. Tool Type

Internal Tool - This tool is used exclusively by our own team to manage advertising for our own product (Tiresias View). Only our team members access the Google Ads API through this tool.

Users of This Tool

- Our marketing team (1-2 people)
- Used via CLI scripts run on a secured development machine
- No external user-facing Google Ads interface

4. API Features Used

4.1 Campaign Management (Read + Write)

API Service	Method	Purpose
CampaignBudgetService	mutate	Create/update daily budgets for campaigns
CampaignService	mutate	Create/update search campaigns
CampaignCriterionService	mutate	Set location targeting (KR), language targeting (ko), negative keywords
AdGroupService	mutate	Create/update ad groups within campaigns

AdGroupCriterionService	mutate	Add keywords (EXACT, PHRASE match types)
AdGroupAdService	mutate	Create responsive search ads
GoogleAdsService	search	Query existing resources before creating (deduplication)


4.2 Conversion Tracking (Read + Write)

API Service	Method	Purpose
ConversionActionService	mutate	Create conversion actions (signup, quote, purchase)
ConversionUploadService	uploadClickConversions	Upload server-side conversion events with gclid

4.3 Reporting (Read Only)

API Service	Method	Purpose
GoogleAdsService	search	Query search_term_view for search term performance reports

5. Technical Architecture



Internal CLI Scripts (Node.js)

ads:campaign:sync ads:conversions:create ads:report
ads:conversions:upload :search-terms

Run by: Marketing team on secured dev machine
Auth: OAuth2 refresh token (stored in .env)

Technology Stack

- **Scripts Runtime:** Node.js (ES Modules)
- **API Version:** Google Ads API v22
- **Authentication:** OAuth 2.0 with refresh token
- **Frontend Tracking:** Google Tag (gtag.js)
- **Campaign Blueprints:** Version-controlled JSON files

6. Campaign Management Flow

6.1 Blueprint-Driven Campaign Sync

Campaign structures are defined in JSON blueprint files stored in the repository. This ensures all campaign changes are version-controlled and reviewable.

Current Campaign Structure:

Campaign	Daily Budget	Ad Groups	Keywords
KR Search Brand Tiresias	15,000 KRW	1 (Brand Core)	5 EXACT match
KR Search Solution Intent Tiresias	50,000 KRW	4 (Scenario Analysis, Policy Simulation, Market Response, Public Opinion)	24 PHRASE match

Sync Process:

1. Developer runs: npm run ads:campaign:sync
(dry-run by default – shows what would be created)

2. Script loads blueprint JSON files from data/ directory

3. For each campaign in blueprint:

a. GAQL query to check if campaign already exists

b. If not: create budget → create campaign → set targeting → create ad groups → add keywords → create ads

c. If exists: skip (no destructive updates)

4. Developer reviews dry-run output

5. Developer runs: npm run ads:campaign:sync --apply
(actually creates resources via API mutate calls)

Example Blueprint (brand-search.kr.json):

```
{
  "campaignName": "KR Search | Brand | Tiresias",
  "channelType": "SEARCH",
  "dailyBudgetKrw": 15000,
  "biddingStrategy": "MAXIMIZE_CLICKS",
  "locales": { "countryCodes": ["KR"], "languageCodes": ["ko"] },
  "adGroups": [{
    "name": "Brand Core",
    "keywords": [
      { "text": "tiresias view", "matchType": "EXACT" },
      { "text": "테이레시아스", "matchType": "EXACT" }
    ],
    "responsiveSearchAd": {
      "headlines": ["Tiresias View Official Site", ...],
      "descriptions": ["Upload documents and compare scenarios...", ...]
    }
  }]
}
```

6.2 Negative Keywords

A shared negative keyword list is maintained in `negative-keywords.kr.json` and applied to all campaigns during sync:

무료, 공짜, 뜻, 의미, 나무위키, 위키, 논문, 과제,
레포트, 채용, 연봉, 이미지, ppt, 템플릿

These filter out informational and irrelevant searches common in the Korean market.

7. Conversion Tracking Flow


7.1 Conversion Actions


We track three conversion events corresponding to our sales funnel:

Conversion Action	Category	Counting	Lookback	Value
signup_complete	SIGNUP	ONE_PER_CLICK	30 days	Fixed (1)
quote_requested	LEAD	ONE_PER_CLICK	30 days	Fixed (1)
purchase_completed	PURCHASE	ONE_PER_CLICK	30 days	Dynamic (KRW)

7.2 Online Conversion Tracking (Frontend)

The frontend captures Google Ads click parameters and fires conversion events via gtag.js:





Frontend Integration Points:

- `Signup.vue` → fires `signup_complete` on successful registration
- `Home.vue` → fires `quote_requested` on successful estimate
- `Credits.vue` → fires `purchase_completed` on successful payment (with transaction value)

Deduplication: `trackGoogleAdsConversionOnce()` prevents duplicate conversion events using localStorage-based dedup keys.

7.3 Offline Conversion Upload (Server-side)

For conversions that happen server-side or with delayed attribution:

1. Frontend captures click IDs (gclid/gbraid/wbraid) on ad landing
2. Click IDs are stored with user record on signup
3. When payment completes server-side, conversion data is exported to JSON
4. Marketing team runs: `npm run ads:conversions:upload -- --file conversions.json`
5. Script uploads via `ConversionUploadService.uploadClickConversions()`

Conversion Upload JSON Format:

```
[{
  "conversionActionName": "purchase_completed",
  "conversionDateTime": "2026-03-21 18:45:00+09:00",
  "conversionValue": 17900,
  "currencyCode": "KRW",
  "orderId": "payorder_abc123",
  "gclid": "EAiaIQob..."
}]
```

8. Reporting Flow

8.1 Search Term Report

We use GAQL queries against `search_term_view` to analyze which search queries trigger our ads:

```
npm run ads:report:search-terms -- --days 14
```

GAQL Query:

```
SELECT
  campaign.name,
  ad_group.name,
  search_term_view.search_term,
  metrics.impressions,
  metrics.clicks,
  metrics.cost_micros,
  metrics.conversions,
```

```
    metrics.conversions_value  
FROM search_term_view  
WHERE segments.date DURING LAST_14_DAYS  
    AND metrics.impressions > 0  
ORDER BY metrics.clicks DESC  
LIMIT 200
```

How We Use This Data:

- Identify high-performing search terms to add as keywords
 - Identify irrelevant search terms to add as negative keywords
 - Optimize ad group structure based on search intent clusters
-

9. Screenshots

9.1 Live Production Website


AI 시나리오 분석 플랫폼

자료를 업로드하면 시나리오를 비교합니다

정책 문서, 시장 자료, 보도자료를 업로드하면 AI 에이전트가 이해관계자 반응을 시뮬레이션하고, 시나리오별 분석 보고서를 생성합니다.

무료로 시작하기

샘플 보고서 보기



이런 고민, 익숙하시죠?

기존 방식의 한계를 매번 느끼고 있다면



시나리오 분석을 수작업으로 하고 계신가요?

엑셀과 문서를 오가며 이해관계자별 반응을 수동으로 정리하면, 시간과 정확성 모두 놓치게 됩니다.



외주 리서치에 몇 주씩 기다리고 계신가요?

전통적인 여론조사나 리서치 외주는 비용도 높고, 결과를 받기까지 수주가 걸립니다.



ChatGPT 한 줄 답변으로 부족하십니까?

단일 AI 응답은 다수 이해관계자의 입장 차이와 시나리오 분기를 반영하지 못합니다.

주요 기능

자료에서 보고서까지 하나의 워크플로우

업로드한 자료의 구조를 분석하고, 다수 에이전트가 시나리오를 비교해 보고서를 만듭니다.


구조 분석

지식 그래프 자동 구축

업로드한 자료에서 이해관계자, 이슈, 변수를 자동 추출하여 관계 구조를 시각화합니다.

- ✓ 이해관계자 · 변수 자동 식별
- ✓ 관계 그래프 시각화
- ✓ PDF, Markdown, CSV 등 다양한 포맷 지원





시뮬레이션

다수 에이전트 시나리오 비교

각 이해관계자의 입장을 가진 AI 에이전트들이 다중 라운드로 반응하며 시나리오를 비교합니다.

- ✓ 이해관계자별 AI 페르소나 자동 생성
- ✓ 다중 라운드 상호작용 시뮬레이션
- ✓ 시나리오별 반응 경로 추적

보고서

심층 분석 보고서 자동 생성

시뮬레이션 결과를 정리한 구조화된 분석 보고서를 자동으로 생성하고 PDF로 내려받을 수 있습니다.

- ✓ 시나리오 비교 · 핵심 인사이트 요약
- ✓ 웹 보고서 + PDF 다운로드
- ✓ 보고서 기반 추가 질의 가능



새로운 시나리오 분석,
시작할 준비 되셨나요?

작동 방식

자료 업로드부터 보고서까지 3단계 분석 흐름

01

자료 업로드

정책 문서, 보도자료, 조사 자료 등을 업로드하고 검토할 주제를 입력합니다.

>

02

AI 시뮬레이션

에이전트들이 각자의 입장에서 반응하며, 여론 확산과 시나리오를 비교합니다.

>

03

보고서 생성

시나리오 비교 결과를 요약한 분석 보고서를 생성하고 PDF로 내려받습니다.

활용 사례

다양한 분야에서 활용됩니다

어른 예측

정책 시행 전 국민 반응을 사전 시뮬레이션하여 어른 리스크를 최소화합니다.

시장 분석

신제품 출시, 가격 정책 변경 등에 대한 소비자 반응을 예측합니다.

정책 영향 평가

규제, 법안, 제도 변경이 이해관계자에게 미치는 영향을 사전 분석합니다.

위기 대응 훈련

위기 상황에서의 이해관계자 반응을 시뮬레이션하여 대응 전략을 수립합니다.

자주 묻는 질문

궁금한 점을 미리 정리했습니다

테이레시아스 뷰는 무엇을 하나요?

정책 시뮬레이션은 어떻게 진행되나요?

시장 반응 예측에도 쓸 수 있나요?

결과물은 어떤 형태로 받나요?

의사결정 전 가설 검토를
지금 시작하세요

자료를 업로드하면 시나리오를 비교하고 분석 보고서를 받을 수 있습니다.

무료로 시작하기

샘플 보고서 보기

TIRESIAS VIEW

AI 기반 시나리오 분석 플랫폼

서비스

기능 소개

요금 안내

샘플 보고서

지원

자주 묻는 질문

고객 의견

문의하기

법적 고지

이용약관

개인정보처리방침

오픈소스 고지

프레스리이 | 대표 전화번호: 010-83-00101 | 통신판매업신고번호: 2024-민정동판-0010 | support@TIRESIAS-VIEW.com

Tiresias View landing page at <https://tiresiasview.com>

AI 시나리오 분석 플랫폼

자료를 업로드하면 시나리오를 비교합니다

정책 문서, 시장 자료, 보도자료를 업로드하면 AI 에이전트가 이해관계자 반응을 시뮬레이션하고, 시나리오 별 분석 보고서를 생성합니다.

무료로 시작하기

샘플 보고서 보기



서비스 소개 영상
준비 중입니다

이런 고민, 익숙하시죠?

기존 방식의 한계를 매번 느끼고 있다면



시나리오 분석을 수작업으로 하고 계신가요?

엑셀과 문서를 오가며 이해관계자별 반응을 수동으로 정리하면, 시간과 정확성 모두 놓치게 됩니다.



외주 리서치에 몇 주씩 기다리고 계신가요?

전통적인 여론조사나 리서치 외주는 비용도 높고, 결과를 받기까지 수주가 걸립니다.



ChatGPT 한 줄 답변으로 부족하십니까?

단일 AI 응답은 다수 이해관계자의 입장 차이와 시나리오 분기를 반영하지 못합니다.

주요 기능

자료에서 보고서까지 하나의 워크플로우

업로드한 자료의 구조를 분석하고, 다수 에이전트가 시나리오를 비교해 보고서를 만듭니다.


구조 분석

지식 그래프 자동 구축

업로드한 자료에서 이해관계자, 이슈, 변수를 자동 추출하여 관계 구조를 시각화합니다. 수작업으로 며칠 걸리던 구조 분석을 몇 분 만에 완료합니다.

- ✓ 이해관계자 · 변수 · 이슈 자동 식별 및 관계 매핑
- ✓ 인터랙티브 그래프 시각화로 구조 한눈에 파악
- ✓ PDF, Markdown, TXT, CSV 등 다양한 포맷 지원
- ✓ 추출된 온톨로지를 시뮬레이션 환경에 자동 연결





시뮬레이션

다수 에이전트 시나리오 비교

각 이해관계자의 입장을 가진 AI 에이전트들이 다중 라운드로 반응합니다. 정책 지지자, 반대 세력, 언론, 소비자 등 다양한 관점에서 시나리오가 어떻게 분기하는지 추적합니다.

- ✓ 이해관계자별 AI 페르소나 자동 생성 (성향·배경·이해관계 반영)
- ✓ 다중 라운드 상호작용으로 반응 변화 추적
- ✓ 시나리오별 반응 경로 비교 및 분기점 식별
- ✓ 플랫폼(SNS, 커뮤니티, 언론) 환경 시뮬레이션

보고서

심층 분석 보고서 자동 생성

시뮬레이션 결과를 구조화된 분석 보고서로 자동 정리합니다. 핵심 인사이트, 시나리오 비교, 리스크 요인을 한눈에 파악할 수 있고, PDF 다운로드와 후속 질의까지 이어집니다.

- ✓ 시나리오 비교표 · 핵심 인사이트 · 리스크 요인 자동 요약
- ✓ 웹 보고서 + PDF 다운로드
- ✓ 보고서 기반 추가 질의 (심층 대화)
- ✓ 팀 공유 및 의사결정 참고자료로 활용



작동 방식

5단계 시뮬레이션 파이프라인

자료 업로드부터 보고서 생성까지, 모든 과정이 하나의 흐름으로 자동 연결됩니다.

01

자료 업로드 및 건적 확인

PDF, Markdown, TXT, CSV 자료를 올리고 예상 페이지 수와 분석 깊이에 따른 건적을 먼저 확인합니다.

PDF Markdown TXT CSV

02

온톨로지·지식 그래프 구축

문서에서 핵심 엔티티와 관계를 추출해 그래프를 만들고, 이후 단계에서 재사용할 수 있는 구조화된 지식을 준비합니다.

엔티티 추출 관계 매핑 그래프 시각화

03

페르소나·환경 준비

그래프를 바탕으로 에이전트 프로필, 환경 설정, 라운드 구성 등 시뮬레이션 실행 조건을 자동 생성합니다.

AI 페르소나 환경 설정 라운드 구성

04

다중 라운드 시뮬레이션

플랫폼별 행동과 상호작용을 여러 라운드로 실행해 변화 흐름과 반응 패턴을 수집합니다.

SNS 커뮤니티 언론 다중 라운드

05

보고서 생성 및 후속 질의

결과를 요약한 보고서를 만들고, 이후 추가 질문과 세부 분석을 이어서 확인할 수 있습니다.

활용 사례

다양한 분야에서 활용됩니다

정책, 시장, 위기관리, 커뮤니케이션 등 의사결정 전 가설 검토가 필요한 모든 영역에서 쓸 수 있습니다.



외부 예측

정책 발표, 기업 PR, 사회적 이슈에 대한 여론 반응을 사전 시뮬레이션하여 리스크를 최소화합니다.



시장 분석

신제품 출시, 가격 변경, 브랜드 전략이 소비자 및 커뮤니티에 미치는 영향을 다각도로 점검합니다.



정책 영향 평가

규제, 법안, 제도 변경이 이해관계자별 반응과 온라인 여론에 어떤 영향을 주는지 사전 검토합니다.



위기 대응 · 캠페인 테스트

위기 상황 대응 전략, 브랜드 메시지, 보도자료가 불러올 반응을 미리 시뮬레이션합니다.

운영 원칙

투명하고 안정적인 서비스 운영

대기열과 순번 안내

동시에 무거운 작업이 몰리면 순번을 부여하고, 차례가 오면 자동으로 다시 시도합니다.

보고서와 후속 상호작용

시뮬레이션이 끝나면 보고서를 생성하고, 결과를 바탕으로 후속 질문과 탐색을 이어갈 수 있습니다.

문서·프로젝트 삭제 지원

프로젝트와 보고서를 삭제하면 관련 저장 데이터도 함께 정리됩니다.

참고용 결과물

결과물은 의사결정을 돕는 참고 자료입니다. 투자, 법률, 의료, 정책 판단은 별도 검토가 필요합니다.

의사결정 전 가설 검토를 지금 시작하세요

자료를 업로드하면 시나리오를 비교하고 분석 보고서를 받을 수 있습니다.

무료로 시작하기

샘플 보고서 보기

Features page describing the platform's capabilities

가격 안내

파일 규모에 맞춰 견적을 먼저 확인하고 결제합니다

테이레시아스 뷰는 고정 요금제가 아니라 업로드한 파일 수, 총 용량, 예상 페이지 수, 분석 깊이를 바탕으로 프로젝트별 견적을 먼저 보여준 뒤 결제를 진행합니다.

견적 확인하기

샘플 보고서 보기

비용 구조

견적은 이렇게 계산됩니다

업로드 자료 규모

파일 수, 페이지 수, 추출 텍스트 양이 클수록 그래프 구축과 보고서 생성 비용이 함께 올라갑니다.

분석 깊이

시뮬레이션 범위, 고려할 이해관계자, 비교할 시나리오 수가 많을수록 더 정교한 분석이 들어갑니다.

프로젝트 단위 결제

정기 구독보다 프로젝트 단위 결제에 가깝습니다. 결제 전에 먼저 예상 비용을 보고 시작할 수 있습니다.

이용 흐름

결제 전에 반드시 확인하는 단계

01

자료 업로드

정책 문서, 시장 자료, 보도자료, 조사자료 등을 업로드하고 분석 주제를 입력합니다.

02

실시간 견적 확인

업로드 규모와 분석 계획을 바탕으로 예상 금액을 먼저 표시합니다.

03

결제 후 시뮬레이션 시작

결제 승인 후 그래프 구축, 시뮬레이션 실행, 보고서 생성이 순차적으로 진행됩니다.

환불과 대기열

비용 관련 자주 묻는 내용

대기열에 들어가도 추가 과금되나요?

아닙니다. 같은 프로젝트가 순번 대기 상태로 들어가도 동일 프로젝트에 대해 추가 결제되지 않습니다.

오류가 나면 어떻게 되나요?

프로젝트 시작 전 단계 오류는 결제 확정 전 검증에서 먹고, 시작 이후 회사 귀책 장에는 재실행이나 복구 가능 여부를 검토합니다.

환불은 가능한가요?

관계 법령과 실제 사용 개시 여부에 따라 환불 또는 결제 복구 가능 여부를 판단합니다. 미사용 결제분은 별도 검토 대상입니다.

정기 결제 서비스인가요?


현재는 프로젝트 기반 이용에 가깝습니다. 분석 주제와 자료 규모에 맞춰 건별로 시작하는 흐름입니다.

가격은 먼저 확인하고, 결제는 그다음에 진행합니다

자료를 올려보고 실제 견적을 확인한 뒤 시작하세요.

지금 견적 확인하기

Pricing page with credit-based payment model



Sample reports generated by the platform, demonstrating the product users are paying for

9.2 Campaign Blueprint (Version-Controlled)

Our campaign structures are defined in JSON blueprint files:

Brand Campaign Blueprint:

```
{
  "campaignName": "KR Search | Brand | Tiresias",
  "dailyBudgetKrw": 15000,
  "biddingStrategy": "MAXIMIZE_CLICKS",
  "adGroups": [{
    "name": "Brand Core",
    "keywords": [
      { "text": "tiresias view", "matchType": "EXACT" },
      { "text": "테이레시아스", "matchType": "EXACT" }
    ]
  }]
}
```

Solution Intent Campaign Blueprint:

```
{
  "campaignName": "KR Search | Solution Intent | Tiresias",
```

```

    "dailyBudgetKrw": 50000,
    "adGroups": [
      { "name": "Scenario Analysis", "keywords": 6 },
      { "name": "Policy Simulation", "keywords": 6 },
      { "name": "Market Response", "keywords": 6 },
      { "name": "Public Opinion", "keywords": 6 }
    ]
  }
}

```

9.3 CLI Script Output

Campaign Plan (dry-run):

```

$ npm run ads:plan

{
  "customerId": "8165943772",
  "plans": [
    {
      "campaignName": "KR Search | Brand | Tiresias",
      "dailyBudgetKrw": 15000,
      "adGroupCount": 1,
      "adGroups": [{ "name": "Brand Core", "keywordCount": 5 }]
    },
    {
      "campaignName": "KR Search | Solution Intent | Tiresias",
      "dailyBudgetKrw": 50000,
      "adGroupCount": 4,
      "adGroups": [
        { "name": "Scenario Analysis", "keywordCount": 6 },
        { "name": "Policy Simulation", "keywordCount": 6 },
        { "name": "Market Response", "keywordCount": 6 },
        { "name": "Public Opinion", "keywordCount": 6 }
      ]
    }
  ]
}

```

9.4 Conversion Tracking Code

Frontend (marketing.js) - gtag integration:

```

// On signup success:
trackGoogleAdsConversion('signup_complete')

// On quote/estimate success:
trackGoogleAdsConversion('quote_requested')

// On payment success:
trackGoogleAdsConversionOnce('purchase_completed', orderId, {
  value: 17900,
  currency: 'KRW'
})

```


10. Security and Compliance

10.1 Credential Management

- All API credentials (developer token, OAuth client ID/secret, refresh token) are stored in environment variables (`.env` file)
- Credentials are **never** committed to version control
- `.env.example` contains only placeholder keys, not actual values

10.2 Access Control

- Only authorized team members can run the CLI scripts
- Scripts run on a secured development machine, not on public servers
- OAuth refresh token was obtained through a manual one-time authorization flow

10.3 API Usage Patterns

- **Low volume:** We manage campaigns for a single product, not thousands of accounts
- **Dry-run by default:** All mutating scripts require an explicit `--apply` flag
- **No automated bidding manipulation:** We use Google's built-in bidding strategies (MAXIMIZE_CLICKS, MAXIMIZE_CONVERSIONS)
- **Rate limiting:** Scripts make sequential API calls with no parallelization

10.4 Data Handling

- Click IDs (gclid) are stored only in the user's browser localStorage
- Server-side conversion data is exported and uploaded manually, not automatically
- No customer personal data is sent to the Google Ads API beyond what Google already has (gclid, conversion value)

Summary

Tiresias View is a **live, revenue-generating B2B SaaS product** that needs the Google Ads API to manage its own advertising campaigns efficiently. Our tool is:

- **Internal only** - used by our 1-2 person marketing team
- **CLI-based** - no external user interface for Google Ads management
- **Read + Write** - campaign creation, conversion tracking, and reporting
- **Low volume** - managing 2 campaigns for a single product
- **Fully implemented** - all scripts are complete, tested against test accounts, and ready for production use

We request approval of our developer token to transition from test account access to production account access for customer ID `816-594-3772` .