Visoka škola strukovnih studija za informacione i komunikacione tehnologije u Beogradu

Dokumentacija za sajt Kaya Blog https://lazarmarojkin.000webhostapp.com/

> Predmet: Praktikum PHP Autor: Lazar Marojkin 346/17

Sadržaj:

- 1. Uvod
 - 1.1. Korišćeni programski jezici
 - 1.2. Opis funkcionalnosti
 - 1.3. Template
 - 1.4. Korišćeni CSS
- 2. Organizacija
 - 2.1. Organizaciona šema
 - 2.2. Mapa sajta
 - 2.3. Stranice
- 3. Baza podataka
- 4. Kodovi
- 5. MVC

1. Uvod

Sajt je realizovan za potrebe predmeta Praktikum PHP koji se sluša na drugoj godini u Visokoj ICT školi.

1.1. Korišćeni jezici

- PHP
- AJAX
- JavaScript
- jQuery
- HTML5
- CSS3
- BOOTSTRAP
- JSON

1.2. Opis funkcionalnosti

- Dinamički dropdown meni realizovan PHP-om. Isti meni se ispisuje i u futeru, s' tim što je limitiran na 1 nivo.
- Slajder sastoji se iz slika sa opisima koji se učitavaju iz baze. Naslov slike koji postaje vidljiv dok je kursor unutar bloka sa slikom vodi na stranicu koja dinamički prikazuje sve informacije o tom proizvodu zajedno sa komentarima o istom.
- Prikaz 3 kategorije(index.php?page=home) I filtriranje proizvoda klikom na neki od njih. Takodje se mogu videte I svi proizvodi bez filtriranja na stranici index.php?page=archive gde je primenjena paginacija(AJAX).
- Blok About me koji se nalazi na početnoj stranici sadrži kratak opis autora sadržaja zajedno sa slikom. U futeru se nalazi link sa mojim imenom I prezimenom koji vodi ka linkedin stranici gde se nalaze moji osnovni podaci zbog čega sam to predvideo kao autor stranicu.
- Populated post(početna stranica) nalazi se na desnoj strain I prikazuje 5 proizvoda sortiranih po broju komentara I lajkova.
- Ispod dosadašnjeg sadržaja na početnoj stranici se nalazi blok sa slikama koji služi za reklamu Instagram profila.
- Paginacija primenjena na index.php?page=archive, prikazuje se 6 proizvoda po stranici, realizovana je putem AJAX+JSON.
- Klikom na određeni post, otvara se stranica sa tim postom koja se sastoji od slike, teksta I komentara.

- Registracija i logovanje realizovani PHP-om i AJAX-om. Ako je uneta pogresna sifra salje se poruka na mejl koji je unet za logovanje da je neko pokusao da se loguje sa pogresnim podacima.
- Kontakt forma realizovana PHP-om i AJAX-om, obuhvata proveru unetih podataka i na klijentskoj i na severskoj strani
- Anketa realizovana upotrebom AJAX-a i PHP-a, moze je videti samo ulogovan korisnik.
- Admin panel realizovan PHP-om i AJAX-om, moze mu pristupiti samo ulogovan korisnik koji ima ulogu admin-a.
- User panel realizovan PHP-om i AJAX-om, moze mu pristupiti samo ulogovan korisnik koji ima ulogu user-a.

1.3. Template

Za izradu sajta korišćen je free template preuzet sa https://colorlib.com/. Template je dosta izmenjen tokom rada na sajtu, pa će u nastavku biti dat print screen finalne verzije.

Kaya Blog



f w in to s

















Boil The Kettle And Make A Cup Of Tea Folks, This Is Going To Be A Big One!



































Kaya Blog

1.4. Korišćeni CSS

CSS kod je preuzet uz template.

```
:: Template Name: Yummy Blog - Food Blog Template
:: Template Author: Colorlib
:: Last Updated: 11-13-2017
/* ----- [Master Stylesheet] ------
:: 2.0 Top Header Area CSS
:: 3.0 Menu Area CSS
:: 4.0 Wellcome Area CSS
:: 5.0 Top Feature Area CSS
:: 6.0 Blog Area CSS
:: 7.0 Instagram Area CSS
:: 8.0 Footer Social Area CSS
:: 9.0 Goole Map Area CSS
:: 10.0 Sidebar Area CSS
:: 11.0 Breadcumb Area CSS
:: 12.0 Paginatio Area CSS
:: 14.0 Single Blog CSS
/* ***** Fonts ***** */
@import
url('https://fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700
|Quicksand:300,400,500,700|Shadows+Into+Light+Two');
/* **** Import CSS **** */
@import 'css/bootstrap/bootstrap.min.css';
@import 'css/others/animate.css';
@import 'css/others/magnific-popup.css';
@import 'css/others/meanmenu.min.css';
@import 'css/others/owl.carousel.min.css';
@import 'css/others/font-awesome.min.css';
@import 'css/others/pe-icon-7-stroke.css';
:: 1.0 Base CSS
```

```
margin: 0;
    padding: 0;
body {
    font-family: 'Poppins', sans-serif;
    position: relative;
    z-index: auto;
h1,
h2,
h3,
h4,
h5,
h6 {
    font-family: 'Quicksand', sans-serif;
    font-weight: 700;
    color: #232d37;
    line-height: 1.25;
p {
    color: #51545f;
    font-size: 16px;
.section_padding_100 {
    padding-top: 100px;
    padding-bottom: 100px;
.section_padding_100_70 {
    padding-top: 100px;
    padding-bottom: 70px;
.section padding 50 {
    padding-top: 50px;
    padding-bottom: 50px;
.section_padding_50_20 {
    padding-top: 50px;
    padding-bottom: 20px;
.section padding 150 {
```

```
padding-top: 150px;
    padding-bottom: 150px;
.section_padding_200 {
    padding-top: 200px;
    padding-bottom: 200px;
.section_padding_80 {
    margin-top: 80px;
    margin-bottom: 80px;
.section_padding_80_50 {
    padding-top: 80px;
    padding-bottom: 50px;
.section_padding_30_80 {
    padding-top: 30px;
    padding-bottom: 80px;
.section_padding_80_0 {
    padding-top: 80px;
    padding-bottom: 0;
.section_padding_0_80 {
    padding-top: 0;
    padding-bottom: 80px;
img {
    max-width: 100%;
.mt-15 {
    margin-top: 15px;
.mt-30 {
    margin-top: 30px;
.mt-40 {
    margin-top: 40px;
```

```
.mt-50 {
  margin-top: 50px;
.mt-100 {
  margin-top: 100px;
.mt-150 {
  margin-top: 150px;
.mr-15 {
  margin-right: 15px;
.mr-30 {
  margin-right: 30px;
.mr-50 {
  margin-right: 50px;
.mr-100 {
  margin-right: 100px;
.mb-15 {
  margin-bottom: 15px;
.mb-30 {
  margin-bottom: 30px;
.mb-50 {
  margin-bottom: 50px;
.mb-100 {
  margin-bottom: 100px;
.ml-15 {
  margin-left: 15px;
```

```
.ml-30 {
  margin-left: 30px;
.ml-50 {
   margin-left: 50px;
.ml-100 {
  margin-left: 100px;
ul,
ol {
   margin: 0;
    padding: 0;
#scrollUp {
    bottom: 55px;
    font-size: 14px;
    left: 90%;
    width: 30px;
    background-color: #fc6c3f;
    color: #fff;
    text-align: center;
    height: 30px;
    line-height: 30px;
    border-radius: 50%;
   margin-right: -15px;
a,
a:hover,
a:focus,
a:active {
    text-decoration: none;
    -webkit-transition-duration: 500ms;
    transition-duration: 500ms;
    font-weight: 500;
   outline: none;
li {
   list-style: none;
.heading_text > p {
  font-size: 16px;
```

```
.heading_text > h2 {
    font-weight: 500;
    color: #333;
.heading_text > h3 {
    color: #b4b4b4;
   font-size: 90px;
    font-weight: 100;
   margin: 0;
.font-shadow-into-light {
    font-family: 'Shadows Into Light Two', cursive !important;
.yummy-table {
    display: table;
    height: 100%;
    left: 0;
    position: relative;
    top: 0;
    width: 100%;
    z-index: 2;
.yummy-table-cell {
   display: table-cell;
    vertical-align: middle;
#preloader {
    overflow: hidden;
    background-color: #fff;
    height: 100%;
    left: 0;
    position: fixed;
    top: 0;
   width: 100%;
    z-index: 999999;
.yummy-load {
    -webkit-animation: 2000ms linear 0s normal none infinite running yummy-load;
    animation: 2000ms linear Os normal none infinite running yummy-load;
    background: transparent none repeat scroll 0 0;
    border-color: #dddddd #dddddd #fc6c3f;
```

```
border-radius: 50%;
    border-style: solid;
    border-width: 3px;
    height: 40px;
    left: calc(50% - 20px);
    position: relative;
    top: calc(50% - 20px);
   width: 40px;
    z-index: 9;
@-webkit-keyframes yummy-load {
    0% {
        -webkit-transform: rotate(0deg);
       transform: rotate(0deg);
    100% {
        -webkit-transform: rotate(360deg);
        transform: rotate(360deg);
    }
@keyframes yummy-load {
    0% {
        -webkit-transform: rotate(0deg);
       transform: rotate(0deg);
    100% {
        -webkit-transform: rotate(360deg);
        transform: rotate(360deg);
.top_header_area {
   width: 100%;
    height: 40px;
    border-bottom: 1px solid #ebebeb;
.top_header_area .top_social_bar {
    display: -webkit-box;
    display: -ms-flexbox;
    display: flex;
    height: 40px;
   -webkit-box-align: center;
```

```
-ms-flex-align: center;
    align-items: center;
.top_header_area .top_social_bar > a {
   font-size: 12px;
    color: #232d37;
   margin-right: 30px;
.top_header_area .top_social_bar > a:hover {
   color: #fc6c3f;
.top_header_area .top_social_bar > a:last-of-type {
   margin-right: 0;
.top_header_area .signup-search-area {
    height: 40px;
    position: relative;
    z-index: 3;
.top_header_area .signup-search-area a {
   font-size: 13px;
    color: #222;
.top_header_area .signup-search-area .login a {
    margin-right: 13px;
    border-right: 2px solid #c2c2c2;
    padding-right: 13px;
.top_header_area .signup-search-area .search_button {
    margin-left: 54px;
#searchBtn {
    position: relative;
    z-index: 8;
.search-hidden-form {
    position: absolute;
    width: 100%;
    z-index: 4;
   height: 100%;
```

```
top: 0;
   left: 0;
   right: 0;
   bottom: 0;
   -webkit-transition-duration: 500ms;
   transition-duration: 500ms;
   opacity: 0;
   -ms-filter: "progid:DXImageTransform.Microsoft.Alpha(Opacity=0)";
   font-size: 12px;
.search-hidden-form.search-form-open {
   z-index: 18;
   opacity: 1;
   -ms-filter: "progid:DXImageTransform.Microsoft.Alpha(Opacity=100)";
.search-hidden-form #search-anything {
   width: 100%;
   height: 30px;
   border: 1px solid #ddd;
   top: 5px;
   position: relative;
   padding: 5px 10px;
.search-hidden-form span {
   line-height: 30px;
   width: 30px;
   height: 30px;
   position: absolute;
   display: block;
   text-align: center;
   top: 5px;
   right: 0;
   border: 1px solid #ddd;
   color: #888;
   cursor: pointer;
   z-index: 5;
   font-size: 13px;
   border-left: none;
   -webkit-transition-duration: 500ms;
   transition-duration: 500ms;
.search-hidden-form span:hover {
   color: #000;
```

```
:: 3.0 Menu Area CSS
.logo_area .yummy-logo {
   font-family: 'Shadows Into Light Two', cursive;
   font-size: 60px;
   margin-bottom: 0;
   padding: 35px 0 20px 0;
   display: inline-block;
   color: #232d37;
.navbar.navbar-expand-lg {
   padding: 0;
.navbar.navbar-expand-lg .navbar-nav .nav-link {
   padding: 25px 30px;
   color: #232d37;
   text-transform: uppercase;
   font-size: 14px;
.navbar.navbar-expand-lg .navbar-nav .nav-link:hover,
.navbar.navbar-expand-lg .navbar-nav .active .nav-link {
   color: #fc6c3f;
.dropdown-item {
   font-weight: 500;
   color: #232d37;
   font-size: 14px;
   text-transform: uppercase;
.dropdown-item:focus,
.dropdown-item:hover {
   color: #fc6c3f;
   text-decoration: none;
   background-color: #f8f9fa;
:: 4.0 Wellcome Area CSS
.welcome-single-slide {
   position: relative;
```

```
z-index: 1;
   overflow: hidden;
   height: 500px;
.welcome-single-slide .project_title a > h5 {
   color: #ffffff;
   font-size: 24px;
   font-weight: 700;
   margin-bottom: 0;
.welcome-single-slide .project_title {
   position: absolute;
   content: "";
   bottom: -300px;
   left: 0;
   z-index: 3;
   background: rgba(252, 108, 63, 0.7);
   padding: 30px;
   width: 100%;
   height: auto;
   -webkit-transition-duration: 750ms;
   transition-duration: 750ms;
.welcome-single-slide:hover .project_title {
   bottom: 0;
.welcome-single-slide .post-date-commnents a {
   font-size: 14px;
   font-weight: 400;
   color: #fff;
   position: relative;
   z-index: 1;
   margin-bottom: 10px;
.welcome-single-slide .post-date-commnents a:hover {
   color: rgba(255, 255, 255, 0.9);
.welcome-single-slide .post-date-commnents a:first-child {
   margin-right: 30px;
.welcome-single-slide .post-date-commnents a:first-child:after {
   width: 2px;
```

```
height: 80%;
   content: '';
   position: absolute;
   top: 10%;
   right: -14px;
   z-index: 2;
   background-color: #fff;
.welcome-post-sliders {
   position: relative;
   z-index: 1;
.welcome-post-sliders .owl-prev {
   position: absolute;
   width: 10%;
   background-color: transparent;
   height: 100%;
   top: 0;
   left: 0;
   cursor: url(img/core-img/back.png), auto !important;
   z-index: 9;
.welcome-post-sliders .owl-next {
   position: absolute;
   width: 10%;
   background-color: transparent;
   height: 100%;
   top: 0;
   right: 0;
   cursor: url(img/core-img/next.png), auto !important;
.categories_area {
   padding: 80px 0 50px 0;
.single_catagory {
   position: relative;
   z-index: 1;
   margin-bottom: 30px;
```

```
.single_catagory img {
   border-radius: 20px;
.catagory-title {
   width: 200px;
   height: 50px;
   background-color: #fff;
   position: absolute;
   top: 50%;
   text-align: center;
   border-radius: 30px;
   left: 50%;
   -webkit-transform: translate(-50%, -50%);
   transform: translate(-50%, -50%);
   -webkit-transition-duration: 500ms;
   transition-duration: 500ms;
.single_catagory:hover .catagory-title {
   background-color: #fc6c3f;
.catagory-title a > h5 {
   margin-bottom: 0;
   line-height: 50px;
   -webkit-transition-duration: 500ms;
   transition-duration: 500ms;
.single_catagory:hover .catagory-title a > h5 {
   color: #fff;
.post-thumb img {
   border-radius: 30px;
   margin-bottom: 30px;
.post-meta {
   -webkit-box-align: center;
   -ms-flex-align: center;
   -ms-grid-row-align: center;
   align-items: center;
   -webkit-box-pack: justify;
```

```
-ms-flex-pack: justify;
   justify-content: space-between;
.post-author a,
.post-date a,
.post-favourite a,
.post-comments a,
.post-share a {
   color: #b5aec4;
   font-size: 14px;
.post-author a:hover,
.post-date a:hover,
.post-favourite a:hover,
.post-comments a:hover,
.post-share a:hover {
   color: #000;
.post-favourite a,
.post-comments a {
   margin-right: 15px;
.post-author a {
   margin-right: 30px;
   position: relative;
   z-index: 1;
.post-author a:after {
   width: 2px;
   height: 60%;
   content: '';
   position: absolute;
   top: 20%;
   right: -14px;
   z-index: 2;
   background-color: #b5aec4;
.single-post {
   margin-bottom: 30px;
.single-post h2,
.single-post h4 {
```

```
margin: 10px 0;
    color: #232d37;
    -webkit-transition-duration: 500ms;
    transition-duration: 500ms;
   text-transform: capitalize;
.single-post h2:hover,
.single-post h4:hover {
   color: #fc6c3f;
.single-post p {
    color: #51545f;
.single-post .read-more {
    font-size: 12px;
    color: #b5aeba;
    display: inline-block;
    border: 1px solid #ebebeb;
    border-radius: 30px;
   height: 40px;
   min-width: 170px;
    line-height: 40px;
    text-align: center;
.single-post .read-more:hover {
    color: #000;
    border: 1px solid #000;
/* List Blog Area CSS */
.list-blog.single-post .post-thumb,
.list-blog.single-post .post-content {
    -ms-flex-preferred-size: 50%;
    flex-basis: 50%;
   margin-right: 15px;
.list-blog.single-post .post-content {
   margin-right: 0;
   margin-left: 15px;
   margin-bottom: 30px;
.list-blog.single-post {
```

```
margin-bottom: 30px;
   border-bottom: 1px solid #ebebeb;
.blog_area .col-12:last-of-type .list-blog.single-post {
   margin-bottom: 0;
   border-bottom: none;
.blog_area .col-12:last-of-type .list-blog.single-post .post-thumb img {
   margin-bottom: 0;
:: 7.0 Instagram Area CSS
.instagram_gallery_item {
   position: relative;
   z-index: 1;
.instagram_gallery_item img {
   -webkit-transition-duration: 500ms;
   transition-duration: 500ms;
   width: 100%;
.instagram gallery item .hover overlay {
   background: rgba(252, 108, 63, 0.7);
   height: 100%;
   left: 0;
   opacity: 0;
   -ms-filter: "progid:DXImageTransform.Microsoft.Alpha(Opacity=0)";
   position: absolute;
   top: 0;
   -webkit-transition-duration: 500ms;
   transition-duration: 500ms;
   width: 100%;
   z-index: 5;
.instagram_gallery_item:hover .hover_overlay {
   opacity: 1;
   -ms-filter: "progid:DXImageTransform.Microsoft.Alpha(Opacity=100)";
.instagram_gallery_item .follow-me a {
   font-size: 16px;
```

```
color: #fff;
   font-weight: 400;
.instargram_area {
   position: relative;
   z-index: 1;
.instargram_area .owl-prev {
   position: absolute;
   width: 10%;
   background-color: transparent;
   height: 100%;
   top: 0;
   left: 0;
   cursor: url(img/core-img/back.png), auto !important;
   z-index: 9;
.instargram_area .owl-next {
   position: absolute;
   width: 10%;
   background-color: transparent;
   height: 100%;
   top: 0;
   right: 0;
   cursor: url(img/core-img/next.png), auto !important;
:: 8.0 Footer Social Area CSS
.footer-social-area {
   border-bottom: 1px solid #eeeeee;
   padding: 50px 0;
   -webkit-box-pack: justify;
   -ms-flex-pack: justify;
   justify-content: space-between
.single-icon > a {
   color: #51545f;
   font-size: 14px;
   font-weight: 500;
   text-transform: uppercase;
```

```
.single-icon > a:hover {
   color: #fc6c3f;
.single-icon > a > i {
   font-size: 16px;
   padding-right: 12px;
.footer-content {
   padding: 50px 0 65px 0;
   border-bottom: 1px solid #eeeeee;
.footer-logo-area .yummy-logo {
   font-family: 'Shadows Into Light Two', cursive;
   font-size: 60px;
   margin-bottom: 0;
   padding: 0 0 20px 0;
   display: inline-block;
   color: #232d37;
.copy_right_text {
   width: 100%;
   height: 70px;
   display: -webkit-box;
   display: -ms-flexbox;
   display: flex;
   -webkit-box-align: center;
   -ms-flex-align: center;
   align-items: center;
   -webkit-box-pack: center;
   -ms-flex-pack: center;
   justify-content: center
.copy_right_text > p {
   font-size: 14px;
   color: #b5aec4;
   margin-bottom: 0;
.footer_area .navbar.navbar-expand-lg .navbar-nav .nav-link {
   padding-bottom: 0;
:: 9.0 Goole Map Area CSS
```

```
#googleMap {
    height: 620px;
    width: 100%;
:: 10.0 Sidebar Area CSS
/* About me */
.single-widget-area {
    margin-bottom: 50px;
.widget-title > h6 {
    background: #fee2d9;
    height: 40px;
    width: 100%;
    line-height: 40px;
    border-radius: 2px;
    margin-bottom: 30px;
.about-me-widget-thumb img {
    height: 200px;
   width: 200px;
    margin: auto;
    border-radius: 50%;
.about-me-widget h4 {
    margin: 15px 0;
    font-weight: 400;
.about-me-widget p {
    color: #51545f;
    margin-bottom: 0;
/* subscribe_follow_area */
.subscribe-link > a {
    font-size: 14px;
    color: #51545f;
    padding: 0 15px;
```

```
.subscribe-link > a:hover {
   color: #fc6c3f;
.subscribe-link {
   padding-top: 20px;
/* popular post */
.popular-post-widget .single-populer-post img {
   margin-right: 10px;
   border-radius: 20px;
   margin-bottom: 30px;
   -ms-flex-item-align: center;
   align-self: center;
.popular-post-widget .single-populer-post:last-of-type img {
   margin-bottom: 0;
.popular-post-widget .single-populer-post img {
   width: calc(50% - 10px);
.popular-post-widget .single-populer-post img,
.popular-post-widget .single-populer-post .post-content {
   -ms-flex-preferred-size: 50%;
   flex-basis: 50%;
.popular-post-widget .single-populer-post .post-content {
   margin-left: 10px;
.popular-post-widget .single-populer-post .post-content > p {
   font-size: 14px;
   color: #b5aec4;
   font-weight: 400;
   margin-bottom: 0;
/* Add Widget */
.add-widget .add-widget-area {
   position: relative;
```

```
z-index: 1;
.add-widget .add-widget-area img {
   border-radius: 30px;
.add-widget .add-widget-area:before {
   position: absolute;
   width: 100%;
   height: 100%;
   left: 0;
   top: 0;
   content: '';
   background-color: rgba(30, 29, 29, 0.8);
   z-index: 1;
   border-radius: 30px
.add-widget .add-text {
   position: absolute;
   width: 100%;
   height: 100%;
   top: 0;
   left: 0;
   z-index: 5;
.add-widget .add-text h2,
.add-widget .add-text p {
   color: #fff;
.add-widget .add-text p {
   font-size: 14px;
.add-widget .add-text a {
   min-width: 130px;
   height: 40px;
   border: 1px solid #fc6c3f;
   color: #fc6c3f;
   font-size: 12px;
   display: inline-block;
   text-transform: uppercase;
   border-radius: 30px;
   line-height: 40px;
```

```
.add-widget .add-text a:hover {
   border: 1px solid #fc6c3f;
   color: #fff;
   background-color: #fc6c3f;
/* Newsletter Widget CSS */
.newsletter-widget p {
   font-size: 14px;
.newsletter-form {
   position: relative;
   z-index: 1;
.newsletter-form input {
   width: 100%;
   height: 40px;
   background-color: #f5f5f8;
   border: 1px solid #e1e1e1;
   border-radius: 30px;
   padding: 0 20px;
   font-size: 14px;
   color: #b5aec4;
.newsletter-form button {
   width: 40px;
   height: 40px;
   background-color: #fc6c3f;
   border: none;
   color: #fff;
   border-radius: 30px;
   position: absolute;
   right: 0;
   top: 0;
   z-index: 9;
   cursor: pointer;
:: 11.0 Breadcumb Area CSS
.breadcumb-area {
   width: 100%;
   height: 200px;
```

```
background-position: center center;
   background-size: cover;
   position: relative;
   z-index: 1;
.breadcumb-area:after {
   width: 100%;
   height: 100%;
   position: absolute;
   content: '';
   top: 0;
   left: 0;
   background-color: rgba(35, 45, 55, 0.7);
   z-index: -1;
.breadcumb-area .bradcumb-title h2 {
   font-size: 48px;
   color: #fff;
.breadcumb-nav .breadcrumb {
   padding: 0;
   margin-bottom: 0;
   list-style: none;
   background-color: transparent;
   border-radius: .25rem;
   margin-top: 30px;
.breadcumb-nav .breadcrumb .breadcrumb-item a {
   color: #232d37;
   font-size: 16px;
.breadcrumb-item + .breadcrumb-item:before {
   content: "\f105";
   font-family: 'FontAwesome'
:: 12.0 Paginatio Area CSS
.pagination-area {
   -webkit-box-pack: justify;
   -ms-flex-pack: justify;
   justify-content: space-between;
```

```
-webkit-box-align: center;
    -ms-flex-align: center;
    -ms-grid-row-align: center;
    align-items: center;
.pagination-area .pagination .page-link {
   color: #51545f;
   margin: 0 2.5px;
.pagination-area .pagination .page-item.active .page-link,
.pagination-area .pagination .page-link:focus,
.pagination-area .pagination .page-link:hover {
   color: #fff;
   background-color: #fc6c3f;
   border-color: transparent;
.pagination-area .page-status p,
.contact-info-area .single-contact-info p {
   margin-bottom: 0;
:: 13.0 Contact Area CSS
.contact-form .form-control,
.comment-form .form-control {
   border: 1px solid #ebebeb;
   height: 50px;
.contact-form .form-control:focus,
.comment-form .form-control:focus {
    border: 1px solid #000;
.contact-form textarea.form-control,
.comment-form textarea.form-control {
   height: 130px;
.contact-btn {
   margin-top: 50px;
   width: 160px;
   height: 40px;
   font-size: 12px;
```

```
text-transform: uppercase;
   font-weight: 500;
   color: #fff;
   background-color: #fc6c3f;
   border-radius: 30px;
.contact-btn:hover {
   color: #fff;
   background-color: #d43f10;
.contact-form-sidebar {
   background-size: cover;
   background-position: center center;
:: 14.0 Single Blog CSS
.single-post-share-info a {
   width: 30px;
   display: block;
   height: 30px;
   background-color: #ddd;
   border-radius: 50%;
   text-align: center;
   color: #fff;
   font-size: 14px;
   margin-bottom: 20px;
.single-post-share-info a i {
   line-height: 30px;
.single-post-share-info a.facebook {
   background-color: #4c65a8;
.single-post-share-info a.facebook:hover {
   background-color: #3555ac;
.single-post-share-info a.twitter {
   background-color: #41a1f6;
```

```
.single-post-share-info a.twitter:hover {
   background-color: #087ee6;
.single-post-share-info a.googleplus {
   background-color: #f43535;
.single-post-share-info a.googleplus:hover {
   background-color: #e20707;
.single-post-share-info a.instagram {
   background-color: #8f6247;
.single-post-share-info a.instagram:hover {
   background-color: #6d4025;
.single-post-share-info a.pinterest {
   background-color: #f0c605;
.single-post-share-info a.pinterest:hover {
   background-color: #a88c0a;
.yummy-blockquote {
   padding-left: 30px;
   border-left: 2px solid #fc6c3f;
.yummy-blockquote h5 {
   font-size: 18px;
.yummy-blockquote h6 {
   font-size: 14px;
   text-transform: uppercase;
.br-30 {
   border-radius: 30px !important;
.single_blog_area ul li {
   position: relative;
   z-index: 1;
```

```
color: #51545f;
   margin-bottom: 15px;
   padding-left: 30px;
.single_blog_area ul li:before {
   position: absolute;
   content: '\f111';
   left: 0;
   top: 5px;
   font-family: 'FontAwesome';
   font-size: 8px;
   color: #fc6c3f;
.tags-area {
   border-bottom: 1px solid #ebebeb;
   padding-bottom: 30px;
.tags-area a {
   color: #292f3b;
   padding: 5px 20px;
   text-transform: uppercase;
   font-size: 12px;
   background-color: #ebebeb;
   display: inline-block;
   margin-bottom: 3px;
.tags-area a:hover {
   color: #fff;
   background-color: #fc6c3f;
.related-post-area {
   border-bottom: 1px solid #ebebeb;
.related-post-area .single-post {
   margin-bottom: 0;
.related-post-slider .post-content h6 {
   line-height: 1.5;
   margin-bottom: 0;
.related-post-slider .post-thumb img {
```

```
margin-bottom: 10px;
.related-post-slider .owl-prev,
.related-post-slider .owl-next {
   position: absolute;
   top: -60px;
   border: 1px solid #ebebeb;
   width: 30px;
   height: 30px;
   line-height: 30px;
   text-align: center;
   right: 30px;
   background-color: #fff;
.related-post-slider .owl-next {
   right: 0;
.comment_area {
   border-bottom: 1px solid #ebebeb;
.single_comment_area {
   position: relative;
   z-index: 1;
.single_comment_area:after {
   position: absolute;
   width: 1px;
   height: 90%;
   background-color: #ebebeb;
   left: 100px;
   top: 0;
   z-index: 2;
   content: ''
.single_comment_area ol li.single_comment_area {
   margin-left: 130px;
.single_comment_area ol li.single_comment_area:after {
   display: none;
```

```
.comment-wrapper {
   margin-bottom: 30px;
.comment-wrapper .comment-author {
   width: 70px;
   height: 70px;
   border-radius: 50%;
   margin-right: 60px;
.single_comment_area ol li.single_comment_area .comment-wrapper .comment-author
   margin-right: 30px;
.comment-wrapper .comment-author img {
   width: 100%;
   height: 100%;
   border-radius: 50%;
.comment-wrapper .comment-content {
   -webkit-box-flex: 1;
   -ms-flex: 1;
   flex: 1;
.comment-wrapper .comment-date {
   font-size: 12px;
   text-transform: uppercase;
   letter-spacing: 1px;
.comment-wrapper .comment-content h5 {
   font-size: 18px;
   margin: 5px 0;
.comment-wrapper .comment-content a {
   min-width: 80px;
   height: 30px;
   border: 1px solid #ebebeb;
   line-height: 30px;
   font-size: 12px;
   text-align: center;
   color: #232d37;
   display: inline-block;
```

```
.comment-wrapper .comment-content a.active {
    color: #fff;
    background-color: #fc6c3f;
.bg-pattern {
    background-attachment: fixed;
    background-position: center center;
    background-image: url(img/bg-img/bg-pattern.jpg);
    position: relative;
    background-size: cover;
    z-index: 1;
.bg-pattern:after {
    position: absolute;
    width: 100%;
    height: 100%;
    left: 0;
    top: 0;
    content: '';
    background-color: rgba(255, 255, 255, 0.95);
    z-index: -1;
#pattern-switcher {
    display: none;
    width: 120px;
    background-color: #fc6c3f;
    position: fixed;
    top: 15%;
    z-index: 9999;
    cursor: pointer;
    height: 50px;
    right: 0;
    color: #fff;
    font-size: 12px;
    line-height: 50px;
    text-align: center;
    text-transform: uppercase;
    letter-spacing: 1px;
    -webkit-transition-duration: 500ms;
            transition-duration: 500ms;
#pattern-switcher.pattern-remove {
    right: -200px;
```

```
#pattern-switcher:hover {
    background-color: #e3410e;
#patter-close > i {
    position: fixed;
    width: 20px;
    height: 20px;
    background-color: #111;
    font-size: 11px;
    line-height: 20px;
    border-radius: 50%;
    right: 110px;
    top: calc(15% - 10px);
    text-align: center;
    z-index: 99999;
    color: #fff;
    cursor: pointer;
    display: none;
.d-flex{
    z-index: 6;
.text-center{
    text-align: center;
#setup{
    display: flex;
    height: 40px;
#setup a{
    color: black;
```

```
@charset "UTF-8";

/*!
Animate.css - http://daneden.me/animate
Licensed under the MIT license

Copyright (c) 2013 Daniel Eden

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
```

```
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:
The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.animated {
  -webkit-animation-duration: 1s;
 animation-duration: 1s;
  -webkit-animation-fill-mode: both;
  animation-fill-mode: both;
.animated.hinge {
  -webkit-animation-duration: 2s;
  animation-duration: 2s;
@-webkit-keyframes bounce {
 0%, 20%, 50%, 80%, 100% {
    -webkit-transform: translateY(0);
   transform: translateY(0);
  40% {
    -webkit-transform: translateY(-30px);
    transform: translateY(-30px);
  60% {
    -webkit-transform: translateY(-15px);
    transform: translateY(-15px);
@keyframes bounce {
 0%, 20%, 50%, 80%, 100% {
    -webkit-transform: translateY(0);
    -ms-transform: translateY(0);
    transform: translateY(0);
```

```
40% {
    -webkit-transform: translateY(-30px);
    -ms-transform: translateY(-30px);
   transform: translateY(-30px);
  60% {
    -webkit-transform: translateY(-15px);
    -ms-transform: translateY(-15px);
    transform: translateY(-15px);
.bounce {
  -webkit-animation-name: bounce;
  animation-name: bounce;
@-webkit-keyframes flash {
  0%, 50%, 100% {
   opacity: 1;
  25%, 75% {
    opacity: 0;
@keyframes flash {
  0%, 50%, 100% {
   opacity: 1;
  25%, 75% {
    opacity: 0;
.flash {
  -webkit-animation-name: flash;
  animation-name: flash;
/* originally authored by Nick Pettit - https://github.com/nickpettit/glide */
@-webkit-keyframes pulse {
  0% {
   -webkit-transform: scale(1);
```

```
transform: scale(1);
 50% {
   -webkit-transform: scale(1.1);
   transform: scale(1.1);
 100% {
   -webkit-transform: scale(1);
   transform: scale(1);
@keyframes pulse {
 0% {
   -webkit-transform: scale(1);
   -ms-transform: scale(1);
   transform: scale(1);
 50% {
    -webkit-transform: scale(1.1);
   -ms-transform: scale(1.1);
   transform: scale(1.1);
 100% {
    -webkit-transform: scale(1);
   -ms-transform: scale(1);
   transform: scale(1);
.pulse {
  -webkit-animation-name: pulse;
 animation-name: pulse;
@-webkit-keyframes shake {
 0%, 100% {
   -webkit-transform: translateX(0);
   transform: translateX(0);
 10%, 30%, 50%, 70%, 90% {
    -webkit-transform: translateX(-10px);
    transform: translateX(-10px);
```

```
20%, 40%, 60%, 80% {
    -webkit-transform: translateX(10px);
   transform: translateX(10px);
@keyframes shake {
 0%, 100% {
    -webkit-transform: translateX(0);
   -ms-transform: translateX(0);
   transform: translateX(0);
  10%, 30%, 50%, 70%, 90% {
    -webkit-transform: translateX(-10px);
   -ms-transform: translateX(-10px);
    transform: translateX(-10px);
  20%, 40%, 60%, 80% {
    -webkit-transform: translateX(10px);
   -ms-transform: translateX(10px);
   transform: translateX(10px);
.shake {
  -webkit-animation-name: shake;
 animation-name: shake;
@-webkit-keyframes swing {
 20% {
   -webkit-transform: rotate(15deg);
   transform: rotate(15deg);
 40% {
    -webkit-transform: rotate(-10deg);
   transform: rotate(-10deg);
  60% {
    -webkit-transform: rotate(5deg);
    transform: rotate(5deg);
 80% {
```

```
-webkit-transform: rotate(-5deg);
   transform: rotate(-5deg);
 100% {
   -webkit-transform: rotate(0deg);
   transform: rotate(0deg);
@keyframes swing {
 20% {
   -webkit-transform: rotate(15deg);
   -ms-transform: rotate(15deg);
   transform: rotate(15deg);
 40% {
   -webkit-transform: rotate(-10deg);
   -ms-transform: rotate(-10deg);
   transform: rotate(-10deg);
 60% {
    -webkit-transform: rotate(5deg);
   -ms-transform: rotate(5deg);
   transform: rotate(5deg);
 80% {
    -webkit-transform: rotate(-5deg);
   -ms-transform: rotate(-5deg);
   transform: rotate(-5deg);
 100% {
   -webkit-transform: rotate(0deg);
   -ms-transform: rotate(0deg);
   transform: rotate(0deg);
.swing {
 -webkit-transform-origin: top center;
 -ms-transform-origin: top center;
 transform-origin: top center;
 -webkit-animation-name: swing;
 animation-name: swing;
```

```
@-webkit-keyframes tada {
 0% {
   -webkit-transform: scale(1);
   transform: scale(1);
  10%, 20% {
    -webkit-transform: scale(0.9) rotate(-3deg);
    transform: scale(0.9) rotate(-3deg);
  30%, 50%, 70%, 90% {
    -webkit-transform: scale(1.1) rotate(3deg);
   transform: scale(1.1) rotate(3deg);
  40%, 60%, 80% {
    -webkit-transform: scale(1.1) rotate(-3deg);
   transform: scale(1.1) rotate(-3deg);
  100% {
   -webkit-transform: scale(1) rotate(0);
   transform: scale(1) rotate(0);
@keyframes tada {
 0% {
    -webkit-transform: scale(1);
   -ms-transform: scale(1);
   transform: scale(1);
  10%, 20% {
    -webkit-transform: scale(0.9) rotate(-3deg);
    -ms-transform: scale(0.9) rotate(-3deg);
   transform: scale(0.9) rotate(-3deg);
  30%, 50%, 70%, 90% {
    -webkit-transform: scale(1.1) rotate(3deg);
    -ms-transform: scale(1.1) rotate(3deg);
   transform: scale(1.1) rotate(3deg);
  40%, 60%, 80% {
   -webkit-transform: scale(1.1) rotate(-3deg);
```

```
-ms-transform: scale(1.1) rotate(-3deg);
    transform: scale(1.1) rotate(-3deg);
 100% {
    -webkit-transform: scale(1) rotate(0);
    -ms-transform: scale(1) rotate(0);
   transform: scale(1) rotate(0);
.tada {
 -webkit-animation-name: tada;
  animation-name: tada;
/* originally authored by Nick Pettit - https://github.com/nickpettit/glide */
@-webkit-keyframes wobble {
 0% {
   -webkit-transform: translateX(0%);
   transform: translateX(0%);
 15% {
    -webkit-transform: translateX(-25%) rotate(-5deg);
    transform: translateX(-25%) rotate(-5deg);
  30% {
    -webkit-transform: translateX(20%) rotate(3deg);
    transform: translateX(20%) rotate(3deg);
  45% {
    -webkit-transform: translateX(-15%) rotate(-3deg);
   transform: translateX(-15%) rotate(-3deg);
  60% {
    -webkit-transform: translateX(10%) rotate(2deg);
   transform: translateX(10%) rotate(2deg);
  75% {
   -webkit-transform: translateX(-5%) rotate(-1deg);
    transform: translateX(-5%) rotate(-1deg);
```

```
100% {
   -webkit-transform: translateX(0%);
   transform: translateX(0%);
@keyframes wobble {
 0% {
   -webkit-transform: translateX(0%);
   -ms-transform: translateX(0%);
   transform: translateX(0%);
 15% {
    -webkit-transform: translateX(-25%) rotate(-5deg);
    -ms-transform: translateX(-25%) rotate(-5deg);
   transform: translateX(-25%) rotate(-5deg);
 30% {
    -webkit-transform: translateX(20%) rotate(3deg);
    -ms-transform: translateX(20%) rotate(3deg);
   transform: translateX(20%) rotate(3deg);
 45% {
    -webkit-transform: translateX(-15%) rotate(-3deg);
   -ms-transform: translateX(-15%) rotate(-3deg);
   transform: translateX(-15%) rotate(-3deg);
 60% {
   -webkit-transform: translateX(10%) rotate(2deg);
   -ms-transform: translateX(10%) rotate(2deg);
   transform: translateX(10%) rotate(2deg);
 75% {
    -webkit-transform: translateX(-5%) rotate(-1deg);
    -ms-transform: translateX(-5%) rotate(-1deg);
   transform: translateX(-5%) rotate(-1deg);
 100% {
   -webkit-transform: translateX(0%);
   -ms-transform: translateX(0%);
   transform: translateX(0%);
```

```
.wobble {
  -webkit-animation-name: wobble;
  animation-name: wobble;
@-webkit-keyframes bounceIn {
 0% {
   opacity: 0;
   -webkit-transform: scale(.3);
   transform: scale(.3);
 50% {
   opacity: 1;
   -webkit-transform: scale(1.05);
   transform: scale(1.05);
   -webkit-transform: scale(.9);
   transform: scale(.9);
 100% {
   -webkit-transform: scale(1);
   transform: scale(1);
@keyframes bounceIn {
 0% {
   opacity: 0;
   -webkit-transform: scale(.3);
   -ms-transform: scale(.3);
   transform: scale(.3);
 50% {
    opacity: 1;
   -webkit-transform: scale(1.05);
   -ms-transform: scale(1.05);
   transform: scale(1.05);
 70% {
    -webkit-transform: scale(.9);
   -ms-transform: scale(.9);
  transform: scale(.9);
```

```
100% {
   -webkit-transform: scale(1);
   -ms-transform: scale(1);
   transform: scale(1);
.bounceIn {
  -webkit-animation-name: bounceIn;
 animation-name: bounceIn;
@-webkit-keyframes bounceInDown {
 0% {
   opacity: 0;
    -webkit-transform: translateY(-2000px);
   transform: translateY(-2000px);
  60% {
   opacity: 1;
   -webkit-transform: translateY(30px);
   transform: translateY(30px);
 80% {
    -webkit-transform: translateY(-10px);
   transform: translateY(-10px);
  100% {
    -webkit-transform: translateY(0);
   transform: translateY(0);
@keyframes bounceInDown {
 0% {
   opacity: 0;
    -webkit-transform: translateY(-2000px);
   -ms-transform: translateY(-2000px);
   transform: translateY(-2000px);
  60% {
   opacity: 1;
   -webkit-transform: translateY(30px);
```

```
-ms-transform: translateY(30px);
    transform: translateY(30px);
 80% {
    -webkit-transform: translateY(-10px);
    -ms-transform: translateY(-10px);
   transform: translateY(-10px);
  100% {
    -webkit-transform: translateY(0);
    -ms-transform: translateY(0);
   transform: translateY(0);
.bounceInDown {
  -webkit-animation-name: bounceInDown;
  animation-name: bounceInDown;
@-webkit-keyframes bounceInLeft {
 0% {
   opacity: 0;
   -webkit-transform: translateX(-2000px);
   transform: translateX(-2000px);
 60% {
   opacity: 1;
   -webkit-transform: translateX(30px);
   transform: translateX(30px);
 80% {
   -webkit-transform: translateX(-10px);
   transform: translateX(-10px);
 100% {
    -webkit-transform: translateX(0);
    transform: translateX(0);
@keyframes bounceInLeft {
 0% {
  opacity: 0;
```

```
-webkit-transform: translateX(-2000px);
    -ms-transform: translateX(-2000px);
    transform: translateX(-2000px);
  60% {
   opacity: 1;
    -webkit-transform: translateX(30px);
   -ms-transform: translateX(30px);
   transform: translateX(30px);
 80% {
    -webkit-transform: translateX(-10px);
   -ms-transform: translateX(-10px);
   transform: translateX(-10px);
  100% {
    -webkit-transform: translateX(0);
   -ms-transform: translateX(0);
   transform: translateX(0);
.bounceInLeft {
  -webkit-animation-name: bounceInLeft;
  animation-name: bounceInLeft;
@-webkit-keyframes bounceInRight {
 0% {
   opacity: 0;
   -webkit-transform: translateX(2000px);
   transform: translateX(2000px);
 60% {
   opacity: 1;
    -webkit-transform: translateX(-30px);
   transform: translateX(-30px);
  80% {
   -webkit-transform: translateX(10px);
    transform: translateX(10px);
  100% {
```

```
-webkit-transform: translateX(0);
    transform: translateX(0);
@keyframes bounceInRight {
 0% {
   opacity: 0;
    -webkit-transform: translateX(2000px);
   -ms-transform: translateX(2000px);
   transform: translateX(2000px);
  60% {
   opacity: 1;
    -webkit-transform: translateX(-30px);
   -ms-transform: translateX(-30px);
   transform: translateX(-30px);
 80% {
   -webkit-transform: translateX(10px);
   -ms-transform: translateX(10px);
   transform: translateX(10px);
 100% {
    -webkit-transform: translateX(0);
    -ms-transform: translateX(0);
   transform: translateX(0);
.bounceInRight {
 -webkit-animation-name: bounceInRight;
  animation-name: bounceInRight;
@-webkit-keyframes bounceInUp {
 0% {
   opacity: 0;
    -webkit-transform: translateY(2000px);
    transform: translateY(2000px);
 60% {
    opacity: 1;
    -webkit-transform: translateY(-30px);
   transform: translateY(-30px);
```

```
80% {
   -webkit-transform: translateY(10px);
   transform: translateY(10px);
  100% {
    -webkit-transform: translateY(0);
    transform: translateY(0);
@keyframes bounceInUp {
 0% {
   opacity: 0;
   -webkit-transform: translateY(2000px);
    -ms-transform: translateY(2000px);
   transform: translateY(2000px);
  60% {
   opacity: 1;
   -webkit-transform: translateY(-30px);
    -ms-transform: translateY(-30px);
   transform: translateY(-30px);
 80% {
   -webkit-transform: translateY(10px);
    -ms-transform: translateY(10px);
    transform: translateY(10px);
 100% {
    -webkit-transform: translateY(0);
   -ms-transform: translateY(0);
   transform: translateY(0);
.bounceInUp {
 -webkit-animation-name: bounceInUp;
 animation-name: bounceInUp;
@-webkit-keyframes bounceOut {
  0% {
   -webkit-transform: scale(1);
```

```
transform: scale(1);
 25% {
   -webkit-transform: scale(.95);
   transform: scale(.95);
 50% {
   opacity: 1;
   -webkit-transform: scale(1.1);
   transform: scale(1.1);
 100% {
   opacity: 0;
   -webkit-transform: scale(.3);
   transform: scale(.3);
@keyframes bounceOut {
 0% {
   -webkit-transform: scale(1);
   -ms-transform: scale(1);
   transform: scale(1);
 25% {
   -webkit-transform: scale(.95);
   -ms-transform: scale(.95);
   transform: scale(.95);
 50% {
   opacity: 1;
   -webkit-transform: scale(1.1);
   -ms-transform: scale(1.1);
   transform: scale(1.1);
 100% {
   opacity: 0;
    -webkit-transform: scale(.3);
   -ms-transform: scale(.3);
   transform: scale(.3);
```

```
.bounceOut {
  -webkit-animation-name: bounceOut;
  animation-name: bounceOut;
@-webkit-keyframes bounceOutDown {
   -webkit-transform: translateY(0);
   transform: translateY(0);
  20% {
   opacity: 1;
    -webkit-transform: translateY(-20px);
   transform: translateY(-20px);
  100% {
   opacity: 0;
    -webkit-transform: translateY(2000px);
    transform: translateY(2000px);
@keyframes bounceOutDown {
 0% {
    -webkit-transform: translateY(0);
   -ms-transform: translateY(0);
   transform: translateY(0);
  20% {
   opacity: 1;
   -webkit-transform: translateY(-20px);
   -ms-transform: translateY(-20px);
    transform: translateY(-20px);
 100% {
    opacity: 0;
   -webkit-transform: translateY(2000px);
    -ms-transform: translateY(2000px);
    transform: translateY(2000px);
.bounceOutDown {
  -webkit-animation-name: bounceOutDown;
 animation-name: bounceOutDown;
```

```
@-webkit-keyframes bounceOutLeft {
    -webkit-transform: translateX(0);
    transform: translateX(0);
  20% {
    opacity: 1;
    -webkit-transform: translateX(20px);
   transform: translateX(20px);
  100% {
    opacity: 0;
    -webkit-transform: translateX(-2000px);
    transform: translateX(-2000px);
@keyframes bounceOutLeft {
  0% {
    -webkit-transform: translateX(0);
    -ms-transform: translateX(0);
   transform: translateX(0);
  20% {
    opacity: 1;
    -webkit-transform: translateX(20px);
    -ms-transform: translateX(20px);
    transform: translateX(20px);
  100% {
    opacity: 0;
    -webkit-transform: translateX(-2000px);
    -ms-transform: translateX(-2000px);
    transform: translateX(-2000px);
.bounceOutLeft {
  -webkit-animation-name: bounceOutLeft;
  animation-name: bounceOutLeft;
@-webkit-keyframes bounceOutRight {
```

```
0% {
   -webkit-transform: translateX(0);
    transform: translateX(0);
  20% {
   opacity: 1;
    -webkit-transform: translateX(-20px);
    transform: translateX(-20px);
 100% {
   opacity: 0;
    -webkit-transform: translateX(2000px);
   transform: translateX(2000px);
@keyframes bounceOutRight {
 0% {
    -webkit-transform: translateX(0);
    -ms-transform: translateX(0);
   transform: translateX(0);
  20% {
   opacity: 1;
    -webkit-transform: translateX(-20px);
    -ms-transform: translateX(-20px);
   transform: translateX(-20px);
  100% {
   opacity: 0;
    -webkit-transform: translateX(2000px);
    -ms-transform: translateX(2000px);
   transform: translateX(2000px);
.bounceOutRight {
  -webkit-animation-name: bounceOutRight;
  animation-name: bounceOutRight;
@-webkit-keyframes bounceOutUp {
 0% {
   -webkit-transform: translateY(0);
  transform: translateY(0);
```

```
20% {
   opacity: 1;
    -webkit-transform: translateY(20px);
   transform: translateY(20px);
 100% {
   opacity: 0;
    -webkit-transform: translateY(-2000px);
   transform: translateY(-2000px);
@keyframes bounceOutUp {
 0% {
   -webkit-transform: translateY(0);
   -ms-transform: translateY(0);
   transform: translateY(0);
 20% {
   opacity: 1;
    -webkit-transform: translateY(20px);
   -ms-transform: translateY(20px);
   transform: translateY(20px);
 100% {
   opacity: 0;
   -webkit-transform: translateY(-2000px);
   -ms-transform: translateY(-2000px);
   transform: translateY(-2000px);
.bounceOutUp {
 -webkit-animation-name: bounceOutUp;
  animation-name: bounceOutUp;
@-webkit-keyframes fadeIn {
 0% {
   opacity: 0;
  100% {
   opacity: 1;
```

```
@keyframes fadeIn {
  0% {
    opacity: 0;
  100% {
   opacity: 1;
.fadeIn {
  -webkit-animation-name: fadeIn;
  animation-name: fadeIn;
@-webkit-keyframes fadeInDown {
 0% {
    opacity: 0;
    -webkit-transform: translateY(-20px);
   transform: translateY(-20px);
  100% {
    opacity: 1;
    -webkit-transform: translateY(0);
    transform: translateY(0);
@keyframes fadeInDown {
 0% {
   opacity: 0;
    -webkit-transform: translateY(-20px);
    -ms-transform: translateY(-20px);
    transform: translateY(-20px);
  100% {
    opacity: 1;
    -webkit-transform: translateY(0);
    -ms-transform: translateY(0);
    transform: translateY(0);
.fadeInDown {
```

```
-webkit-animation-name: fadeInDown;
  animation-name: fadeInDown;
@-webkit-keyframes fadeInDownBig {
  0% {
    opacity: 0;
    -webkit-transform: translateY(-2000px);
    transform: translateY(-2000px);
  100% {
    opacity: 1;
    -webkit-transform: translateY(0);
    transform: translateY(0);
@keyframes fadeInDownBig {
 0% {
    opacity: 0;
    -webkit-transform: translateY(-2000px);
    -ms-transform: translateY(-2000px);
    transform: translateY(-2000px);
  100% {
    opacity: 1;
    -webkit-transform: translateY(0);
    -ms-transform: translateY(0);
    transform: translateY(0);
.fadeInDownBig {
  -webkit-animation-name: fadeInDownBig;
  animation-name: fadeInDownBig;
@-webkit-keyframes fadeInLeft {
  0% {
    opacity: 0;
    -webkit-transform: translateX(-20px);
    transform: translateX(-20px);
  100% {
    opacity: 1;
    -webkit-transform: translateX(0);
```

```
transform: translateX(0);
@keyframes fadeInLeft {
 0% {
   opacity: 0;
   -webkit-transform: translateX(-20px);
   -ms-transform: translateX(-20px);
   transform: translateX(-20px);
 100% {
    opacity: 1;
   -webkit-transform: translateX(0);
   -ms-transform: translateX(0);
   transform: translateX(0);
.fadeInLeft {
  -webkit-animation-name: fadeInLeft;
 animation-name: fadeInLeft;
@-webkit-keyframes fadeInLeftBig {
 0% {
   opacity: 0;
    -webkit-transform: translateX(-2000px);
   transform: translateX(-2000px);
  100% {
   opacity: 1;
   -webkit-transform: translateX(0);
   transform: translateX(0);
@keyframes fadeInLeftBig {
 0% {
   opacity: 0;
    -webkit-transform: translateX(-2000px);
    -ms-transform: translateX(-2000px);
   transform: translateX(-2000px);
  100% {
   opacity: 1;
```

```
-webkit-transform: translateX(0);
    -ms-transform: translateX(0);
    transform: translateX(0);
.fadeInLeftBig {
  -webkit-animation-name: fadeInLeftBig;
  animation-name: fadeInLeftBig;
@-webkit-keyframes fadeInRight {
 0% {
   opacity: 0;
   -webkit-transform: translateX(20px);
   transform: translateX(20px);
 100% {
   opacity: 1;
   -webkit-transform: translateX(0);
   transform: translateX(0);
@keyframes fadeInRight {
 0% {
   opacity: 0;
    -webkit-transform: translateX(20px);
   -ms-transform: translateX(20px);
   transform: translateX(20px);
 100% {
   opacity: 1;
    -webkit-transform: translateX(0);
   -ms-transform: translateX(0);
   transform: translateX(0);
.fadeInRight {
  -webkit-animation-name: fadeInRight;
 animation-name: fadeInRight;
@-webkit-keyframes fadeInRightBig {
  0% {
  opacity: 0;
```

```
-webkit-transform: translateX(2000px);
    transform: translateX(2000px);
 100% {
    opacity: 1;
    -webkit-transform: translateX(0);
   transform: translateX(0);
@keyframes fadeInRightBig {
 0% {
    opacity: 0;
   -webkit-transform: translateX(2000px);
   -ms-transform: translateX(2000px);
   transform: translateX(2000px);
 100% {
   opacity: 1;
    -webkit-transform: translateX(0);
   -ms-transform: translateX(0);
   transform: translateX(0);
.fadeInRightBig {
  -webkit-animation-name: fadeInRightBig;
 animation-name: fadeInRightBig;
@-webkit-keyframes fadeInUp {
 0% {
   opacity: 0;
    -webkit-transform: translateY(20px);
   transform: translateY(20px);
 100% {
   opacity: 1;
    -webkit-transform: translateY(0);
    transform: translateY(0);
@keyframes fadeInUp {
 0% {
  opacity: 0;
```

```
-webkit-transform: translateY(20px);
    -ms-transform: translateY(20px);
    transform: translateY(20px);
  100% {
    opacity: 1;
    -webkit-transform: translateY(0);
    -ms-transform: translateY(0);
    transform: translateY(0);
.fadeInUp {
  -webkit-animation-name: fadeInUp;
  animation-name: fadeInUp;
@-webkit-keyframes fadeInUpBig {
  0% {
    opacity: 0;
    -webkit-transform: translateY(2000px);
   transform: translateY(2000px);
  100% {
    opacity: 1;
    -webkit-transform: translateY(0);
    transform: translateY(0);
@keyframes fadeInUpBig {
 0% {
   opacity: 0;
    -webkit-transform: translateY(2000px);
    -ms-transform: translateY(2000px);
    transform: translateY(2000px);
  100% {
    opacity: 1;
    -webkit-transform: translateY(0);
    -ms-transform: translateY(0);
    transform: translateY(0);
.fadeInUpBig {
```

```
-webkit-animation-name: fadeInUpBig;
  animation-name: fadeInUpBig;
@-webkit-keyframes fadeOut {
  0% {
   opacity: 1;
  100% {
   opacity: 0;
@keyframes fadeOut {
  0% {
    opacity: 1;
  100% {
   opacity: 0;
.fadeOut {
  -webkit-animation-name: fadeOut;
  animation-name: fadeOut;
@-webkit-keyframes fadeOutDown {
  0% {
    opacity: 1;
    -webkit-transform: translateY(0);
   transform: translateY(0);
  100% {
    opacity: 0;
    -webkit-transform: translateY(20px);
    transform: translateY(20px);
@keyframes fadeOutDown {
 0% {
   opacity: 1;
    -webkit-transform: translateY(0);
    -ms-transform: translateY(0);
   transform: translateY(0);
```

```
100% {
   opacity: 0;
    -webkit-transform: translateY(20px);
   -ms-transform: translateY(20px);
    transform: translateY(20px);
.fadeOutDown {
  -webkit-animation-name: fadeOutDown;
  animation-name: fadeOutDown;
@-webkit-keyframes fadeOutDownBig {
 0% {
   opacity: 1;
   -webkit-transform: translateY(0);
   transform: translateY(0);
 100% {
   opacity: 0;
    -webkit-transform: translateY(2000px);
   transform: translateY(2000px);
@keyframes fadeOutDownBig {
 0% {
   opacity: 1;
   -webkit-transform: translateY(0);
   -ms-transform: translateY(0);
   transform: translateY(0);
 100% {
   opacity: 0;
    -webkit-transform: translateY(2000px);
   -ms-transform: translateY(2000px);
   transform: translateY(2000px);
.fadeOutDownBig {
  -webkit-animation-name: fadeOutDownBig;
  animation-name: fadeOutDownBig;
```

```
@-webkit-keyframes fadeOutLeft {
 0% {
   opacity: 1;
    -webkit-transform: translateX(0);
   transform: translateX(0);
 100% {
   opacity: 0;
    -webkit-transform: translateX(-20px);
   transform: translateX(-20px);
@keyframes fadeOutLeft {
 0% {
   opacity: 1;
   -webkit-transform: translateX(0);
   -ms-transform: translateX(0);
   transform: translateX(0);
 100% {
   opacity: 0;
   -webkit-transform: translateX(-20px);
   -ms-transform: translateX(-20px);
   transform: translateX(-20px);
.fadeOutLeft {
  -webkit-animation-name: fadeOutLeft;
  animation-name: fadeOutLeft;
@-webkit-keyframes fadeOutLeftBig {
 0% {
   opacity: 1;
   -webkit-transform: translateX(0);
   transform: translateX(0);
  100% {
   opacity: 0;
   -webkit-transform: translateX(-2000px);
    transform: translateX(-2000px);
```

```
@keyframes fadeOutLeftBig {
 0% {
   opacity: 1;
    -webkit-transform: translateX(0);
   -ms-transform: translateX(0);
    transform: translateX(0);
 100% {
   opacity: 0;
    -webkit-transform: translateX(-2000px);
   -ms-transform: translateX(-2000px);
    transform: translateX(-2000px);
.fadeOutLeftBig {
  -webkit-animation-name: fadeOutLeftBig;
  animation-name: fadeOutLeftBig;
@-webkit-keyframes fadeOutRight {
 0% {
   opacity: 1;
   -webkit-transform: translateX(0);
   transform: translateX(0);
 100% {
   opacity: 0;
   -webkit-transform: translateX(20px);
    transform: translateX(20px);
@keyframes fadeOutRight {
 0% {
   opacity: 1;
    -webkit-transform: translateX(0);
   -ms-transform: translateX(0);
   transform: translateX(0);
 100% {
   opacity: 0;
    -webkit-transform: translateX(20px);
    -ms-transform: translateX(20px);
   transform: translateX(20px);
```

```
.fadeOutRight {
  -webkit-animation-name: fadeOutRight;
  animation-name: fadeOutRight;
@-webkit-keyframes fadeOutRightBig {
 0% {
   opacity: 1;
    -webkit-transform: translateX(0);
   transform: translateX(0);
 100% {
    opacity: 0;
    -webkit-transform: translateX(2000px);
   transform: translateX(2000px);
  }
@keyframes fadeOutRightBig {
 0% {
   opacity: 1;
   -webkit-transform: translateX(0);
    -ms-transform: translateX(0);
    transform: translateX(0);
 100% {
    opacity: 0;
    -webkit-transform: translateX(2000px);
   -ms-transform: translateX(2000px);
    transform: translateX(2000px);
.fadeOutRightBig {
  -webkit-animation-name: fadeOutRightBig;
  animation-name: fadeOutRightBig;
@-webkit-keyframes fadeOutUp {
 0% {
   opacity: 1;
    -webkit-transform: translateY(0);
    transform: translateY(0);
```

```
100% {
    opacity: 0;
    -webkit-transform: translateY(-20px);
    transform: translateY(-20px);
@keyframes fadeOutUp {
  0% {
   opacity: 1;
    -webkit-transform: translateY(0);
    -ms-transform: translateY(0);
    transform: translateY(0);
  100% {
    opacity: 0;
    -webkit-transform: translateY(-20px);
    -ms-transform: translateY(-20px);
    transform: translateY(-20px);
.fadeOutUp {
  -webkit-animation-name: fadeOutUp;
  animation-name: fadeOutUp;
@-webkit-keyframes fadeOutUpBig {
  0% {
    opacity: 1;
    -webkit-transform: translateY(0);
    transform: translateY(0);
  100% {
    opacity: 0;
    -webkit-transform: translateY(-2000px);
    transform: translateY(-2000px);
@keyframes fadeOutUpBig {
 0% {
   opacity: 1;
    -webkit-transform: translateY(0);
    -ms-transform: translateY(0);
   transform: translateY(0);
```

```
100% {
    opacity: 0;
    -webkit-transform: translateY(-2000px);
    -ms-transform: translateY(-2000px);
    transform: translateY(-2000px);
.fadeOutUpBig {
  -webkit-animation-name: fadeOutUpBig;
  animation-name: fadeOutUpBig;
@-webkit-keyframes flip {
 0% {
    -webkit-transform: perspective(400px) translateZ(0) rotateY(0) scale(1);
    transform: perspective(400px) translateZ(0) rotateY(0) scale(1);
    -webkit-animation-timing-function: ease-out;
    animation-timing-function: ease-out;
 40% {
    -webkit-transform: perspective(400px) translateZ(150px) rotateY(170deg)
scale(1);
    transform: perspective(400px) translateZ(150px) rotateY(170deg) scale(1);
    -webkit-animation-timing-function: ease-out;
    animation-timing-function: ease-out;
  50% {
    -webkit-transform: perspective(400px) translateZ(150px) rotateY(190deg)
scale(1);
    transform: perspective(400px) translateZ(150px) rotateY(190deg) scale(1);
    -webkit-animation-timing-function: ease-in;
    animation-timing-function: ease-in;
  80% {
    -webkit-transform: perspective(400px) translateZ(0) rotateY(360deg)
scale(.95);
    transform: perspective(400px) translateZ(0) rotateY(360deg) scale(.95);
    -webkit-animation-timing-function: ease-in;
    animation-timing-function: ease-in;
  100% {
```

```
-webkit-transform: perspective(400px) translateZ(0) rotateY(360deg)
scale(1);
    transform: perspective(400px) translateZ(0) rotateY(360deg) scale(1);
    -webkit-animation-timing-function: ease-in;
    animation-timing-function: ease-in;
@keyframes flip {
 0% {
    -webkit-transform: perspective(400px) translateZ(0) rotateY(0) scale(1);
    -ms-transform: perspective(400px) translateZ(0) rotateY(0) scale(1);
    transform: perspective(400px) translateZ(0) rotateY(0) scale(1);
    -webkit-animation-timing-function: ease-out;
    animation-timing-function: ease-out;
 40% {
    -webkit-transform: perspective(400px) translateZ(150px) rotateY(170deg)
scale(1);
    -ms-transform: perspective(400px) translateZ(150px) rotateY(170deg)
scale(1);
    transform: perspective(400px) translateZ(150px) rotateY(170deg) scale(1);
    -webkit-animation-timing-function: ease-out;
    animation-timing-function: ease-out;
 50% {
    -webkit-transform: perspective(400px) translateZ(150px) rotateY(190deg)
    -ms-transform: perspective(400px) translateZ(150px) rotateY(190deg)
scale(1);
    transform: perspective(400px) translateZ(150px) rotateY(190deg) scale(1);
    -webkit-animation-timing-function: ease-in;
    animation-timing-function: ease-in;
 80% {
    -webkit-transform: perspective(400px) translateZ(0) rotateY(360deg)
scale(.95);
    -ms-transform: perspective(400px) translateZ(0) rotateY(360deg) scale(.95);
    transform: perspective(400px) translateZ(0) rotateY(360deg) scale(.95);
    -webkit-animation-timing-function: ease-in;
    animation-timing-function: ease-in;
 100% {
    -webkit-transform: perspective(400px) translateZ(0) rotateY(360deg)
scale(1);
```

```
-ms-transform: perspective(400px) translateZ(0) rotateY(360deg) scale(1);
    transform: perspective(400px) translateZ(0) rotateY(360deg) scale(1);
    -webkit-animation-timing-function: ease-in;
    animation-timing-function: ease-in;
.animated.flip {
 -webkit-backface-visibility: visible;
 -ms-backface-visibility: visible;
 backface-visibility: visible;
 -webkit-animation-name: flip;
 animation-name: flip;
@-webkit-keyframes flipInX {
 0% {
    -webkit-transform: perspective(400px) rotateX(90deg);
   transform: perspective(400px) rotateX(90deg);
   opacity: 0;
 40% {
   -webkit-transform: perspective(400px) rotateX(-10deg);
    transform: perspective(400px) rotateX(-10deg);
 70% {
    -webkit-transform: perspective(400px) rotateX(10deg);
   transform: perspective(400px) rotateX(10deg);
 100% {
    -webkit-transform: perspective(400px) rotateX(0deg);
   transform: perspective(400px) rotateX(0deg);
   opacity: 1;
@keyframes flipInX {
 0% {
    -webkit-transform: perspective(400px) rotateX(90deg);
    -ms-transform: perspective(400px) rotateX(90deg);
    transform: perspective(400px) rotateX(90deg);
   opacity: 0;
 40% {
   -webkit-transform: perspective(400px) rotateX(-10deg);
```

```
-ms-transform: perspective(400px) rotateX(-10deg);
    transform: perspective(400px) rotateX(-10deg);
  70% {
    -webkit-transform: perspective(400px) rotateX(10deg);
    -ms-transform: perspective(400px) rotateX(10deg);
    transform: perspective(400px) rotateX(10deg);
  100% {
    -webkit-transform: perspective(400px) rotateX(0deg);
    -ms-transform: perspective(400px) rotateX(0deg);
    transform: perspective(400px) rotateX(0deg);
    opacity: 1;
.flipInX {
  -webkit-backface-visibility: visible !important;
 -ms-backface-visibility: visible !important;
 backface-visibility: visible !important;
  -webkit-animation-name: flipInX;
  animation-name: flipInX;
@-webkit-keyframes flipInY {
 0% {
    -webkit-transform: perspective(400px) rotateY(90deg);
    transform: perspective(400px) rotateY(90deg);
    opacity: 0;
    -webkit-transform: perspective(400px) rotateY(-10deg);
    transform: perspective(400px) rotateY(-10deg);
  70% {
    -webkit-transform: perspective(400px) rotateY(10deg);
    transform: perspective(400px) rotateY(10deg);
  100% {
    -webkit-transform: perspective(400px) rotateY(0deg);
    transform: perspective(400px) rotateY(0deg);
    opacity: 1;
```

```
@keyframes flipInY {
 0% {
    -webkit-transform: perspective(400px) rotateY(90deg);
    -ms-transform: perspective(400px) rotateY(90deg);
    transform: perspective(400px) rotateY(90deg);
    opacity: 0;
 40% {
    -webkit-transform: perspective(400px) rotateY(-10deg);
    -ms-transform: perspective(400px) rotateY(-10deg);
    transform: perspective(400px) rotateY(-10deg);
  70% {
    -webkit-transform: perspective(400px) rotateY(10deg);
    -ms-transform: perspective(400px) rotateY(10deg);
    transform: perspective(400px) rotateY(10deg);
  100% {
    -webkit-transform: perspective(400px) rotateY(0deg);
    -ms-transform: perspective(400px) rotateY(0deg);
    transform: perspective(400px) rotateY(0deg);
    opacity: 1;
.flipInY {
  -webkit-backface-visibility: visible !important;
 -ms-backface-visibility: visible !important;
  backface-visibility: visible !important;
  -webkit-animation-name: flipInY;
  animation-name: flipInY;
@-webkit-keyframes flipOutX {
 0% {
    -webkit-transform: perspective(400px) rotateX(0deg);
    transform: perspective(400px) rotateX(0deg);
    opacity: 1;
  100% {
    -webkit-transform: perspective(400px) rotateX(90deg);
    transform: perspective(400px) rotateX(90deg);
    opacity: 0;
```

```
@keyframes flipOutX {
  0% {
    -webkit-transform: perspective(400px) rotateX(0deg);
    -ms-transform: perspective(400px) rotateX(0deg);
    transform: perspective(400px) rotateX(0deg);
    opacity: 1;
  100% {
    -webkit-transform: perspective(400px) rotateX(90deg);
    -ms-transform: perspective(400px) rotateX(90deg);
    transform: perspective(400px) rotateX(90deg);
    opacity: 0;
.flipOutX {
 -webkit-animation-name: flipOutX;
  animation-name: flipOutX;
 -webkit-backface-visibility: visible !important;
  -ms-backface-visibility: visible !important;
  backface-visibility: visible !important;
@-webkit-keyframes flipOutY {
 0% {
    -webkit-transform: perspective(400px) rotateY(0deg);
    transform: perspective(400px) rotateY(0deg);
    opacity: 1;
  100% {
    -webkit-transform: perspective(400px) rotateY(90deg);
    transform: perspective(400px) rotateY(90deg);
    opacity: 0;
@keyframes flipOutY {
 0% {
    -webkit-transform: perspective(400px) rotateY(0deg);
    -ms-transform: perspective(400px) rotateY(0deg);
    transform: perspective(400px) rotateY(0deg);
    opacity: 1;
  }
  100% {
```

```
-webkit-transform: perspective(400px) rotateY(90deg);
    -ms-transform: perspective(400px) rotateY(90deg);
    transform: perspective(400px) rotateY(90deg);
    opacity: 0;
.flipOutY {
  -webkit-backface-visibility: visible !important;
  -ms-backface-visibility: visible !important;
 backface-visibility: visible !important;
  -webkit-animation-name: flipOutY;
  animation-name: flipOutY;
@-webkit-keyframes lightSpeedIn {
 0% {
    -webkit-transform: translateX(100%) skewX(-30deg);
    transform: translateX(100%) skewX(-30deg);
    opacity: 0;
  60% {
    -webkit-transform: translateX(-20%) skewX(30deg);
    transform: translateX(-20%) skewX(30deg);
    opacity: 1;
  80% {
    -webkit-transform: translateX(0%) skewX(-15deg);
    transform: translateX(0%) skewX(-15deg);
    opacity: 1;
  100% {
    -webkit-transform: translateX(0%) skewX(0deg);
    transform: translateX(0%) skewX(0deg);
    opacity: 1;
@keyframes lightSpeedIn {
    -webkit-transform: translateX(100%) skewX(-30deg);
    -ms-transform: translateX(100%) skewX(-30deg);
    transform: translateX(100%) skewX(-30deg);
    opacity: 0;
```

```
60% {
    -webkit-transform: translateX(-20%) skewX(30deg);
    -ms-transform: translateX(-20%) skewX(30deg);
    transform: translateX(-20%) skewX(30deg);
    opacity: 1;
  80% {
    -webkit-transform: translateX(0%) skewX(-15deg);
    -ms-transform: translateX(0%) skewX(-15deg);
    transform: translateX(0%) skewX(-15deg);
    opacity: 1;
  100% {
    -webkit-transform: translateX(0%) skewX(0deg);
    -ms-transform: translateX(0%) skewX(0deg);
    transform: translateX(0%) skewX(0deg);
    opacity: 1;
  }
.lightSpeedIn {
  -webkit-animation-name: lightSpeedIn;
 animation-name: lightSpeedIn;
 -webkit-animation-timing-function: ease-out;
  animation-timing-function: ease-out;
@-webkit-keyframes lightSpeedOut {
 0% {
    -webkit-transform: translateX(0%) skewX(0deg);
    transform: translateX(0%) skewX(0deg);
    opacity: 1;
  100% {
    -webkit-transform: translateX(100%) skewX(-30deg);
    transform: translateX(100%) skewX(-30deg);
    opacity: 0;
@keyframes lightSpeedOut {
 0% {
    -webkit-transform: translateX(0%) skewX(0deg);
    -ms-transform: translateX(0%) skewX(0deg);
    transform: translateX(0%) skewX(0deg);
   opacity: 1;
```

```
100% {
    -webkit-transform: translateX(100%) skewX(-30deg);
    -ms-transform: translateX(100%) skewX(-30deg);
   transform: translateX(100%) skewX(-30deg);
   opacity: 0;
.lightSpeedOut {
 -webkit-animation-name: lightSpeedOut;
 animation-name: lightSpeedOut;
 -webkit-animation-timing-function: ease-in;
 animation-timing-function: ease-in;
@-webkit-keyframes rotateIn {
 0% {
    -webkit-transform-origin: center center;
    transform-origin: center center;
   -webkit-transform: rotate(-200deg);
   transform: rotate(-200deg);
   opacity: 0;
 100% {
    -webkit-transform-origin: center center;
    transform-origin: center center;
   -webkit-transform: rotate(0);
   transform: rotate(0);
   opacity: 1;
@keyframes rotateIn {
 0% {
    -webkit-transform-origin: center center;
    -ms-transform-origin: center center;
    transform-origin: center center;
    -webkit-transform: rotate(-200deg);
    -ms-transform: rotate(-200deg);
   transform: rotate(-200deg);
   opacity: 0;
 100% {
    -webkit-transform-origin: center center;
   -ms-transform-origin: center center;
```

```
transform-origin: center center;
    -webkit-transform: rotate(0);
    -ms-transform: rotate(0);
   transform: rotate(0);
   opacity: 1;
.rotateIn {
 -webkit-animation-name: rotateIn;
 animation-name: rotateIn;
@-webkit-keyframes rotateInDownLeft {
    -webkit-transform-origin: left bottom;
   transform-origin: left bottom;
    -webkit-transform: rotate(-90deg);
   transform: rotate(-90deg);
   opacity: 0;
 100% {
    -webkit-transform-origin: left bottom;
   transform-origin: left bottom;
   -webkit-transform: rotate(0);
   transform: rotate(0);
   opacity: 1;
@keyframes rotateInDownLeft {
 0% {
    -webkit-transform-origin: left bottom;
    -ms-transform-origin: left bottom;
   transform-origin: left bottom;
   -webkit-transform: rotate(-90deg);
    -ms-transform: rotate(-90deg);
   transform: rotate(-90deg);
   opacity: 0;
 100% {
    -webkit-transform-origin: left bottom;
   -ms-transform-origin: left bottom;
   transform-origin: left bottom;
    -webkit-transform: rotate(0);
    -ms-transform: rotate(0);
   transform: rotate(0);
```

```
opacity: 1;
.rotateInDownLeft {
  -webkit-animation-name: rotateInDownLeft;
  animation-name: rotateInDownLeft;
@-webkit-keyframes rotateInDownRight {
 0% {
    -webkit-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(90deg);
   transform: rotate(90deg);
    opacity: 0;
  100% {
    -webkit-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(0);
   transform: rotate(0);
    opacity: 1;
@keyframes rotateInDownRight {
  0% {
    -webkit-transform-origin: right bottom;
    -ms-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(90deg);
    -ms-transform: rotate(90deg);
    transform: rotate(90deg);
    opacity: 0;
  100% {
    -webkit-transform-origin: right bottom;
    -ms-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(0);
    -ms-transform: rotate(0);
    transform: rotate(0);
    opacity: 1;
  }
```

```
.rotateInDownRight {
  -webkit-animation-name: rotateInDownRight;
  animation-name: rotateInDownRight;
@-webkit-keyframes rotateInUpLeft {
    -webkit-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(90deg);
    transform: rotate(90deg);
   opacity: 0;
  100% {
    -webkit-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(0);
   transform: rotate(0);
   opacity: 1;
@keyframes rotateInUpLeft {
 0% {
    -webkit-transform-origin: left bottom;
    -ms-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(90deg);
    -ms-transform: rotate(90deg);
    transform: rotate(90deg);
    opacity: 0;
  100% {
    -webkit-transform-origin: left bottom;
    -ms-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(0);
    -ms-transform: rotate(0);
    transform: rotate(0);
    opacity: 1;
.rotateInUpLeft {
  -webkit-animation-name: rotateInUpLeft;
  animation-name: rotateInUpLeft;
```

```
@-webkit-keyframes rotateInUpRight {
 0% {
   -webkit-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(-90deg);
    transform: rotate(-90deg);
   opacity: 0;
  100% {
    -webkit-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(0);
    transform: rotate(0);
    opacity: 1;
@keyframes rotateInUpRight {
 0% {
    -webkit-transform-origin: right bottom;
    -ms-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(-90deg);
    -ms-transform: rotate(-90deg);
    transform: rotate(-90deg);
    opacity: 0;
  100% {
    -webkit-transform-origin: right bottom;
    -ms-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(0);
    -ms-transform: rotate(0);
    transform: rotate(0);
    opacity: 1;
.rotateInUpRight {
  -webkit-animation-name: rotateInUpRight;
  animation-name: rotateInUpRight;
@-webkit-keyframes rotateOut {
  0% {
   -webkit-transform-origin: center center;
```

```
transform-origin: center center;
    -webkit-transform: rotate(0);
    transform: rotate(0);
    opacity: 1;
  100% {
    -webkit-transform-origin: center center;
    transform-origin: center center;
    -webkit-transform: rotate(200deg);
    transform: rotate(200deg);
   opacity: 0;
@keyframes rotateOut {
 0% {
    -webkit-transform-origin: center center;
    -ms-transform-origin: center center;
    transform-origin: center center;
    -webkit-transform: rotate(0);
    -ms-transform: rotate(0);
   transform: rotate(0);
   opacity: 1;
  100% {
    -webkit-transform-origin: center center;
    -ms-transform-origin: center center;
    transform-origin: center center;
    -webkit-transform: rotate(200deg);
    -ms-transform: rotate(200deg);
    transform: rotate(200deg);
    opacity: 0;
.rotateOut {
  -webkit-animation-name: rotateOut;
  animation-name: rotateOut;
@-webkit-keyframes rotateOutDownLeft {
 0% {
    -webkit-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(0);
    transform: rotate(0);
   opacity: 1;
```

```
100% {
    -webkit-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(90deg);
    transform: rotate(90deg);
   opacity: 0;
@keyframes rotateOutDownLeft {
 0% {
    -webkit-transform-origin: left bottom;
    -ms-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(0);
    -ms-transform: rotate(0);
   transform: rotate(0);
    opacity: 1;
  100% {
    -webkit-transform-origin: left bottom;
    -ms-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(90deg);
    -ms-transform: rotate(90deg);
    transform: rotate(90deg);
    opacity: 0;
.rotateOutDownLeft {
  -webkit-animation-name: rotateOutDownLeft;
  animation-name: rotateOutDownLeft;
@-webkit-keyframes rotateOutDownRight {
 0% {
    -webkit-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(0);
    transform: rotate(0);
    opacity: 1;
  100% {
    -webkit-transform-origin: right bottom;
```

```
transform-origin: right bottom;
    -webkit-transform: rotate(-90deg);
    transform: rotate(-90deg);
    opacity: 0;
@keyframes rotateOutDownRight {
 0% {
    -webkit-transform-origin: right bottom;
    -ms-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(0);
    -ms-transform: rotate(0);
    transform: rotate(0);
    opacity: 1;
  100% {
    -webkit-transform-origin: right bottom;
    -ms-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(-90deg);
    -ms-transform: rotate(-90deg);
    transform: rotate(-90deg);
    opacity: 0;
.rotateOutDownRight {
  -webkit-animation-name: rotateOutDownRight;
  animation-name: rotateOutDownRight;
@-webkit-keyframes rotateOutUpLeft {
 0% {
    -webkit-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(0);
    transform: rotate(0);
    opacity: 1;
  100% {
    -webkit-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(-90deg);
    transform: rotate(-90deg);
   opacity: 0;
```

```
@keyframes rotateOutUpLeft {
  0% {
    -webkit-transform-origin: left bottom;
    -ms-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(0);
    -ms-transform: rotate(0);
    transform: rotate(0);
    opacity: 1;
  100% {
    -webkit-transform-origin: left bottom;
    -ms-transform-origin: left bottom;
    transform-origin: left bottom;
    -webkit-transform: rotate(-90deg);
    -ms-transform: rotate(-90deg);
    transform: rotate(-90deg);
    opacity: 0;
.rotateOutUpLeft {
  -webkit-animation-name: rotateOutUpLeft;
  animation-name: rotateOutUpLeft;
@-webkit-keyframes rotateOutUpRight {
    -webkit-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(0);
    transform: rotate(0);
    opacity: 1;
  100% {
    -webkit-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(90deg);
    transform: rotate(90deg);
    opacity: 0;
@keyframes rotateOutUpRight {
```

```
0% {
    -webkit-transform-origin: right bottom;
    -ms-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(0);
    -ms-transform: rotate(0);
    transform: rotate(0);
   opacity: 1;
  100% {
    -webkit-transform-origin: right bottom;
    -ms-transform-origin: right bottom;
    transform-origin: right bottom;
    -webkit-transform: rotate(90deg);
    -ms-transform: rotate(90deg);
    transform: rotate(90deg);
    opacity: 0;
.rotateOutUpRight {
  -webkit-animation-name: rotateOutUpRight;
  animation-name: rotateOutUpRight;
@-webkit-keyframes slideInDown {
 0% {
    opacity: 0;
   -webkit-transform: translateY(-2000px);
   transform: translateY(-2000px);
   -webkit-transform: translateY(0);
   transform: translateY(0);
@keyframes slideInDown {
 0% {
   opacity: 0;
    -webkit-transform: translateY(-2000px);
    -ms-transform: translateY(-2000px);
    transform: translateY(-2000px);
  100% {
    -webkit-transform: translateY(0);
```

```
-ms-transform: translateY(0);
    transform: translateY(0);
.slideInDown {
  -webkit-animation-name: slideInDown;
 animation-name: slideInDown;
@-webkit-keyframes slideInLeft {
 0% {
   opacity: 0;
    -webkit-transform: translateX(-2000px);
   transform: translateX(-2000px);
  100% {
    -webkit-transform: translateX(0);
   transform: translateX(0);
@keyframes slideInLeft {
 0% {
   opacity: 0;
    -webkit-transform: translateX(-2000px);
   -ms-transform: translateX(-2000px);
    transform: translateX(-2000px);
 100% {
    -webkit-transform: translateX(0);
   -ms-transform: translateX(0);
   transform: translateX(0);
.slideInLeft {
  -webkit-animation-name: slideInLeft;
 animation-name: slideInLeft;
@-webkit-keyframes slideInRight {
 0% {
   opacity: 0;
    -webkit-transform: translateX(2000px);
    transform: translateX(2000px);
```

```
100% {
    -webkit-transform: translateX(0);
   transform: translateX(0);
@keyframes slideInRight {
 0% {
   opacity: 0;
   -webkit-transform: translateX(2000px);
   -ms-transform: translateX(2000px);
   transform: translateX(2000px);
 100% {
    -webkit-transform: translateX(0);
    -ms-transform: translateX(0);
   transform: translateX(0);
.slideInRight {
 -webkit-animation-name: slideInRight;
 animation-name: slideInRight;
@-webkit-keyframes slideOutLeft {
   -webkit-transform: translateX(0);
   transform: translateX(0);
 100% {
   opacity: 0;
    -webkit-transform: translateX(-2000px);
   transform: translateX(-2000px);
@keyframes slideOutLeft {
 0% {
   -webkit-transform: translateX(0);
    -ms-transform: translateX(0);
   transform: translateX(0);
  100% {
   opacity: 0;
```

```
-webkit-transform: translateX(-2000px);
    -ms-transform: translateX(-2000px);
    transform: translateX(-2000px);
.slideOutLeft {
  -webkit-animation-name: slideOutLeft;
  animation-name: slideOutLeft;
@-webkit-keyframes slideOutRight {
  0% {
    -webkit-transform: translateX(0);
    transform: translateX(0);
  100% {
    opacity: 0;
    -webkit-transform: translateX(2000px);
    transform: translateX(2000px);
@keyframes slideOutRight {
  0% {
    -webkit-transform: translateX(0);
    -ms-transform: translateX(0);
    transform: translateX(0);
  100% {
    opacity: 0;
    -webkit-transform: translateX(2000px);
    -ms-transform: translateX(2000px);
    transform: translateX(2000px);
.slideOutRight {
  -webkit-animation-name: slideOutRight;
  animation-name: slideOutRight;
@-webkit-keyframes slideOutUp {
  0% {
    -webkit-transform: translateY(0);
    transform: translateY(0);
```

```
100% {
    opacity: 0;
    -webkit-transform: translateY(-2000px);
   transform: translateY(-2000px);
@keyframes slideOutUp {
 0% {
   -webkit-transform: translateY(0);
   -ms-transform: translateY(0);
   transform: translateY(0);
 100% {
    opacity: 0;
    -webkit-transform: translateY(-2000px);
   -ms-transform: translateY(-2000px);
   transform: translateY(-2000px);
.slideOutUp {
  -webkit-animation-name: slideOutUp;
  animation-name: slideOutUp;
@-webkit-keyframes hinge {
 0% {
    -webkit-transform: rotate(0);
    transform: rotate(0);
    -webkit-transform-origin: top left;
    transform-origin: top left;
    -webkit-animation-timing-function: ease-in-out;
    animation-timing-function: ease-in-out;
  20%, 60% {
    -webkit-transform: rotate(80deg);
    transform: rotate(80deg);
    -webkit-transform-origin: top left;
    transform-origin: top left;
    -webkit-animation-timing-function: ease-in-out;
    animation-timing-function: ease-in-out;
  40% {
    -webkit-transform: rotate(60deg);
```

```
transform: rotate(60deg);
    -webkit-transform-origin: top left;
    transform-origin: top left;
    -webkit-animation-timing-function: ease-in-out;
    animation-timing-function: ease-in-out;
 80% {
    -webkit-transform: rotate(60deg) translateY(0);
    transform: rotate(60deg) translateY(0);
   opacity: 1;
    -webkit-transform-origin: top left;
    transform-origin: top left;
    -webkit-animation-timing-function: ease-in-out;
   animation-timing-function: ease-in-out;
 100% {
    -webkit-transform: translateY(700px);
   transform: translateY(700px);
    opacity: 0;
@keyframes hinge {
 0% {
    -webkit-transform: rotate(0);
   -ms-transform: rotate(0);
    transform: rotate(0);
    -webkit-transform-origin: top left;
    -ms-transform-origin: top left;
    transform-origin: top left;
    -webkit-animation-timing-function: ease-in-out;
   animation-timing-function: ease-in-out;
 20%, 60% {
    -webkit-transform: rotate(80deg);
    -ms-transform: rotate(80deg);
    transform: rotate(80deg);
    -webkit-transform-origin: top left;
    -ms-transform-origin: top left;
    transform-origin: top left;
    -webkit-animation-timing-function: ease-in-out;
   animation-timing-function: ease-in-out;
 40% {
   -webkit-transform: rotate(60deg);
```

```
-ms-transform: rotate(60deg);
    transform: rotate(60deg);
    -webkit-transform-origin: top left;
    -ms-transform-origin: top left;
    transform-origin: top left;
    -webkit-animation-timing-function: ease-in-out;
    animation-timing-function: ease-in-out;
  80% {
    -webkit-transform: rotate(60deg) translateY(0);
    -ms-transform: rotate(60deg) translateY(0);
    transform: rotate(60deg) translateY(0);
    opacity: 1;
    -webkit-transform-origin: top left;
    -ms-transform-origin: top left;
    transform-origin: top left;
    -webkit-animation-timing-function: ease-in-out;
    animation-timing-function: ease-in-out;
  100% {
    -webkit-transform: translateY(700px);
    -ms-transform: translateY(700px);
    transform: translateY(700px);
    opacity: 0;
.hinge {
  -webkit-animation-name: hinge;
  animation-name: hinge;
/* originally authored by Nick Pettit - https://github.com/nickpettit/glide */
@-webkit-keyframes rollIn {
 0% {
    opacity: 0;
    -webkit-transform: translateX(-100%) rotate(-120deg);
   transform: translateX(-100%) rotate(-120deg);
  100% {
    opacity: 1;
    -webkit-transform: translateX(0px) rotate(0deg);
    transform: translateX(0px) rotate(0deg);
```

```
@keyframes rollIn {
 0% {
   opacity: 0;
    -webkit-transform: translateX(-100%) rotate(-120deg);
    -ms-transform: translateX(-100%) rotate(-120deg);
    transform: translateX(-100%) rotate(-120deg);
  100% {
   opacity: 1;
    -webkit-transform: translateX(0px) rotate(0deg);
   -ms-transform: translateX(0px) rotate(0deg);
    transform: translateX(0px) rotate(0deg);
.rollIn {
  -webkit-animation-name: rollIn;
  animation-name: rollIn;
/* originally authored by Nick Pettit - https://github.com/nickpettit/glide */
@-webkit-keyframes rollOut {
 0% {
   opacity: 1;
    -webkit-transform: translateX(0px) rotate(0deg);
    transform: translateX(0px) rotate(0deg);
  100% {
   opacity: 0;
    -webkit-transform: translateX(100%) rotate(120deg);
    transform: translateX(100%) rotate(120deg);
@keyframes rollOut {
 0% {
   opacity: 1;
    -webkit-transform: translateX(0px) rotate(0deg);
    -ms-transform: translateX(0px) rotate(0deg);
    transform: translateX(0px) rotate(0deg);
  100% {
    opacity: 0;
   -webkit-transform: translateX(100%) rotate(120deg);
```

```
-ms-transform: translateX(100%) rotate(120deg);
   transform: translateX(100%) rotate(120deg);
}

.rollOut {
   -webkit-animation-name: rollOut;
   animation-name: rollOut;
}
```

```
@media (min-width: 992px) and (max-width: 1199px) {
    .post-author a,
    .post-date a,
    .post-favourite a,
    .post-comments a,
    .post-share a {
        font-size: 12px;
@media (min-width: 768px) and (max-width: 991px) {
    .post-author a,
    .post-date a,
    .post-favourite a,
    .post-comments a,
    .post-share a {
        font-size: 12px;
    .navbar-toggler {
        background-color: #fc6c3f;
       width: 100%;
       color: #fff;
        margin-bottom: 30px;
    .footer_area .navbar-toggler {
        margin-bottom: 0;
    .navbar.navbar-expand-lg .navbar-nav .nav-link {
        padding: 7.5px 30px;
@media (min-width: 320px) and (max-width: 767px) {
    .post-author a,
   .post-date a,
```

```
.post-favourite a,
.post-comments a,
.post-share a {
    font-size: 12px;
.post-favourite a,
.post-comments a {
   margin-right: 7.5px;
.post-author a,
.top_header_area .top_social_bar > a {
   margin-right: 15px;
.post-author a::after {
    right: -7px;
.footer-social-area .single-icon span {
   display: none;
.footer-social-area .single-icon:last-of-type > a > i {
    padding-right: 0;
.top_header_area .signup-search-area .search_button {
    margin-left: 15px;
.navbar-toggler {
   background-color: #fc6c3f;
   width: 100%;
   color: #fff;
   margin-bottom: 30px;
.footer_area .navbar-toggler {
   margin-bottom: 0;
.navbar.navbar-expand-lg .navbar-nav .nav-link {
   padding: 7.5px 30px;
.pagination-area .page-status {
   margin-top: 30px;
#googleMap {
   height: 300px;
.comment-wrapper .comment-author {
   width: 50px;
   height: 50px;
   margin-right: 10px;
```

```
.single_comment_area::after {
        display: none;
    .single_comment_area ol li.single_comment_area {
       margin-left: 30px;
    .single_comment_area ol li.single_comment_area .comment-wrapper .comment-
author {
       margin-right: 10px;
    .single_comment_area ol li.single_comment_area {
       margin-left: 15px;
    }
@media (min-width: 480px) and (max-width: 767px) {
    #googleMap {
       height: 400px;
    }
@media (min-width: 576px) and (max-width: 767px) {
    .pagination-area .page-status {
        margin-top: 0;
   #googleMap {
        height: 500px;
    .comment-wrapper .comment-author {
       margin-right: 60px;
       width: 70px;
       height: 70px;
    .single_comment_area::after {
        display: block;
    .single_comment_area ol li.single_comment_area {
       margin-left: 60px;
    .single_comment_area ol li.single_comment_area .comment-wrapper .comment-
author {
       margin-right: 30px;
    .single_comment_area ol li.single_comment_area {
       margin-left: 130px;
    }
```

2. Organizacija

2.1. Organizaciona šema

Stranice

index.php?currentpage=home index.php?currentpage=archive index.php?currentpage=contact index.php?currentpage=post index.php?currentpage=login-register index.php?currentpage=404 index.php?currentpage=403 index.php?currentpage=archive

2.3.Stranice

U nastavku ću dati print screen prikaz samo onih delova sajta na kojima je primenjena neka od funkcionalnosti koje su objašnjenje u uvodnom delu dokumentacije. Radi lakšeg snalaženja, biće kopiran opis uz svaku od stranica.

2.3.1. Home Page

- Dinamički dropdown meni realizovan PHP-om. Isti meni se ispisuje i u futeru, s' tim što je limitiran na 1 nivo.
- Slajder sastoji se iz slika sa opisima koji se učitavaju iz baze. Naslov slike koji postaje vidljiv dok je kursor unutar bloka sa slikom vodi na stranicu koja dinamički prikazuje sve informacije o tom proizvodu zajedno sa komentarima o istom.
- Prikaz 3 kategorije(Home page) I filtriranje proizvoda klikom na neki od njih. Takodje se mogu videte I svi proizvodi bez filtriranja na stranici archive gde je primenjena paginacija.
- Blok About me koji se nalazi na Home page sadrži kratak opis autora sadržaja zajedno sa slikom. U futeru se nalazi link sa mojim imenom I prezimenom koji vodi ka linkedin stranici gde se nalaze moji osnovni podaci zbog čega sam to predvideo kao autor stranicu.
- Populated post(Home page) nalazi se na desnoj strain I prikazuje 5 proizvoda sortiranih po broju komentara I lajkova.
- Ispod dosadašnjeg sadržaja na Home page se nalazi blok sa slikama koji služi za reklamu Instagram profila.

Kaya Blog



f w in to s

















Boil The Kettle And Make A Cup Of Tea Folks, This Is Going To Be A Big One!



































Kaya Blog

2.3.2. Galerija

- Galerija implementirana u vidu Archive stranice koja prikazuje izlistane sve tekstove u bazi (galeriju postova). Klikom na tačno određenu kategoriju prikazuju se svi postovi koje pripadaju izabranoj kategoriji. Klikom na sliku posta ili naslov otvara se stranica konkretnog posta na koji je kliknuto.
- Paginacija implementirana na izlistanim postovima, limitirana na prikaz 6 posta po stranici. Paginacija je implementirana na listingu svih kategorija u Archive stranici, realizovana je putem AJAX+JSON.

Sing in | Sing up Q

Kaya Blog

CATEGORIES ▼ ARCHIVE

CONTACT

Archive Page

★ Home > Archive Page



Cotswolds

Where To Get The Best Sunday Roast In The





The Top Breakfast And Brunch Spots In Hove, Brighton



The 10 Best Pubs In The Lake

Newcastle, England

The 10 Best Brunch Spots In



The 10 Best Bars By The Seaside In Blackpool, UK



District, Cumbria

Page 1 of 2 results



f FACEBOOK

₩ TWITTER

G+ GOOGLE+

INKEDIN

INSTAGRAM

■ YOUTUBE

Kaya Blog

Powered by 🏀 000webhost

2.3.3. Prikaz pojedinačnih postova

- Klikom na određeni post, otvara se stranica sa tim postom koja se sastoji od slike, teksta I komentara. Komentari su vidljivi svima ali je postavljanje komentara dozvoljeno samo registrovanim korisnici.

f y in 0 0 Sing in | Sing up Q

Kaya Blog

Meal Page



Boil The Kettle And Make A Cup Of Tea Folks, This Is Going To Be A Big One!

Comments

Lazar Marojkin | 2019-03-dfsd



Katarina Marojkin

Populer Post















▼ TWITTER

G+ GOOGLE+

E LINKEDIN

◎ INSTAGRAM

YOUTUBE

Kaya Blog

2.3.5 Logovanje i registracija

– Registracija i logovanje. Registracija je realizovana PHP-om i AJAX-om, sva polja moraju biti uneta. Logovanje je realizovano PHP-om. Nakon registracije, ako je uspešna, korisnik se redirektuje na početnu stranicu i automatski je ulogovan, što se isto dešava i prilikom logovanja. Usled pogrešnog logovanja šajle se obaveštenje na mejl preko kod je pokušano logovanje. Sve greske se upisuju u fajl za greske.

f ¥ in € ⊗			Sing in Sing up O	l.
	Kaya	Blog		
	HOME CATEGORIES ▼	ARCHIVE CONTACT		
Register now!		Log in!		
First name		Email		
Last name		Password		
Email				
Password		SUBMIT		
Confirm password				
SUBMIT				
	Kaya HOME ARCHIN			
	Copyright @2019 I	oy Lazar Marojkin		Powered by (© 000webhost

2.3.6. Kontakt forma

 Kontakt forma – realizovana PHP-om i AJAX-om, obuhvata proveru unetih podataka i na klijentskoj i na severskoj strani. Ukoliko su uneti podaci ispravni, podaci se upisuju u bazu I dostupni su adminu na admin starnici gde može da izlista sve poruke.

Kaya Blog CATEGORIES * CONTACT If You Have Any Question Contact Me Today! Full Name Email f FACEBOOK **₩** TWITTER INSTAGRAM ■ YOUTUBE G+ GOOGLE+ INKEDIN V VIMEO Kaya Blog Copyright @2019 by Lazar Marojkin Powered by 7000webhost

2.3.7. Anketa

– Anketa – realizovana upotrebom AJAX-a i PHP-a, moze je videti samo ulogovan korisnik. Jedan korisnik može glasati samo jednom. Ukoliko pokuša više puta dobija obaveštenje da je već glasao. Pri očitavanju stranice se proverava da li je ulogovani korisnik glasao, ako jeste prikazuje se statistika glasova u broju glasova I procentima, u suprotnom se prikazuje samo anketa.

Kaya Blog

HOME CATEGORIES - ARCHIVE CONTAC



If You Have Any Question Contact Me Today!

Full Name			
Email			
Message			
			h

SEND MESSAGE

Statistics			
Bad	1	100.00%	
Medium	0	0.00%	
Good	0	0.00%	
Perfect	0	0.00%	






Kaya Blog

HOME ARCHIVE CONTACT

2.3.8. Admin panel

- Admin panel realizovan PHP-om i AJAX-om, moze mu pristupiti samo ulogovan korisnik koji ima ulogu admin-a. Na slici ispod je prikazana inicijalna admin stranica, a potom i stranica za prikaz, dodavanje, imenu i brisanje korisnika. Ovde se nalazi I export u word sa podacima autora kao I export u excel sa podacima o posećenosti stranicama.
- User panel sadrži samo uređivanje sopstvenog profila.



Select what you want to edit

User

User id

Lazar Marojkin

First name

Lazar

Last name

Marojkin

Email

Imarojkin@gmail.com

Password

8fe9a8c7705b8fad3ce026c11adb4920

Function

Administrator

Theert Update Delete

Broj poseta stranica u procentima!

EXPORT TO EXCEL

Rb	Stranica	Broj Poseta
1	/kayablog/index.php	32.64%
2	/kayablog/views/pages/edit.php	15.42%
3	/kayablog/models/pagination/paginacija.php	2.84%
4	/kayablog/models/log_reg/logout.php	2.65%
5	/kayablog/models/edit/obrada.php	3.69%
6	/kayablog/models/export/statisticToExcel.php	2.37%
7	/kayablog/models/post/comment/addComment.php	1.99%
8	/index.php	36.8%
9	/models/pagination/paginacija.php	0.28%
10	/models/edit/obrada.php	0.28%
11	/views/pages/edit.php	0.76%
12	/models/log_reg/logout.php	0.28%

Messages

Proba Proba

proba1

Text

proba@hotmail.com

Date

2019-06-12 18:47:01

Trenutni broj ulogovanih korisnika je: 1 Broj poseta svim stranicama sa detaljima!(ograniceno na samo 10 prikaza)

Rb	Stranica	Datum i vreme	IP
1	/kayablog/index.php	22-05-2019 18:51:37	::1
2	/kayablog/index.php	22-05-2019 18:54:34	::1
3	/kayablog/index.php	22-05-2019 18:54:37	::1
4	/kayablog/index.php	22-05-2019 18:55:01	::1
5	/kayablog/index.php	22-05-2019 18:57:05	::1
6	/kayablog/index.php	22-05-2019 18:58:06	::1
7	/kayablog/index.php	22-05-2019 19:15:15	::1
8	/kayablog/index.php	22-05-2019 19:15:29	::1
9	/kayablog/index.php	22-05-2019 19:17:05	::1
10	/kayablog/index.php	22-05-2019 19:18:50	::1

Broj poseta stranica u protekla 24 sata!

Rb	Stranica	Broj Poseta
1	/kayablog/index.php	33
2	/kayablog/views/pages/edit.php	26
3	/kayablog/models/pagination/paginacija.php	1
4	/kayablog/models/log_reg/logout.php	1
5	/kayablog/models/edit/obrada.php	0
6	/kayablog/models/export/statisticToExcel.php	1
7	/kayablog/models/post/comment/addComment.php	0
8	/index.php	389
9	/models/pagination/paginacija.php	3
10	/models/edit/obrada.php	3
11	/views/pages/edit.php	8
12	/models/log_reg/logout.php	3

author				
Select what you want to edit	Messa	ges		
Content	Proba Proba			
Content id	Email			
Boil The Kettle And Make A Cup Of Tea Folks, This Is Going To Be . 🔻	prob	a1		
Href	Text			
index.php?currentpage=post&id=1	prob	proba@hotmail.com		
Alt				
a	Date			
Src Choose File No file chosen	2019	H-06-12 18:47:01		
	Email proba1 Text proba@hotmail.com Date 2019-06-12 18:47:01 Trenutni broj ulogovanih korisnika je: 1 Broj poseta svim stranicama sa detaljimal(ogranicer prikaza) Rb Stranica Datum i vrei 1 /kayablog/index.php 22-05-2019 1 2 /kayablog/index.php 22-05-2019 1 3 /kayablog/index.php 22-05-2019 1 4 /kayablog/index.php 22-05-2019 1 5 /kayablog/index.php 22-05-2019 1 6 /kayablog/index.php 22-05-2019 1 7 /kayablog/index.php 22-05-2019 1 8 /kayablog/index.php 22-05-2019 1 8 /kayablog/index.php 22-05-2019 1			
	Rb	Stranica	Datum i vreme	
Date	1	/kayablog/index.php	22-05-2019 18:51:37	
2019-02-06	2	/kayablog/index.php	22-05-2019 18:54:34	
Headline Boil The Kettle And Make A Cup Of Tea Folks, This Is Going To Be A B	3	/kayablog/index.php	22-05-2019 18:54:37	
Content	4	/kayablog/index.php	22-05-2019 18:55:01	
Tiusmod tempor incididunt ut labore et dolore magna aliqua. Ut	5	/kayablog/index.php	22-05-2019 18:57:05	
enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodoconsequat.	6	/kayablog/index.php	22-05-2019 18:58:06	
Full content	7	/kayablog/index.php	22-05-2019 19:15:15	
	8	/kayablog/index.php	22-05-2019 19:15:29	
	9	/kayablog/index.php	22-05-2019 19:17:05	
	10	/kayablog/index.php	22-05-2019 19:18:50	
Position				
Naslovna				
Category				
Cooking				
Author				
Katarina Marojkin				
Insert Update Delete				

EXPORT TO EXCEL

Broj poseta stranica u procentima!

Rb	Stranica	Broj Poseta
1	/kayablog/index.php	32.64%
2	/kayablog/views/pages/edit.php	15.42%
3	/kayablog/models/pagination/paginacija.php	2.84%
4	/kayablog/models/log_reg/logout.php	2.65%
5	/kayablog/models/edit/obrada.php	3.69%
6	/kayablog/models/export/statisticToExcel.php	2.37%
7	/kayablog/models/post/comment/addComment.php	1.99%
8	/index.php	36.8%
9	/models/pagination/paginacija.php	0.28%
10	/models/edit/obrada.php	0.28%
11	/views/pages/edit.php	0.76%
12	/models/log_reg/logout.php	0.28%

Broj poseta stranica u protekla 24 sata!

Rb	Stranica	Broj Poseta
1	/kayablog/index.php	33
2	/kayablog/views/pages/edit.php	26
3	/kayablog/models/pagination/paginacija.php	1
4	/kayablog/models/log_reg/logout.php	1
5	/kayablog/models/edit/obrada.php	0
6	/kayablog/models/export/statisticToExcel.php	1
7	/kayablog/models/post/comment/addComment.php	0
8	/index.php	389
9	/models/pagination/paginacija.php	3
10	/models/edit/obrada.php	3
11	/views/pages/edit.php	8
12	/models/log_reg/logout.php	3

IP

::1

::1

::1


::1

::1

::1

3. Baza podataka

U nastavku je dat pregled strukture baze podataka.



4. Kodovi

4.1. index.php

```
<?php
   ob_start();
   session start();
   // konekcija sa bazom
   include('config/connection.php');
   // ucitavanje head
   include('views/fixed/header.php');
   // ucitavanje preload sa pocetkom bodija
   include('views/fixed/preload.php');
   include('views/fixed/soclog.php');
   // ***** Top Header Area End *****
   include('views/fixed/menu.php');
   // ***** Header Area with menu End *****
   if(isset($_GET['currentpage'])){
       switch($_GET['currentpage']){
           case 'home':
               include 'views/pages/home.php';
               break;
           case 'archive':
```

```
include 'views/pages/archive/paginationAndContent.php';
            break;
        case 'contact':
            include 'views/pages/contact/contactcont.php';
            break;
        case 'post':
            include 'views/pages/post.php';
            break;
        case 'login-register':
           include 'views/pages/login.php';
            break;
        case '404':
           include 'views/pages/404.php';
            break;
        case '403':
            include 'views/pages/403.php';
            break;
        default:
            include "views/pages/404.php";
            break;
}else{
    include 'views/pages/home.php';
// ***** Instagram Area Start *****
include('views/fixed/gallery2.php');
// ***** Our Creative Portfolio Area End *****
// ***** Footer Social Icon Area Start *****
include('views/fixed/footersocicons.php');
// ***** Footer Social Icon Area End *****
// ***** Footer Menu Area Start *****
include('views/fixed/footer.php');
<!-- Jquery-2.2.4 js -->
<script src="assets/js/jquery/jquery-2.2.4.min.js"></script>
<!-- Popper js -->
<script src="assets/js/bootstrap/popper.min.js"></script>
<script src="assets/js/bootstrap/bootstrap.min.js"></script>
<!-- All Plugins JS -->
<script src="assets/js/others/plugins.js"></script>
<!-- Active JS -->
<script src="assets/js/active.js"></script>
```

4.1. footer.php

```
<footer class="footer area">
       <div class="container">
           <div class="row">
               <div class="col-12">
                   <div class="footer-content">
                       <!-- Logo Area Start -->
                       <div class="footer-logo-area text-center">
                           <a href="index.php" class="yummy-logo">Kaya Blog</a>
                       </div>
                       <nav class="navbar navbar-expand-lg">
                          <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#yummyfood-footer-nav" aria-controls="yummyfood-
footer-nav" aria-expanded="false" aria-label="Toggle navigation"><i class="fa</pre>
fa-bars" aria-hidden="true"></i> Menu</button>
                          <!-- Menu Area Start -->
                          <div class="collapse navbar-collapse justify-</pre>
content-center" id="yummyfood-footer-nav">
                              <?php
                                      $rez = executeQuery("SELECT * FROM
menu` WHERE `dropdown` = 0");
                                      foreach ($rez as $red):
                                      if($red->position == 1): ?>
                                  <a class="nav-link" href="<?= $red-</pre>
>href; ?>"><?= $red->name; ?> <span class="sr-only">(current)</span></a>
                                  <?php else: ?>
```

```
<a class="nav-link" href="<?= $red-</pre>
>href; ?>"><?= $red->name; ?></a>
                                   <?php endif; endforeach; ?>
                                </div>
                       </nav>
                   </div>
                </div>
           </div>
       </div>
        <div class="container">
            <div class="row">
                <div class="col-12">
                    <!-- Copywrite Text -->
                    <div class="copy_right_text text-center">
                        Copyright @2019 by <a
href="https://www.linkedin.com/in/lazar-marojkin-037696182/"
target="_blank">Lazar Marojkin</a>
                    </div>
                </div>
            </div>
        </div>
    </footer>
```

4.1. footersocicons.php

```
<div class="social icon area clearfix">
        <div class="container">
            <div class="row">
                <div class="col-12">
                     <div class="footer-social-area d-flex">
                         <?php $rez = executeQuery("SELECT * FROM</pre>
footersocicons`");    foreach ($rez as $red): ?>
                         <div class="single-icon">
                             <a href="<?= $red->href; ?>"><i class="fa <?= $red-</pre>
>class; ?>" aria-hidden="true"></i><span><?= $red->title; ?></span></a>
                         </div>
                         <?php endforeach; ?>
                     </div>
                </div>
            </div>
        </div>
</div>
```

4.1. gallery2.php

```
<div class="instargram_area owl-carousel section_padding_100_0 clearfix"</pre>
id="portfolio">
        <?php $rez = executeQuery("SELECT * FROM `gallery2`"); foreach ($rez as</pre>
$red): ?>
        <!-- Instagram Item -->
        <div class="instagram_gallery_item">
            <!-- Instagram Thumb -->
            <img src="<?= $red->src; ?>" alt="<?= $red->alt; ?>">
            <div class="hover_overlay">
                <div class="yummy-table">
                     <div class="yummy-table-cell">
                         <div class="follow-me text-center">
                             <a href="<?= $red->href; ?>"><i class="fa fa-</pre>
instagram" aria-hidden="true"></i><?= " ".$red->title; ?></a>
                         </div>
                     </div>
                </div>
            </div>
        </div>
        <?php endforeach; ?>
    </div>
```

4.1. header.php

```
<link href="assets/css/style.css" rel="stylesheet">
    <!-- Responsive CSS -->
        <link href="assets/css/responsive/responsive.css" rel="stylesheet">
        </head>
```

4.1. menu.php

```
<header class="header_area">
       <div class="container">
           <div class="row">
               <!-- Logo Area Start -->
               <div class="col-12">
                   <div class="logo_area text-center">
                       <a href="index.php" class="yummy-logo">Kaya Blog</a>
                   </div>
               </div>
           </div>
           <div class="row">
               <div class="col-12">
                   <nav class="navbar navbar-expand-lg">
                       <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#yummyfood-nav" aria-controls="yummyfood-nav"
aria-expanded="false" aria-label="Toggle navigation"><i class="fa fa-bars" aria-
hidden="true"></i> Menu</button>
                       <!-- Menu Area Start -->
                       <div class="collapse navbar-collapse justify-content-</pre>
center" id="yummyfood-nav">
                           <?php $rez = executeQuery("SELECT * FROM menu</pre>
ORDER BY `position`, `dropdown`");
                                  foreach ($rez as $red):
                                      if($red->dropdown == 0){
                                          if($red->position == 1){
                                              echo "<a
class='nav-link' href='$red->href'>$red->name<span class='sr-</pre>
only'>(current)</span></a>";
                                          }else
                                              echo "<a
class='nav-link' href='$red->href'>$red->name</a>";
                                      }else if($red->dropdown == 1){
                                          echo "<li class='nav-item
dropdown'><a class='nav-link dropdown-toggle' href='$red->href'
id='yummyDropdown' role='button' data-toggle='dropdown' aria-haspopup='true'
aria-expanded='false'>$red->name</a>";
                                          echo "<div class='dropdown-menu'
aria-labelledby='yummyDropdown'>";
```

4.1. preload.php

4.1. soclog.php

```
<a href="#"><i class="fa fa-dribbble" aria-</pre>
hidden="true"></i></a>
                     </div>
                 </div>
                 <div class="col-4 col-sm-4">
                     <!-- Admin/user setup -->
                     <div id="setup" class="align-items-center justify-content-</pre>
center text-center">
                         <?php if(isset($_SESSION['User'])): ?>
                         <a href="views/pages/edit.php"><?= $_SESSION['User']-</pre>
>fname." ".$_SESSION['User']->lname; ?> <i class="fa fa-cog" aria-</pre>
hidden="true"></i></a>
                         <?php endif; ?>
                     </div>
                 </div>
                 <!-- Login Register Area -->
                 <div class="col-4 col-sm-4">
                     <div class="signup-search-area d-flex align-items-center"</pre>
justify-content-end">
                         <div class="login_register_area d-flex">
                             <?php if(!isset($_SESSION['User'])): ?>
                             <div class="login">
                                  <a href="index.php?currentpage=login-</pre>
register">Sing in</a>
                             </div>
                             <div class="register">
                                 <a href="index.php?currentpage=login-</pre>
register">Sing up</a>
                             </div>
                             <?php endif; ?>
                             <?php if(isset($_SESSION['User'])): ?>
                             <div class="register">
                                  <a href="models/log_reg/logout.php">Logout</a>
                             </div>
                             <?php endif; ?>
                         </div>
                         <!-- Search Button Area -->
                         <div class="search button">
                             <a class="searchBtn" href="#"><i class="fa fa-</pre>
search" aria-hidden="true"></i></a>
                         </div>
                         <!-- Search Form -->
                         <div class="search-hidden-form">
                             <form action="#" method="get">
                                  <input type="search" name="search" id="search-</pre>
anything" placeholder="Search Anything...">
                                 <input type="submit" value="" class="d-none">
```

4.1. paginationAndContent.php

```
<!-- ***** Breadcumb Area Start ***** -->
<div class="breadcumb-area" style="background-image: url(assets/img/bg-</pre>
img/breadcumb.jpg);">
       <div class="container h-100">
           <div class="row h-100 align-items-center">
              <div class="col-12">
                  <div class="bradcumb-title text-center">
                     <h2>Archive Page</h2>
                  </div>
              </div>
          </div>
       </div>
   </div>
   <div class="breadcumb-nav">
       <div class="container">
          <div class="row">
              <div class="col-12">
                  <nav aria-label="breadcrumb">
                     <a href="index.php"><i</pre>
class="fa fa-home" aria-hidden="true"></i> Home</a>
                         current="page">Archive Page
                     </nav>
              </div>
          </div>
       </div>
   </div>
   <?php
   if(isset($ GET['category id'])) $id=$ GET['category id']; else $id="";
   echo '<input type="hidden" id="isSetCategoryId" value="'.$id.'"/>';
   include ABSOLUTE_PATH.'/models/pagination/paginacija.php';
   $number_of_results = ($id!="") ? rowCountId(intval($id)) : countRow();
   $results_per_page = 6;
   $number_of_pages = ceil($number_of_results_per_page);
```

```
<!-- ***** Archive Area Start ***** -->
   <section class="archive-area section_padding_80">
       <div class="container">
           <div class="row" id="pagination data"></div>
                  <div class="col-12">
                      <div class="pagination-area d-sm-flex mt-15">
                         <nav aria-label="#">
                             <?php for($page=1; $page<=$number_of_pages;</pre>
$page++): ?>
                                 <?php if(isset($id)): ?>
                                    <a class="page-link" data-
page=<?=$page?> data-category=<?=$id?>><?= $page; ?></a>
                                     <?php else: ?>
                                     <a class="page-link" data-
page=<?=$page?>><?= $page; ?></a>
                                    <?php endif; ?>
                                 <?php endfor; ?>
                             </nav>
                      </div>
                  </div>
              </div>
       </div>
   </section>
```

4.1. contactcont.php

```
<?php
            include ABSOLUTE_PATH.'/models/contact/functions.php';
            $br = (isset($_SESSION['User'])) ? brojOdgovora($_SESSION['User']-
>id) : 0;
        <input type="hidden" id="brojOdgovora" value="<?= $br ?>"/>
   <!-- ***** Contatc Area Start *****
   <div class="contact-area section_padding_80">
        <div class="container">
            <!-- Contact Form -->
            <div class="contact-form-area">
                <div class="row">
                    <div class="col-12 col-md-5">
                        <div class="contact-form-sidebar item wow fadeInUpBig"</pre>
data-wow-delay="0.3s" style="background-image: url(assets/img/bg-
img/contact.jpg);">
                        </div>
                    </div>
                    <div class="col-12 col-md-7 item">
```

```
<div class="contact-form wow fadeInUpBig" data-wow-</pre>
delay="0.6s">
                             <h2 class="contact-form-title mb-30">If You Have Any
Question Contact Me Today !</h2>
                             <!-- Contact Form -->
                             <form action="<?= $ SERVER['PHP SELF']; ?>"
method="POST">
                                 <div class="form-group">
                                     <input type="text" class="form-control"</pre>
id="contact-name" name="contact-name" placeholder="Full Name" required>
                                 </div>
                                 <div class="form-group">
                                     <input type="email" class="form-control"</pre>
id="contact-email" name="contact-email" placeholder="Email" required>
                                 </div>
                                 <div class="form-group">
                                     <textarea class="form-control" id="message"</pre>
name="contact-message" cols="30" rows="30" placeholder="Message"
required></textarea>
                                 </div>
                                 <button type="button" class="btn contact-btn"</pre>
name="contact-btn" id="contact-btn">Send Message</button>
                             </form>
                         </div>
                     </div>
                </div>
            </div>
        </div>
    </div>
    <?php if(isset($ SESSION['User'])): ?>
    <input type="hidden" id="isUserSet" value="1"/>
    <input type="hidden" id="userId" value="<?=$ SESSION['User']->id?>"/>
    <div class="contact-area section padding 80">
        <div class="container">
            <!-- Contact Form -->
            <div class="contact-form-area">
                <div class="row">
                     <div class="col-12 col-md-5">
                         <div class="contact-form wow fadeInUpBig" data-wow-</pre>
delay="0.6s">
                             <div id="anketa">
                                 <h2 class="contact-form-title mb-30">Anketa
!</h2>
                                 <!-- Contact Form -->
                                 <form action="#" method="POST">
                                 <div class="custom-control custom-radio">
                                     <input type="radio" value="1" id="vote1"</pre>
name="customRadio">
```

```
<label class="custom-control-label"</pre>
for="customRadio1">Bad</label>
                          </div>
                          <br>
                          <div class="custom-control custom-radio">
                             <input type="radio" value="2" id="vote2"</pre>
name="customRadio">
                             <label class="custom-control-label"</pre>
for="customRadio2">Medium</label>
                          </div>
                          <hr>>
                          <div class="custom-control custom-radio">
                             <input type="radio" value="3" id="vote3"</pre>
name="customRadio">
                             <label class="custom-control-label"</pre>
for="customRadio1">Good</label>
                          </div>
                          <br>
                          <div class="custom-control custom-radio">
                             <input type="radio" value="4" id="vote4"</pre>
name="customRadio">
                             <label class="custom-control-label"</pre>
for="customRadio2">Perfect</label>
                          </div>
                          <br>
                          <button type="button" class="btn contact-btn"</pre>
id="voteBtn" name="voteBtn">Vote</button>
                          </form>
                      </div>
                      <div id="statistika">
                          >
                                   <th scope="row"
colspan="4">Statistics
                                </thead>
                             Bad
                                   Medium
```

```
Good
                            Perfect
                             </div>
               </div>
             </div>
             <div class="col-12 col-md-7 item">
             <div class="contact-form-sidebar item wow fadeInUpBig" data-</pre>
wow-delay="0.3s" style="background-image: url(assets/img/bg-img/contact.jpg);">
               </div>
             </div>
          </div>
        </div>
     </div>
  </div>
  <?php else: ?>
  <input type="hidden" id="isUserSet" value="0"/>
  <?php endif; ?>
  <!-- ***** Contact Area End ***** -->
```

4.1. category.php

4.1. content.php

```
<?php
    include ABSOLUTE_PATH.'/models/content/functions.php';
    $rez = getAllContent();
    $brojZaPrikaz = 5;
    $rezPost = getSortedContentLimit($brojZaPrikaz);
    $like = getLiked();
    $comments = getComment();
    likeCount($rez,$like);
    commentCount($rez,$comments);
<section class="blog_area section_padding_0_80">
        <div class="container">
            <div class="row justify-content-center">
                <div class="col-12 col-1g-8">
                    <div class="row">
                         <?php foreach ($rez as $red): if($red->position ==
1):?>
                         <!-- Single Post -->
                         <div class="col-12">
                             <div class="single-post wow fadeInUp" data-wow-</pre>
delay=".2s">
                                 <!-- Post Thumb -->
                                 <div class="post-thumb">
                                     <img src="<?= $red->contentsrc; ?>" alt="<?=</pre>
$red->contentalt; ?>">
                                 </div>
                                 <!-- Post Content -->
                                 <div class="post-content">
                                     <div class="post-meta d-flex">
                                         <div class="post-author-date-area d-</pre>
flex">
                                              <!-- Post Author -->
                                              <div class="post-author">
                                                  <a href="<?= $red->href; ?>"><?=</pre>
$red->fullname; ?></a>
                                             </div>
```

```
<!-- Post Date -->
                                              <div class="post-date">
                                                  <a href="<?= $red->href; ?>"><?=</pre>
$red->date; ?></a>
                                              </div>
                                         </div>
                                         <!-- Post Comment & Share Area -->
                                         <div class="post-comment-share-area d-</pre>
flex">
                                              <!-- Post Favourite -->
                                              <div class="post-favourite">
                                                  <a href="#"><i class="fa fa-
heart-o" aria-hidden="true"></i> <?= $red->like count; ?></a>
                                              </div>
                                              <!-- Post Comments -->
                                              <div class="post-comments">
                                                  <a href="#"><i class="fa fa-
comment-o" aria-hidden="true"></i> <?= $red->comm_count; ?></a>
                                         </div>
                                     </div>
                                     <a href="<?= $red->href; ?>">
                                         <h2 class="post-headline"><?= $red-</pre>
>headline; ?></h2>
                                     </a>
                                     <?= $red->content; ?>
                                     <a href="<?= $red->href; ?>" class="read-
more">Continue Reading..</a>
                                 </div>
                             </div>
                         </div>
                         <?php $br=4; elseif($red->position == 2): ?>
                         <!-- Single Post -->
                         <div class="col-12 col-md-6">
                             <div class="single-post wow fadeInUp" data-wow-</pre>
delay=".<?= $br; ?>s">
                                 <!-- Post Thumb -->
                                 <div class="post-thumb">
                                     <img src="<?= $red->contentsrc; ?>" alt="<?=</pre>
$red->contentalt; ?>">
                                 </div>
                                 <!-- Post Content -->
                                 <div class="post-content">
                                     <div class="post-meta d-flex">
                                         <div class="post-author-date-area d-</pre>
flex">
                                              <!-- Post Author -->
                                             <div class="post-author">
```

```
<a href="<?= $red->href; ?>"><?=</pre>
$red->fullname; ?></a>
                                              </div>
                                              <!-- Post Date -->
                                              <div class="post-date">
                                                  <a href="<?= $red->href; ?>"><?=</pre>
$red->date; ?></a>
                                              </div>
                                          </div>
                                          <!-- Post Comment & Share Area -->
                                          <div class="post-comment-share-area d-</pre>
flex">
                                              <!-- Post Favourite -->
                                              <div class="post-favourite">
                                                  <a href="<?= $red->href; ?>"><i</pre>
class="fa fa-heart-o" aria-hidden="true"></i> <?= $red->like count; ?></a>
                                              </div>
                                              <!-- Post Comments -->
                                              <div class="post-comments">
                                                  <a href="<?= $red->href; ?>"><i</pre>
class="fa fa-comment-o" aria-hidden="true"></i> <?= $red->comm_count; ?></a>
                                              </div>
                                          </div>
                                     </div>
                                      <a href="<?= $red->href; ?>">
                                          <h4 class="post-headline"><?= $red-
>headline; ?></h4>
                                     </a>
                                 </div>
                             </div>
                         </div>
                         <?php if($br == 8) $br=1; $br+=2; else: $br2 = 2;?>
                         <!-- ****** List Blog Area Start ****** -->
                         <!-- Single Post -->
                         <div class="col-12">
                             <div class="list-blog single-post d-sm-flex wow</pre>
fadeInUpBig" data-wow-delay=".<?= $br2; ?>s">
                                 <!-- Post Thumb -->
                                 <div class="post-thumb">
                                      <img src="<?= $red->contentsrc; ?>" alt="<?=</pre>
$red->contentalt; ?>">
                                 </div>
                                 <!-- Post Content -->
                                 <div class="post-content">
                                     <div class="post-meta d-flex">
```

```
<div class="post-author-date-area d-</pre>
flex">
                                              <!-- Post Author -->
                                              <div class="post-author">
                                                  <a href="<?= $red->href; ?>"><?=</pre>
$red->fullname; ?></a>
                                              </div>
                                              <!-- Post Date -->
                                              <div class="post-date">
                                                  <a href="<?= $red->href; ?>"><?=</pre>
$red->date; ?></a>
                                              </div>
                                         </div>
                                          <!-- Post Comment & Share Area -->
                                          <div class="post-comment-share-area d-
flex">
                                              <div class="post-favourite">
                                                  <a href="<?= $red->href; ?>"><i</pre>
class="fa fa-heart-o" aria-hidden="true"></i> <?= $red->like_count; ?></a>
                                              </div>
                                              <!-- Post Comments -->
                                              <div class="post-comments">
                                                 <a href="<?= $red->href; ?>"><i</pre>
class="fa fa-comment-o" aria-hidden="true"></i> <?= $red->comm_count; ?></a>
                                              </div>
                                         </div>
                                     </div>
                                     <a href="<?= $red->href; ?>">
                                         <h4 class="post-headline"><?= $red-
>headline; ?></h4>
                                     <?= $red->content; ?>
                                     <a href="<?= $red->href; ?>" class="read-
more">Continue Reading..</a>
                                 </div>
                             </div>
                         </div>
                         <?php if($br2 == 8) $br2=1; $br2+=2; endif; endforeach;</pre>
                    </div>
                </div>
                <!-- ***** Blog Sidebar ***** -->
                <div class="col-12 col-sm-8 col-md-6 col-lg-4">
                     <div class="blog-sidebar mt-5 mt-lg-0">
                         <!-- Single Widget Area -->
```

```
<div class="single-widget-area about-me-widget text-</pre>
center">
                             <div class="widget-title">
                                  <h6>About Me</h6>
                             </div>
                             <div class="about-me-widget-thumb">
                                  <img src="<?= $red->authorsrc; ?>" alt="<?=</pre>
$red->authoralt; ?>">
                             </div>
                             <h4 class="font-shadow-into-light"><?= $red-
>fullname; ?></h4>
                             <?= $red->description; ?>
                         </div>
                         <!-- Single Widget Area -->
                         <div class="single-widget-area subscribe_widget text-</pre>
center">
                             <div class="widget-title">
                                  <h6>Subscribe &amp; Follow</h6>
                             </div>
                             <div class="subscribe-link">
                                  <a href="#"><i class="fa fa-facebook" aria-</pre>
hidden="true"></i></a>
                                 <a href="#"><i class="fa fa-twitter" aria-</pre>
hidden="true"></i></a>
                                 <a href="#"><i class="fa fa-google" aria-</pre>
hidden="true"></i></a>
                                 <a href="#"><i class="fa fa-linkedin-square"</pre>
aria-hidden="true"></i></a>
                                  <a href="#"><i class="fa fa-instagram" aria-</pre>
hidden="true"></i></a>
                                  <a href="#"><i class="fa fa-vimeo" aria-</pre>
hidden="true"></i></a>
                             </div>
                         </div>
                         <!-- Single Widget Area -->
                         <div class="single-widget-area popular-post-widget">
                             <div class="widget-title text-center">
                                  <h6>Populer Post</h6>
                             </div>
                             <?php foreach($rezPost as $post): ?>
                             <!-- Single Popular Post -->
                             <div class="single-populer-post d-flex">
                                  <img src="<?= $post->mala_slika; ?>" alt="<?=</pre>
$post->alt; ?>">
                                  <div class="post-content">
                                      <a href="<?= $post->href; ?>">
                                          <h6><?= $post->headline; ?></h6>
```

```
<?= $post->date; ?>
                                </div>
                            </div>
                            <?php endforeach; ?>
                        <div class="single-widget-area newsletter-widget">
                            <div class="widget-title text-center">
                                <h6>Newsletter</h6>
                            </div>
                            Subscribe our newsletter gor get notification
about new updates, information discount, etc.
                            <div class="newsletter-form">
                                <form action="#" method="post">
                                    <input type="email" name="newsletter-email"</pre>
id="email" placeholder="Your email">
                                    <button type="submit"><i class="fa fa-paper-</pre>
plane-o" aria-hidden="true"></i></button>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
   </section>
```

4.1. gallery.php

```
<?php
    include ABSOLUTE_PATH.'/models/gallery/functions.php';
    $rez = executeQuery("SELECT * FROM content;");
    $comments = executeQuery("SELECT content_id,COUNT(comm_id) as comm_count
FROM spojna where comm_id <> 1 group by content_id;");
    commCount($rez,$comments);
<section class="welcome-post-sliders owl-carousel">
   <?php
        if($rez):
            foreach($rez as $red) {
                echo " <!-- Single Slide -->
                <div class='welcome-single-slide'>
                    <!-- Post Thumb -->
                    <img src='$red->velika_slika' alt='$red->alt'>
                    <!-- Overlay Text -->
                    <div class='project title'>
                        <div class='post-date-commnents d-flex'>
                            <a href='$red->href'>$red->date</a>
                            <a href='$red->href'>$red->comm count Comment</a>
```

4.1. login_register_form.html

```
<!-- Contact Form -->
    <div class="contact-area section_padding_80">
        <div class="container">
    <div class="contact-form-area">
                <div class="row">
                     <div class="col-12 col-md-6">
                     <div class="contact-form wow fadeInUpBig" data-wow-</pre>
delay="0.6s">
                             <h2 class="contact-form-title mb-30">Register
now!</h2>
                             <!-- Contact Form -->
                             <form action="#" method="post">
                                 <div class="form-group">
                                      <input type="text" class="form-control"</pre>
name="regFname" id="regFname" placeholder="First name" required>
                                 </div>
                                 <div class="form-group">
                                      <input type="text" class="form-control"</pre>
name="regLname" id="regLname" placeholder="Last name" required>
                                 </div>
                                 <div class="form-group">
                                      <input type="email" class="form-control"</pre>
name="regEmail" id="regEmail" placeholder="Email" required>
                                 </div>
                                 <div class="form-group">
                                      <input type="password" class="form-control"</pre>
name="regPass" id="regPass" placeholder="Password" required>
                                 </div>
                                 <div class="form-group">
                                      <input type="password" class="form-control"</pre>
name="regPassConfirm" id="regPassConfirm" placeholder="Confirm password"
required>
                                 </div>
                                 <button type="submit" name="btnReg" class="btn</pre>
contact-btn">Submit</button>
                             </form>
```

```
</div>
                     </div>
                     <div class="col-12 col-md-6 item">
                         <div class="contact-form wow fadeInUpBig" data-wow-</pre>
delay="0.6s">
                             <h2 class="contact-form-title mb-30">Log in!</h2>
                              <!-- Contact Form -->
                              <form action="#" method="post">
                                  <div class="form-group">
                                      <input type="email" name="emailLogin"</pre>
class="form-control" id="contact-email" placeholder="Email">
                                  </div>
                                  <div class="form-group">
                                      <input type="password" name="passwordLogin"</pre>
class="form-control" id="contact-password" placeholder="Password">
                                  </div>
                                  <button type="submit" name="btnLogin" class="btn</pre>
contact-btn">Submit</button>
                              </form>
                         </div>
                     </div>
                 </div>
            </div>
            </div>
            </div>
```

4.1. admin.php

```
<?php
if(isset($ SESSION['User'])):
    if($_SESSION['User']->function_id==1):
        require_once('../../config/connection.php');
        require_once('../../models/edit/functions/functions.php');
        $users = executeQuery("select * from users");
        $contents = executeQuery("select * from content");
        $authors = executeQuery("select * from author");
        $msgs = executeQuery("select * from messages");
<div class="container">
    <div class="row col-12">
        <div class="col-6">
            <form>
                <div class="form-group">
                    <label for="exampleFormControlSelect1">Select what you want
to edit</label>
                    <select class="form-control" id="exampleFormControlSelect1"</pre>
onchange="izaberi(this)">
                    <option value="0">Select</option>
```

```
<option value="1">User</option>
                     <option value="2">Content</option>
                     </select>
                </div>
                <div id="useredit">
                     <div class="form-group">
                         <label for="exampleFormControlSelect1">User id</label>
                         <select class="form-control" id="userId"</pre>
onchange="selectedUser(this.options[this.selectedIndex].value)">
                         <option value="0">New</option>
                         <?php foreach($users as $user): ?>
                         <option value="<?= $user->id; ?>"><?= $user->fname."
".$user->lname; ?></option>
                         <?php endforeach; ?>
                         </select>
                     </div>
                     <div class="form-group">
                         <label for="exampleFormControlInput1">First name</label>
                         <input type="text" class="form-control" id="userFname"</pre>
placeholder="1-10 characters">
                     <div class="form-group">
                         <label for="exampleFormControlInput1">Last name</label>
                         <input type="text" class="form-control" id="userLname"</pre>
placeholder="1-10 characters">
                     </div>
                     <div class="form-group">
                         <label for="exampleFormControlInput1">Email</label>
                         <input type="email" class="form-control" id="userEmail"</pre>
placeholder="name@example.com">
                     </div>
                     <div class="form-group">
                         <label for="exampleFormControlInput1">Password</label>
                         <input type="text" class="form-control" id="userPass"</pre>
placeholder="1-10 characters">
                     </div>
                     <div class="form-group">
                         <label for="exampleFormControlSelect1">Function</label>
                         <select class="form-control" id="userFunction">
                         <option value="0">Select</option>
                         <option value="1">Administrator</option>
                         <option value="2">User</option>
                         </select>
                     </div>
                     <button type="button" class="btn btn-primary"</pre>
name="btnUserInsert" onclick="insertUser()">Insert</button>
                     <button type="button" class="btn btn-primary"</pre>
name="btnUserUpdate" onclick="updateUser()">Update</button>
```

```
<button type="button" class="btn btn-primary"</pre>
name="btnUserDelete" onclick="deleteUser()">Delete</button>
                </div>
                <div id="contentedit">
                     <div class="form-group">
                         <label for="exampleFormControlSelect1">Content
id</label>
                         <select class="form-control" id="contentId"</pre>
onchange="selectedContent(this.options[this.selectedIndex].value)">
                         <option value="0">New</option>
                         <?php foreach($contents as $content): ?>
                         <option value="<?= $content->id; ?>"><?= $content-</pre>
>headline; ?></option>
                         <?php endforeach; ?>
                         </select>
                     </div>
                     <div class="form-group">
                         <label for="exampleFormControlInput1">Href</label>
                         <input type="text" class="form-control"</pre>
id="contentHref">
                     </div>
                     <div class="form-group">
                         <label for="exampleFormControlInput1">Alt</label>
                         <input type="text" class="form-control" id="contentAlt">
                     </div>
                     <div class="form-group">
                         <label for="exampleFormControlInput1">Src</label>
                         <input type="file" id="contentSrc" name="contentSrc"</pre>
onchange="uploadImg()">
                         <span id="uploaded_img"></span>
                     </div>
                     <div class="form-group">
                         <label for="exampleFormControlInput1">Date</label>
                         <input type="text" class="form-control" id="contentDate"</pre>
placeholder="Format y-m-d example 2019-02-08">
                     </div>
                     <div class="form-group">
                         <label for="exampleFormControlInput1">Headline</label>
                         <input type="text" class="form-control"</pre>
id="contentHeadline">
                     </div>
                     <div class="form-group">
                         <label for="exampleFormControlInput1">Content</label>
                         <textarea class="form-control" id="contentCont"</pre>
rows="3"></textarea>
                     </div>
                 <div class="form-group">
                     <label for="exampleFormControlTextarea1">Full
content</label>
```

```
<textarea class="form-control" id="contentFullCont"</pre>
rows="10"></textarea>
                </div>
                <div class="form-group">
                    <label for="exampleFormControlSelect1">Position</label>
                    <select class="form-control" id="contentPosition">
                    <option value="0">Select</option>
                    <option value="1">Naslovna</option>
                    <option value="2">Blok</option>
                    <option value="3">Kolona</option>
                    </select>
                </div>
                <div class="form-group">
                    <label for="exampleFormControlSelect1">Category</label>
                    <select class="form-control" id="contentCategory">
                    <option value="0">Select</option>
                    <option value="1">Food</option>
                    <option value="2">Cooking</option>
                    <option value="3">Life style</option>
                    </select>
                </div>
                    <div class="form-group">
                        <label for="exampleFormControlSelect1">Author</label>
                        <select class="form-control" id="contentAuthor">
                         <option value="0">New</option>
                        <?php foreach($authors as $author): ?>
                        <option value="<?= $author->id; ?>"><?= $author-</pre>
>fullname; ?></option>
                        <?php endforeach; ?>
                        </select>
                    </div>
                    <button type="button" class="btn btn-primary"</pre>
onclick="insertContent()">Insert</button>
                    <button type="button" class="btn btn-primary"</pre>
onclick="updateContent()">Update</button>
                    <button type="button" class="btn btn-primary"</pre>
onclick="deleteContent()">Delete</button>
                </div>
            </form>
        </div>
        <div class="col-6">
            <form>
                <div class="form-group">
                    <label for="exampleFormControlSelect1">Messages</label>
                    <select class="form-control" id="exampleFormControlSelect1"</pre>
onchange="selectMsg(this.options[this.selectedIndex].value)">
                    <option value="0">Select</option>
                    <?php foreach($msgs as $msg): ?>
                    <option value="<?= $msg->id; ?>"><?= $msg->name; ?></option>
```

```
<?php endforeach; ?>
                 </select>
              </div>
              <div class="form-group form-msg">
                 <label for="exampleFormControlInput1">Email</label>
                 <input type="email" class="form-control" id="msgEmail"</pre>
readonly>
              </div>
              <div class="form-group form-msg">
                 <label for="exampleFormControlInput1">Text</label>
                 <textarea class="form-control" id="msgText" rows="3"</pre>
readonly></textarea>
              <div class="form-group form-msg">
                 <label for="exampleFormControlInput1">Date</label>
                 <input type="text" class="form-control" id="msgDate"</pre>
readonly>
              </div>
          </form>
          <br>
          <?php
          $file = fopen(ABSOLUTE_PATH.'/data/log.txt', 'r');
          $podaci = file(ABSOLUTE_PATH.'/data/log.txt');
          foreach($podaci as $podatak=>$value){
              $delovi[] = explode("\t",trim($value));
          fclose($file);
          echo "Trenutni broj ulogovanih korisnika je: ".brojUlogovanih();
          $poseceneStranice = poseceneStranice();
          $ukupanBrojStranica = ukupanBrojStranica($poseceneStranice);
          Broj poseta svim stranicama sa detaljima!(ograniceno na samo 10
prikaza)
          <thead>
                 Rb
                 Stranica
                 Datum i vreme
                 IP
                 </thead>
              <?php $rb=1; for($i=0; $i<10; $i++): $j=0;?>
              <?=$rb++?>
                 <?=$delovi[$i][$j++]?>
                 <?=$delovi[$i][$j++]?>
```

```
<?=$delovi[$i][$j++]?>
          <?php endfor; ?>
          </div>
  </div>
  <div class="row col-12">
     <div class="col-6">
        Broj poseta stranica u procentima!
        <a href="../../models/export/statisticToExcel.php" class="btn btn-</pre>
success">
          EXPORT TO EXCEL
         </a><br><br>>
        Rb
                Stranica
                Broj Poseta
          </thead>
          <?php $rb=1; for($i=0; $i<count($poseceneStranice); $i++):?>
                <?=$rb++?>
                <?=$poseceneStranice[$i]?>
<?=round(100*(brojPosecenostiStranice($poseceneStranice[$i])/$ukupanBrojStra
nica),2).'%'?>
                <?php endfor; ?>
          </div>
     <div class="col-6">
        Broj poseta stranica u protekla 24 sata!
        <thead>
             Rb
                Stranica
                Broj Poseta
             </thead>
          <?php $rb=1; for($i=0; $i<count($poseceneStranice); $i++):?>
                <?=$rb++?>
```

4.1. user.php

```
<?php
    if(isset($_SESSION['User'])):
        if($_SESSION['User']->function_id==2):
            require_once('../../config/connection.php');
            $upitUser = "select * from users where id='".$_SESSION['User']-
>id."'";
            $users = $conn->query($upitUser)->fetch();
            $upitCont = "select * from content";
            $contents = $conn->query($upitCont)->fetchAll();
            $upitAuthor = "select * from author";
            $authors = $conn->query($upitAuthor)->fetchAll();
<div class="container">
        <div class="col-6">
<form>
<div id="useredit">
    <div class="form-group">
        <label for="exampleFormControlSelect1">User: <?= $users->fname."
".$users->lname; ?></label>
    </div>
    <div class="form-group">
        <label for="exampleFormControlInput1">First name</label>
        <input type="text" class="form-control" id="userFname" placeholder="1-10</pre>
characters">
    </div>
    <div class="form-group">
        <label for="exampleFormControlInput1">Last name</label>
        <input type="text" class="form-control" id="userLname" placeholder="1-10</pre>
characters">
   </div>
```

```
<div class="form-group">
        <label for="exampleFormControlInput1">Email</label>
        <input type="email" class="form-control" id="userEmail"</pre>
placeholder="name@example.com" readonly>
    </div>
    <div class="form-group">
        <label for="exampleFormControlInput1">Password</label>
        <input type="text" class="form-control" id="userPass" placeholder="1-10</pre>
characters">
    </div>
    <button type="button" class="btn btn-primary" name="btnUserUpdate"</pre>
onclick="updateUser()">Update</button>
    <button type="button" class="btn btn-primary" name="btnUserDelete"</pre>
onclick="deleteUser()">Delete</button>
</div>
</form>
</div>
</div>
<!-- Jquery-2.2.4 js -->
<script src="../../assets/js/jquery/jquery-2.2.4.min.js"></script>
    <script>
    $(document).ready(function(){
        $('#userFname').val('<?= $users->fname; ?>');
        $('#userLname').val('<?= $users->lname; ?>');
        $('#userEmail').val('<?= $users->email; ?>');
    });
        function updateUser() {
           $.ajax({
                    type: 'POST',
                    url: '../../models/edit/obrada.php',
                         radnja:'UupdateUser',
                        userId : <?= $_SESSION['User']->id; ?>,
                        userFname : $('#userFname').val(),
                        userLname : $('#userLname').val(),
                        userPass : $('#userPass').val()
                    },
                    success:function(podaci,status,jqXHR){
                         if(jqXHR.status == 200){
                             alert("uspelo");
                });
        function deleteUser() {
           $.ajax({
                    type: 'POST',
                    url: '../../models/edit/obrada.php',
```

4.1. 403.php

4.1. 404.php

4.1. contact.php

```
<?php
    session_start();
    // konekcija sa bazom
    require_once('konekcija.php');</pre>
```

```
require_once('header.php');
   // ucitavanje preload sa pocetkom bodija
   require_once('preload.php');
   require_once('soclog.php');
   require_once('menu.php');
   // ***** Header Area with menu End *****
   require_once('contactcont.php');
   // ***** Instagram Area Start *****
   require_once('gallery2.php');
   // ****** Our Creative Portfolio Area End ******
   require_once('footersocicons.php');
   // ***** Footer Menu Area Start *****
   require_once('footer.php');
   <!-- Jquery-2.2.4 js -->
   <script src="assets/js/jquery/jquery-2.2.4.min.js"></script>
   <!-- Popper js -->
   <script src="assets/js/bootstrap/popper.min.js"></script>
   <!-- Bootstrap-4 js -->
   <script src="assets/js/bootstrap/bootstrap.min.js"></script>
   <!-- All Plugins JS -->
   <script src="assets/js/others/plugins.js"></script>
   <!-- Active JS -->
   <script src="assets/js/active.js"></script>
</body>
</html>
```

4.1. edit.php

```
<?php session start();</pre>
    if(isset($ SESSION['User'])):
    include '../../config/config.php';
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <link rel="icon" href="../../assets/img/core-img/favicon.ico">
    <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">
    <title>Edit</title>
</head>
<body>
    <a class="btn btn-success" href="../../index.php" role="button">Home</a>
    <a class="btn btn-success" href="../../models/export/authorToWord.php"</pre>
role="button">Export informations of author</a>
    if($ SESSION['User']->function id == 1) include('user/admin.php');
    if($_SESSION['User']->function_id == 2) include('user/user.php');
<!-- Popper js -->
<script src="../../assets/js/bootstrap/popper.min.js"></script>
    <!-- Bootstrap-4 js -->
<script src="../../assets/js/bootstrap/bootstrap.min.js"></script>
    <!-- All Plugins JS -->
<script src="../../assets/js/others/plugins.js"></script>
    <!-- Active JS -->
<script src="../../assets/js/active.js"></script>
</body>
</html>
   <?php else:echo "zabranjen pristup preko url adrese!"; endif; ?>
```

4.1. home.php

```
<?php
// include '../../config/connection.php';
include 'views/pages/home/gallery.php';
include 'views/pages/home/category.php';
include 'views/pages/home/content.php';</pre>
```

4.1. login.php

```
<?php
```

```
include 'models/log_reg/login.php';
include 'models/log_reg/register.php';
include 'log_register/login_register_form.html';
```

4.1. post.php

```
<?php
include ABSOLUTE_PATH.'/models/post/functions.php';
   if(isset($_GET['id'])){
       $post_id = $_GET['id'];
       $post = getPost($post_id);
       $like_count = likeCount($post_id);
       $comm_count = commCount($post_id);
   $brojZaPrikaz = 5;
   $rezPost = getSortedContentLimit($brojZaPrikaz);
   $comment = getCommentsForPost($post_id);
   <!-- ***** Breadcumb Area Start ***** -->
   <div class="breadcumb-area" style="background-image: url(assets/img/bg-</pre>
img/breadcumb.jpg);">
       <div class="container h-100">
           <div class="row h-100 align-items-center">
              <div class="col-12">
                  <div class="bradcumb-title text-center">
                      <h2>Meal Page</h2>
                  </div>
              </div>
           </div>
       </div>
   </div>
   <div class="breadcumb-nav">
       <div class="container">
           <div class="row">
              <div class="col-12">
                  <nav aria-label="breadcrumb">
                      <a href="index.php"><i</pre>
class="fa fa-home" aria-hidden="true"></i> Home</a>
                         current="page">Meal Page
                      </nav>
              </div>
           </div>
       </div>
```

```
</div>
    <!-- ***** Breadcumb Area End ***** -->
<section class="blog area section padding 0 80">
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-12 col-1g-8">
                <div class="row">
                     <!-- Single Post -->
                     <div class="col-12">
                         <div class="single-post wow fadeInUp" data-wow-</pre>
delay=".2s">
                             <!-- Post Thumb -->
                             <div class="post-thumb">
                                 <img src="<?= $post->contentsrc; ?>" alt="<?=</pre>
$post->contentalt; ?>">
                             </div>
                             <!-- Post Content -->
                             <div class="post-content">
                                 <div class="post-meta d-flex">
                                     <div class="post-author-date-area d-flex">
                                          <!-- Post Author -->
                                          <div class="post-author">
                                              <a href="<?= $post->href; ?>"><?=</pre>
$post->fullname; ?></a>
                                         </div>
                                         <!-- Post Date -->
                                         <div class="post-date">
                                              <a href="<?= $post->href; ?>"><?=</pre>
$post->date; ?></a>
                                         </div>
                                     </div>
                                     <!-- Post Comment & Share Area -->
                                     <div class="post-comment-share-area d-flex">
                                         <!-- Post Favourite -->
                                          <div class="post-favourite">
                                              <a href="#"><i class="fa fa-heart-o"</pre>
aria-hidden="true"></i> <?= $like count; ?></a>
                                          </div>
                                          <!-- Post Comments -->
                                          <div class="post-comments">
                                              <a href="#"><i class="fa fa-comment-</pre>
o" aria-hidden="true"></i> <?= $comm_count; ?></a>
                                          </div>
                                     </div>
                                 </div>
                                 <a href="<?= $post->href; ?>">
                                     <h2 class="post-headline"><?= $post-
>headline; ?></h2>
                                 </a>
```

```
<?= $post->fullcontent; ?>
                                 <h2>Comments</h2>
                                 <?php if($comment): foreach ($comment as</pre>
$oneComm): ?>
                                 <div class="post-author-date-area d-flex">
                                     <!-- Post Author -->
                                     <div class="post-author">
                                         <a href="<?= "#" ?>"><?= $oneComm-</pre>
>fname." ".$oneComm->lname; ?></a>
                                     </div>
                                     <!-- Post Date -->
                                     <div class="post-date">
                                         <a href="<?= "#" ?>"><?= $oneComm->date;
?></a>
                                    </div>
                                </div>
                                 <div class="comment">
                                     <?= $oneComm->text; ?>
                                 </div>
                                 <hr style="width:100%; color:black;">
                                <?php endforeach; endif; ?>
                                <!-- Comment Form -->
                                <?php if(isset($_SESSION['User'])): ?>
action="models/post/comment/addComment.php?id=<?= $post_id; ?>" method="post">
                                <div class="form-group">
                                     <textarea class="form-control"
name="txtComment" id="comment" cols="30" rows="10"
placeholder="Comment..."></textarea>
                                 </div>
                                <button type="submit" name="btnComment"</pre>
class="btn contact-btn">Comment</button>
                            </form>
                                <?php endif; ?>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
                        <!-- ***** Blog Sidebar ***** -->
                <div class="col-12 col-sm-8 col-md-6 col-lg-4">
                    <div class="blog-sidebar mt-5 mt-lg-0">
                        <!-- Single Widget Area -->
                        <div class="single-widget-area about-me-widget text-</pre>
center">
                            <div class="widget-title">
```

```
<h6>About Author</h6>
                             </div>
                             <div class="about-me-widget-thumb">
                                 <img src="<?= $post->authorsrc; ?>" alt="<?=</pre>
$post->authoralt; ?>">
                             </div>
                             <h4 class="font-shadow-into-light"><?= $post-
>fullname; ?></h4>
                             <?= $post->description; ?>
                         </div>
                         <!-- Single Widget Area -->
                         <div class="single-widget-area subscribe_widget text-</pre>
center">
                             <div class="widget-title">
                                 <h6>Subscribe & Follow</h6>
                             </div>
                             <div class="subscribe-link">
                                 <a href="#"><i class="fa fa-facebook" aria-</pre>
hidden="true"></i></a>
                                 <a href="#"><i class="fa fa-twitter" aria-</pre>
hidden="true"></i></a>
                                 <a href="#"><i class="fa fa-google" aria-</pre>
hidden="true"></i></a>
                                 <a href="#"><i class="fa fa-linkedin-square"</pre>
aria-hidden="true"></i></a>
                                 <a href="#"><i class="fa fa-instagram" aria-</pre>
hidden="true"></i></a>
                                 <a href="#"><i class="fa fa-vimeo" aria-</pre>
hidden="true"></i></a>
                             </div>
                         </div>
                         <!-- Single Widget Area -->
                         <div class="single-widget-area popular-post-widget">
                             <div class="widget-title text-center">
                                 <h6>Populer Post</h6>
                             </div>
                             <?php foreach($rezPost as $post): ?>
                             <!-- Single Popular Post -->
                             <div class="single-populer-post d-flex">
                                 <img src="<?= $post->velika_slika; ?>" alt="<?=</pre>
$post->alt; ?>">
                                 <div class="post-content">
                                     <a href="<?= $post->href; ?>">
                                          <h6><?= $post->headline; ?></h6>
                                     </a>
                                      <?= $post->date; ?>
                                 </div>
```

```
</div>
                             <?php endforeach; ?>
                         </div>
                         <div class="single-widget-area newsletter-widget">
                             <div class="widget-title text-center">
                                 <h6>Newsletter</h6>
                             Subscribe our newsletter gor get notification
about new updates, information discount, etc.
                            <div class="newsletter-form">
                                 <form action="#" method="post">
                                     <input type="email" name="newsletter-email"</pre>
id="email" placeholder="Your email">
                                     <button type="submit"><i class="fa fa-paper-</pre>
plane-o" aria-hidden="true"></i></button>
                                 </form>
                            </div>
                         </div>
                    </div>
                </div>
</div>
</div>
</section>
```

MODELS

4.2. contact/functions.php

```
<?php

function brojOdgovora($userId){
    global $conn;
    $upit = "SELECT * FROM answers where user_id = ?";
    $rez = $conn->prepare($upit);
    $broj = $rez->execute([$userId]);
    return $rez->rowCount();
}
```

4.2. content/functions.php

```
return executeQuery($upit);
function getSortedContentLimit($brojZaPrikaz){
    $upit = "SELECT * FROM content ORDER BY like_count DESC,comm_count DESC,date
DESC LIMIT ".$brojZaPrikaz.";";
    return executeQuery($upit);
function getLiked(){
    $upit = "SELECT content_id,COUNT(DISTINCT user_id) as like_count FROM spojna
WHERE liked=1 GROUP BY content_id;";
    return executeQuery($upit);
function getComment(){
    $upit = "SELECT content_id,COUNT(comm_id) as comm_count FROM spojna where
comm_id <> 1 group by content_id;";
    return executeQuery($upit);
function likeCount($rez,$like){
    foreach($rez as $red) {
        foreach ($like as $red1) {
            if($red->id==$red1->content_id){
                $red->like_count = $red1->like_count;
                break;}
            else
                $red->like count = 0;
function commentCount($rez,$comments){
    foreach($rez as $red) {
        foreach ($comments as $comment) {
            if($red->id==$comment->content id){
                $red->comm_count = $comment->comm_count;
                break;}
            else
                $red->comm_count = 0;
        }
```

4.2. edit/functions/adminFunctions.php

```
<?php
include '../../config/connection.php';</pre>
```

```
function aGetUser($userId){
    global $conn;
   $upit = "SELECT * FROM users where id = ?";
    $user = $conn->prepare($upit);
   $user->execute($userId);
   return $user->fetch();
function aGetContent($contentId){
   global $conn;
   $upit = "SELECT
con.alt,con.author id,con.content,con.date,con.fullcontent,con.headline,
con.href, con.position,con.mala_slika,con.velika_slika,con.category_id FROM
content as con inner join author on con.author_id=author.id where con.id = ?";
    $content = $conn->prepare($upit);
   $content->bindParam(1, $contentId);
   $content->execute();
   return $content->fetch();
function aInsertUser($queryParams){
   global $conn;
    $upitnici = "null";
    $brojUpitnika = count($queryParams);
   while($brojUpitnika>0){
        $upitnici.= ' ?';
       $brojUpitnika--;
    $upitniciNiz = explode(" ", trim($upitnici));
    $upit = "INSERT INTO users VALUES (".implode(',',$upitniciNiz).");";
   $rez = $conn->prepare($upit);
    if($rez->execute($queryParams)) return 1;
   else return 0;
function aUpdateUser($queryParams){
    global $conn;
    $upit = "UPDATE `users` SET `fname` = ?, `lname` = ?, `email` = ?,
password` = ?, `function id` = ? WHERE `users`.`id` = ?;";
   $rez = $conn->prepare($upit);
    if($rez->execute($queryParams)) return 1;
    else return 0;
function aDeleteUser($userId){
   global $conn;
   $upit = "DELETE FROM `users` WHERE `users`.`id` = ?";
   $rez = $conn->prepare($upit);
```

```
if($rez->execute($userId)) return 1;
    else return 0;
function aInsertContent($queryParams,$orgSlika){
    global $conn;
    $tmp_putanjaMala = ABSOLUTE_PATH.'/assets/img/tmp/mala_'.$orgSlika;
    $tmp_putanjaOrg = ABSOLUTE_PATH.'/assets/img/tmp/org_'.$orgSlika;
    $malaSlika = ABSOLUTE_PATH.'/assets/img/blog-
img/male_slike/mala_'.$orgSlika;
    $novaPutanjaOrg = ABSOLUTE_PATH.'/assets/img/blog-
img/originalne_slike/org_'.$orgSlika;
    rename($tmp putanjaMala,$malaSlika);
    rename($tmp_putanjaOrg,$novaPutanjaOrg);
    $upit = "INSERT INTO `content` (`id`, `href`, `alt`, `date`, `headline`,
 content`, `like_count`, `comm_count`, `fullcontent`, `position`, `category_id`,
 author_id`) VALUES (NULL, '#', ?, ?, ?, '0', '0', ?, ?, ?);";
    $rez = $conn->prepare($upit);
    if($rez->execute($queryParams)){
        $cont_last_id = $conn->lastInsertId();
        $putanjaMala = 'assets/img/blog-img/male_slike/mala_'.$orgSlika;
        $putanjaOrg = 'assets/img/blog-img/originalne_slike/org_'.$orgSlika;
        $upit = 'UPDATE content SET href = "index.php?currentpage=post&id="?,
velika_slika =?, mala_slika=? where id=?;';
        $parametar = [$cont_last_id,$putanjaOrg,$putanjaMala,$cont_last_id];
        $rezUpdate = $conn->prepare($upit);
        if($rezUpdate->execute($parametar)) return 1;
        else return 0;
function aDeleteContent($contentId){
    global $conn;
    $upit = "DELETE FROM `content` WHERE `id` = ?";
    $rez = $conn->prepare($upit);
    if($rez->execute($contentId)) return 1;
    else return 0;
function aUpdateContent($queryParams,$mala,$velika){
    global $conn;
    if(!file_exists(ABSOLUTE_PATH.'/'.$mala)):
        $mala tmp = str replace("blog-img/male slike/","tmp/",$mala);
        $velika_tmp = str_replace("blog-img/originalne_slike/","tmp/",$velika);
        $tmp_putanjaMala = ABSOLUTE_PATH.'/'.$mala_tmp;
        $tmp_putanjaOrg = ABSOLUTE_PATH.'/'.$velika_tmp;
        rename($tmp_putanjaMala,ABSOLUTE_PATH.'/'.$mala);
        rename($tmp_putanjaOrg,ABSOLUTE_PATH.'/'.$velika);
    endif;
```

```
$upit = "UPDATE content SET alt=?, velika_slika=?, mala_slika=?, date=?,
headline=?, content=?, fullcontent=?, position=?, category_id=?, author_id=?
WHERE id=?;";
    $rez = $conn->prepare($upit);
    if($rez->execute($queryParams)) return 1;
    else return 0;
}

function aGetMessages($sel){
    global $conn;
    $upit = "SELECT * FROM messages where id = ?";
    $rez = $conn->prepare($upit);
    if($rez->execute($sel)) return $rez->fetch(PDO::FETCH_ASSOC);
    else return 0;
}
```

4.2. edit/functions/functions.php

```
<?php
function getStatistic(){
    global $conn;
    $upit = "SELECT q.id as status_id, count(a.status id) as
broj,round((100/(select count(*) from questionnaire q LEFT OUTER join answers a
on q.id=a.status_id where status_id is not null)*count(a.status_id)),2) as
procenat FROM questionnaire q left outer join answers a on q.id=a.status_id
GROUP BY status;";
    $rez = $conn->query($upit)->fetchAll(PDO::FETCH_ASSOC);
   return $rez;
function vote($userId,$queryParam){
    global $conn;
    $upit = "SELECT * FROM answers where user_id = ?";
    $rez = $conn->prepare($upit);
    if($rez->execute($userId)){
        $odg = $rez->fetchAll();
        br = 0;
        foreach($odg as $red) $br++;
        if(\$br == 0){
            $novUpit = "INSERT INTO `answers` VALUES (?,?);";
            $novRez = $conn->prepare($novUpit);
            if($novRez->execute($queryParam)) return 1;
            else return 0;
    }else
           return 2;
function provera($name,$email,$message){
```

```
global $conn;
    regName = "/^([A-Z][a-z]{2,9}){1}\s{1}([A-Z][a-z]{2,11}){1}$/";
    if($name=='' || $message=='' || $email==''){
        return 0;
    if(!filter_var($email, FILTER_VALIDATE_EMAIL) &&
!preg_match($regName,$name)){
        return 0;
    }else{
        $parametri = [$name,$message,$email];
        $upit = "INSERT INTO `messages` (`name`, `text`, `email`) VALUES (?, ?,
?);";
        $rez = $conn->prepare($upit);
        if($rez->execute($parametri)) return 1;
        else return 2;
    }
function insert($putanjaOriginalnaSlika, $putanjaNovaSlika){
    global $conn;
    $insert = $conn->prepare("INSERT INTO slike VALUES('', ?, ?)");
    $isInserted = $insert->execute([$putanjaOriginalnaSlika,
$putanjaNovaSlika]);
    return $isInserted;
function brojPosecenostiStranice($stranica){
    $file = fopen(LOG_FAJL, 'r');
    $podaci = file(LOG FAJL);
    foreach($podaci as $podatak=>$value){
        $delovi[] = explode("\t",trim($value));
    fclose($file);
    br = 0;
    $brojStranice = 0;
    while($br<count($delovi)){</pre>
        if($delovi[$br][0]==$stranica) $brojStranice++;
        $br++;
    return $brojStranice;
function brojPosecenostiStraniceProtekla24Sata($stranica){
    $trenutnoVremeUmanjenoZa24h = time() - 24*60*60;
    $file = fopen(LOG_FAJL, 'r');
    $podaci = file(LOG FAJL);
    foreach($podaci as $podatak=>$value){
        $delovi[] = explode("\t",trim($value));
```

```
fclose($file);
    br = 0;
    $brojStranice = 0;
    while($br<count($delovi)){</pre>
        if($delovi[$br][0]==$stranica){
            $vremePristupa = strtotime($delovi[$br][1]);
            if($vremePristupa>=$trenutnoVremeUmanjenoZa24h) $brojStranice++;
        $br++;
    return $brojStranice;
function brojUlogovanih(){
    $podaci = file(ACITIVE_USERS_FAJL);
    $delovi = explode("\t", trim($podaci[0]));
    return count($delovi);
function ukupanBrojStranica($sveStranice){
    $br = 0;
    $i = 0;
    while($i<count($sveStranice)){</pre>
        $br+= brojPosecenostiStranice($sveStranice[$i]);
        $i++;
    return $br;
function poseceneStranice(){
    $file = fopen(ABSOLUTE_PATH.'/data/log.txt', 'r');
    $podaci = file(ABSOLUTE_PATH.'/data/log.txt');
    foreach($podaci as $podatak=>$value){
        $delovi[] = explode("\t",trim($value));
    fclose($file);
    $poseceneStranice = [];
    $br=0;
    while($br<count($delovi)){</pre>
        if(!in_array($delovi[$br][0],$poseceneStranice)) $poseceneStranice[] =
$delovi[$br][0];
        $br++;
    return $poseceneStranice;
```

4.2. edit/functions/userFunctions.php

```
function uDeleteUser($id){
    global $conn;
    $upit = "DELETE FROM `users` WHERE `users`.`id` = ?";
    $rez = $conn->prepare($upit);
    if($rez->execute($id)) return 1;
    else return 0;
}

function uUpdateUser($queryParams){
    global $conn;
    $upit = "UPDATE `users` SET `fname` = ?, `lname` = ?, `password` = ? WHERE
`users`.`id` = ?;";
    $rez = $conn->prepare($upit);
    if($rez->execute($queryParams)) return 1;
    else return 0;
}
```

4.2. edit/obrada.php

```
<?php
include 'functions/functions.php';
include 'functions/adminFunctions.php';
include 'functions/userFunctions.php';
if(isset($_POST['radnja']) && $_POST['radnja']==='AgetUser'){
    $user = aGetUser([$_POST['user_id']]);
    echo json_encode($user);
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='AgetContent'){
    $content = aGetContent(intval($ POST['content id']));
    echo json_encode($content);
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='AinsertUser'){
    $parametri =
[$_POST['userFname'],$_POST['userLname'],$_POST['userEmail'],MD5($_POST['userPas
s']),$_POST['userFunction']];
    $uspeh = aInsertUser($parametri);
    if($uspeh==1) http_response_code(201);
    else {upisiGresku("Greska prilikom dodavanja korisnika!");
http_response_code(500);}
}elseif(isset($ POST['radnja']) && $ POST['radnja']==='AupdateUser'){
[$_POST['userFname'],$_POST['userLname'],$_POST['userEmail'],MD5($_POST['userPas
s']),$_POST['userFunction'],$_POST['userId']];
    $uspeh = aUpdateUser($parametri);
    if($uspeh==1) http_response_code(204);
    else {upisiGresku("Greska prilikom azuriranja korisnika!");
http response code(500);}
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='AdeleteUser'){
    $uspeh = aDeleteUser([$_POST['userId']]);
    if($uspeh==1) http response code(204);
```

```
else {upisiGresku("Greska prilikom brisanja korisnika!");
http_response_code(500);}
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='AinsertContent'){
    $parametri = [$_POST['contentAlt'],date('Y-m-
d',strtotime($_POST['contentDate'])),$_POST['contentHeadline'],$_POST['contentCo
nt'],$_POST['contentFullCont'],intval($_POST['contentPosition']),intval($_POST['
contentCategory']),intval($_POST['contentAuthor'])];
    $uspeh = aInsertContent($parametri,$_POST['contentSrc']);
    if($uspeh==1) http_response_code(201);
    else {upisiGresku("Greska prilikom dodavanja sadrzanja!");
http_response_code(500);}
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='AdeleteContent'){
    $uspeh = aDeleteContent([$_POST['contentId']]);
    if($uspeh == 1) http_response_code(204);
    else {upisiGresku("Greska prilikom brisanja sadrzaja!");
http_response_code(500);}
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='AupdateContent'){
    $parametri =
[$_POST['contentAlt'],$_POST['contentSlikaOrg'],$_POST['contentSlikaMala'],date(
'Y-m-
d',strtotime($_POST['contentDate'])),$_POST['contentHeadline'],$_POST['contentCo
nt'],$_POST['contentFullCont'],intval($_POST['contentPosition']),intval($_POST['
contentCategory']),intval($_POST['contentAuthor']),$_POST['contentId']];
    $uspeh =
aUpdateContent($parametri,$_POST['contentSlikaMala'],$_POST['contentSlikaOrg']);
    if($uspeh==1) http_response_code(204);
    else {upisiGresku("Greska prilikom azuriranja sadrzaja!");
http_response_code(500);}
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='AgetMsg'){
    $uspeh = aGetMessages([intval($_POST['sel'])]);
    if($uspeh==0){
        upisiGresku("Greska prilikom dohvatanja poruka za admina!");
        http_response_code(500);
    }else{
        echo json_encode($uspeh);
        http_response_code(200);
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='getStatistic'){
    $statistika = getStatistic();
    echo json_encode($statistika);
    http_response_code(200);
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='UdeleteUser'){
    $uspeh = uDeleteUser([$_POST['userId']]);
    if($uspeh == 1) http_response_code(204);
    else {upisiGresku("Greska prilikom brisanja korisnika!");
http response code(500);}
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='UupdateUser'){
```

```
$parametri =
[$_POST['userFname'],$_POST['userLname'],md5($_POST['userPass']),$_POST['userId'
11;
    $uspeh = uUpdateUser($parametri);
    if($uspeh==1) http_response_code(204);
    else {upisiGresku("Greska prilikom azuriranja korisnika!");
http response code(500);}
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='vote'){
    $userId = [intval($_POST['user_id'])];
    $novOdg = [intval($_POST['checked']),intval($_POST['user_id'])];
    $uspeh = vote($userId,$novOdg);
    if($uspeh==1) http_response_code(201);
    elseif($uspeh==2) {upisiGresku("Greska prilikom glasanja!");
http_response_code(404);}
    elseif($uspeh==0) {upisiGresku("Greska prilikom glasanja!");
http response code(500);}
}elseif(isset($_POST['radnja']) && $_POST['radnja']==='provera'){
    $uspeh = provera($_POST['fullName'],$_POST['msg'],$_POST['email']);
    if(($uspeh==0) || ($uspeh==2)) {upisiGresku("Greska prilikom dodavanja
poruka!"); http_response_code(500);}
    elseif($uspeh==1) http_response_code(201);
```

4.2. edit/upload.php

```
if($_FILES['contentSrc']['name'] != ''){
    $file = $_FILES['contentSrc'];
    $name = $file['name'];
    $size = $file['size'];
    $tip = $file['type'];
    $tmp_name = $file['tmp_name'];
    $greske = [];
    $dozvoljeniTipovi = ['image/jpg', 'image/jpeg', 'image/png'];
    if(!in_array($tip,$dozvoljeniTipovi))    $greske[] = 'Tip nije dobar!';
    if($size > 2000000) $greske[] = 'Slika je prevelika!';
    if(count($greske)!=0){
        while(count($greske)) echo $greske;
    }else{
        list($sirina,$visina) = getimagesize($tmp_name);
        $postojecaSlika = null;
        switch($tip){
            case 'image/jpeg':
                $postojecaSlika = imagecreatefromjpeg($tmp_name);
                break;
            case 'image/png':
                $postojecaSlika = imagecreatefrompng($tmp name);
```

```
break;
        $novaSirina = 225;
        $novaVisina = 150;
        $novaSlika = imagecreatetruecolor($novaSirina,$novaVisina);
        imagecopyresampled($novaSlika, $postojecaSlika, 0, 0, 0, 0, $novaSirina,
$novaVisina, $sirina, $visina);
        $naziv = time().$name;
        $putanjaNovaSlika = 'assets/img/tmp/mala_'.$naziv;
        switch($tip){
            case 'image/jpeg':
                imagejpeg($novaSlika, '../../'.$putanjaNovaSlika, 75);
                break;
            case 'image/png':
                imagepng($novaSlika, '.../.../'.$putanjaNovaSlika);
                break;
        }
        $putanjaOriginalnaSlika = 'assets/img/tmp/org_'.$naziv;
        if(move_uploaded_file($tmp_name, '../../'.$putanjaOriginalnaSlika)){
            echo $naziv;
        // brisanje iz memorije
        imagedestroy($postojecaSlika);
        imagedestroy($novaSlika);
    }
```

4.2. export/authorToWord.php

```
<?php

$word = new COM("Word.Application");

// Hide MS Word application window
$word->Visible = 1;

//Create new document
$word->Documents->Add();
```

```
// Define page margins
$word->Selection->PageSetup->LeftMargin = '2';
$word->Selection->PageSetup->RightMargin = '2';
// Define font settings
$word->Selection->Font->Name = 'Arial';
$word->Selection->Font->Size = 10;
// Add text
$word->Selection->TypeText("Zovem se Lazar Marojkin, rođen sam u Kikindi
22.09.1997. Završio sam Gimnaziju \"Dušan Vasiljev\" u Kikindi. Ovaj sajt je
rađen kao projekat za kurs iz Praktikuma PHP na visokoj ICT!");
// Save document
// $filename = tempnam(sys_get_temp_dir(), "word");
$word->Documents[1]->SaveAs("autor".time().".docx");
$word->Documents[1]->Save();
// $radniDeo->SaveAs("autor.docx");
// $radniDeo->Save();
// Close and quit
// $word->quit();
// unset($word);
// header("Content-type: application/vnd.ms-word");
// header("Content-Disposition: attachment; Filename=document_name.docx");
header("Location:../../views/pages/edit.php");
```

4.2. export/statisticToExcel.php

```
<?php
require_once('../../config/connection.php');
require_once('../../models/edit/functions/functions.php');

$poseceneStranice = poseceneStranice();
// Pokretanje Excel aplikacije
$excel = new COM("Excel.Application");

// Da bi se fizički videlo otvaranje fajla
$excel->Visible = 1;

// recommend to set to 0, disables alerts like "Do you want MS Word to be the default .. etc"
$excel->DisplayAlerts = 1;

// Otvaranje Excel fajla
$workbook = $excel->Workbooks->Add();

// Otvaranje Sheet
$sheet = $workbook->Worksheets('Sheet1');
$sheet->activate;
```

```
$poljeA = $sheet->Range("A1");
$poljeA->activate;
$poljeA->value = "Naziv stranice";
$poljeB = $sheet->Range("B1");
$poljeB->activate;
$poljeB->value = "Broj posete u procentima";
br = 2:
for($i=0; $i<count($poseceneStranice); $i++){</pre>
    // U A kolonu upisujemo naziv stranice
    $polje = $sheet->Range("A{$br}");
    $polje->activate;
    $polje->value = $poseceneStranice[$i];
    // U B kolonu upisujemo procenat
    $polje = $sheet->Range("B{$br}");
    $polje->activate;
    $polje->value =
brojPosecenostiStraniceProtekla24Sata($poseceneStranice[$i]).'%';
    $br++:
// http://localhost/models/export/
// Cuvanje promena u fajla
$workbook->_SaveAs("statistika.xlsx");
// $workbook->Save();
// Zatvaranje Excel fajla
// $workbook->Saved=true;
// $workbook->Close;
// $excel->Workbooks->Close();
// $excel->Quit();
// header('Content-type: application/vnd.ms-excel');
// It will be called file.xls
// header('Content-Disposition: attachment; filename="file.xlsx"');
// unset($sheet);
// unset($workbook);
// unset($excel);
header("Location:../../views/pages/edit.php");
```

4.2. gallery/functions.php

4.2. log_reg/login.php

```
<?php
    if(isset($_POST['btnLogin'])){
        $email = $_POST['emailLogin'];
        $password = md5($_POST['passwordLogin']);
        $upit1 = "SELECT * FROM `users` WHERE email=:email AND
password=:password";
        $priprema = $conn->prepare($upit1);
        $priprema->bindParam(':email', $email);
        $priprema->bindParam(':password', $password);
        $rezultat = $priprema->execute();
        if($rezultat){
            if($priprema->rowCount() == 1){
                $user = $priprema->fetch();
                $_SESSION['User'] = $user;
                zabeleziLogovanje($user->id);
                header('Location: index.php');
            }else{
                if($priprema->rowCount() == 0){
                    upisiGresku("Greska prilikom logovanja! Korisnik sa ovim
emailom i pasvordom nepostoji!");
                    posaljiMejl($email);
                    echo "niste registrovani";
```

4.2. log_reg/logout.php

```
<?php
    session_start();
if(isset($_SESSION['User'])){</pre>
```

```
include '../../config/connection.php';
zabeleziOdjavu($_SESSION['User']->id);
unset($_SESSION['User']);
session_destroy();
header("Location: ../../index.php");
}
```

4.2. log_reg/register.php

```
<?php
    if(isset($_POST['btnReg'])){
        $fname = $_POST['regFname'];
        $lname = $_POST['regLname'];
        $email = $_POST['regEmail'];
        $pass = MD5($_POST['regPass']);
        $passconf = MD5($_POST['regPassConfirm']);
        $upit1 = "INSERT INTO users (fname,lname,email,password,function_id)
VALUES(:fname,:lname,:email,:pass,'2')";
        $priprema = $conn->prepare($upit1);
        $priprema->bindParam(':fname', $fname);
        $priprema->bindParam(':lname', $lname);
        $priprema->bindParam(':email', $email);
        $priprema->bindParam(':pass', $pass);
        if($pass == $passconf){
            $priprema->execute();
            $upit12 = "SELECT * FROM `users` WHERE email=:email AND
password=:password";
            $priprema2 = $conn->prepare($upit12);
            $priprema2->bindParam(':email', $email);
            $priprema2->bindParam(':password', $pass);
            $rezultat = $priprema2->execute();
            if($rezultat){
                if($priprema2->rowCount() == 1){
                    $user = $priprema2->fetch();
                    $ SESSION['User'] = $user;
                    zabeleziLogovanje($user->id);
                    header('Location: index.php');
                }else{
                    if($priprema2->rowCount() == 0){
                        upisiGresku("Greska prilikom registracije! Pokusajte da
se ulogujete!");
                        echo "Registracija nije uspela!";
                }
            }
        }else{
           upisiGresku("Greska prilikom registracije! Sifre nisu iste!");
```

```
echo "Passwords are not equals!";
}
}
```

4.2. pagination/paginacija.php

```
<?php
@include '../../config/connection.php';
if(isset($_POST['radnja']) and $_POST['radnja']==="getCategory"){
    $idCat = $_POST['id'];
    $idPage = $_POST['page'];
    $upit = ($idCat!="") ? categoryIdUpit(intval($idCat)) : categoryUpit();
    $like = getLike();
    $comm = getComment();
    $number_of_results = ($idCat!="") ? rowCountId(intval($idCat)) : countRow();
    $results_per_page = 6;
    $number_of_pages = ceil($number_of_results/$results_per_page);
    $page = ($idPage=="") ? 1 : intval($idPage);
    $current_page = $page;
    $this_page_first_result = ($page-1)*$results_per_page;
    $sql = $upit . ' limit ' . $this_page_first_result . ',' .
$results_per_page;
    $rez = executeQuery($sq1);
    foreach($rez as $red) {
        if($like){
            foreach ($like as $red1) {
                if($red->id==$red1->content_id){
                    $red->like_count = $red1->like_count;
                    break;}
                else
                    $red->like_count = 0;
        }else
            $red->like_count = 0;
    foreach($rez as $red) {
        if($comm){
            foreach ($comm as $comm1) {
                if($red->id==$comm1->content id){
                    $red->comm count = $comm1->comm count;
                    break;}
                else
                    $red->comm count = 0;
            }
        }else
            $red->comm count = 0;
    echo json_encode($rez);
```

```
function getCategoryId($id){
    global $conn;
    $upit = "SELECT
con.id,con.velika_slika,con.alt,con.href,con.date,con.like_count,con.comm_count,
con.headline,aut.fullname FROM `content` as con inner join author as aut on
con.author_id=aut.id WHERE category_id = ?";
    $rez = $conn->prepare($upit);
    $rez->execute([$id]);
    return $rez->rowCount();
function getCategory(){
    global $conn;
    $upit = "SELECT
con.id,con.velika slika,con.alt,con.href,con.date,con.like count,con.comm count,
con.headline,aut.fullname FROM `content` as con inner join author as aut on
con.author_id=aut.id";
    return $conn->query($upit);
function getLike(){
    global $conn;
    $upit = "SELECT content_id,COUNT(DISTINCT user_id) as like_count FROM spojna
WHERE liked=1 GROUP BY content_id;";
    return executeQuery($upit);
function getComment(){
    global $conn;
    $upit = "SELECT content_id,COUNT(comm_id) as comm_count FROM spojna GROUP BY
content id;";
    return executeQuery($upit);
function rowCountId($id){
    $broj = getCategoryId($id);
    return $broj;
function countRow(){
    $broj = getCategory()->rowCount();
    return $broj;
function categoryIdUpit($id){
    $upit = "SELECT
con.id,con.velika_slika,con.alt,con.href,con.date,con.like_count,con.comm_count,
con.headline,aut.fullname FROM `content` as con inner join author as aut on
con.author_id=aut.id WHERE category_id = ".$id;
   return $upit;
```

4.2. post/comment/addComment.php

```
<?php
include '../functions.php';

session_start();
addComment($_GET['id'],$_SESSION['User']->id,$_POST['txtComment']);
```

4.2. post/functions.php

```
<?php
function addComment($postId,$userId,$comment){
    require_once '../../config/connection.php';
   // var_dump($conn);
    if(!empty($comment)){
        $upit = "INSERT INTO `comment` VALUES (NULL, ?, CURRENT TIMESTAMP);";
        $rez = $conn->prepare($upit);
       if($rez->execute([$comment])){
            $id_comm = $conn->lastInsertId();
            $upitLike = "SELECT * FROM `spojna` WHERE `content_id`=? AND
 user_id`=? GROUP BY `content_id`";
            $newRez = $conn->prepare($upitLike);
            $newRez->execute([$postId,$userId]);
            // $newRez->fetch();
            // var dump($newRez);
            if($newRez->rowCount()>0) { $newRez = $newRez->fetch();
var_dump($newRez); $id_like = $newRez->liked;}
            else $id like = 2;
            $upitSpojna = "INSERT INTO `spojna` VALUES (?,?,?);";
            $insertSpojna = $conn->prepare($upitSpojna);
            $parametri = [$postId,$id like,$id comm,$userId];
```

```
if($insertSpojna->execute($parametri)) header('Location:
../../index.php?currentpage=post&id='.$postId);
    }else header('Location: ../../index.php?currentpage=post&id='.$postId);
function getPost($postId){
    global $conn;
    $upit = "SELECT con.fullcontent,con.id,con.alt as
contentalt,con.comm_count,con.content,con.date,con.headline,con.href,con.like_co
unt,con.position,con.velika_slika as
contentsrc,aut.fullname,aut.description,aut.src as authorsrc,aut.alt as
authoralt FROM `content` as con inner join author as aut on con.author_id =
aut.id WHERE con.id=?";
    $rez = $conn->prepare($upit);
    $rez->execute([$postId]);
    return $rez->fetch();
function likeCount($postId){
    global $conn;
    $upit = "SELECT COUNT(DISTINCT user_id) as like count FROM spojna WHERE
liked=1 AND content_id = ?;";
    $rez = $conn->prepare($upit);
    if($rez->execute([$postId])) return $rez->fetch()->like_count;
    else return 0;
function commCount($postId){
   global $conn;
    $upit = "SELECT COUNT(comm_id) as comm_count FROM spojna WHERE content_id =
?;";
    $rez = $conn->prepare($upit);
    if($rez->execute([$postId])) return $rez->fetch()->comm_count;
    else return 0;
function getCommentsForPost($postId){
    global $conn;
    $upit = "SELECT usr.fname,usr.lname,comm.text,comm.date FROM `comment` as
comm inner join spojna as spoj on comm.id=spoj.comm_id inner join users as usr
on spoj.user_id=usr.id WHERE spoj.content_id = ? order by comm.date desc;";
    $rez = $conn->prepare($upit);
    if($rez->execute([$postId])) return $rez->fetchAll();
    else return 0;
function getSortedContentLimit($brojZaPrikaz){
```

```
$upit = "SELECT * FROM content ORDER BY like_count DESC,comm_count DESC,date
DESC LIMIT ".$brojZaPrikaz.";";
   return executeQuery($upit);
}
```

4.3. config/connections.php

```
<?php
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;
require_once "config.php";
zabeleziPristupStranici();
try {
    $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8",
USERNAME, PASSWORD);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
catch(PDOException $ex){
    echo $ex->getMessage();
function executeQuery($query){
    global $conn;
    return $conn->query($query)->fetchAll();
function zabeleziPristupStranici(){
    $open = fopen(LOG_FAJL, "a");
    if($open){
        $date = date('d-m-Y H:i:s');
        fwrite($open,
"{$_SERVER['PHP_SELF']}\t{$date}\t{$_SERVER['REMOTE_ADDR']}\t\n");
        fclose($open);
function zabeleziLogovanje($userId){
    $podaci = file(ACITIVE_USERS_FAJL);
    $delovi = explode("\t",trim($podaci[0]));
    if(!in array($userId,$delovi)){
        $open = fopen(ACITIVE_USERS_FAJL, 'a');
        fwrite($open, "{$userId}\t");
        fclose($open);
    }
```

```
function zabeleziOdjavu($userId){
    $podaci = file(ACITIVE USERS FAJL);
    $delovi = explode("\t", $podaci[0]);
    $tmp = array();
    foreach($delovi as $deo){
        if($deo != $userId) $tmp[] = $deo;
    $niz = implode("\t",$tmp);
    $open = fopen(ACITIVE_USERS_FAJL,"w");
    fwrite($open,$niz);
    fclose($open);
function upisiGresku($tekst){
    $open = fopen(GRESKE FAJL, "a");
    if($open){
        fwrite($open, $tekst."\n");
        fclose($open);
    }
function posaljiMejl($email){
    require ABSOLUTE_PATH.'/assets/plugins/PHPMailer/src/Exception.php';
    require ABSOLUTE_PATH.'/assets/plugins/PHPMailer/src/PHPMailer.php';
    require ABSOLUTE_PATH.'/assets/plugins/PHPMailer/src/SMTP.php';
    $mail = new PHPMailer(true);
    try {
        //Server settings
       $mail->isSMTP();
                                                                    // Set
mailer to use SMTP
       $mail->SMTPDebug = 0;
verbose debug output
       $mail->Host
                        = 'smtp.gmail.com'; // Specify main and backup SMTP
servers
        $mail->SMTPAuth
                         = true;
SMTP authentication
        $mail->Username = 'pokerstarssrb1993@gmail.com';
// SMTP username
        $mail->Password = 'phptester123';
SMTP password
        $mail->SMTPSecure = 'tls';
TLS encryption, `ssl` also accepted
        $mail->Port = 587;
                                                                    // TCP port
to connect to
```


```
//Recipients
$mail->setFrom('lmarojkin@gmail.com', 'Lazar Marojkin');
$mail->addAddress($email); // Add a recipient


// Content
$mail->isHTML(true); // Set email

format to HTML
$mail->Subject = 'Obavestenje';
$mail->Body = 'Neuspesno logovanje!<b>OPREZ</b>';

$mail->send();
// echo 'Message has been sent';
} catch (Exception $e) {
    upisiGresku("Message could not be sent. Mailer Error: {$mail->ErrorInfo}");
}
}
```

5. MVC





- pages
- archive
- paginationAndContent.php
- entactcont.php
- ▲ home
- <code-block> category.php</code>
- ent.php
- 😭 gallery.php
- ▲ log_register
- login_register_form.html

■ user

- 🖛 admin.php
- 💏 user.php
- .htaccess
- 💏 403.php
- 💏 404.php
- 💏 contact.php
- < edit.php
- 💏 home.php
- 🐄 login.php
- <code-block> post.php</code>
- .htaccess