



File: guc_devresi.kicad_sch



File: raspberrypi.kicad_sch



File: rtc.kicad_sch



File: rs232.kicad_sch



File: digital_giris.kicad_sch



File: pic18f26k22.kicad_sch



File: digital_output.kicad_sch



File: adc.kicad_sch

Sheet: /
File: staj_proje.kicad_sch

Title:


Size: A4

Date:

Size: A4	D
KiCad E.D.A. 10.0.3	







Rev:

Id: 1/9



Sheet: /Guc Devresi/
File: guc_devresi.kicad_sch

Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 10.0.3		Id: 2/9




Sheet: /4x izole digital giris/
File: digital_giris.kicad_sch

Title:

Size: A4
KiCad E.D.A. 10.0.3

Date:

Rev:
Id: 4/9






Sheet: /MCU/
File: pic18f26k22.kicad_sch

Title:

Size: A4
KiCad E.D.A. 10.0.3

Date:

Rev:
Id: 5/9



LR024N : NMOS


Sheet: /2x digital output/
File: digital_output.kicad_sch

Title:




Size: A4
KiCad E.D.A. 10.0.3

Date:

Rev:
Id: 6/9



RS485 EKLENECEK VE 4-20mA analog input



kapasiteler mümkün olduğunda konnektör yakınına

DİREK GNDYE BAĞLANMALIMI

Sheet: /rs232 COM portu/
File: rs232.kicad_sch

Title:

Size: A4


Date:

KiCad E.D.A. 10.0.3



Rev:

Id: 8/9

direncler %0.1 toleransi!!!!!!!!!!!!!!



opsiyonel olarak opamp girişine diyot eklenebilir



Sheet: /ADC/
File: adc.kicad_sch

Title:

Size: A4

Date:

KiCad E.D.A. 10.0.3

Rev:

Id: 9/9