



# **WEB PROGRAMIRANJE PHP2**

## **DOKUMENTACIJA PROJEKTA**

Student:

Marko Lazić 59/14

Beograd 2019.

SADRŽAJ

### **Contents**

1.Opis funkcionalnosti .....	1
------------------------------	---

2. Skica struktura stranica .....	1
3. Dijagram baze podataka.....	2
3.MVC Organizacija .....	5
Kontroleri .....	5
Modeli .....	6
View .....	8
4. JavaScript kod .....	9
5. PHP kod .....	10
5.1 GalleryController.php .....	10
5.2 Navigation Controller.php .....	14
5.3 PostController.php .....	17
5.4 CommentsController.php.....	20
5.5 RoleController.php .....	21
5.6 UsersController.php.....	24
5.7 FrontendController.php.....	28
5.8 LoginController.php .....	31
5.9 AdminMiddleware.php .....	34
5.10 UserMiddleware.php.....	35
5.11 Gallery.php .....	35
5.12 Korisnik.php .....	37
5.13 Meni.php .....	40
5.14 Post.php.....	41
5.15 CommentsModel.php.....	44
5.16 Slika.php .....	45
5.17 Uloga.php.....	46
5.18 admin.components.common.footer.blade.php .....	48
5.19 admin.components.common.head.blade.php .....	48
5.20 admin.components.common.scripts.blade.php .....	49
5.21 admin.components.common.sidenav.blade.php .....	49
5.22 admin.components.common.topnav.blade.php.....	51
5.23 admin.components.gallery.table.blade.php.....	51
5.24 admin.components.gallery.insert_form.blade.php.....	52
5.25 admin.components.gallery.edit_form.blade.php.....	54
5.26 admin.components.navigation.table.blade.php.....	56

5.27 admin.components.navigation.insert_form.blade.php .....	57
5.28 admin.components.navigation.edit_form.blade.php .....	58
5.29 admin.components.posts.post_tab.blade.php .....	60
5.30 admin.components.posts.insert_form.blade.php .....	61
5.31 admin.components.posts.edit_form.blade.php .....	63
5.32 admin.components.roles.table.blade.php .....	66
5.33 admin.components.roles.insert_form.blade.php .....	66
5.34 admin.components.roles.edit_form.blade.php .....	67
5.35 admin.components.users.table.blade.php .....	69
5.36 admin.components.users.insert_form.blade.php .....	69
5.37 admin.components.users.edit_form.blade.php .....	71
5.38 admin.components.pages.gallery.blade.php .....	72
5.39 admin.components.pages.navigation.blade.php .....	73
5.40 admin.components.pages.posts.blade.php .....	74
5.41 admin.components.pages.roles.blade.php .....	75
5.42 admin.components.pages.users.blade.php .....	76
5.43 components.footer.blade.php .....	76
5.44 components.header.blade.php .....	77
5.45 layouts.admin.blade.php .....	78
5.46 layouts.front.blade.php .....	80
5.47 pages.autor.blade.php .....	84
5.48 pages.createPost.blade.php .....	84
5.49 pages.gallery.blade.php .....	86
5.50 pages.home.blade.php .....	87
5.51 pages.register.blade.php .....	91
5.52 pages.single.blade.php .....	93
5.53 web.php .....	94

## 1.Opis funkcionalnosti

U okviru ove sekcije navedite detaljan opis funkcionalnosti u formi kratke priče ili kreirajte *use case* dijagram.

**-Logovanje i zaštita sesijama:** Logovanje se nalazi u sidebaru sa desne strane i pristupa mu se klikom na button login. Proverava se regularnim izrazima, ukoliko korisnik postoji pristupa se delu sajta za autorizovane korisnike koji mogu da dodaju svoj tutorijal. **-Registracija:** Korisnik popunjava svoje podatke a zatim se vrši provera regularnim izrazima. Ukoliko je sve dobro popunjeno korisnik će biti obavešten o uspešnoj registraciji i potom će moći da se uloguje.

**Pregled tutorijala:** Autorizovani korisnici imaju pravo da pristupe svakom tutorijalu ponaosob, neautorizovanim korisnicima je to uskraćeno.

**Straničenje:** Nalazi se na početnoj strani gde se prikazuju 2 tutorijala po stranici.

**Kontrola komentara:** Korisnik može da ostavi nov komentar na postu, edituje i obriše.

**Potpuna kontrola sadržaja sajta:** Korisnik sa ulogom admin može da pregleda, doda, ađurira i obriše bilo koji sadržaj na sajtu u admin panelu. Admin deo je zaštićen preko middleware.

Korišćeni jezici	<ul style="list-style-type: none"> <li>• HTML 4 i HTML 5</li> <li>• CSS</li> <li>• javaScript i PHP.</li> </ul>
Korišćeni HTML šabloni (framework-ci)	<a href="https://startbootstrap.com/templateoverviews/sbadmin/">https://startbootstrap.com/templateoverviews/sbadmin/</a> template za admin panel <a href="https://w3layouts.com/floral-a-blogging-categoryflatbootstrap-responsive-web-template/">https://w3layouts.com/floral-a-blogging-categoryflatbootstrap-responsive-web-template/</a> template za ostale stranice
Korišćene biblioteke i njihovi urlovi odakle ste ih preuzeli	<ul style="list-style-type: none"> <li>• jQuery sa <a href="http://jquery.com">jquery.com</a></li> <li>□</li> <li>• js/lightbox-plus-jquery.min.js sa</li> <li>• <a href="http://lokeshdhakar.com/projects/lightbox2/">http://lokeshdhakar.com/projects/lightbox2/</a></li> <li>• <a href="https://github.com/rap2hpoutre/laravel-log-viewer">https://github.com/rap2hpoutre/laravel-log-viewer</a></li> </ul>
Korišćene biblioteke iz framework-a	/
Korišćene php biblioteke van fremework-a	/
Koje funkcionalnosti su realizove putem AJAX-a	/
Navesti lokacije gde je napisan AJAX kod (fajlovi ili delovi html stranice)	/


<b>Navedi lokacije gde je napisan sopstveni javascript kod (fajlovi ili delovi html stranice)</b>	Resources/views/pages/register.blade.php 47-75 linija koda
<b>URL sajta/aplikacije</b>	<a href="http://187sajt.byethost31.com/">http://187sajt.byethost31.com/</a>
<b>Pristupni parametri</b>	<b>Parametri su poslani mejlom</b>

## 2. Skica struktura stranica

U okviru ove sekcije potrebno je navesti skice osnovnih tipova strana koje se koriste u okviru web sajta/aplikacije. Da bi kreirali skice možete koristiti alatku *Pencil* ili bilo koji drugi alat za kreiranje *wireframe*-a. Takođe moguće je odraditi i *print screen* strukture stranice. Template za sve strane sem admin panela



Template za admin panel



### 3. Dijagram baze podataka

Tabela korisnik

← T →			id	korisnicko_ime	lozinka	email	uloga_id	
<input type="checkbox"/>	 Edit	 Copy	 Delete	6		5fc685faa53475ba3cdb84bb3cab833f	gzuz@187.de	1
<input type="checkbox"/>	 Edit	 Copy	 Delete	11		42f749ade7f9e195bf475f37a44cafcb	bonez@187.de	2

Tabela uloga


				id	naziv
	 Edit	 Copy	 Delete	1	admin
	 Edit	 Copy	 Delete	2	korisnik

Tabela za meni

				id	naziv	link
<input type="checkbox"/>	 Edit	 Copy	 Delete	1	Home	/
<input type="checkbox"/>	 Edit	 Copy	 Delete	2	Galerija	gallery
<input type="checkbox"/>	 Edit	 Copy	 Delete	3	O autoru	autor

Tabela galerija

<div><div><div></div><div></div><div></div></div></div>						id	title	description	slika_id	
<input type="checkbox"/>		Edit		Copy		Delete	1	C#	C# logo	6
<input type="checkbox"/>		Edit		Copy		Delete	2	Laravel	laravel logo	7
<input type="checkbox"/>		Edit		Copy		Delete	3	PHP	php logo	8
<input type="checkbox"/>		Edit		Copy		Delete	4	JS	js logo	9
<input type="checkbox"/>		Edit		Copy		Delete	5	HTML5	html5 logo	10
<input type="checkbox"/>		Edit		Copy		Delete	6	CSS3	css3 logo	11

## Tabela post

<div><div><div>←</div><div>T</div><div>→</div></div></div>				id	naslov	sadržaj	video	slika_id	korisnik_id	created_at	updated_at
<div><div><div><div></div></div></div><div><div>Edit</div><div>Copy</div><div>Delete</div></div></div>	1	Laravel Tutorial EP 1	In this video I will talk about what Laravel is an...	<a href="https://www.youtube.com/embed/watch?v=EU7PRmCpx-0">https://www.youtube.com/embed/watch?v=EU7PRmCpx-0</a>	1	11	1518403216	NULL			
<div><div><div><div></div></div></div><div><div>Edit</div><div>Copy</div><div>Delete</div></div></div>	2	C# Tutorial EP 1	You guys asked for it and here I begin my large C#...	<a href="https://www.youtube.com/embed/watch?v=0p0JLFZj2C8">https://www.youtube.com/embed/watch?v=0p0JLFZj2C8</a>	2	11	1518403247	NULL			
<div><div><div><div></div></div></div><div><div>Edit</div><div>Copy</div><div>Delete</div></div></div>	3	Laravel Tutorial EP 2	In this video we will setup our environment. We wi...	<a href="https://www.youtube.com/embed/watch?v=H3uRXvwXz1o">https://www.youtube.com/embed/watch?v=H3uRXvwXz1o</a>	1	11	1518403602	NULL			
<div><div><div><div></div></div></div><div><div>Edit</div><div>Copy</div><div>Delete</div></div></div>	4	C# Tutorial EP 2	In this part of my C# tutorial I cover Implicit Ty...	<a href="https://www.youtube.com/embed/watch?v=bBG2o905sRQ">https://www.youtube.com/embed/watch?v=bBG2o905sRQ</a>	2	11	1521303895	NULL			

## Tabela za slike



← T →			id	alt	putanja
<input type="checkbox"/>	 Edit	 Copy	 Delete	1 Post 1	images/lartut.png
<input type="checkbox"/>	 Edit	 Copy	 Delete	2 Post 2	images/cstut.png
<input type="checkbox"/>	 Edit	 Copy	 Delete	3 Materijali	images/post3.jpg
<input type="checkbox"/>	 Edit	 Copy	 Delete	5 C# Post	images/5.png
<input type="checkbox"/>	 Edit	 Copy	 Delete	6 C#	images/6.png
<input type="checkbox"/>	 Edit	 Copy	 Delete	7 Laravel	images/7.png
<input type="checkbox"/>	 Edit	 Copy	 Delete	8 PHP	images/8.png
<input type="checkbox"/>	 Edit	 Copy	 Delete	9 JS	images/9.png
<input type="checkbox"/>	 Edit	 Copy	 Delete	10 HTML5	images/10.png
<input type="checkbox"/>	 Edit	 Copy	 Delete	11 CSS3	images/11.png

## Tabela za komentare

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1 <b>id</b>	int(15)			No	None		AUTO_INCREMENT	Change  Drop  More
<input type="checkbox"/>	2 <b>tekst</b>	text	utf8_unicode_ci		No	None			Change  Drop  More
<input type="checkbox"/>	3 <b>korisnik_id</b>	int(15)			No	None			Change  Drop  More
<input type="checkbox"/>	4 <b>post_id</b>	int(15)			No	None			Change  Drop  More
<input type="checkbox"/>	5 <b>created_at</b>	timestamp		on update CURRENT_TIMESTAMP	No	CURRENT_TIMESTAMP		ON UPDATE CURRENT_TIMESTAMP	Change  Drop  More
<input type="checkbox"/>	6 <b>updated_at</b>	timestamp			No	0000-00-00 00:00:00			Change  Drop  More

### 3.MVC Organizacija

#### Kontroleri

GalleryController
Index()
Create()
Store(Request \$request)
Destroy(\$id)
show(\$id)
Update(Request \$request,\$id)

NavigationController
Index()
Create()
Store(Request \$request)
Destroy(\$id)
show(\$id)
Update(Request \$request,\$id)

PostController
Index()
Create()
Store(Request \$request)
Destroy(\$id)
show(\$id)
Update(Request \$request,\$id)

RoleController
Index()
Create()
Store(Request \$request)
Destroy(\$id)
show(\$id)
Update(Request \$request,\$id)

UsersController
Index()
Create()
Store(Request \$request)
Destroy(\$id)
show(\$id)
Update(Request \$request,\$id)

LoginController
Login()
Logout()
registerStore(Request \$request)

CommentsController
postComment((Request \$request,\$postId)
showEditForm((Request \$request,\$commentId)
update(Request \$request,\$commentId)
delete(\$id)

FrontendController
Index()
showRegistrationForm()
Single(\$id)
Gallery()
Autor()
createPost()
storePost()

## Modeli

Gallery
All()
Save()
Find(\$id)
Delete(\$id)
Update(\$id)

Korisnik
----------

getAll()
Get()
selectOne()
getByUsernameAndPassword()
Update(\$id)
Save()
Delete(\$id)

Meni
getAll()
Save()
Delete(\$id)
Update(\$id)

Post
getAll()
getAll2()
get()
Get2()
Update(\$id)
Insert(\$id)
Save()

CommentsModel
save()
getSingleComment(\$commentId)
update(\$id)
getPostComments(\$postId)
delete(\$id)
find(\$id)

Slika
save()
Save2()
Delete(\$id)
find(\$id)

Meni
SelectAll()
insert()

Delete(\$id)
Update(\$id)
selectOne(\$id)

## View

Spisak view fajlova
layouts.front.blade.php
Layouts.admin.blade.php
pages.home.blade.php
Pages.single.blade.php
Pages.autor.blade.php
Pages.gallery.blade.php
Pages.register.blade.php
Pages.createPost.blade.php
Components.header.blade.php
Components.forma_za_komentar.blade.php
Components.komentari.blade.php
Components.footer.blade.php
Admin.pages.gallery.blade.php
Admin.pages.navigation.blade.php
Admin.pages.posts.blade.php
Admin.pages.roles.blade.php
Admin.pages.users.blade.php
Admin.components.common.footer.blade.php
Admin.components.common.head.blade.php
Admin.components.common.scripts.blade.php
Admin.components.common.sidenav.blade.php
Admin.components.common.topnav.blade.php
Admin.components.gallery.table.blade.php
Admin.components.gallery.insert_form.blade.php
Admin.components.gallery.edit_form.blade.php
Admin.components.navigation.table.blade.php
Admin.components.navigation.insert_form.blade.php
Admin.components.navigation.edit_form.blade.php
Admin.components.posts.post_tab.blade.php
Admin.components.posts.insert_form.blade.php
Admin.components.posts.edit_form.blade.php
Admin.components.roles.table.blade.php

Admin.components.roles.insert_form.blade.php
Admin.components.roles.edit_form.blade.php
Admin.components.users.table.blade.php
Admin.components.users.insert_form.blade.php
Admin.components.users.edit_form.blade.php

## 4. JavaScript kod

```

<script type="text/javascript">
function provera(){
var
regKorIme = /^[A-Za-z]{3,15}$/;
var regEmail=
/^[\\w\\d]{2,20}(\\.[\\w\\d]{2,20})*@([a-z]{2,6}\\.)+[a-z]{2,6}$/;
var
regPassword=/^(?=.*\\d)(?=.*[a-z])(?=.*[A-Z])[0-9a-zA-Z]{8,}$/

var
korIme=document.getElementById("korisnickoIme").value;
var email=document.getElementById("email").value;
var
lozinka=document.getElementById("lozinka").value;

if (regKorIme.test(korIme)) {
document.getElementById("korisnickoIme").style.border = "2px solid green"; }
else {
document.getElementById("korisnickoIme").style.border = "2px solid red"; }

if (regEmail.test(email)) {
document.getElementById("email").style.border = "2px solid green"; }
else {

```

```

document.getElementById("email").style.border = "2px solid red"; }

if (regPassword.test(lozinka)) {
document.getElementById("lozinka").style.border = "2px solid green"; }

else {
document.getElementById("lozinka").style.border = "2px solid red"; }

}

</script>

```

## 5. PHP kod

**U okviru ove sekcije navesti PHP kod koji je student isključivo sam napisao. Prored uzmedju redova ne sme biti veći od 6pt.**

### 5.1 GalleryController.php

```

<?php

namespace App\Http\Controllers\Admin;

use App\Models\Gallery; use App\Models\Slika; use
Illuminate\Database\QueryException; use Illuminate\Http\Request; use
App\Http\Controllers\Controller; use
Symfony\Component\HttpFoundation\File\Exception\FileException;

class GalleryController extends BackendController
{
    public function
__construct()
    {
        parent::construct('admin.pages.gallery','Gallery management', "Manage your webiste's
gallery pictures", "gallery.create", "gallery.index");
    }
}

```

```

        $this->model = new Gallery();
    }
    public function index()
    {
        $this->data['galleries'] = $this->model->all();
return view($this->getView(), $this->data);
    }
    public function create()
    {
        $this->data['form'] = 'insert';    return
view('admin.pages.gallery', $this->data);
    }
    public function store(Request $request)
    {
        $rules = [
            'title' => 'required|alpha_num|min:3|max:100|unique:galerija',
            'description' => 'required',
            'picture' => 'required|image|mimes:jpeg,png,jpg|max:2000'
        ];
        $validator = \Validator::make($request->all(), $rules);
        $validator->validate();
        try
    {

        $file = $request->file('picture');
        $directory = public_path("images/");
        $fileName = time() . "_" . $file->getClientOriginalName();    $file-
>move($directory, $fileName);

        $slika = new slika();

```



```

    $slika->putanja = "images/" . $fileName;
    $slika->alt = "tutorijal gallery";

    $this->model->picture_id = $slika->save2();
    $this->model->title = $request->get('title');
    $this->model->description = $request->get('description');
    $this->model->save();

    return redirect(route('gallery.index'))->with("success", "Slika je uspesno dodata u
galeriju!");
    } catch (FileNotFoundException $e) {
        \Log::error("An error occured while uploading gallery picture " . $e->getMessage());
    } catch (QueryException $e) {
        \Log::error("An error occured while inserting gallery picture into database " .
    $e->getMessage());
    }
    return redirect()->back()->with("error", "An error occured, please try again later");
}
public function destroy($id)
{
    try {
        $pictureId = $this->model->find($id)->slika_id;
        $this->model->delete($id);
        try {
            $pictureModel = new Slika();
            $picture = $pictureModel->find($pictureId);
            unlink(public_path($picture->putanja));
            $pictureModel->delete($pictureId);
        } catch (\Exception $e) {
            \Log::error("Greska pri brisanju slike galerije " . $e->getMessage());
        }
        return redirect()->back()->with("success", "Picture successfully deleted!");
    }

```

```

        } catch (QueryException $e) {            return redirect()->back()->with("error", "An
error occured, please try again later");
    }
}

public function show($id)
{
    $this->data['gallery'] = $this->model->find($id);
    $this->data['form'] = 'edit';
    return view($this->getView(), $this->data);
}

public function update(Request $request, $id)
{
    $rules = [
        'title' => 'required|alpha_num|min:3|max:100',
        'description' => 'required',
        'picture' => 'nullable|image|mimes:jpeg,png,jpg|max:2000'
    ];

    $validator = \Validator::make($request->all(), $rules);
    $validator->validate();

    $oldPictureId = null;    try
    {

        if ($request->hasFile("picture")) {
            $oldPictureId = $this->model->find($id)->slika_id;

            $file = $request->file('picture');
            $directory = public_path("images/");
            $fileName = time() . "_" . $file->getClientOriginalName();
            $file->move($directory, $fileName);

            $pictureModel = new Slika();
            $pictureModel->putanja = "images/" . $fileName;

```

```

        $pictureModel->alt = "blog gallery";

        $this->model->picture_id = $pictureModel->save();
    }

    $this->model->title = $request->get('title');
    $this->model->description = $request->get('description');
    $this->model->update($id);
try    {
if($oldPictureId)    {
$pictureModel    =    new
Slika();

        $picture = $pictureModel->find($oldPictureId);
unlink(public_path($picture->putanja));
        $pictureModel->delete($oldPictureId);
    }
} catch (\Exception $e) {
    \Log::error("Greska pri brisanju slike navigacije: " . $e->getMessage());    }

    return redirect()->back()->with("success", "Picture successfully updated!");
} catch (FileNotFoundException $e) {
    \Log::error("An error occurred while uploading gallery picture " . $e->getMessage());
} catch (QueryException $e) {
    \Log::error("An error occurred while inserting gallery picture into database " .
    $e->getMessage());
    }
    return redirect()->back()->with("error", "An error occurred, please try again later");
}
}

```

## 5.2 Navigation Controller.php

```
<?php
```

```

namespace App\Http\Controllers\Admin;

use App\Models\Meni; use
Illuminate\Database\QueryException; use
Illuminate\Http\Request; use
App\Http\Controllers\Controller;

class NavigationController extends BackendController
{
    public function
    __construct()
    {
        parent::construct('admin.pages.navigation', "Navigation links management", "Manage
your webiste's main navigation", "navigation.create", "navigation.index");    $this->model
= new Meni();
    }

    public function index()
    {
        $this->data['navigations'] = $this->model->getAll();
return view($this->getView(), $this->data);
    }

    public function create()
    {
        $this->data['form'] = 'insert';    return view($this-
>getView(), $this->data);
    }

    public function store(Request $request)
    {
        $rules = [
            'route' => 'required',
            'name' => 'required'
        ];
        $validator = \Validator::make($request->all(), $rules);

```

```

$validator->validate();

try
{
    $this->model->route = $request->get('route');
    $this->model->name = $request->get("name");
    $this->model->save();          return redirect(route('navigation.index'))-
>with("success", "Navigation link
successfully added!");
    } catch(QueryException $e) {
        \Log::error("Greska pri unosu navigacionog linka " . $e->getMessage());          return
redirect()->back()->with("error", "An error occurred, please try again later");
    }
}

public function destroy($id)
{
    try {
        $this-
>model-
>delete($id
);
        return
        redirect(rou
te('navigati
on.index'))-
>with("success", "Navigation link successfully deleted!");
    } catch (QueryException $e) {
        \Log::error("Greska pri brisanju navigacionog linka: " . $e->getMessage());
        return redirect()->back()->with("error", "An error occurred, please try again later");
    }
}

public function show($id)
{

```

```

        $this->data['form'] = 'edit';
        $this->data['navigation'] = $this->model->find($id);
return view($this->getView(), $this->data);
    }
    public function update(Request $request, $id)
    {
        $rules = [
            'route' => 'required',
            'name' => 'required'
        ];
        $validator = \Validator::make($request->all(), $rules);
        $validator->validate();
        try {
            $this->model->route = $request->get('route');
            $this->model->name = $request->get("name");
            $this->model->update($id);
            return redirect(route('navigation.index'))->with("success", "Navigation link
            successfully updated!");
        } catch(QueryException $e) {
            \Log::error("Greska pri unosu izmeni linka " . $e->getMessage());
            return redirect()->back()->with("error", "An error occurred, please try again later");
        }
    }
}

```

### 5.3 PostController.php

```
<?php
```

```
namespace App\Http\Controllers\Admin;
```

```
use App\Models\Meni; use
```

```
Illuminate\Database\QueryException; use
```

```
Illuminate\Http\Request; use
```

```
App\Http\Controllers\Controller;
```

```
class NavigationController extends BackendController
```

```
{    public function
```

```
__construct()
```

```
{
```

```
    parent::construct('admin.pages.navigation', "Navigation links management", "Manage  
your website's main navigation", "navigation.create", "navigation.index");    $this->model  
= new Meni();
```

```
}
```

```
    public function index()
```

```
{
```

```
    $this->data['navigations'] = $this->model->getAll();
```

```
    return view($this->getView(), $this->data);
```

```
}
```

```
    public function create()
```

```
{
```

```
    $this->data['form'] = 'insert';    return view($this->  
>getView(), $this->data);
```

```
}
```

```
    public function store(Request $request)
```

```
{
```

```
    $rules = [
```

```
        'route' => 'required',
```

```
        'name' => 'required'
```

```
    ];
```

```
    $validator = \Validator::make($request->all(), $rules);
```

```
    $validator->validate();
```

```
    try
```

```
{
```

```
    $this->model->route = $request->get('route');
```

```
    $this->model->name = $request->get("name");
```

```

        $this->model->save();        return redirect(route('navigation.index'))-
>with("success", "Navigation link successfully added!");
    } catch(QueryException $e) {
        \Log::error("Greska pri unosu navigacionog linka " . $e->getMessage());        return
redirect()->back()->with("error", "An error occurred, please try again later");
    }
}
public function destroy($id)
{
try {
        $this->model->delete($id);        return
redirect(route('navigation.index'))->with("success", "Navigation link
successfully deleted!");
    } catch (QueryException $e) {
        \Log::error("Greska pri brisanju navigacionog linka: " . $e->getMessage());
return redirect()->back()->with("error", "An error occurred, please try again later");
    }
}
public function show($id)
{
    $this->data['form'] = 'edit';
    $this->data['navigation'] = $this->model->find($id);
return view($this->getView(), $this->data);
}
public function update(Request $request, $id)
{
    $rules = [
        'route' => 'required',
        'name' => 'required'
    ];
    $validator = \Validator::make($request->all(), $rules);
    $validator->validate();

```



```

        try
        {
            $this->model->route = $request->get('route');
            $this->model->name = $request->get("name");
            $this->model->update($id);          return
        }
        redirect(route('navigation.index'))->with("success", "Navigation link
        successfully updated!");
        } catch(QueryException $e) {
            \Log::error("Greska pri unosu izmeni linka " . $e->getMessage());          return
        }
        redirect()->back()->with("error", "An error occurred, please try again later");
    }
}
}

```

## 5.4 CommentsController.php

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use App\Models\CommentsModel;
```

```
use Illuminate\Database\QueryException;
```

```
use Illuminate\Http\Request;
```

```
class CommentsController extends Controller
```

```

{
    public function postComment(Request $request, $postId)
    {
        if ($request->get("content")) {
            $commentsModel = new CommentsModel();
            $commentsModel->content = $request->get("content");
            $commentsModel->korisnik_id=session()->get('user')[0]->id;
            $commentsModel->post_id = $postId;

            try {
                $commentsModel->save();
                \Log::info('Korisnik je dodao nov komentar: '.$request->session()->get('user')[0]-
                >korisnicko_ime ." ".date("Y-m-d H:i:s"));
                return redirect()->back()->with('success', "Komentar uspesno dodat.");
            } catch (QueryException $e) {

```

```

        \Log::error("Greska pri dodavanju komentara " . $e->getMessage());
        return redirect()->back()->with('warning', "Doslo je do greske na serveru.");
    }

}
return redirect()->back()->with('warning', "Poruka ne sme biti prazna.");
}
public function showEditForm(Request $request, $commentId){

    $promenljiva=[];
    $commentModel=new CommentsModel();
    $promenljiva['comments']=$commentModel->getSingleComment($commentId);
    $request->session()->put('commentId',$commentId);
    return redirect()->back()->with('singlecomment',$promenljiva['comments']->tekst);
}
public function update(Request $request, $commentId){
    $commentsModel= new CommentsModel();
    $commentsModel->content=$request->get('content');
    $commentsModel->update($commentId);
    return redirect()->back()->with('success','Komentar editovan!');
}
public function delete($commentId)
{
    $commentModel=new CommentsModel();
    $commentModel->delete($commentId);
    return redirect()->back()->with('success','Komentar obrisan!');

}

}

```

## 5.5 RoleController.php

```
<?php
```

```
namespace App\Http\Controllers\Admin;
```

```
use App\Models\Uloga; use
```

```
Illuminate\Database\QueryException; use
```

```
Illuminate\Http\Request; use
```

```
App\Http\Controllers\Controller;
```

```
class RoleController extends BackendController
```

```
{    public function
```

```
__construct()
```

```
{
```

```
    parent::construct("admin.pages.roles", "Roles management", "Manage your user's roles",  
"roles.create", "roles.index");
```

```
    $this->roleModel = new Uloga();
```

```
}
```

```
public function index()
```

```
{
```

```
    $this->data['roles'] = $this->roleModel->selectAll();
```

```
return view($this->getView(), $this->data);
```

```
}
```

```
public function create()
```

```
{
```

```
    $this->data['form'] = 'insert';    return
```

```
view($this->getView(), $this->data);
```

```
}
```

```
public function store(Request $request)
```

```
{
```

```
    $request->validate([
```

```
        'name' => 'required|alpha|min:2|max:20'
```

```
    ], $request->all());
```

```
    $this->roleModel->name = $request->get('name');
```

```
try {
```

```
    $this->roleModel->insert();    return redirect(route('roles.index'))-
```

```
>with("success", "Uloga je uspesno dodata!");
```

```
    } catch(QueryException $e) {
```

```
        \Log::error("Greška pri dodavanju uloge: " . $e->getMessage());    return
```

```
redirect()->back()->with("error", "An error has occurred! Please check the log file.");
```

```

    }
}
public function destroy($id)
{
try {
    $this->roleModel->delete($id);        return redirect(route('roles.index'))-
>with("success", "Ruta uspesno obrisana!");
    } catch (QueryException $e) {
        \Log::error("Greska pri brisanju rute " . $e->getMessage());        return redirect()-
>back()->with("error", "An error occurred, please try again later");
    }
}
public function show($id)
{
    $this->data['form'] = 'edit';
    $this->data['role'] = $this->roleModel->selectOne($id);
return view($this->getView(), $this->data);
}
public function update(Request $request, $id)
{
    $rules = [
        'name' => 'required'
    ];
    $validator = \Validator::make($request->all(), $rules);
    $validator->validate();
    try
    {
        $this->roleModel->name = $request->get("name");
        $this->roleModel->update($id);        return redirect(route('roles.index'))-
>with("success", "Navigation link successfully updated!");
    } catch(QueryException $e) {

```

```

        \Log::error("Greska pri unosu izmeni linka " . $e->getMessage());        return
    redirect()->back()->with("error", "An error occurred, please try again later");
    }
}
}

```

## 5.6 UsersController.php

```

<?php

namespace App\Http\Controllers\Admin;

use App\Models\Korisnik; use
App\Models\Uloga; use
Illuminate\Database\QueryException; use
Illuminate\Http\Request; use
App\Http\Controllers\Controller;

class UsersController extends BackendController
{
    public function __construct()
    {
        parent::construct('admin.pages.users', "Users management", "Manage your
webiste's users", "users.create", "users.index");
        $this->model = new Korisnik();
    }
    public function index()
    {
        $this->data['korisnici'] = $this->model->getAll();
return view($this->getView(), $this->data);
    }
    public function create()
    {
        $this->data['form'] = 'insert';
    }
}

```

```

        $uloga = new Uloga();
        $this->data['roles'] = $uloga->selectAll();
return view($this->getView(), $this->data);
    }
    public function store(Request $request)
    {
        //Definisane pravila za validaciju
        $rules = [
            'korisnickoIme' => 'required|alpha|min:4|max:20',
            'email' => 'required|email|unique:korisnik',
            'lozinka' => [
                'required',
                'min:6',
                'regex:/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[a-zA-Z\d]{6,}$/'
            ],
            'role_id' => 'required'
        ];

        //Kustomizacija poruka
        $messages = [
            "password.regex" => 'Password must contain one uppercase letter and one number.',
            'role_id.required' => 'User role must be selected.'
        ];

        //Primena validacije, ukoliko je ima grešaka vrši se redirekcija requesta- na prethodnu
        stranu sa sve greškama
        $validator = \Validator::make($request->all(), $rules, $messages);
        $validator->validate();

        //Ukoliko je validacija uspesna, korisnik se upisuje u bazu

        $korisnik = new Korisnik();
        $korisnik->korisnicko_ime = $request->get('korisnickoIme');

```

```

$korisnik->email = $request->get("email");
$korisnik->lozinka = $request->get("lozinka");
$korisnik->uloga_id = $request->get("role_id");
try {
    $korisnik->save();        return redirect(route("users.index"))->with("success",
"Korisnik uspesno dodat!!");
    } catch(\Exception $e) {
        \Log::error($e->getMessage());        return redirect()->back()->with("error", "Doslo
je do greske, pokusajte kasnije!");
    }
}

public function show($id)
{
    $this->data['korisnik'] = $this->model->selectOne($id);
    $this->data['form'] = 'edit';

    $uloga = new Uloga();
    $this->data['roles'] = $uloga->selectAll();
return view($this->getView(), $this->data);
}

public function update(Request $request, $id)
{
    //Definisanje pravila za validaciju
    $rules = [
        'korisnickoIme' => 'required|alpha|min:4|max:20',
        'email' => 'required|email|unique:korisnik',
        'lozinka' => [
            'required',
            'min:6',
            'regex:/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[a-zA-Z\d]{6,}$/'
        ],
        'role_id' => 'required'
    ]

```

```

];

//Kastomizacija poruka
$messages = [
    "password.regex" => 'Password must contain one uppercase letter and one number.',
    'role_id.required' => 'User role must be selected.'
];

//Primena validacije, ukoliko je ima grešaka vrši se redirekcija requesta- na prethodnu
stranu sa sve greškama
$validator = \Validator::make($request->all(), $rules, $messages);
$validator->validate();

//Ukoliko je validacija uspesna, korisnik se upisuje u bazu

$korisnik = new Korisnik();
$korisnik->korisnicko_ime = $request->get('korisnickoIme');
$korisnik->email = $request->get("email");
$korisnik->lozinka = $request->get("lozinka");
$korisnik->uloga_id = $request->get("role_id");
try {
    $korisnik->update($id);
    return redirect(route("users.index"))->with("success", "Korisnik uspesno izmenjen!");
} catch(\Exception $e) {
    \Log::error($e->getMessage());
    return redirect()->back()->with("error", "Doslo
je do greske, pokusajte kasnije!");
}
}

public function destroy($id)
{
    try {
        $this->model->delete($id);
        return redirect(route("users.index"))->

```



```

>with("success", "Korisnik uspesno obrisano");
        } catch (\Exception $e) {          \Log::error($e->getMessage());          return
redirect(route("users.index"))->with("error", "Doslo je do greske, pokusajte kasnije!");
        }
    }
}

```

## 5.7 FrontendController.php

<?php

```

/*
 * To change this license header, choose License Headers in Project Properties.
 * To change this template file, choose Tools | Templates
 * and open the template in the editor.
 */

namespace App\Http\Controllers;
use App\Models\Meni;
use App\Models\Post;
use App\Models\Slika;
use App\Models\Gallery;
use App\Models\CommentsModel;
use Illuminate\Http\Response;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\File;
/**
 * Description of FrontendController
 *
 * @author korisnik
 */
class FrontendController extends Controller {
    //put your code here
    private $data = [];

    public function __construct(){
        $meni = new Meni();
        $this->data['menus'] = $meni->getAll();
    }
    public function index(){
        $post = new Post();

```

```

        $this->data['posts'] = $post->getAll();
        return view('pages.home', $this->data);
    }
    public function showRegistrationForm()
    {
        return view('pages.register', $this->data);
    }
    public function single($id)
    {
        $post = new Post();
        $post->id = $id;
        $this->data['post'] = $post->get();

        $commentsModel = new CommentsModel();
        $commentsModel->post_id = $id;
        $this->data['comments'] = $commentsModel->getPostComments($id);
//        $this->data['post'] = $post;
        return view('pages.single', $this->data);
    }

    public function gallery()
    {
        $gallery = new Gallery();
        $this->data['galleries'] = $gallery->all();
        return view("pages.gallery", $this->data);
    }
    public function contact(){
        return view('pages.contact', $this->data);
    }
    public function kontaktPosalji(Request $request){
        $request->validate(
            [
                'name' => 'required|min:3',
                'email' => 'required|email',
                'headline' => 'required|min:3',
                'message' => 'required|min:3'
            ]
        );
//        $moj_email;
////        $moje
////        $data = array('name'=>$request->input('name'),
////                        "email" => $request->input('email'),
////                        "message" =>$request->input('message')
////                    );
////        $email=$request->input('email');

```

```

////
////      mail::send($email,$data,function ($message) use (
///
    }
public function autor()
    {
        return view("pages.autor",$this->data);
    }

public function createPost()
    {
        return view('pages.createPost',$this->data);
    }
public function storePost(Request $request)
    {
        $rules = [
            'title' => 'required',
            'body' => 'required',
            'embedLink' => 'required',
            'photo' => 'required|mimes:jpg,jpeg,png,gif|max:3000',
            'alt' => 'required'
        ];
        $custom_messages = [
            'required' => 'Polje :attribute je obavezno!',
            'title.regex' => 'Polje title nije u ispravnom formatu!',
            'max' => 'Fajl ne sme biti veci od :max KB.',
            'mimes' => 'Dozvoljeni formati su: :values.'
        ];
        $request->validate($rules, $custom_messages);

        $photo = $request->file('photo');
        $extension = $photo->getClientOriginalExtension();
        $tmp_path = $photo->getPathName();

        $folder = 'images/';
        $file_name = time()." ".$extension;
        $new_path = public_path($folder).$file_name;

        try {
            // 4 - Upload slike na server

            File::move($tmp_path, $new_path);

            // 5 - Unos slike u bazu

```

```

    $slika = new Slika();
    $slika->alt = trim($request->get('alt'));
    $slika->putanja = 'images/'.$file_name;
    $slika_id = $slika->save();

    // 6 - Unos posta u bazu
    $post = new Post();
    $post->naslov = $request->get('title');
    $post->sadrzaj = $request->get('body');
    $post->video = $request->get('embedLink');
    $post->korisnik_id = $request->session()->get('user')[0]->id;
    $post->slika_id = $slika_id;
    $post->save();

    // Ako se ne desi nijedan Exception - otici ce na pocetnu stranu!
    \Log::info('Korisnik je dodao nov tutorijal: '.$request->session()->get('user')[0]-
>korisnicko_ime ." ".date("Y-m-d H:i:s"));
    return redirect('/')->with('success','Uspesno ste dodali post i sliku!');
}
catch(\Illuminate\Database\QueryException $ex){ // greske u upitu
    \Log::error($ex->getMessage());
    return redirect()->back()->with('error','Greska pri dodavanju posta u bazu!');
}
catch(\Symfony\Component\HttpFoundation\File\Exception\FileException $ex) { //
greske sa fajlom
    \Log::error('Problem sa fajlom!! '.$ex->getMessage());
    return redirect()->back()->with('error','Greska pri dodavanju slike!');
}
catch(\ErrorException $ex) {
    \Log::error('Problem sa fajlom!! '.$ex->getMessage());
    return redirect()->back()->with('error','Desila se greska..');
}
}
}

```

## 5.8 LoginController.php

<?php

```

namespace App\Http\Controllers;

use Illuminate\Http\Request; use
App\Models\Korisnik; use

```

Illuminate\Support\Facades\File;

```
class LoginController extends Controller {

    public function login(Request $request){
        $request->validate([
            'tbKorisnickoIme' => 'required|alpha',
            'tbLozinka' => 'required'
        ]);

        $korisnickoIme = $request->get('tbKorisnickoIme');
        $lozinka = $request->get('tbLozinka');

        $korisnik = new Korisnik();
        $korisnik->korisnicko_ime = $korisnickoIme;
        $korisnik->lozinka = $lozinka;

        $loginKorisnik = $korisnik->getByUsernameAndPassword();
        if(!empty($loginKorisnik)){
            $request->session()->push('user', $loginKorisnik);
            return redirect()->back()->with('success','Uspesno ste se ulogovali!');
        }
        return redirect()->back()->with('error','Niste registrovani!');
    }

    public function logout(Request $request){
        $request->session()->forget('user');
        $request->session()->flush();
        return redirect('/');
    }

    public function registerStore(Request $request)
    {
```

```

$request->validate([
    'korisnickoIme' => 'required|unique:korisnik,korisnicko_ime',
    'email' => 'required|email',
    'lozinka' => 'required'
]);

$korisnicko_ime=$request->get('korisnickoIme');
$lozinka = $request->get('lozinka');
$email = $request->get('email');
/*
$slika = $request->file('slika');
$tmp_putanja = $slika->getPathName();
$ekstenzija = $slika->getClientOriginalExtension();
$time_fajla = time().'.'.$ekstenzija;
$putanja = 'images/'.$time_fajla;

$putanja_server = public_path($putanja);*/

try {
    /*File::move($tmp_putanja, $putanja_server);*/

    // unos u bazu

    $korisnik = new Korisnik();
    $korisnik->korisnicko_ime = $korisnicko_ime;
    $korisnik->email = $email;
    $korisnik->lozinka = $lozinka;

    $rez = $korisnik->save();

    if($rez == 1)
    {

```

```

        return redirect('/register')->with('message','Uspesna registracija!');
    }
    else
    {
        return redirect('/register')->with('message','Greska pri
registraciji!');
    }
}
catch (\Exception $ex){
\Log::error('MOJA GRESKA: '.$ex->getMessage());
}

}
}

```

## 5.9 AdminMiddleware.php

```

<?php

namespace App\Http\Middleware;

use Closure;

class AdminMiddleware
{
    public function handle($request, Closure
    $next)
    {
        if($request->session()->has('user')){
            $korisnik = $request->session()->get('user')[0];
            if($korisnik->naziv == 'admin'){
                return
                $next($request);
            } else {
                return redirect()->back()->with('error','Nemate pravo pristupa
ovoj stranici!');
            }
        }
    }
}

```

```

    }
    return redirect()->back()->with('error','Nemate pravo pristupa ovoj stranici!');
} }

```

## 5.10 UserMiddleware.php

```

<?php

namespace App\Http\Middleware;

use Closure;

class UserMiddleware
{
    public function handle($request, Closure
    $next)
    {
        if($request->session()->has('user')){
            $korisnik = $request->session()->get('user')[0];
            if($korisnik->naziv == 'korisnik'){
                return $next($request);
            } else {
                return redirect()->back()->with('error','Nemate pravo pristupa
                ovoj stranici!');
            }
        }
        return redirect()->back()->with('error','Nemate pravo pristupa ovoj stranici!');
    } }

```

## 5.11 Gallery.php

```

<?php

namespace App\Models; use
Illuminate\Support\Facades\DB;

```



```

class Gallery
{
    public $title;    public
    $description;    public
    $picture_id;    private
    $table = 'galerija';

    public function all()
    {
        return
        DB::table('galerija')
            ->join('slika', 'galerija.slika_id', '=', 'slika.id')
            ->select("galerija.*", "slika.putanja AS putanja", "slika.alt AS alt")
        ->get();
    }

    public function save()
    {
        return \DB::table($this-
>table) ->insertGetId([
            'title' => $this->title,
            'description' => $this->description,
            'slika_id' => $this->picture_id
        ]);
    }

    public function find($id)    {
        return \DB::table($this-
>table)
            ->join('slika', 'galerija.slika_id', '=', 'slika.id')
            ->where('galerija.id', $id)
            ->select("galerija.*", "slika.putanja", "slika.alt")
            ->get()->first();
    }

    public function delete($id)

```

```

{
    return \DB::table($this->table)
        ->delete($id);
}

public function update($id)
{
    if($this->picture_id) {
        $updateData = [
            'title' => $this->title,
            'description' => $this->description,
            'slika_id' => $this->picture_id
        ];
    } else {
        $updateData = [
            'title' => $this->title,
            'description' => $this->description
        ];
    }
    return \DB::table($this->table)
        ->where('id', $id)
        ->update($updateData);
}
}

```

## 5.12 Korisnik.php

```
<?php
```

```

namespace App\Models; use
Illuminate\Support\Facades\DB;

```

```

class Korisnik
{

```

```

        public $id;    public
$korisnicko_ime;    public
$lozinka;    public $email;
        public $uloga_id=2;
private $table = 'korisnik';

        public function getAll(){
$rezultat = DB::table('korisnik')
                                ->select('*', 'korisnik.id AS korisnikId')
                                ->join('uloga','uloga.id','=', 'korisnik.uloga_id')
                                ->get();

        return $rezultat;

    }

    public function get() {
        $rezultat = DB::table('korisnik')
                                ->select('*')
                                ->where('id',$this->id)
                                ->first();

        return $rezultat;
    }

    public function selectOne($id)
    {
        return DB::table($this->table)
            ->where("id", $id)->first();
    }

    public function getByUsernameAndPassword(){
        $rezultat = DB::table('korisnik')
                                ->select('korisnik.*','uloga.naziv')
                                ->join('uloga','korisnik.uloga_id', '=', 'uloga.id')

```

```

        ->where([
            'korisnicko_ime' => $this->korisnicko_ime,
            'lozinka' => md5($this->lozinka)
        ])
        ->first();

return $rezultat;
}

public function save() {
    $rez = DB::table('korisnik')->insert([
        'korisnicko_ime' => $this->korisnicko_ime,
        'lozinka' => md5($this->lozinka),
        'email' => $this->email,
        'uloga_id' => $this->uloga_id
    ]);
    return $rez;
}

public function update($id)
{
    return \DB::table($this->table)
        ->where("id", $id)
        ->update([
            'korisnicko_ime' => $this->korisnicko_ime,
            'lozinka' => md5($this->lozinka),
            'email' => $this->email,
            'uloga_id' => $this->uloga_id
        ]);
}

public function delete($id)
{

```

```

        return \DB::table($this->table)
            ->delete($id);
    } }

```

### 5.13 Meni.php

```
<?php
```

```
namespace App\Models;
```

```
use Illuminate\Support\Facades\DB;
```

```
class Meni {
```

```
    public $route;
```

```
    public $name;    private
```

```
    $table = 'meni';
```

```
    public function getAll(){
```

```
        $rezultat = DB::table('meni')->get();
```

```
        return $rezultat;
```

```
    }
```

```
    public function save()
```

```
    {
```

```
        return \DB::table($this->table)
```

```
-
```

```
        >insertGetId([
```

```
            'link' => $this->route,
```

```
            'naziv' => $this->name
```

```
        ]);
```

```
    }
```

```
    public function delete($id)
```

```
    {
```

```

        return \DB::table($this->table)
            ->delete($id);
    }

    public function find($id)
    {
        return \DB::table($this->table)->where('id', $id)->get()->first();
    }

    public function update($id)
    {
        return \DB::table($this->table)
            ->where('id', $id)
            ->update([
                'link' => $this->route,
                'naziv' => $this->name
            ]);
    }
}

```

## 5.14 Post.php

```
<?php
```

```

namespace App\Models; use
Illuminate\Support\Facades\DB;

```

```

class Post {
    public $id;
    public $naslov;
    public $video;
    public $sadrzaj;
}

```

```

public $korisnik_id;
public $slika_id;

    public function getAll(){
$rezultat = DB::table('post')
                                ->select('*', 'post.id as postId')
                                ->join('slika as s', 'post.slika_id', '=', 's.id')
                                ->join('korisnik as k', 'post.korisnik_id', '=', 'k.id')
                                ->orderBy('post.created_at', 'desc')
                                ->paginate(2);

        return $rezultat;

    }

    public function getAll2(){
$rezultat = DB::table('post')
                                ->select('*', 'post.id as postId')
                                ->join('slika as s', 'post.slika_id', '=', 's.id')
                                ->join('korisnik as k', 'post.korisnik_id', '=', 'k.id')
                                ->orderBy('post.created_at', 'desc')
                                ->get();

        return $rezultat;
    }

    public function get(){
return DB::table('post')
                                ->select('*', 'post.id as postId')
                                ->join('slika as s', 'post.slika_id', '=', 's.id')
                                ->join('korisnik as k', 'post.korisnik_id', '=', 'k.id')
                                ->where('post.id', $this->id)
                                ->orderBy('post.created_at', 'desc')
                                ->first();

    }

    public function get2($id){
return DB::table('post')
                                ->select('*', 'post.id as postId')

```

```

        ->join('slika as s','post.slika_id','=','s.id')
        ->join('korisnik as k','post.korisnik_id','=','k.id')
        ->where('post.id', $id)
        ->first();
    }

    public function save() {
        $rezultat = DB::table('post')->insert([
            'naslov' => $this->naslov,
            'sadrzaj' => $this->sadrzaj,
            'video' => $this->video,
            'korisnik_id' => $this->korisnik_id,
            'created_at' => time(),
            'slika_id' => $this->slika_id
        ]);
        return $rezultat;
    }

    public function delete($id)
    {
        return
        \DB::table('post')
            ->delete($id);
    }

    public function
    update($id)
    {
        $updateData = [
            'naslov' => $this->naslov,
            'sadrzaj' => $this->sadrzaj,
            'video' => $this->video
        ];
        if ($this->slika_id != null) {
            $updateData['slika_id'] = $this->slika_id;
        }
    }

```



```

        }
        return \DB::table('post')
>where('id', $id)
        ->update($updateData);
    }
}

```

## 5.15 CommentsModel.php

```

<?php

namespace App\Models;

class CommentsModel
{
    public $content;
    public $post_id;
    public $korisnik_id;
    private $table = 'komentar';

    public function save()
    {
        return \DB::table($this->table)
            ->insert([
                'korisnik_id' => $this->korisnik_id,
                'post_id' => $this->post_id,
                'tekst' => $this->content,
                'created_at' => date("Y-m-d H:i:s"),
                'updated_at' => date("Y-m-d H:i:s")
            ]);
    }

    public function getSingleComment($commentId) {
        return \DB::table($this->table)
            ->where('id', $commentId)
            ->first();
    }

    public function update($id)
    {
        return \DB::table($this->table)
            ->where('id', $id)
            ->update([
                'tekst' => $this->content,
                'updated_at' => date("Y-m-d H:i:s")
            ]);
    }

    public function getPostComments($postId)

```

```

        {
            return \DB::table($this->table)
                ->join("korisnik", "komentar.korisnik_id", "=",
"korisnik.id")
                ->where('post_id', $postId)
                ->select('komentar.*', 'korisnik.korisnicko_ime')
                ->get();
        }

    public function delete($id)
    {
        return \DB::table($this->table)
            ->delete($id);
    }

    public function find($id)
    {
        return \DB::table($this->table)
            ->where('id', $id)->get()->first();
    }
}

```

## 5.16 Slika.php

```
<?php
```

```

namespace App\Models; use
Illuminate\Support\Facades\DB;

```

```
class Slika {
```

```

    public $id;
    public $alt; public
    $putanja;

```

```

    public function save(){
        $id = DB::table('slika')
            ->insertGetId([
                'alt' => $this->alt,

```

```

        'putanja' => $this->putanja
    );

    return $id;
}

public function save2()
{
    return
\DB::table('slika')
    ->insertGetId([
        'putanja' => $this->putanja,
        'alt' => $this->alt
    ]);
}

public function find($id)
{
    return \DB::table('slika')
        ->where('id', $id)
        ->get()
        ->first();
}

public function delete($id)
{
    return
\DB::table('slika')
    ->delete($id);
}
}

```

## 5.17 Uloga.php

```
<?php
```

```
namespace App\Models;
```

```

class Uloga
{
    public
$name;

    public function selectAll()
    {
        return \DB::table("uloga")->get();
    }

    public function insert()
    {
        return \DB::table('uloga')
>insertGetId([
        'naziv' => $this->name
    ]);
    }

    public function delete($id)
    {
        return \DB::table("uloga")
        ->delete($id);
    }

    public function update($id)
    {
        return
\DB::table('uloga')
        ->where('id', $id)
        ->update([
        'naziv' => $this->name
    ]);
    }

    public function selectOne($id)

```

```

        {
            return
\DB::table('uloga')
                ->where('id', $id)
                ->get()
                ->first();
        }
    }
}

```

### 5.18 admin.components.common.footer.blade.php

```

<footer class="sticky-footer">

    <div class="container">

        <div class="text-center">

            <small>Copyright © Your Website 2018</small>

        </div>

    </div>

</footer>

```

### 5.19 admin.components.common.head.blade.php

```

<head>

    <meta charset="utf-8">

    <meta http-equiv="X-UA-Compatible" content="IE=edge"> <meta name="viewport"
content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <meta name="description" content="">

    <meta name="author" content="">

    <title>SB Admin - Start Bootstrap Template</title>

    <!-- Bootstrap core CSS-->

    <link href="{ { asset('admin/vendor/bootstrap/css/bootstrap.min.css') }}" rel="stylesheet">

    <!-- Custom fonts for this template-->

    <link href="{ { asset('admin/vendor/font-awesome/css/font-awesome.min.css') }}"
rel="stylesheet" type="text/css">

    <!-- Page level plugin CSS-->

    <link href="{ { asset('admin/vendor/datatables/dataTables.bootstrap4.css') }}"
rel="stylesheet">

```

```
<!-- Custom styles for this template-->
<link href="{{ asset('admin/css/sb-admin.css') }}" rel="stylesheet">
</head>
```

## 5.20 admin.components.common.scripts.blade.php

```
<script src="{{ asset('admin/vendor/jquery/jquery.min.js') }}"></script>
<script src="{{ asset('admin/vendor/bootstrap/js/bootstrap.bundle.min.js') }}"></script>
<!-- Core plugin JavaScript-->
<script src="{{ asset('admin/vendor/jquery-easing/jquery.easing.min.js') }}"></script>
<!-- Page level plugin JavaScript-->
<script src="{{ asset('admin/vendor/chart.js/Chart.min.js') }}"></script>
<script src="{{ asset('admin/vendor/datatables/jquery.dataTables.js') }}"></script>
<script src="{{ asset('admin/vendor/datatables/dataTables.bootstrap4.js') }}"></script>
<!-- Custom scripts for all pages-->
<script src="{{ asset('admin/js/sb-admin.min.js') }}"></script>
<!-- Custom scripts for this page-->
<script src="{{ asset('admin/js/sb-admin-datatables.min.js') }}"></script>
<script src="{{ asset('admin/js/sb-admin-charts.min.js') }}"></script>
```

## 5.21 admin.components.common.sidenav.blade.php

```
<ul class="navbar-nav navbar-sidenav" id="exampleAccordion">

<li class="nav-item" data-toggle="tooltip" data-placement="right" title=""
dataoriginaltitle="Menu Levels">
    <a class="nav-link nav-link-collapse collapsed" data-toggle="collapse"
href="#collapseMulti" data-parent="#exampleAccordion" aria-expanded="false">
        <i class="fa fa-fw fa-sitemap"></i>
        <span class="nav-link-text">Uredi</span>
    </a>
    <ul class="sidenav-second-level collapse" id="collapseMulti" style="">
        <li>
            <a href="{{ route('users.create') }}">Dodaj korisnika</a>
        </li>
```

```

<li>
  <a href="{{ route('posts.create') }}">Dodaj tutorijal</a>
</li>
<li>
  <a href="{{ route('gallery.create') }}">Dodaj sliku u galeriju</a>
</li>
<li>
  <a href="{{ route('roles.create') }}">Dodaj novu ulogu</a>
</li>
<li>
  <a href="{{ route('navigation.create') }}">Dodaj stavku u meni</a>
</li>
<li>
  <a class="nav-link-collapse" data-toggle="collapse" href="#collapseMulti2"
ariaexpanded="true">Prikazi</a>
  <ul class="sidenav-third-level collapse show" id="collapseMulti2" style="">
    <li>
      <a href="{{ route('users.index') }}">Prikazi korisnike</a>
    </li>
    <li>
      <a href="{{ route('posts.index') }}">Prikazi tutorijale</a>
    </li>
    <li>
      <a href="{{ route('gallery.index') }}">Prikazi galeriju</a>
    </li>
    <li>
      <a href="{{ route('roles.index') }}">Prikazi uloge</a>
    </li>
    <li>
      <a href="{{ route('navigation.index') }}">Prikazi stavke iz menija</a>
    </li>
  </ul>

```

```

    </li>
  </ul>
</li>

```

```

</ul>

  <ul class="navbar-nav sidenav-toggler">
    <li class="nav-item">
      <a class="nav-link text-center" id="sidenavToggler">
        <i class="fa fa-fw fa-angle-left"></i>
      </a>
    </li>
  </ul>

```

## 5.22 admin.components.common.topnav.blade.php

```

<ul class="navbar-nav ml-auto">
  <li class="nav-item">
    <a href="{{ route('logout') }}">
      <i class="fa fa-fw fa-sign-out"></i>Logout</a>
    </li>
</ul>

```

## 5.23 admin.components.gallery.table.blade.php

```

<table id="mainTable" class="table table-striped">

  <thead>

    <tr>

      <th>Naslov</th>

      <th>Opis</th>

      <th>Slika</th>

      <th>Izmeni</th>

```



```

        <th>Obrisi</th>

    </tr>

</thead>

<tbody>

    @foreach($galleries as $g)

        <tr>

            <td>{{ $g->title }}</td>

            <td>{{ $g->description }}</td>

            <td>alt)
}}"></td>

            <td><a href="{{ route('gallery.show', ['id' => $g->id]) }}" >Izmeni</a></td>

            <td><a href="{{ route('gallery.delete', ['id' => $g->id]) }}" >Obrisi</a></td>

        </tr>

    @endforeach

</tbody>

</table>

```

## 5.24 admin.components.gallery.insert\_form.blade.php

```

<div class="row">

    <div class="col-md-4 col-md-offset-4">

        <p class="lead">Add new gallery picture</p>

        @empty(!session('message'))

            <div class="alert alert-success">{{ session('message') }}</div>

        @endempty
    </div>

```

```

@isset($errors)
    @if($errors->any())
        @foreach($errors->all() as $error)
            <div class="alert alert-danger"> {{ $error }} </div>
        @endforeach
    @endif
@endisset

<form action="{{ route('gallery.store') }}" method="post"
enctype="multipart/formdata">

    {{ csrf_field() }}

    <div class="form-group">

        <div class="form-line">

            <input name="title" type="text" class="form-control" placeholder="Title">

        </div>

    </div>

    <div class="form-group">

        <div class="form-line">

            <textarea name="description" type="text" class="form-control"
placeholder="Description"></textarea>

        </div>

    </div>

```

```

<div class="form-group">
    <label for="picture">Slika:</label>
    <input name="picture" type="file" id="picture">

</div>

<div class="form-group">

    <input type="submit" class="btn btn-primary waves-amber" value="Add">

    <a href="{{ route('gallery.index') }}" class="btn btn-warning
waveseffect">Cancel</a>

</div>

</form>

</div>

</div>

```

## 5.25 admin.components.gallery.edit\_form.blade.php

```

<div class="row">

    <div class="col-md-4 col-md-offset-4">

        <p class="lead">Update existing gallery post</p>

        @empty(!session('message'))

            <div class="alert alert-success">{{ session('message') }}</div>

        @endempty

        @isset($errors)

            @if($errors->any())

```

```

    @foreach($errors->all() as $error)
        <div class="alert alert-danger"> {{ $error }} </div>
    @endforeach
@endif
@endisset

<form action="{{ route('gallery.update', ['id' => $gallery->id]) }}" method="post"
enctype="multipart/form-data">

    {{ csrf_field() }}

    <div class="form-group">

        <div class="form-line">

            <input name="title" type="text" class="form-control" value="{{ $gallery->title
            }}" placeholder="Title">

        </div>

    </div>

    <div class="form-group">

        <div class="form-line">

            <textarea name="description" type="text" class="form-control"
placeholder="Description">{{ $gallery->description }}

        </textarea>

    </div>

</div>

<div class="form-group">

```

```

        <label for="picture">Picture:</label>
        <input name="picture" type="file" id="picture">
        <br>
        alt }}">
    </div>

    <div class="form-group">

        <input type="submit" class="btn btn-primary waves-amber" value="Edit">

        <a href="{{ route('gallery.index') }}" class="btn btn-warning
waveseffect">Cancel</a>

    </div>

</form>

</div>
</div>

```

## 5.26 admin.components.navigation.table.blade.php

```

<table class="table">
    <tr>
        <td>ID</td>
        <td>Naziv</td>
        <td>Ruta</td>
        <td>Izmeni</td>
        <td>Obrisi</td>
    </tr>
    <!-- Prikaz korisnika-->
    @isset($navigations)
    @foreach($navigations as $nav)
        <tr>

```

```

        <td> {{ $nav->id }} </td>
        <td> {{ $nav->naziv }} </td>
        <td> {{ $nav->link }} </td>
        <td> <a href="{{ route('navigation.show', ['id' => $nav->id]) }}">Izmeni</a>
</td>

        <td> <a href="{{ route('navigation.delete', ['id' => $nav->id]) }}">Obrisi</a>
</td>

    </tr>

@endforeach

@endisset

</table>

```

## 5.27 admin.components.navigation.insert\_form.blade.php

```

<div class="row">
    <div class="col-md-4 col-md-offset-4">
        <p class="lead">Add new menu item</p>
        @empty(!session('message'))
            <div class="alert alert-success">{{ session('message') }}</div>
        @endempty
        @isset($errors)
            @if($errors->any())
                @foreach($errors->all() as $error)
                    <div class="alert alert-danger"> {{ $error }} </div>
                @endforeach
            @endif
        @endisset

        <form action="{{ route('navigation.store') }}" method="POST"
enctype="multipart/form-data">

            {{ csrf_field() }}

            <div class="form-group">
                <input name="name" type="text" class="form-control" placeholder="Naziv
linka">

```

```

</div>

<div class="form-group">
    <input name="route" type="text" class="form-control" placeholder="URL">
</div>

<div class="form-group">
    <input type="submit" value="Add" class="btn btn-default" />
    <a href="{{ route('navigation.index') }}" class="btn btn-warning
waveseffect">Cancel</a>
</div>
</form>
</div> </div>

```

## 5.28 admin.components.navigation.edit\_form.blade.php

```

<div class="row">

<div class="col-md-4 col-md-offset-4">
    <p class="lead">Edit navigation link</p>
    @empty(!session('message'))
        <div class="alert alert-success">{{ session('message') }}</div>
    @endempty

    @isset($errors)
        @if($errors->any())
            @foreach($errors->all() as $error)
                <div class="alert alert-danger"> {{ $error }} </div>
            @endforeach
        @endif
    @endisset

    <form action="{{ route('navigation.update', ['id' => $navigation->id]) }}"
method="post">

```

```
{{ csrf_field() }}
```

```
<div class="form-group">
```

```
<div class="form-line">
```

```
<input name="name" type="text" value="{{ $navigation->naziv }}"  
class="form-control" placeholder="Link name">
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<div class="form-line">
```

```
<input name="route" type="text" value="{{ $navigation->link }}"  
class="formcontrol" placeholder="Page URL">
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<input type="submit" class="btn btn-primary waves-amber" value="Edit">
```

```
<a href="{{ route('navigation.index') }}" class="btn btn-warning  
waveseffect">Cancel</a>
```



</div>

</form>

</div>

</div>

### 5.29 admin.components.posts.post\_tab.blade.php

```
<table id="mainTable" class="table table-striped">
```

```
  <thead>
```

```
    <tr>
```

```
      <th>ID</th>
```

```
      <th>Naslov</th>
```

```
      <th>Sadrzaj</th>
```

```
      <th>Video link</th>
```

```
      <th>Slika</th>
```

```
      <th>Izmeni</th>
```

```
      <th>Obrisi</th>
```

```
    </tr>
```

```
  </thead>
```

```
  <tbody>
```

```
    @foreach($posts as $post)
```

```
      <tr>
```

```
        <td>{{ $post->postId }}</td>
```

```
        <td>{{ $post->naslov }}</td>
```

```
        <td>{{ $post->sadrzaj }}</td>
```

```
        <td>{{ $post->video }}</td>
```

```
        <td>alt)
}}"></td>
```

```
        <td><a href="{{ route('posts.show', ['id' => $post->postId]) }}" >Izmeni</a></td>
```

```
        <td><a href="{{ route('posts.delete', ['id' => $post->postId]) }}" >Obrisi</a></td>
```

```

        </tr>
    @endforeach
</tbody>
</table>

```

### 5.30 admin.components.posts.insert\_form.blade.php

```

<div class="row">

    <div class="col-md-4 col-md-offset-4">

        <p class="lead">Add new post</p>

        @empty(!session('message'))
            <div class="alert alert-success">{{ session('message') }}</div>
        @endempty

        @isset($errors)
            @if($errors->any())
                @foreach($errors->all() as $error)
                    <div class="alert alert-danger"> {{ $error }} </div>
                @endforeach
            @endif
        @endisset

        <form action="{{ route('posts.store') }}" method="post" enctype="multipart/formdata">

            {{ csrf_field() }}

            <div class="form-group">

                <div class="form-line">

```

```

        <input name="title" type="text" class="form-control" placeholder="Naslov">

    </div>

</div>

<div class="form-group">

    <div class="form-line">

        <textarea name="description" type="text" class="form-control"
placeholder="Sadržaj"></textarea>

    </div>

</div>

<div class="form-group">

    <div class="form-line">

        <input name="video" type="text" class="form-control" placeholder="Video
link">

    </div>

</div>

<div class="form-group">
    <label for="photo">Slika:</label>
    <input name="photo" type="file" id="photo">

</div>

```

```

<div class="form-group">

    <div class="form-line">

        <input name="alt" type="text" class="form-control" placeholder="alt">

    </div>

</div>

<div class="form-group">

    <input type="submit" class="btn btn-primary waves-amber" value="Add">

    <a href="{{ route('posts.index') }}" class="btn btn-warning
waveseffect">Cancel</a>

</div>

</form>

</div>
</div>

```

### 5.31 admin.components.posts.edit\_form.blade.php

```

<div class="row">

    <div class="col-md-4 col-md-offset-4">

        <p class="lead">Update existing post</p>

        @empty(!session('message'))

            <div class="alert alert-success">{{ session('message') }}</div>

        @endempty
    </div>
</div>

```

```

@isset($errors)
    @if($errors->any())
        @foreach($errors->all() as $error)
            <div class="alert alert-danger"> {{ $error }} </div>
        @endforeach
    @endif
@endisset

<form action="{{ route('posts.update', ['id' => $post->postId]) }}" method="post"
enctype="multipart/form-data">

    {{ csrf_field() }}

    <div class="form-group">

        <div class="form-line">

            <input name="title" type="text" class="form-control" value="{{ $post->naslov
}}" placeholder="Title">

        </div>
    </div>

    <div class="form-group">

        <div class="form-line">

            <textarea name="description" type="text" class="form-control"
placeholder="Description">{{ $post->sadrzaj }}

        </textarea>
    </div>

```

```

</div>

<div class="form-group">

    <div class="form-line">

        <input name="video" type="text" class="form-control" value="{{ $post->video
        }}" placeholder="Title">

    </div>

</div>

<div class="form-group">
    <label for="picture">Picture:</label>
    <input name="picture" type="file" id="picture">
    <br>
    alt }}">
</div>

<div class="form-group">

    <input type="submit" class="btn btn-primary waves-amber" value="Edit">

    <a href="{{ route('posts.index') }}" class="btn btn-warning
    waveseffect">Cancel</a>

</div>

</form>

</div>

</div>

```

### 5.32 admin.components.roles.table.blade.php

```
<table id="mainTable" class="table table-striped">
    <thead>
        <tr>
            <th>Name</th>
            <th>Izmeni</th>
            <th>Obrisi</th>
        </tr>
    </thead>
    <tbody>
        @foreach($roles as $role)
            <tr>
                <td>{{ $role->naziv }}</td>
                <td><a href="{{ route('roles.show', ['id' => $role->id]) }}">Izmeni</a> </td>
                <td><a href="{{ route('roles.delete', ['id' => $role->id]) }}">Obrisi</a> </td>
            </tr>
        @endforeach
    </tbody>
</table>
```

### 5.33 admin.components.roles.insert\_form.blade.php

```
<div class="row">
    <div class="col-md-4 col-md-offset-4">
        <p class="lead">Add new role</p>
        @empty(!session('message'))
            <div class="alert alert-success">{{ session('message') }}</div>
        @endempty

        @isset($errors)
            @if($errors->any())
                @foreach($errors->all() as $error)
                    <div class="alert alert-danger"> {{ $error }} </div>
                @endforeach
            @endif
        @endisset
    </div>
</div>
```

```

        @endif

        @endisset

        <form action="{{ route('roles.store') }}" method="POST"
        enctype="multipart/formdata">

            {{ csrf_field() }}

            <div class="form-group">
                <input name="name" type="text" class="form-control" placeholder="Naziv
        uloge">
            </div>

            <div class="form-group">
                <input type="submit" value="Add" class="btn btn-default" />
                <a href="{{ route('roles.index') }}" class="btn btn-warning
        waveseffect">Cancel</a>
            </div>
        </form>
    </div> </div>

```

### 5.34 admin.components.roles.edit\_form.blade.php

```

<div class="row">

    <div class="col-md-4 col-md-offset-4">

        <p class="lead">Edit navigation link</p>

        @empty(!session('message'))

            <div class="alert alert-success">{{ session('message') }}</div>

        @endempty

        @isset($errors)

            @if($errors->any())

                @foreach($errors->all() as $error)

                    <div class="alert alert-danger"> {{ $error }} </div>

```



```

        @endforeach
    @endif
    @endisset

<form action="{{ route('roles.update', ['id' => $role->id]) }}" method="post">

    {{ csrf_field() }}

    <div class="form-group">

        <div class="form-line">

            <input name="name" type="text" value="{{ $role->naziv }}"
class="formcontrol" placeholder="Link name">

        </div>

    </div>

    <div class="form-group">

        <input type="submit" class="btn btn-primary waves-amber" value="Edit">

        <a href="{{ route('roles.index') }}" class="btn btn-warning
waveseffect">Cancel</a>

    </div>

</form>

```

```
</div>
```

```
</div>
```

### 5.35 admin.components.users.table.blade.php

```
<table class="table">
    <tr>
        <td>ID</td>
        <td>Korisnicko ime</td>
        <td>Email</td>
        <td>Uloga</td>
        <td>Izmeni</td>
        <td>Obrisi</td>
    </tr>
    <!-- Prikaz korisnika-->
    @isset($korisnici)
    @foreach($korisnici as $korisnik)
        <tr>
            <td> {{ $korisnik->korisnikId }} </td>
            <td> {{ $korisnik->korisnicko_ime }} </td>
            <td> {{ $korisnik->email }} </td>
            <td> {{ $korisnik->naziv }} </td>
            <td> <a href="{{ route('users.show', ['id' => $korisnik->korisnikId])
}}">Izmeni</a> </td>
            <td> <a href="{{ route('users.delete', ['id' => $korisnik->korisnikId])
}}">Obrisi</a> </td>
        </tr>
    @endforeach
    @endisset
</table>
```

### 5.36 admin.components.users.insert\_form.blade.php

```
<div class="row">
    <div class="col-md-4 col-md-offset-4">
```

```

<p class="lead">Add new user</p>

@empty(!session('message'))

<div class="alert alert-success">{{ session('message') }}</div>

@endempty

@isset($errors)

@if($errors->any())

@foreach($errors->all() as $error)

<div class="alert alert-danger"> {{ $error }} </div>

@endforeach

@endif

@endisset

<form action="{{ route('users.store') }}" method="POST"
enctype="multipart/formdata">

{{ csrf_field() }}

<div class="form-group">

<label>Korisnicko ime:</label>

<input type="text" name="korisnickoIme" class="form-control" value="{{
old('korisnickoIme') }}" />

</div>

<div class="form-group">

<label>Email:</label>

<input type="text" name="email" class="form-control" value="{{ old('email') }}" />

</div>

<div class="form-group">

<p><i>Uloga:</i></p>

@foreach($roles as $role)

<input id="role{{ $role->id }}" name="role_id" class="chk-col-deep-purple"
value="{{ $role->id }}" type="radio">

<label for="role{{ $role->id }}"> {{ $role->naziv }} </label>

@endforeach

```

```

<div class="form-group">
    <label>Lozinka:</label>

    <input type="password" name="lozinka" class="form-control" value="{{
(isset($korisnik))? $korisnik->lozinka : old('lozinka') }}" />

</div>

<div class="form-group">
    <input type="submit" value="Add" class="btn btn-default" />
    <a href="{{ route('users.index') }}" class="btn btn-warning
waveseffect">Cancel</a>

</div>
</form>

</div>
</div>

```

### 5.37 admin.components.users.edit\_form.blade.php

```

<div class="row">
    <div class="col-md-4 col-md-offset-4">
        <p class="lead">Update user</p>
        @empty(!session('message'))
            <div class="alert alert-success">{{ session('message') }}</div>
        @endempty

        @isset($errors)
            @if($errors->any())
                @foreach($errors->all() as $error)
                    <div class="alert alert-danger"> {{ $error }} </div>
                @endforeach
            @endif
        @endisset

        <form action="{{ route('users.update', ['id' => $korisnik->id]) }}" method="post">

            {{ csrf_field() }}

```

```

<div class="form-group">
    <label>Korisnicko ime:</label>

    <input type="text" name="korisnickoIme" class="form-control" value="{{
$korisnik->korisnicko_ime }}" />
</div>

<div class="form-group">
    <label>Email:</label>

    <input type="text" name="email" class="form-control" value="{{ $korisnik->email
}}"/>
</div>

<div class="form-group">
    <p><i>Uloga:</i></p>

    @foreach($roles as $role)

        <input id="role{{ $role->id }}" name="role_id" class="chk-col-deep-purple"
value="{{ $role->id }}" {{ $role->id == $korisnik->uloga_id ? "checked" : "" }}
type="radio">
        <label for="role{{ $role->id }}"> {{ $role->naziv }} </label>

    @endforeach

<div class="form-group">
    <label>Lozinka:</label>

    <input type="password" name="lozinka" class="form-control" value="{{
$korisnik->lozinka }}" />
</div>

<div class="form-group">
    <input type="submit" value="Add" class="btn btn-default" />

    <a href="{{ route('users.index') }}" class="btn btn-warning
waveseffect">Cancel</a>
</div>
</form>
</div> </div>

```

### 5.38 admin.components.pages.gallery.blade.php

```

@extends("layouts.admin")

@section("content")

```

```

@empty($form)
    @include("admin.components.gallery.table")
        @empty(!session('error'))
            <div class="alert alert-danger">{{ session('error') }}</div>
        @endempty
        @empty(!session('success'))
            <div class="alert alert-success">{{ session('success') }} </div>
    @endempty
@endempty

@isset($form)
    @switch($form)
        @case('edit')
            @include('admin.components.gallery.edit_form')
        @break
        @case('insert')
            @include('admin.components.gallery.insert_form')
        @break
    @endswitch
@endisset
@endsection

```

### 5.39 admin.components.pages.navigation.blade.php

```

@extends("layouts.admin")

@section("content")
    @empty($form)
        @include("admin.components.navigation.table")
            @empty(!session('error'))
                <div class="alert alert-danger">{{ session('error') }}</div>
            @endempty
            @empty(!session('success'))
                <div class="alert alert-success">{{ session('success') }} </div>
            @endempty
    @endempty

```

@endempty

@isset(\$form)

    @switch(\$form)

        @case('edit')

            @include('admin.components.navigation.edit\_form')

        @break

        @case('insert')

            @include('admin.components.navigation.insert\_form')

        @break

    @endswitch

@endisset

@endsection

## 5.40 admin.components.pages.posts.blade.php

@extends("layouts.admin")

@section("content")

    @empty(\$form)

        @include("admin.components.posts.post\_tab")

            @empty(!session('error'))

                <div class="alert alert-danger">{{ session('error') }}</div>

            @endempty

            @empty(!session('success'))

                <div class="alert alert-success">{{ session('success') }} </div>

            @endempty

    @endempty

@isset(\$form)

    @switch(\$form)

        @case('edit')

            @include('admin.components.posts.edit\_form')

        @break

```

        @case('insert')
            @include('admin.components.posts.insert_form')
        @break
    @endswitch
@endisset
@endsection

```

### 5.41 admin.components.pages.roles.blade.php

```

@extends("layouts.admin")

@section("content")
    @empty($form)
        @include("admin.components.roles.table")

        @empty(!session('error'))
            <div class="alert alert-danger">{{ session('error') }}</div>
        @endempty

        @empty(!session('success'))
            <div class="alert alert-success">{{ session('success') }} </div>
        @endempty
    @endempty

    @endempty

    @isset($form)
        @switch($form)
            @case('edit')
                @include('admin.components.roles.edit_form')
            @break
            @case('insert')
                @include('admin.components.roles.insert_form')
            @break
        @endswitch
    @endisset

```



@endsection

## 5.42 admin.components.pages.users.blade.php

@extends("layouts.admin")

@section("content")

    @empty(\$form)

        @include("admin.components.users.table")

        @empty(!session('error'))

            <div class="alert alert-danger">{{ session('error') }}</div>

        @endempty

        @empty(!session('success'))

            <div class="alert alert-success">{{ session('success') }} </div>

    @endempty

    @endempty

    @isset(\$form)

        @switch(\$form)

            @case('edit')

                @include('admin.components.users.edit\_form')

            @break

            @case('insert')

                @include('admin.components.users.insert\_form')

            @break

        @endswitch

    @endisset

@endsection

## 5.43 components.footer.blade.php

<div class="footer">

    <div class="container">

    </div>

</div>

```

<div class="footer-bottom">
<div class="container">
    <p>Template by<a href="http://w3layouts.com/"> w3layouts</a></p>
</div>
</div>

```

#### 5.44 components.header.blade.php

```

<div class="header">
<div class="container">
    <div class="header-info">
        <div class="logo">
            <a href="index.html"></a>
        </div>
        <div class="logo-right">
            <span class="menu"></span>
            <ul class="nav1">
                @isset($menus)
                @foreach($menus as $menu)
                <li class="nav-item {{ (Request::url().' == asset($menu-
>link)) ? 'active' : '' }}">
                    <a class="nav-link" href="{{ asset($menu->link) }}">
                        {{ $menu->naziv }}
                    </a>
                </li>
                @endforeach
            @endisset
            @if(session()->has('user') && session()->get('user')[0]->naziv ==
'korisnik')
                <li><a href="{{ route('createPost') }}">Dodaj tutorijal</a></li>
            @endif
            @if(session()->has('user') && session()->get('user')[0]-

```

```

>naziv == 'admin')

<li><a href="{{ route('adminpanel') }}">Admin
panel</a></li>

@endif

@if(session()->has('user'))

<li>

<a class="nav-link" href="{{ route('logout') }}">Logout</a></li>

@endif

<li><a href="{{ asset('dokumentacija.pdf') }}">Dokumentacija</a></li>

</ul>

</div>

<div class="clearfix"> </div>

<!-- script for menu -->

<script>

    $( "span.menu" ).click(function() {

    $( "ul.nav1" ).slideToggle( 300, function() {

        // Animation complete.

    });

    });

</script>

<!-- //script for menu -->

</div>

</div>

</div>

```

#### 5.45 layouts.admin.blade.php

```

<!DOCTYPE html>

<html lang="en">

@include('admin.components.common.head')

```

```

<body class="fixed-nav sticky-footer bg-dark" id="page-top">
  <!-- Navigation-->
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark fixed-top" id="mainNav">
    <a class="navbar-brand" href="index.html">Start Bootstrap</a>
    <button class="navbar-toggler navbar-toggler-right" type="button" data-toggle="collapse"
data-target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false"
aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarResponsive">
      @include('admin.components.common.sidenav')
    @include('admin.components.common.topnav')
    </div>
  </nav>
  <div class="content-wrapper">
    @yield('content')
  <!-- /.container-fluid-->
  <!-- /.content-wrapper-->
  @include('admin.components.common.footer')

  <!-- Scroll to Top Button-->
  <a class="scroll-to-top rounded" href="#page-top">
    <i class="fa fa-angle-up"></i>
  </a>

  <!-- Logout Modal-->
  <div class="modal fade" id="exampleModal" tabindex="-1" role="dialog"
arialabelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
      <div class="modal-content">
        <div class="modal-header">
          <h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>
          <button class="close" type="button" data-dismiss="modal" aria-label="Close">

```

```

        <span aria-hidden="true">×</span>
    </button>
</div>

<div class="modal-body">Select "Logout" below if you are ready to end your current
session.</div>

<div class="modal-footer">
    <button class="btn btn-secondary" type="button"
datadismiss="modal">Cancel</button>
    <a class="btn btn-primary" href="login.html">Logout</a>
</div>
</div>
</div>
</div>
<!-- Bootstrap core JavaScript-->

@include('admin.components.common.scripts')

</div>
</body>

</html>

```

## 5.46 layouts.front.blade.php

```

<!--
Author: W3layouts
Author URL: http://w3layouts.com
License: Creative Commons Attribution 3.0 Unported
License URL: http://creativecommons.org/licenses/by/3.0/
-->
<!DOCTYPE html>

```

```

<html>

<head>

<title>@yield('title')</title>

@section('appendCss')

<link href="{{ asset('css/style.css') }}" rel="stylesheet" type="text/css" media="all" />

<link href="{{ asset('css/bootstrap.css') }}" rel="stylesheet" type="text/css" media="all" />

@show

<link href='http://fonts.googleapis.com/css?family=Open+Sans:400,300,600,700,800'
rel='stylesheet' type='text/css'>

<link
href='http://fonts.googleapis.com/css?family=Lato:100,300,400,700,900,100italic,300italic,4
00italic,700italic,900italic' rel='stylesheet' type='text/css'>

<link
href='http://fonts.googleapis.com/css?family=Playfair+Display:400,700,900,400italic,700itali
c,900italic' rel='stylesheet' type='text/css'>

<!-- js -->

@section('appendJs')

<script src="{{ asset('js/jquery.min.js') }}"></script>

<!-- //js -->

<!-- for-mobile-apps -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<meta name="keywords" content="Floral Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Andriod Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyErricsson, Motorola web design" />

<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false);

        function hideURLbar(){ window.scrollTo(0,1); } </script>

<!-- //for-mobile-apps -->

```

```

<!-- start-smoth-scrolling -->

<script type="text/javascript" src="{{ asset('js/move-top.js') }}"></script>

<script type="text/javascript" src="{{ asset('js/easing.js') }}"></script>

<script type="text/javascript">

    jQuery(document).ready(function($) {

        $(".scroll").click(function(event){

            event.preventDefault();
            $('html,body').animate({ scrollTop:$(this.hash).offset().top},1000);

        });

    });

</script>

@show

<!-- start-smoth-scrolling -->

</head>

<body>

<!-- header -->

@include('components.header')

<!-- header -->

<!-- content -->

<!-- content -->

    <div class="content">

        <div class="container">

            <div class="content-text">

                @yield('content')

            </div>

```

```

        </div>

    </div>

<!-- //content -->


<!-- content -->


<!-- footer -->
@include('components.footer')
<!-- //footer -->

<!-- here stars scrolling icon -->
        <script type="text/javascript">            $(document).ready(function() {
                                                    /*
                                                    var defaults = {
                                                        containerID:
'toTop', // fading element id

                                                        containerHoverID: 'toTopHover', // fading element hover id

                                                        scrollSpeed:
1200,

                                                        easingType:
'linear'

                                                    };
                                                    */

                                                    $.UItoTop({
easingType: 'easeOutQuart' });

                                                    });
        </script>

```



```
<!-- //here ends scrolling icon -->
```

```
</body>
```

```
</html>
```

### 5.47 pages.autor.blade.php

```
@extends('layouts.front')
```

```
@section('content')
```

```
    <div class="col-lg-4 col-sm-6 text-center mb-4">
```

```
        
```

```
        <h3>Marko Lazic</h3>
```

```
        <p>My name is Marko Lazic. I was born in Serbia, Smederevo on October 21st. 1995.
```

```
After graduating high school in my home town I enrolled in ICT College of Vocational
Studies. My interest in web programming is growing with each subject we learn. I hope that
one day I will become a successful programmer.</p>
```

```
    </div>
```

```
@endsection
```

### 5.48 pages.createPost.blade.php

```
@extends('layouts.front')
```

```
@section('title')
```

```
    Registracija
```

```
@endsection
```

```
@section('content')
```

```
<div class="col-md-4">
```

```
    <h3>Dodaj tutorijal</h3>
```

```
    @empty(!session('message'))
```

```
        <div class="alert alert-success">{{ session('message') }}</div>
```

```
@endempty
```

```

@isset($errors)

@if($errors->any())

    @foreach($errors->all() as $error)

        <div class="alert alert-danger"> {{ $error }} </div>

    @endforeach

@endif

@endisset

<form action="{{ asset('/post/store') }}" method="POST"
enctype="multipart/formdata">

    {{ csrf_field() }}

    <div class="form-group">

        <label>Title:</label>

        <input type="text" name="title" class="form-control" value="{{ old('title') }}" />

    </div>

    <div class="form-group">

        <label>Embed link:</label>

        <input type="text" name="embedLink" class="form-control" value="{{
old('embedLink') }}" />

    </div>

    <div class="form-group">

        <label>Body:</label>

        <textarea name="body" class="form-control" rows="7">{{ old('body')
}}</textarea>

    </div>

    <div class="form-group">

        <label>Photo:</label>

        <input type="file" name="photo" class="form-control" />

    </div>

    <div class="form-group">

        <label>Alt:</label>

        <input type="text" name="alt" class="form-control" value="{{ old('alt') }}" />

    </div>

```

```

        <div class="form-group">
            <input type="submit" name="addPost" value="Add post" class="btn btn-default" />
        </div>
    </form>

```

```

</div>

```

```

@endsection

```

## 5.49 pages.gallery.blade.php

```

@extends('layouts.front')

```

```

@section('title')

```

```

    Galerija

```

```

@endsection

```

```

@section('appendCss')

```

```

    @parent

```

```

    <link href="{ { asset('css/lightbox.css') } }" rel="stylesheet">

```

```

@endsection

```

```

@section('content')

```

```

    <div class="row text-center text-lg-left">

```

```

        @isset($galleries)

```

```

        @foreach($galleries as $gallery)

```

```

            <div class="col-lg-3 col-md-4 col-xs-6" >

```

```
        <a href="{{ asset($gallery->putanja) }}" data-lightbox="image-1" class="d-block mb-4 h-100">
```

```
            alt }}">
```

```
        </a>
```

```
    </div>
```

```
@endforeach
```

```
@endisset
```

```
</div>
```

```
@endsection
```

```
@section('appendJs')
```

```
@parent
```

```
    <script src="{{ asset('js/lightbox-plus-jquery.js') }}"></script>
```

```
@endsection
```

## 5.50 pages.home.blade.php

```
@extends('layouts.front')
```

```
@section('title')
```

```
    Pocetna
```

```
@endsection
```

```
@section('content')
```

```
<div class="title">
```

```
    <!-- POST -->
```

```
        @isset($posts)
```

```
            @foreach($posts as $post)
```

```
                <div class="some-title">
```

```
                    <h3><a href="{{ asset('/posts/'.$post->postId) }}">{{
```

```
$post->naslov }}</a></h3>
```

```

</div>
<div class="john">
    <p><a href="#">{{ $post->korisnicko_ime
}}</a><span>{{ date("d.m.Y H:i:s", $post->created_at) }}</span></p>
</div>
<div class="clearfix"> </div>
<div class="tilte-grid">
    <a href="{{ { asset('/posts/'.$post->postId) }}"></a>
    <span><p></p></span>
</div>
<div class="">
    <a href="{{ { asset('/posts/'.$post->postId)
}}">ULOGUJTE SE DA BISTE VIDELI TUTORIJAL</a>
</div>
<div class="border">
    <p>a</p>
</div>
@endforeach
@endisset

```

```

<!-- POST -->

```

```

<!-- paginacija -->

```

```

{{ $posts->links() }}

```

```

<!-- paginacija -->

```

```

<div class="clearfix"> </div>

```

```

        </div>
    </div>
    <div class="categories">
        <div class="categ">
            <div class="cat">
                <!-- LOGIN FORM -->
@if(!session()->has('user'))

                <h3>Login</h3>
                @endif

                <div class="card my-4">
<div class="card-body">
                <div class="row">
                    <div class="col-lg-12">
                        @if(!session()->has('user'))
                            <form action="{{ route('login') }}" method="POST">
                                {{ csrf_field() }}
                                <div class="form-group">
                                    <label>Korisnicko ime:</label>
                                    <input type="text" name="tbKorisnickoIme" class="form-control">
                                </div>

                                <div class="form-group">
                                    <label>Lozinka:</label>
                                    <input type="password" name="tbLozinka" class="form-control">
                                </div>
                                <input type="submit" name="btnLogin" value="Login" class="btn btn-success">
                            </form>
                            <br/>
                            <a href="{{ route('register') }}" class="btn btn-danger">Registracija</a>

                        <br/>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        @empty(!session('error'))
            <div class="alert alert-danger">{{ session('error') }}</div>
        @endempty
        @empty(!session('success'))
            <div class="alert alert-success">{{ session('success') }} </div>
        @endempty
    @endif

</div>
</div>
</div>
</div>
<!--// LOGIN FORM -->

</div>
<!-- ANKETA -->
<div class="recent-com">
    @isset($errors)

@if($errors->any())
    @foreach($errors->all() as $error)
        <div class="alert alert-danger">{{ $error }}</div>
    @endforeach
@endif
@endisset

</div>

@if(session()->has('user') && session()->get('user')[0]->naziv == 'korisnik')
    <a href="{{ asset('/posts/create') }}" class="btn btn-warning">Create post</a>
<div class="recent-com">
    <h3>Anketa</h3>
    </div>
    <br/>

@endif

```

```
<!-- ANKETA -->
```

```
</div>
```

```
</div>
```

```
<div class="clearfix"> </div>
```

```
@endsection
```

### 5.51 pages.register.blade.php

```
@extends('layouts.front')
```

```
@section('title')
```

```
    Registracija
```

```
@endsection
```

```
@section('content')
```

```
<div class="col-md-4">
```

```
    <h3>Register</h3>
```

```
    @empty(!session('message'))
```

```
        <div class="alert alert-success">{{ session('message') }}</div>
```

```
@endempty
```

```
    @isset($errors)
```

```
        @if($errors->any())
```

```
            @foreach($errors->all() as $error)
```

```
                <div class="alert alert-danger"> {{ $error }} </div>
```

```
            @endforeach
```

```
        @endif
```



@endisset

```
<form action="{{ route('registerStore') }}" method="POST"
enctype="multipart/formdata">
```

```
{{ csrf_field() }}
```

```
<div class="form-group">
```

```
<label>Korisnicko ime:</label>
```

```
<input type="text" name="korisnickoIme" class="form-control" value="{{
old('korisnickoIme') }}" />
```

```
</div>
```

```
<div class="form-group">
```

```
<label>Email:</label>
```

```
<input type="text" name="email" class="form-control" value="{{ old('email') }}" />
```

```
</div>
```

```
<div class="form-group">
```

```
<label>Lozinka:</label>
```

```
<input type="password" name="lozinka" class="form-control" value="{{
(isset($korisnik))? $korisnik->lozinka : old('lozinka') }}" />
```

```
</div>
```

```
<div class="form-group">
```

```
<input type="submit" name="registerKorisnik" value="{{ (isset($korisnik))?
'Change korisnik' : 'Add korisnik' }}" class="btn btn-default" />
```

```
</div>
```

```
</form>
```

```
</div>
```

@endsection

## 5.52 pages.single.blade.php

```
@extends('layouts.front')
```

```
@section('title')
```

```
    Jedan
```

```
@endsection('title')
```

```
@section('content')
```

```
@isset($post)
```

```
<h1 class="my-4">{{ $post->naslov }}</h1>
```

```
<br>
```

```
<!-- Portfolio Item Row -->
```

```
<div class="row">
```

```
    <div class="col-md-8">
```

```
        <iframe width="750" height="500" src="{{ $post->video }}">
```

```
        </iframe>
```

```
    </div>
```

```
    <div class="col-md-4">
```

```
        <h3 class="my-3">TO DO: </h3>
```

```
        <p>{{ $post->sadrzaj }}</p>
```

```
    </div>
```

```
</div>
```

```
<!-- /.row -->
```

```
@endisset
```

@endsection

## 5.53 web.php

<?php

/\*

|-----

| Web Routes

|-----

|

| Here is where you can register web routes for your application. These | routes are loaded  
by the RouteServiceProvider within a group which | contains the "web" middleware group.  
Now create something great!

|

\*/

// Pocetna

Route::get('/', 'FrontendController@index')->name('home');

Route::group(['middleware' => 'korisnik'], function(){

Route::get('/posts/{id}', 'FrontendController@single')->name("single"); });

Route::get('/post/create', 'FrontendController@createPost')->name('createPost');

Route::post('/post/store', 'FrontendController@storePost')->name('storePost');

Route::get("/gallery", "FrontendController@gallery")->name('gallery');

Route::get("/autor", "FrontendController@autor")->name('autor');

```
// Logovanje i registracija
```

```
Route::post('/login', 'LoginController@login')->name('login');
```

```
Route::get('/logout', 'LoginController@logout')->name('logout'); Route::get('/register',  
'FrontendController@showRegistrationForm')->name('register');
```

```
Route::post('/registerStore', 'LoginController@registerStore')->name('registerStore');
```

```
// admin rute
```

```
Route::group(['middleware' => 'admin'], function(){  
Route::get('/adminpanel', function () { return  
view('layouts.admin');  
})->name('adminpanel');
```

```
// admin rute za korisnike
```

```
Route::get("/admin/users", "Admin\UsersController@index")->name("users.index");  
Route::get("/admin/users/create", "Admin\UsersController@create")->name("users.create");  
Route::get("/admin/users/{id}", "Admin\UsersController@show")->name("users.show");  
Route::post("/admin/users", "Admin\UsersController@store")->name("users.store");  
Route::post("/admin/users/{id}/update",  
"Admin\UsersController@update")>name("users.update");  
Route::get("/admin/users/{id}/delete",  
"Admin\UsersController@destroy")>name("users.delete");
```

```
// admin rute za meni
```

```
Route::get("/admin/navigation",  
"Admin\NavigationController@index")>name("navigation.index");  
Route::get("/admin/navigation/create",
```

```

"Admin\NavigationController@create")>name("navigation.create");
Route::get("/admin/navigation/{id}", "Admin\NavigationController@show")-
>name("navigation.show");
Route::post("/admin/navigation",
"Admin\NavigationController@store")>name("navigation.store");
Route::post("/admin/navigation/{id}/update",
"Admin\NavigationController@update")>name("navigation.update");
Route::get("/admin/navigation/{id}/delete",
"Admin\NavigationController@destroy")>name("navigation.delete");

```

//admin rute za galeriju

```

Route::get("/admin/gallery", "Admin\GalleryController@index")->name("gallery.index");
Route::get("/admin/gallery/create",
"Admin\GalleryController@create")>name("gallery.create");
Route::get("/admin/gallery/{id}", "Admin\GalleryController@show")-
>name("gallery.show");
Route::post("/admin/gallery", "Admin\GalleryController@store")->name("gallery.store");
Route::post("/admin/gallery/{id}/update",
"Admin\GalleryController@update")>name("gallery.update");
Route::get("/admin/gallery/{id}/delete",
"Admin\GalleryController@destroy")>name("gallery.delete");

```

//admin rute za uloge

```

Route::get("/admin/roles", "Admin\RoleController@index")->name("roles.index");
Route::get("/admin/roles/create", "Admin\RoleController@create")->name("roles.create");
Route::get("/admin/roles/{id}", "Admin\RoleController@show")->name("roles.show");
Route::post("/admin/roles", "Admin\RoleController@store")->name("roles.store");
Route::post("/admin/roles/{id}/update",
"Admin\RoleController@update")>name("roles.update");
Route::get("/admin/roles/{id}/delete",
"Admin\RoleController@destroy")>name("roles.delete");

```

// admin rute za postove

```
Route::get("/admin/posts", "Admin\PostController@index")->name("posts.index");
Route::get("/admin/posts/create", "Admin\PostController@create")->name("posts.create");
Route::get("/admin/posts/{id}", "Admin\PostController@show")->name("posts.show");
Route::post("/admin/posts", "Admin\PostController@store")->name("posts.store");
Route::post("/admin/posts/{id}/update",
"Admin\PostController@update")>name("posts.update");
Route::get("/admin/posts/{id}/delete",
"Admin\PostController@destroy")>name("posts.delete");
});
```