


AIRPORT DETAILS PACK

Continued

0.7.0.0 | English manual | First public WIP release

Modular markings, apron layouts and pavement surfaces



506 assets: 460 Decals, 39 NetLanes and 7 Surfaces.

This versioned manual includes workflows, public standard-figure excerpts, dimensional appendices and the complete sprite atlas. Illustrations do not simulate game lighting.

Contents and how to read this guide

01 / What is included	3
02 / Setup, tools and first steps	4
03 / Assemble lettering and backgrounds	5
04 / Runways and pre-threshold areas	6
05 / Taxiways and holding positions	7
06 / Apron bases and independent details	8
07 / No-parking, bridge and equipment areas	9
08 / Public standard figures and sources	10
09 / Optional companions and continued development	11
Appendix A / Dimensions, conditions and presets	12
Appendix B / Physical sizes of ten apron bases	17
Appendix C / References, links and scope	18
Appendix D / Complete asset sprite atlas	19

Start with the assembly workflows. Appendix A distinguishes standards, regional guidance and package presets. Appendix B lists ten apron-base sizes. The final atlas indexes every current asset and its paint bounds.

Atlas numbers are menu UiPriority values. P is complete projection, G is visible paint bounds, T is repeat/tile size and D is draw order. Transparent padding is not paint.

01 / What is included

This sequel to the same creator's Airport Details Pack supplies modular airport ground markings and pavement for Cities: Skylines II. These are static assets placed and assembled by the player.

Menu	Count	Contents
Decal / Alphabet	342	Transparent characters in three colours and 1/2/4 m sizes, including hyphens and points
Decal / RoadMarkings	118	Runway blocks, arrows, backgrounds, ten apron bases, 25 details and measurement helpers
NetLane / RoadMarking	39	Runway/taxiway/holding/guidance lines, background strips and outlines
Surface / Pavement	7	Concrete, asphalt, four paint colours and red no-parking hatching



Dedicated service-vehicle crossing blocks and lane-separation dashes are planned. The yellow secondary stand dashes guide aircraft.

02 / Setup, tools and first steps

Enable Extra Assets Importer (80529), Extra Detailing Tools (80528) and their required ExtraLib (75724). Enable legacy Decal/NetLane, Surfaces and Localization imports in EAI. The release targets game 1.6.*; the author currently uses 1.6.2f.

1. Draw pavement with the concrete or asphalt Surface.
2. Draw NetLane markings along a line, starting at default scale.
3. Place Decal blocks, backgrounds, characters and apron bases.
4. Check scale with the 20 m ruler; tool scaling changes strokes and repeats together.
5. Choose separate details, align one assembly, then duplicate the group.

Pavement sits below paint and hatching; backgrounds and details sit above, with characters and arrows at the top. Start with a small area when combining packs.


03 / Assemble lettering and backgrounds

Choose the purpose and lettering height, then place white, black or yellow characters, hyphens and points. Strips provide a chosen length, fixed blocks provide quick layouts, and caps rotate 180 degrees. Use paint Surfaces and separate outlines for multiple lines or complex shapes.

Location assembly



Direction assembly




For example, assemble a location marking from yellow A on black with a yellow border, or a direction marking from black B and an arrow on yellow with a black border. Transparent 1/2 m lettering can form stand 314 or 314L. Use also depends on correct position and arrangement.

Character sizes refer to visible paint height; projections include transparent margins. RGB177 white is the author's game palette. Package sizes are not a universal regulatory text-height rule for every marking role.

04 / Runways and pre-threshold areas

Assemble two-digit designators and select threshold stripes by runway width. Draw the centre line longitudinally, then place paired aiming points and touchdown-zone blocks according to LDA and threshold position. White arrows mark a usable displaced-threshold portion; yellow chevrons mark unsuitable paved areas.



Draw 5501 transversely for a 1.8 m white bar. Draw 5601/5602/5603 longitudinally for 30/45/60 m pavement. 5604 is one 0.9 m yellow line: draw two arms separately, then duplicate at 30 m apex spacing.

Chevron tips face the runway. Endpoints may crop partial arms; measure consecutive complete tips rather than endpoint fragments.


05 / Taxiways and holding positions

Yellow centre lines have contrast-edged and unedged variants. Enhanced guidance differs from ordinary guidance. A2 solid lines face the holding side; B2 marks ILS holds; intermediate holds use a single yellow dashed line.

Draw a holding NetLane along the transverse marking, not the aircraft travel direction. Double yellow non-load-bearing boundaries are distinct from red apron safety lines and vehicle road markings.

This pack uses the enlarged A2/B2 patterns from Figure 5-8. The consolidated text allows them now; from 26 November 2026 the pattern choices become A2/B2.

06 / Apron bases and independent details



Eight chamfered bases combine yellow guidance, red safety boundaries, corner no-parking areas, white outlines and side reserves. There are also open turnaround and straight-through bases. Bridge areas, wheels, parking boxes, stop datums and identifiers are placed separately.


Align the actual aircraft first, then place the stop datum for its nosewheel or left-seat pilot. The nominal nose tip is not a nosewheel datum. Measured game reference length/span: 34/38, 50.5/50.5 and 58/60 m. Other profiles are scenery presets.

Base reserves do not automatically define roads, parking permission or bridge clearance. Check the actual prop structure and movement envelope before duplicating a calibrated stand. The open R12 m curve is not a universal minimum aircraft turning radius.

07 / No-parking, bridge and equipment areas

Hatching indicates no-parking areas; boxes indicate equipment parking; wheel marks indicate a retracted bridge parking point; movement lines indicate the bridge envelope. Select by function rather than treating colours as interchangeable.


Use Surface 8500 for a chosen polygon with a separate 0.10 m red outline. 7830-7833 provide rectangular, trapezoidal and L-shaped modules. Position wheel marks and boxes independently; the radial centre is not automatically the actual bridge pivot.




Public figure excerpt: CAAM CAGM1403 Figure 11-1, PDF page 55. A is stroke thickness; B is perpendicular spacing. Source link is in the references.

08 / Public standard figures and sources

The following limited excerpts retain the original diagram strokes and labels, cropped to the relevant figure. Original documents control the normative meaning; package artwork is for game scenery.



ICAO Annex14 Figure 7-3, printed page 7-7, PDF page 245: chevrons on unsuitable pre-threshold pavement. [A14]



ICAO Annex14 Figure 5-4(B), printed page 5-9, PDF page 135: displaced-threshold bar and white arrows. [A14]

09 / Optional companions and continued development

G87: more asphalt, pavement, ordinary road markings and hatching.

Sully Airport Essentials Pack: high-quality airport tile Surfaces, runway-edge options and additional detailing.

Airport Pack / LAX Airport Props / Runway Guard Light: sign bodies, buildings, bridges, equipment and lights.

Companions are optional, not requirements, and have not all been fully tested together. Add a moderate selection and check each pack's dependencies, game version and layering.

This first public WIP edition will continue to receive updates and maintenance. Planned work expands service-vehicle roads, purpose-specific apron markings and other details while keeping components modular and specifications traceable.

Appendix A / Dimensions, conditions and presets

A14 denotes ICAO; CAAC/CAAM denote regional sources; LHR denotes an airport-operator style; PKG denotes package presets; EAI denotes game implementation; USER denotes author measurements. Read minima, recommendations and fixed presets separately.

Characters, colours and backgrounds

Item	Dimensions and conditions	Source
General characters	White/black/yellow; A-Z, 0-9, hyphen and decimal point; 1/2/4 m lettering presets; original glyph aspect ratios retained.	PKG
RGB palette	White 177/177/177, yellow 255/239/73, red 176/9/4, black 0/0/0. Game palette, not certified chromaticity.	PKG
Hyphens	For 1/2/4 m lettering: approximately 0.553/1.107/2.214 m long and 0.160/0.320/0.641 m thick.	PKG
Points and arrows	Point side length 0.1/0.2/0.4 m; arrows 1/2/4 m long, approximately 0.299/0.598/1.196 m wide.	PKG
Backgrounds	For 2/4 m lettering: 0.5 m margins, 0.15 m border; framed width 3.3/5.3 m; red fill width 3/5 m.	PKG
Wide blocks, caps, outlines	Fixed background length 8/15 m; rotate a cap 180 degrees for the opposite end. Outlines: white 0.10, black 0.10/0.15, yellow 0.10/0.15, red 0.10 m.	PKG
Lettering applicability	1/2/4 m are assembly presets. Stand identification must be readable from the cockpit; information and mandatory markings have separate role, height and location conditions.	A14 5.2.13/16/17

Runway designators, thresholds and centre lines

Item	Dimensions and conditions	Source
Designators	Two digits with a leading zero where needed; L/C/R for parallel runways. Base height 9 m, usual width 3 m; 1: 1.1 m, 4: 3.9 m, 7: 3.5 m wide; 6/9 bounds 9.5 m high.	A14 5.2.2, Fig 5-3
Designator scales	1x/2x/3x are package scale options. Figure 5-3 calibrates bounds; this does not certify every glyph stroke.	PKG
Threshold stripes	Each stripe 1.8 x 30 m; usual clear gaps approximately 1.8 m, centre gap 3.6 m; stripes start 6 m from the threshold.	A14 5.2.4
Stripe counts	18/23/30/45/60 m runways use 4/6/8/12/16 stripes; the pack provides single stripes and half-groups of 2/3/4/6/8.	A14 5.2.4
Centre-line repeat	Pack: 30 m paint, 30 m gap, 60 m repeat. Standard combined length 50-75 m; paint at least the greater of 30 m or the gap length.	A14 5.2.3
Centre-line widths	0.90 m for precision CAT II/III; 0.45 m for precision CAT I and code 3/4 non-precision; 0.30 m for code 1/2 non-precision and non-instrument runways.	A14 5.2.3

Aiming points, touchdown zones and side stripes

Item	Dimensions and conditions	Source
LDA below 800 m	Start 150 m; standard length 30-45 m, width 4 m, inner-side spacing 6 m; pack block 4 x 30 m.	A14 Table 5-1
LDA 800 to below 1200 m	Start 250 m; length 30-45 m, width 6 m, inner-side spacing 9 m; pack 6 x 30 m.	A14 Table 5-1
LDA 1200 to below 2400 m	Start 300 m; length 45-60 m, width 6-10 m, inner-side spacing 18-22.5 m; pack 6 x 45 m.	A14 Table 5-1
LDA at least 2400 m	Start 400 m; length 45-60 m, width 6-10 m, spacing 18-22.5 m. Shared 6 x 45 m block and a 10 x 60 m option.	A14 Table 5-1 / PKG
Aiming-point conditions	With a visual approach slope indicator, the start coincides with its slope origin. Aiming-point and touchdown-zone inner spacing must agree.	A14 5.2.5.3/4
Touchdown-zone patterns	Basic block at least 3 x 22.5 m; coded stripes at least 1.8 x 22.5 m with 1.5 m gaps; pack uses these minimum dimensions.	A14 5.2.6
Touchdown-zone placement	Paired stations at 150 m intervals from the threshold; omit stations coincident with or within 50 m of an aiming point.	A14 5.2.6
Touchdown-zone pair count	LDA or threshold spacing below 900, 900-1200, 1200-1500, 1500-2400, at least 2400 m: 1/2/3/4/6 pairs; interval upper bounds excluded.	A14 5.2.6.3
Runway side stripes	Recommended width at least 0.90 m for runways at least 30 m wide, otherwise 0.45 m; on runways wider than 60 m, place stripes 30 m from the centre line.	A14 5.2.7

Displaced thresholds, chevrons and closure marks

Item	Dimensions and conditions	Source
Displaced-threshold bar	Figure 5-4(B) bar at least 1.80 m thick; pack provides a 10 m module and a continuous NetLane.	A14 5.2.4, Fig 5-4(B)
White arrows	Head h at least 10 m, spread h/3, stroke h/12. Pack stem 0.45 m, total length 30 m; figure shows 50 m longitudinal arrow spacing.	A14 Fig 5-4 / PKG
Chevron applicability	Recommended over paved pre-threshold areas exceeding 60 m that are unsuitable for normal aircraft use; preferably yellow, stroke at least 0.90 m.	A14 7.3
Chevron geometry	Figure 7-3: 45-degree arms, 30 m apex spacing, at most 7.5 m lateral distance to paint ends. Pack 30/45/60 m pavement presets leave 1.5 m at each side.	A14 Fig 7-3 / PKG
Chevron and single-line sizes	Full paint width 27/42/57 m, 0.90 m strokes, 30 m repeat; independent 0.90 m line for separately drawn arms and a chosen span.	PKG
Closure marks	White runway X: 1.8 m strokes, reference endpoint dimensions 14.5 x 36 m. Yellow taxiway X: 9 m full diagonal arms, 1.5 m strokes. Projection includes slanted-end extents.	A14 7.1, Fig 7-1

Taxiways and holding positions

Item	Dimensions and conditions	Source
Taxiway centre line	Yellow line at least 0.15 m; light-pavement option has 0.075 m black contrast edging on each side.	A14 5.2.8 / PKG
Enhanced centre line	Centre and side-dash strokes 0.15 m, clear gaps 0.15 m; side dashes 3 m paint/1 m gap; extend approximately 47 m back from the holding marking.	A14 Fig 5-7
A2 holding marking	Four 0.30 m strokes, 0.30 m clear spacing; 0.90 m paint/gap, 1.80 m repeat. Draw transversely, solid lines facing the holding side.	A14 Fig 5-8
B2 ILS holding marking	Two 0.30 m longitudinal strokes, 1.50 m clear spacing; paired 0.30 m bars with a 0.30 m gap; 3 m clear group spacing, 3.90 m repeat.	A14 Fig 5-8
A2/B2 date	Pack uses enlarged patterns. A1/A2 or B1/B2 remain options through 25 November 2026; A2/B2 apply from 26 November 2026.	A14 5.2.10.5/6
Intermediate holds and boundaries	Intermediate hold: one 0.30 m yellow dashed line, 0.90 m paint/gap. Non-load-bearing boundary: two 0.15 m yellow solid lines, 0.15 m gap.	A14 5.2.11 / 7.2.3

Stands, safety lines and separate details

Item	Dimensions and conditions	Source
Stand guidance and safety	Stand guidance at least 0.15 m; pack 0.15/0.30 m, with 0.075 m black edging. Safety lines continuous, at least 0.10 m, conspicuous and distinct from stand markings.	A14 5.2.13/14 / PKG
Secondary guidance	CAAM 2 m paint/2 m gap, 0.15 m width; pack also offers a 0.30 m wider preset.	CAAM 8.1/2 / PKG
Turn bar	CAAM total length 6 m including arrow, overall width 2 m; 0.15 m shaft; triangular arrow 2 x 2 m.	CAAM Fig 4-9
Nosewheel and pilot datums	CAAC nosewheel bar 2 x 0.15 m, 0.05 m black border, 0.30 m label; pilot-reference bar 6 x 0.15 m, placed for the actual left-seat position.	CAAC 6.2.16 / PKG
CAAM push-back stop	Extends 1 m clear of the left edge of a 0.30 m centre line; bar 0.30 m wide, 1.30 m total including centre line; 1 m text on a 1.5 m high black panel. Label side margins are 0.15 m each.	CAAM Fig 5-9/14/ 15
Aircraft-type labels	A320/B737/A350/B777/B747/A380, each in CAAC and CAAM variants; actual nosewheel or pilot coordinates are not preset.	PKG
Clearance recommendations	A/B: 3 m, C: 4.5 m, D/E/F: 7.5 m; pack bases protect a full aircraft length/span rectangle.	A14 3.13.7 / PKG
Reserves and identifier gap	Side reserves 6/8 m for non-GA, 3/5 m for GA; 3 m identifier gap, 8 m lead extension; white outer line 0.15 m, red safety line 0.10 m. Identifier gap starts 1 m beyond the entry.	PKG
Open turnaround and through	Turnaround R12 m, 8 m exit straight, 2 x 2 m arrow; through stand 28.2 m centre segment plus 8 m at each end. Radius and layout are scenery presets.	PKG
Bridge movement areas	Heathrow-style radial areas R12/18 m, 90-degree sector, rays every 15 degrees, 0.10 m white strokes; dimensions are package presets.	LHR / PKG
Bridge wheel positions	3 m circle/4 m square are presets; white fill with red border at least 0.10 m; choose for actual wheel-group width, outer wheel to boundary at most 0.50 m.	CAAM 12.3/4 / PKG
No-parking hatching	CAAM red strokes at least 0.10 m, perpendicular gap 0.50-1.00 m; pack 0.10 m, 0.75 m transparent gap and 45-degree illustrated preset.	CAAM 11.1/2 / PKG
Hatch modules and parking boxes	Hatch rectangles 6 x 10/10 x 20 m; trapezoid end widths 6/12 m, length 12 m; L shape 10 x 14 m, arms 4/6 m. Parking boxes 3 x 5/6 x 10 m, white strokes 0.10 m.	CAAM 11/15 / PKG

Surfaces, projection and measurement

Item	Dimensions and conditions	Source
Pavement materials	8160 concrete mean RGB128/126/118, smoothness 0.04; 8170 asphalt approximately RGB67/69/70, smoothness 0.10; both use 5 m texture tiles and normal maps.	PKG / EAI
Concrete detail	1024 px; aggregate scale 0.025-0.10 m, normal RMS slope 0.045, maximum 0.18; these are shading parameters.	PKG
Hatch Surface tile	Perpendicular pitch $0.10+0.75=0.85$ m; 45-degree axial square side $\sqrt{2} \times 0.85=1.202081528$ m; UVScale approximately 0.831890331.	PKG / EAI
Projection and padding	Decal MeshSize.x/z are projected metres including transparent space; paint bounds measured at alpha at least 128. Default padding 0.15 m; composite assets may differ.	PKG / EAI
NetLane configuration	MeshSize.z equals OverrideLength. Continuous lines use a 9 m internal tile; other repeats 1.8/3.9/4/30/60 m. Endpoint crops do not represent a full repeat.	PKG / EAI
Draw order	Pavement 35; paint Surfaces 38; hatching 40; backgrounds/outlines/bases/bridge/parking details 41; characters/arrows/stop labels/other markings 42.	PKG
Surface edges	Noise=(0,1), Fade=(0.75,0.25), Roundness=0. Surface edges can soften; Noise=(0,0) is not a noise-disable setting.	PKG / EAI
Measurement helpers	Grid first-to-last centre distance 10 m, 1 m spacing; 20 m ruler with 1 m ticks and 5 m major ticks. Tool scaling changes all metre dimensions proportionally.	PKG / USER

Appendix B / Physical sizes of ten apron bases

Length/span describe the reference rectangle. C is the per-side clearance recommendation. P is full projection including reserves. Shape and footprint are package layouts; atlas cards separately list visible paint bounds.

ID and layout	Length x span / C	Projection W x L
7700 Stand Template GA A	10 x 12 m / 3 m	26.90 x 35.70 m
7701 Stand Template GA A Turnaround	10 x 12 m / 3 m	24.70 x 32.70 m
7710 Stand Template GA B	22 x 23.9 m / 3 m	38.80 x 47.70 m
7711 Stand Template GA B Through	22 x 23.9 m / 3 m	38.80 x 44.90 m
7720 Stand Template Narrowbody C	44 x 35.9 m / 4.5 m	59.80 x 74.70 m
7730 Stand Template Game Regional	34 x 38 m / 7.5 m	67.90 x 70.70 m
7740 Stand Template Game Passenger	50.5 x 50.5 m / 7.5 m	80.40 x 87.20 m
7750 Stand Template Game Cargo	58 x 60 m / 7.5 m	89.90 x 94.70 m
7760 Stand Template Widebody E	76 x 64.9 m / 7.5 m	94.80 x 112.70 m
7770 Stand Template Heavy F	85 x 79.9 m / 7.5 m	109.80 x 121.70 m

The three game-aircraft profiles are author measurements. GA, generic narrowbody and larger widebody profiles are package sizes. Stop, bridge and equipment positions are not inferred from these rectangles.

Appendix C / References, links and scope

A14 - ICAO Annex 14 Volume I, ninth edition, Amendment 18 consolidated public copy

Runway, taxiway, stand and safety-line purposes and dimensions. A2/B2 are already allowed; they become the required patterns on 26 November 2026.

CAAM - CAAM CAGM 1403, Issue 02 Revision 00, 4 February 2025

Malaysia guidance, including secondary guidance, stop marks, no-parking hatching, bridge wheels and equipment parking.

CAAC - CAAC MH 5001-2021 consolidated text, section 6.2.16

Nosewheel and pilot-reference stop markings; fourth amendment does not change the cited stand provisions.

LHR - Heathrow OSI 030, Aircraft Aprons, Stands, Types and Markings, version 3.0, 21 May 2025

Optional local bridge-area appearance and functional distinctions; R12/R18 dimensions are package presets.

EAI - Extra Assets Importer source and import formats

Import conventions checked against source 1.7.6 and local DLL 1.7.5; material and UV parameters are game implementation values.

PKG - Airport Details Pack Continued asset specifications and generated catalog

Package geometry, layout presets, colours, file identities and exact raster bounds.

USER - Author's game measurements and setup

Measured regional, passenger and cargo aircraft sizes; game 1.6.2f reported by the author.

SULLY - Airport Essentials Pack by Sully_Skylines

Optional recommendation; primary page reviewed on 2 October 2026, version 1.1. Joint compatibility is not established.

Sources are identified by the cited editions. Full Doc9157 Part4 Amendment2 has not been obtained; ACI contents listings are not used as unverified dimensional evidence. This manual does not turn scenery presets or texture colours into universal mandatory rules.

Repository: https://github.com/lazy-red-panda-qw/Airport_Next_Continued

Player guide: https://github.com/lazy-red-panda-qw/Airport_Next_Continued/blob/main/docs/manual/README.md

Complete catalog: https://github.com/lazy-red-panda-qw/Airport_Next_Continued/blob/v0.7.0.0/docs/asset-catalog.csv

Original page numbers and crop records are in docs/manual/sources.json. Source text and figures remain with their publishing bodies; the repository includes only limited diagram excerpts, not entire standards documents.

Appendix D / Complete asset sprite atlas

The atlas lists 386 added assets followed by 120 original author components: 506 entries, exactly once each.


Names come from the matching game localization. Dimensions come from final PNG/catalog data: projection P, paint G, repeat T and draw order D. NetLane and Surface pictures show UV textures; card pixels cannot measure real stroke widths.

Added assets	386
Original author sources retained	120
Complete asset count	506

Added assets - 1/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

1000 Decal



White A · 1 m

P 0.647 x 1.300 | D 42
G 0.348 x 0.999


1010 Decal



White B · 1 m

P 0.573 x 1.300 | D 42
G 0.273 x 0.999

1020 Decal



White C · 1 m

P 0.567 x 1.300 | D 42
G 0.267 x 0.999


1030 Decal



White D · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999


1040 Decal



White E · 1 m

P 0.550 x 1.300 | D 42
G 0.250 x 0.999

1050 Decal



White F · 1 m

P 0.550 x 1.300 | D 42
G 0.250 x 0.999


1060 Decal



White G · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999


1070 Decal



White H · 1 m

P 0.577 x 1.300 | D 42
G 0.277 x 0.999


1080 Decal



White I · 1 m

P 0.363 x 1.300 | D 42
G 0.063 x 0.999


1090 Decal



White J · 1 m

P 0.552 x 1.300 | D 42
G 0.252 x 0.999


1100 Decal



White K · 1 m

P 0.586 x 1.300 | D 42
G 0.286 x 1.000

1110 Decal



White L · 1 m

P 0.552 x 1.300 | D 42
G 0.252 x 0.999

1120 Decal



White M · 1 m

P 0.620 x 1.300 | D 42
G 0.320 x 0.999


1130 Decal



White N · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 1.000

1140 Decal



White O · 1 m

P 0.582 x 1.300 | D 42
G 0.282 x 0.999

Added assets - 2/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

1150 Decal



White P · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

1160 Decal



White Q · 1 m

P 0.572 x 1.300 | D 42
G 0.272 x 0.999


1170 Decal



White R · 1 m

P 0.574 x 1.300 | D 42
G 0.275 x 0.999


1180 Decal



White S · 1 m

P 0.577 x 1.300 | D 42
G 0.277 x 0.999


1190 Decal



White T · 1 m

P 0.548 x 1.300 | D 42
G 0.248 x 0.999

1200 Decal



White U · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

1210 Decal



White V · 1 m

P 0.616 x 1.300 | D 42
G 0.316 x 0.999

1220 Decal



White W · 1 m

P 0.659 x 1.300 | D 42
G 0.358 x 1.000

1230 Decal



White X · 1 m

P 0.579 x 1.300 | D 42
G 0.279 x 1.000

1240 Decal



White Y · 1 m

P 0.650 x 1.300 | D 42
G 0.349 x 0.999


1250 Decal



White Z · 1 m

P 0.572 x 1.300 | D 42
G 0.273 x 0.999


1260 Decal



White O · 1 m

P 0.585 x 1.300 | D 42
G 0.285 x 0.999

1270 Decal



White 1 · 1 m

P 0.404 x 1.300 | D 42
G 0.105 x 0.999

1280 Decal



White 2 · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

1290 Decal



White 3 · 1 m

P 0.565 x 1.300 | D 42
G 0.265 x 0.999

Added assets - 3/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

1300 Decal


White 4 · 1 m

P 0.601 x 1.300 | D 42
G 0.300 x 0.999

1310 Decal


White 5 · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

1320 Decal



White 6 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

1330 Decal


White 7 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

1340 Decal


White 8 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

1350 Decal



White 9 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

1360 Decal



White hyphen · 1 m

P 0.853 x 0.460 | D 42
G 0.553 x 0.160

1370 Decal



White decimal point · 1 m

P 0.400 x 0.400 | D 42
G 0.100 x 0.100

1371 Decal


White decimal point · 2 m

P 0.500 x 0.500 | D 42
G 0.200 x 0.200

1372 Decal


White decimal point · 4 m

P 0.700 x 0.700 | D 42
G 0.401 x 0.399

2000 Decal


Black A · 1 m

P 0.647 x 1.300 | D 42
G 0.348 x 0.999

2001 Decal


Black A · 2 m

P 0.994 x 2.300 | D 42
G 0.695 x 1.999

2002 Decal


Black A · 4 m

P 1.688 x 4.300 | D 42
G 1.388 x 3.998

2010 Decal


Yellow A · 1 m

P 0.647 x 1.300 | D 42
G 0.348 x 0.999

2011 Decal



Yellow A · 2 m

P 0.994 x 2.300 | D 42
G 0.695 x 1.999

Added assets - 4/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


2012 Decal



Yellow A · 4 m

P 1.688 x 4.300 | D 42
G 1.388 x 3.998


2020 Decal



Black B · 1 m

P 0.573 x 1.300 | D 42
G 0.273 x 0.999

2021 Decal



Black B · 2 m

P 0.846 x 2.300 | D 42
G 0.545 x 1.999


2022 Decal



Black B · 4 m

P 1.392 x 4.300 | D 42
G 1.090 x 3.998

2030 Decal



Yellow B · 1 m

P 0.573 x 1.300 | D 42
G 0.273 x 0.999


2031 Decal



Yellow B · 2 m

P 0.846 x 2.300 | D 42
G 0.545 x 1.999

2032 Decal



Yellow B · 4 m

P 1.392 x 4.300 | D 42
G 1.090 x 3.998


2040 Decal



Black C · 1 m

P 0.567 x 1.300 | D 42
G 0.267 x 0.999


2041 Decal



Black C · 2 m

P 0.834 x 2.300 | D 42
G 0.533 x 1.999


2042 Decal



Black C · 4 m

P 1.368 x 4.300 | D 42
G 1.067 x 3.998


2050 Decal



Yellow C · 1 m

P 0.567 x 1.300 | D 42
G 0.267 x 0.999


2051 Decal



Yellow C · 2 m

P 0.834 x 2.300 | D 42
G 0.533 x 1.999

2052 Decal



Yellow C · 4 m

P 1.368 x 4.300 | D 42
G 1.067 x 3.998

2060 Decal



Black D · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

2061 Decal



Black D · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

Added assets - 5/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


2062 Decal



Black D · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998


2070 Decal



Yellow D · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

2071 Decal



Yellow D · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999


2072 Decal



Yellow D · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

2080 Decal



Black E · 1 m

P 0.550 x 1.300 | D 42
G 0.250 x 0.999

2081 Decal



Black E · 2 m

P 0.800 x 2.300 | D 42
G 0.500 x 1.999


2082 Decal



Black E · 4 m

P 1.300 x 4.300 | D 42
G 0.999 x 3.998


2090 Decal



Yellow E · 1 m

P 0.550 x 1.300 | D 42
G 0.250 x 0.999


2091 Decal



Yellow E · 2 m

P 0.800 x 2.300 | D 42
G 0.500 x 1.999

2092 Decal



Yellow E · 4 m

P 1.300 x 4.300 | D 42
G 0.999 x 3.998

2100 Decal



Black F · 1 m

P 0.550 x 1.300 | D 42
G 0.250 x 0.999

2101 Decal



Black F · 2 m

P 0.800 x 2.300 | D 42
G 0.500 x 1.999

2102 Decal



Black F · 4 m

P 1.300 x 4.300 | D 42
G 0.999 x 3.998

2110 Decal



Yellow F · 1 m

P 0.550 x 1.300 | D 42
G 0.250 x 0.999

2111 Decal



Yellow F · 2 m

P 0.800 x 2.300 | D 42
G 0.500 x 1.999

Added assets - 6/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

2112 Decal



Yellow F · 4 m

P 1.300 x 4.300 | D 42
G 0.999 x 3.998

2120 Decal



Black G · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

2121 Decal



Black G · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

2122 Decal



Black G · 4 m

P 1.378 x 4.300 | D 42
G 1.078 x 3.998

2130 Decal



Yellow G · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

2131 Decal



Yellow G · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

2132 Decal



Yellow G · 4 m

P 1.378 x 4.300 | D 42
G 1.078 x 3.998


2140 Decal



Black H · 1 m

P 0.577 x 1.300 | D 42
G 0.277 x 0.999

2141 Decal



Black H · 2 m

P 0.853 x 2.300 | D 42
G 0.553 x 1.999

2142 Decal



Black H · 4 m

P 1.407 x 4.300 | D 42
G 1.107 x 3.998

2150 Decal



Yellow H · 1 m

P 0.577 x 1.300 | D 42
G 0.277 x 0.999

2151 Decal



Yellow H · 2 m

P 0.853 x 2.300 | D 42
G 0.553 x 1.999


2152 Decal



Yellow H · 4 m

P 1.407 x 4.300 | D 42
G 1.107 x 3.998


2160 Decal



Black I · 1 m

P 0.363 x 1.300 | D 42
G 0.063 x 0.999

2161 Decal




Black I · 2 m

P 0.426 x 2.300 | D 42
G 0.127 x 1.999

Added assets - 7/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


2162 Decal



Black I · 4 m

P 0.552 x 4.300 | D 42
G 0.252 x 3.998


2170 Decal



Yellow I · 1 m

P 0.363 x 1.300 | D 42
G 0.063 x 0.999


2171 Decal



Yellow I · 2 m

P 0.426 x 2.300 | D 42
G 0.127 x 1.999


2172 Decal



Yellow I · 4 m

P 0.552 x 4.300 | D 42
G 0.252 x 3.998


2180 Decal



Black J · 1 m

P 0.552 x 1.300 | D 42
G 0.252 x 0.999


2181 Decal



Black J · 2 m

P 0.805 x 2.300 | D 42
G 0.505 x 1.999


2182 Decal



Black J · 4 m

P 1.310 x 4.300 | D 42
G 1.009 x 3.998


2190 Decal



Yellow J · 1 m

P 0.552 x 1.300 | D 42
G 0.252 x 0.999


2191 Decal



Yellow J · 2 m

P 0.805 x 2.300 | D 42
G 0.505 x 1.999

2192 Decal



Yellow J · 4 m

P 1.310 x 4.300 | D 42
G 1.009 x 3.998

2200 Decal



Black K · 1 m

P 0.586 x 1.300 | D 42
G 0.286 x 1.000

2201 Decal



Black K · 2 m

P 0.873 x 2.300 | D 42
G 0.573 x 2.001

2202 Decal



Black K · 4 m

P 1.446 x 4.300 | D 42
G 1.146 x 4.002

2210 Decal



Yellow K · 1 m

P 0.586 x 1.300 | D 42
G 0.286 x 1.000

2211 Decal



Yellow K · 2 m

P 0.873 x 2.300 | D 42
G 0.573 x 2.001

Added assets - 8/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


2212 Decal



Yellow K · 4 m

P 1.446 x 4.300 | D 42
G 1.146 x 4.002


2220 Decal



Black L · 1 m

P 0.552 x 1.300 | D 42
G 0.252 x 0.999


2221 Decal



Black L · 2 m

P 0.805 x 2.300 | D 42
G 0.505 x 1.999


2222 Decal



Black L · 4 m

P 1.310 x 4.300 | D 42
G 1.009 x 3.998


2230 Decal



Yellow L · 1 m

P 0.552 x 1.300 | D 42
G 0.252 x 0.999


2231 Decal



Yellow L · 2 m

P 0.805 x 2.300 | D 42
G 0.505 x 1.999

2232 Decal



Yellow L · 4 m

P 1.310 x 4.300 | D 42
G 1.009 x 3.998

2240 Decal



Black M · 1 m

P 0.620 x 1.300 | D 42
G 0.320 x 0.999

2241 Decal



Black M · 2 m

P 0.941 x 2.300 | D 42
G 0.640 x 1.999

2242 Decal



Black M · 4 m

P 1.582 x 4.300 | D 42
G 1.282 x 4.002

2250 Decal



Yellow M · 1 m

P 0.620 x 1.300 | D 42
G 0.320 x 0.999

2251 Decal



Yellow M · 2 m

P 0.941 x 2.300 | D 42
G 0.640 x 1.999

2252 Decal



Yellow M · 4 m

P 1.582 x 4.300 | D 42
G 1.282 x 4.002

2260 Decal



Black N · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 1.000

2261 Decal



Black N · 2 m

P 0.839 x 2.300 | D 42
G 0.537 x 1.999

Added assets - 9/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


2262 Decal



Black N · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998


2270 Decal



Yellow N · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 1.000


2271 Decal



Yellow N · 2 m

P 0.839 x 2.300 | D 42
G 0.537 x 1.999


2272 Decal



Yellow N · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998


2280 Decal



Black O · 1 m

P 0.582 x 1.300 | D 42
G 0.282 x 0.999


2281 Decal



Black O · 2 m

P 0.863 x 2.300 | D 42
G 0.563 x 1.999


2282 Decal



Black O · 4 m

P 1.426 x 4.300 | D 42
G 1.125 x 3.998


2290 Decal



Yellow O · 1 m

P 0.582 x 1.300 | D 42
G 0.282 x 0.999


2291 Decal



Yellow O · 2 m

P 0.863 x 2.300 | D 42
G 0.563 x 1.999

2292 Decal



Yellow O · 4 m

P 1.426 x 4.300 | D 42
G 1.125 x 3.998

2300 Decal



Black P · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

2301 Decal



Black P · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

2302 Decal



Black P · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

2310 Decal



Yellow P · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

2311 Decal



Yellow P · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

Added assets - 10/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


2312 Decal



Yellow P · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998


2320 Decal



Black Q · 1 m

P 0.572 x 1.300 | D 42
G 0.272 x 0.999

2321 Decal



Black Q · 2 m

P 0.844 x 2.300 | D 42
G 0.544 x 1.999


2322 Decal



Black Q · 4 m

P 1.389 x 4.300 | D 42
G 1.088 x 3.998


2330 Decal



Yellow Q · 1 m

P 0.572 x 1.300 | D 42
G 0.272 x 0.999


2331 Decal



Yellow Q · 2 m

P 0.844 x 2.300 | D 42
G 0.544 x 1.999

2332 Decal



Yellow Q · 4 m

P 1.389 x 4.300 | D 42
G 1.088 x 3.998

2340 Decal



Black R · 1 m

P 0.574 x 1.300 | D 42
G 0.275 x 0.999

2341 Decal



Black R · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

2342 Decal



Black R · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

2350 Decal



Yellow R · 1 m

P 0.574 x 1.300 | D 42
G 0.275 x 0.999

2351 Decal



Yellow R · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

2352 Decal



Yellow R · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

2360 Decal



Black S · 1 m

P 0.577 x 1.300 | D 42
G 0.277 x 0.999

2361 Decal




Black S · 2 m

P 0.853 x 2.300 | D 42
G 0.553 x 1.999

Added assets - 11/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

2362 Decal



Black S · 4 m

P 1.407 x 4.300 | D 42
G 1.106 x 3.998

2370 Decal



Yellow S · 1 m

P 0.577 x 1.300 | D 42
G 0.277 x 0.999

2371 Decal



Yellow S · 2 m

P 0.853 x 2.300 | D 42
G 0.553 x 1.999

2372 Decal



Yellow S · 4 m

P 1.407 x 4.300 | D 42
G 1.106 x 3.998

2380 Decal



Black T · 1 m

P 0.548 x 1.300 | D 42
G 0.248 x 0.999

2381 Decal



Black T · 2 m

P 0.795 x 2.300 | D 42
G 0.495 x 1.999

2382 Decal


Black T · 4 m

P 1.290 x 4.300 | D 42
G 0.990 x 3.998

2390 Decal


Yellow T · 1 m

P 0.548 x 1.300 | D 42
G 0.248 x 0.999

2391 Decal


Yellow T · 2 m

P 0.795 x 2.300 | D 42
G 0.495 x 1.999

2392 Decal


Yellow T · 4 m

P 1.290 x 4.300 | D 42
G 0.990 x 3.998

2400 Decal



Black U · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

2401 Decal



Black U · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

2402 Decal



Black U · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

2410 Decal


Yellow U · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

2411 Decal



Yellow U · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

Added assets - 12/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


2412 Decal



Yellow U · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

2420 Decal



Black V · 1 m

P 0.616 x 1.300 | D 42
G 0.316 x 0.999

2421 Decal



Black V · 2 m

P 0.931 x 2.300 | D 42
G 0.631 x 1.999

2422 Decal



Black V · 4 m

P 1.562 x 4.300 | D 42
G 1.263 x 3.998

2430 Decal



Yellow V · 1 m

P 0.616 x 1.300 | D 42
G 0.316 x 0.999

2431 Decal



Yellow V · 2 m

P 0.931 x 2.300 | D 42
G 0.631 x 1.999

2432 Decal



Yellow V · 4 m

P 1.562 x 4.300 | D 42
G 1.263 x 3.998

2440 Decal



Black W · 1 m

P 0.659 x 1.300 | D 42
G 0.358 x 1.000

2441 Decal



Black W · 2 m

P 1.018 x 2.300 | D 42
G 0.717 x 1.999

2442 Decal



Black W · 4 m

P 1.737 x 4.300 | D 42
G 1.435 x 4.002

2450 Decal



Yellow W · 1 m

P 0.659 x 1.300 | D 42
G 0.358 x 1.000

2451 Decal



Yellow W · 2 m

P 1.018 x 2.300 | D 42
G 0.717 x 1.999

2452 Decal



Yellow W · 4 m

P 1.737 x 4.300 | D 42
G 1.435 x 4.002

2460 Decal



Black X · 1 m

P 0.579 x 1.300 | D 42
G 0.279 x 1.000

2461 Decal



Black X · 2 m

P 0.858 x 2.300 | D 42
G 0.558 x 2.001

Added assets - 13/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


2462 Decal



Black X · 4 m

P 1.417 x 4.300 | D 42
G 1.115 x 4.002

2470 Decal



Yellow X · 1 m

P 0.579 x 1.300 | D 42
G 0.279 x 1.000

2471 Decal



Yellow X · 2 m

P 0.858 x 2.300 | D 42
G 0.558 x 2.001

2472 Decal



Yellow X · 4 m

P 1.417 x 4.300 | D 42
G 1.115 x 4.002

2480 Decal



Black Y · 1 m

P 0.650 x 1.300 | D 42
G 0.349 x 0.999

2481 Decal



Black Y · 2 m

P 0.999 x 2.300 | D 42
G 0.699 x 1.999

2482 Decal



Black Y · 4 m

P 1.698 x 4.300 | D 42
G 1.396 x 4.002

2490 Decal



Yellow Y · 1 m

P 0.650 x 1.300 | D 42
G 0.349 x 0.999

2491 Decal



Yellow Y · 2 m

P 0.999 x 2.300 | D 42
G 0.699 x 1.999

2492 Decal



Yellow Y · 4 m

P 1.698 x 4.300 | D 42
G 1.396 x 4.002

2500 Decal



Black Z · 1 m

P 0.572 x 1.300 | D 42
G 0.273 x 0.999

2501 Decal



Black Z · 2 m

P 0.844 x 2.300 | D 42
G 0.544 x 1.999

2502 Decal



Black Z · 4 m

P 1.387 x 4.300 | D 42
G 1.088 x 3.998

2510 Decal



Yellow Z · 1 m

P 0.572 x 1.300 | D 42
G 0.273 x 0.999

2511 Decal



Yellow Z · 2 m

P 0.844 x 2.300 | D 42
G 0.544 x 1.999

Added assets - 14/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


2512 Decal



Yellow Z · 4 m

P 1.387 x 4.300 | D 42
G 1.088 x 3.998


2520 Decal



Black 0 · 1 m

P 0.585 x 1.300 | D 42
G 0.285 x 0.999


2521 Decal



Black 0 · 2 m

P 0.870 x 2.300 | D 42
G 0.569 x 1.999


2522 Decal



Black 0 · 4 m

P 1.440 x 4.300 | D 42
G 1.139 x 3.998


2530 Decal



Yellow 0 · 1 m

P 0.585 x 1.300 | D 42
G 0.285 x 0.999


2531 Decal



Yellow 0 · 2 m

P 0.870 x 2.300 | D 42
G 0.569 x 1.999


2532 Decal



Yellow 0 · 4 m

P 1.440 x 4.300 | D 42
G 1.139 x 3.998


2540 Decal



Black 1 · 1 m

P 0.404 x 1.300 | D 42
G 0.105 x 0.999


2541 Decal



Black 1 · 2 m

P 0.509 x 2.300 | D 42
G 0.209 x 1.999


2542 Decal



Black 1 · 4 m

P 0.717 x 4.300 | D 42
G 0.418 x 3.998

2550 Decal



Yellow 1 · 1 m

P 0.404 x 1.300 | D 42
G 0.105 x 0.999


2551 Decal



Yellow 1 · 2 m

P 0.509 x 2.300 | D 42
G 0.209 x 1.999


2552 Decal



Yellow 1 · 4 m

P 0.717 x 4.300 | D 42
G 0.418 x 3.998


2560 Decal



Black 2 · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

2561 Decal




Black 2 · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999


Added assets - 15/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

2562 Decal



Black 2 · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

2570 Decal


Yellow 2 · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

2571 Decal



Yellow 2 · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

2572 Decal


Yellow 2 · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

2580 Decal


Black 3 · 1 m

P 0.565 x 1.300 | D 42
G 0.265 x 0.999

2581 Decal



Black 3 · 2 m

P 0.829 x 2.300 | D 42
G 0.529 x 1.999

2582 Decal



Black 3 · 4 m

P 1.358 x 4.300 | D 42
G 1.058 x 3.998

2590 Decal



Yellow 3 · 1 m

P 0.565 x 1.300 | D 42
G 0.265 x 0.999

2591 Decal


Yellow 3 · 2 m

P 0.829 x 2.300 | D 42
G 0.529 x 1.999

2592 Decal


Yellow 3 · 4 m

P 1.358 x 4.300 | D 42
G 1.058 x 3.998

2600 Decal


Black 4 · 1 m

P 0.601 x 1.300 | D 42
G 0.300 x 0.999

2601 Decal


Black 4 · 2 m

P 0.902 x 2.300 | D 42
G 0.602 x 1.999

2602 Decal


Black 4 · 4 m

P 1.504 x 4.300 | D 42
G 1.203 x 4.002

2610 Decal


Yellow 4 · 1 m

P 0.601 x 1.300 | D 42
G 0.300 x 0.999

2611 Decal


Yellow 4 · 2 m

P 0.902 x 2.300 | D 42
G 0.602 x 1.999

Added assets - 16/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

2612 Decal



Yellow 4 · 4 m

P 1.504 x 4.300 | D 42
G 1.203 x 4.002

2620 Decal



Black 5 · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

2621 Decal



Black 5 · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

2622 Decal



Black 5 · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

2630 Decal



Yellow 5 · 1 m

P 0.574 x 1.300 | D 42
G 0.274 x 0.999

2631 Decal



Yellow 5 · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

2632 Decal



Yellow 5 · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

2640 Decal



Black 6 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

2641 Decal



Black 6 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

2642 Decal



Black 6 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998

2650 Decal



Yellow 6 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

2651 Decal



Yellow 6 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

2652 Decal



Yellow 6 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998

2660 Decal



Black 7 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

2661 Decal



Black 7 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

Added assets - 17/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


2662 Decal



Black 7 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998

2670 Decal



Yellow 7 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

2671 Decal



Yellow 7 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999


2672 Decal



Yellow 7 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998


2680 Decal



Black 8 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999


2681 Decal



Black 8 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999


2682 Decal



Black 8 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998


2690 Decal



Yellow 8 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999


2691 Decal



Yellow 8 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

2692 Decal



Yellow 8 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998

2700 Decal



Black 9 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

2701 Decal



Black 9 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

2702 Decal



Black 9 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998

2710 Decal



Yellow 9 · 1 m

P 0.569 x 1.300 | D 42
G 0.269 x 0.999

2711 Decal



Yellow 9 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

Added assets - 18/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

2712 Decal



Yellow 9 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998

2720 Decal



Black hyphen · 1 m

P 0.853 x 0.460 | D 42
G 0.553 x 0.160

2721 Decal



Black hyphen · 2 m

P 1.407 x 0.620 | D 42
G 1.107 x 0.320

2722 Decal



Black hyphen · 4 m

P 2.514 x 0.941 | D 42
G 2.214 x 0.640

2730 Decal



Yellow hyphen · 1 m

P 0.853 x 0.460 | D 42
G 0.553 x 0.160

2731 Decal



Yellow hyphen · 2 m

P 1.407 x 0.620 | D 42
G 1.107 x 0.320


2732 Decal



Yellow hyphen · 4 m

P 2.514 x 0.941 | D 42
G 2.214 x 0.640


2740 Decal



Black decimal point · 1 m

P 0.400 x 0.400 | D 42
G 0.100 x 0.100


2741 Decal



Black decimal point · 2 m

P 0.500 x 0.500 | D 42
G 0.200 x 0.200


2742 Decal



Black decimal point · 4 m

P 0.700 x 0.700 | D 42
G 0.401 x 0.399


2750 Decal



Yellow decimal point · 1 m

P 0.400 x 0.400 | D 42
G 0.100 x 0.100


2751 Decal



Yellow decimal point · 2 m

P 0.500 x 0.500 | D 42
G 0.200 x 0.200


2752 Decal



Yellow decimal point · 4 m

P 0.700 x 0.700 | D 42
G 0.401 x 0.399


5000 Decal



Threshold Stripe 180cm x30m

P 2.100 x 30.300 | D 42
G 1.801 x 30.004

5010 Decal




Threshold Half 2 Stripes

P 5.700 x 30.300 | D 42
G 5.411 x 30.004

Added assets - 19/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


5011 Decal



Threshold Half 3 Stripes

P 9.300 x 30.300 | D 42
G 9.009 x 30.004


5012 Decal



Threshold Half 4 Stripes

P 12.900 x 30.300 | D 42
G 12.623 x 30.004


5013 Decal



Threshold Half 6 Stripes

P 20.100 x 30.300 | D 42
G 19.825 x 30.004


5014 Decal



Threshold Half 8 Stripes

P 27.300 x 30.300 | D 42
G 27.033 x 30.004


5100 NetLane



Runway Centerline 30cm

P 0.600 x 60.000 | D 42
G 0.301 x 30.000 | T 60

5101 NetLane



Runway Centerline 45cm

P 0.750 x 60.000 | D 42
G 0.451 x 30.000 | T 60


5102 NetLane



Runway Centerline 90cm

P 1.200 x 60.000 | D 42
G 0.901 x 30.000 | T 60


5200 Decal



Aiming point · 4.01 × 30.00 m

P 4.300 x 30.300 | D 42
G 4.006 x 30.004


5201 Decal



Aiming point · 6.00 × 30.00 m

P 6.300 x 30.300 | D 42
G 6.005 x 30.004


5202 Decal



Aiming point · 6.00 × 45.03 m

P 6.300 x 45.300 | D 42
G 6.005 x 45.035


5204 Decal



Aiming point · 10.02 × 60.06 m

P 10.300 x 60.300 | D 42
G 10.018 x 60.064


5300 Decal



Touchdown Zone Basic 3x2250cm

P 3.300 x 22.800 | D 42
G 3.004 x 22.488


5310 Decal



Touchdown Zone Coded 1 Stripes

P 2.100 x 22.800 | D 42
G 1.801 x 22.488


5311 Decal



Touchdown Zone Coded 2 Stripes

P 5.400 x 22.800 | D 42
G 5.105 x 22.488

5312 Decal




Touchdown Zone Coded 3 Stripes

P 8.700 x 22.800 | D 42
G 8.411 x 22.488

Added assets - 20/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


5400 NetLane



Runway Edge 45cm

P 0.750 x 9.000 | D 42
G 0.450 x 9.000 | T 9

5401 NetLane



Runway Edge 90cm

P 1.200 x 9.000 | D 42
G 0.900 x 9.000 | T 9

5500 Decal



Displaced Threshold Bar 180cm Module

P 10.300 x 2.100 | D 42
G 10.018 x 1.801


5501 NetLane



Displaced Threshold Bar 180cm

P 2.100 x 9.000 | D 42
G 1.801 x 9.000 | T 9


5510 Decal



Displaced Threshold Arrow 30m

P 4.455 x 30.300 | D 42
G 4.151 x 29.649


5601 NetLane



Prethreshold Chevrons Runway 30m

P 30.000 x 30.000 | D 42
G 27.012 x 14.136 | T 30


5602 NetLane



Prethreshold Chevrons Runway 45m

P 45.000 x 30.000 | D 42
G 42.012 x 30.000 | T 30


5603 NetLane



Prethreshold Chevrons Runway 60m

P 60.000 x 30.000 | D 42
G 57.012 x 30.000 | T 30

5604 NetLane



Prethreshold Chevron Single Line 90cm

P 1.200 x 9.000 | D 42
G 0.900 x 9.000 | T 9


5700 Decal



Closed Runway X

P 16.470 x 36.972 | D 42
G 16.148 x 36.684


5710 Decal



Closed Taxiway X

P 7.725 x 7.725 | D 42
G 7.423 x 7.423


6010 NetLane



TaxiWay Centerline Enhanced Dark Surface

P 1.050 x 4.000 | D 42
G 0.751 x 4.000 | T 4


6020 NetLane



TaxiWay Runway Holding Dark Surface

P 2.400 x 1.800 | D 42
G 2.102 x 1.800 | T 1.8


6040 NetLane



ILS Critical Area Boundary Dark Surface

P 2.400 x 3.900 | D 42
G 2.100 x 3.900 | T 3.9

6060 NetLane

















TaxiWay Intermediate Holding Dark Surface

P 0.600 x 1.800 | D 42
G 0.301 x 0.900 | T 1.8

Added assets - 21/26


Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

6070 NetLane  Taxi Side Stripe Dark Surface P 0.750 x 9.000 D 42 G 0.450 x 9.000 T 9	6071 NetLane  Taxi Side Stripe Light Surface P 0.900 x 9.000 D 42 G 0.599 x 9.000 T 9	7300 Decal  Arrow Black 1m P 0.598 x 1.301 D 42 G 0.299 x 1.000
7301 Decal  Arrow Black 2m P 0.898 x 2.301 D 42 G 0.598 x 2.000	7310 Decal  Arrow Yellow 1m P 0.598 x 1.301 D 42 G 0.299 x 1.000	7311 Decal  Arrow Yellow 2m P 0.898 x 2.301 D 42 G 0.598 x 2.000
7312 Decal  Arrow Yellow 4m P 1.497 x 4.303 D 42 G 1.196 x 4.000	7320 Decal  Arrow White 1m P 0.598 x 1.301 D 42 G 0.299 x 1.000	7321 Decal  Arrow White 2m P 0.898 x 2.301 D 42 G 0.598 x 2.000
7322 Decal  Arrow White 4m P 1.497 x 4.303 D 42 G 1.196 x 4.000	7400 NetLane  Stand Lead In 15cm P 0.450 x 9.000 D 41 G 0.150 x 9.000 T 9	7410 NetLane  Apron Safety Red 10cm P 0.400 x 9.000 D 41 G 0.100 x 9.000 T 9
7420 NetLane  Stand Lead In 30cm P 0.600 x 9.000 D 41 G 0.300 x 9.000 T 9	7430 NetLane  Stand Secondary CAAM 15cm P 0.450 x 4.000 D 41 G 0.150 x 2.000 T 4	7431 NetLane  Stand Secondary CAAM 30cm P 0.600 x 4.000 D 41 G 0.301 x 2.000 T 4

Added assets - 22/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

7440 Decal



Stand Turn Bar CAAM 6m

P 6.300 x 2.300 | D 41
G 6.005 x 1.999


7450 Decal



Stand Nosewheel Stop CAAC 2m

P 2.400 x 0.550 | D 42
G 2.102 x 0.250


7451 Decal



Stand PIPB Stop CAAM 1m

P 1.600 x 1.200 | D 42
G 1.302 x 0.900


7452 Decal



Stand Cockpit Stop 6m

P 6.400 x 0.550 | D 42
G 6.106 x 0.250


7700 Decal



Stand Template GA A

P 26.900 x 35.700 | D 41
G 26.453 x 35.125


7701 Decal



Stand Template GA A Turnaround

P 24.700 x 32.700 | D 41
G 24.314 x 32.141


7710 Decal



Stand Template GA B

P 38.800 x 47.700 | D 41
G 38.383 x 47.118


7711 Decal



Stand Template GA B Through

P 38.800 x 44.900 | D 41
G 38.383 x 44.198


7720 Decal



Stand Template Narrowbody C

P 59.800 x 74.700 | D 41
G 59.362 x 74.135


7730 Decal



Stand Template Game Regional

P 67.900 x 70.700 | D 41
G 67.469 x 70.130


7740 Decal



Stand Template Game Passenger

P 80.400 x 87.200 | D 41
G 79.968 x 86.625


7750 Decal



Stand Template Game Cargo

P 89.900 x 94.700 | D 41
G 89.461 x 94.122


7760 Decal



Stand Template Widebody E

P 94.800 x 112.700 | D 41
G 94.383 x 112.122


7770 Decal



Stand Template Heavy F

P 109.800 x 121.700 | D 41
G 109.371 x 121.106

7780 Decal




Stand Stop CAAC A320 30cm Text

P 3.136 x 0.700 | D 42
G 2.842 x 0.401

Added assets - 23/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


7781 Decal



Stand Stop CAAM A320 1m Text

P 3.671 x 1.800 | D 42
G 3.377 x 1.501


7782 Decal



Stand Stop CAAC B737 30cm Text

P 3.108 x 0.700 | D 42
G 2.810 x 0.401


7783 Decal



Stand Stop CAAM B737 1m Text

P 3.576 x 1.800 | D 42
G 3.283 x 1.501

7784 Decal



Stand Stop CAAC A350 30cm Text

P 3.136 x 0.700 | D 42
G 2.842 x 0.401


7785 Decal



Stand Stop CAAM A350 1m Text

P 3.671 x 1.800 | D 42
G 3.377 x 1.501


7786 Decal



Stand Stop CAAC B777 30cm Text

P 3.109 x 0.700 | D 42
G 2.812 x 0.401


7787 Decal



Stand Stop CAAM B777 1m Text

P 3.581 x 1.800 | D 42
G 3.288 x 1.501


7788 Decal



Stand Stop CAAC B747 30cm Text

P 3.119 x 0.700 | D 42
G 2.820 x 0.401


7789 Decal



Stand Stop CAAM B747 1m Text

P 3.613 x 1.800 | D 42
G 3.316 x 1.501

7790 Decal



Stand Stop CAAC A380 30cm Text

P 3.135 x 0.700 | D 42
G 2.841 x 0.401


7791 Decal



Stand Stop CAAM A380 1m Text

P 3.666 x 1.800 | D 42
G 3.373 x 1.501


7800 Decal



PBB Movement Fan Heathrow R12m

P 17.371 x 12.400 | D 41
G 17.048 x 12.085


7810 Decal



PBB Movement Fan Heathrow R18m

P 25.856 x 18.400 | D 41
G 25.528 x 18.086


7820 Decal



PBB Wheel CAAM Circle 3m

P 3.300 x 3.300 | D 41
G 3.004 x 2.997

7821 Decal




PBB Wheel CAAM Square 4m

P 4.300 x 4.300 | D 41
G 4.006 x 3.998

Added assets - 24/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


7830 Decal



No Parking Hatch CAAM Frame 6x10m

P 6.300 x 10.300 | D 40
G 6.005 x 9.998


7831 Decal



No Parking Hatch CAAM Frame 10x20m

P 10.300 x 20.300 | D 40
G 10.008 x 20.003


7832 Decal



No Parking Hatch CAAM Trapezoid 6-12x12m

P 12.800 x 12.800 | D 40
G 12.100 x 12.100


7833 Decal



No Parking Hatch CAAM L Shape 10x14m

P 10.800 x 14.800 | D 40
G 10.104 x 14.106


7840 Decal



Equipment Parking CAAM 3x5m

P 3.300 x 5.300 | D 41
G 3.004 x 5.000

7841 Decal



Equipment Parking CAAM 6x10m

P 6.300 x 10.300 | D 41
G 6.005 x 9.998

8120 Surface



Paint White

T 5 | D 38
Free area and outline

8130 Surface



Paint Yellow

T 5 | D 38
Free area and outline


8140 Surface



Paint Red

T 5 | D 38
Free area and outline

8150 Surface



Paint Black

T 5 | D 38
Free area and outline

8160 Surface



Airport Concrete Surface

T 5 | D 35
Free area and outline


8170 Surface



Airport Asphalt Surface

T 5 | D 35
Free area and outline

8200 NetLane



Location Background Strip 2m

P 3.600 x 9.000 | D 41
G 3.298 x 9.000 | T 9

8201 Decal



Location Background End Cap 2m

P 3.600 x 0.950 | D 41
G 3.305 x 0.649

8203 Decal




Location Background Wide 2m

P 8.300 x 3.600 | D 41
G 8.008 x 3.298

Added assets - 25/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


8210 NetLane



Location Background Strip 4m

P 5.600 x 9.000 | D 41
G 5.305 x 9.000 | T 9

8211 Decal



Location Background End Cap 4m

P 5.600 x 0.950 | D 41
G 5.305 x 0.649


8213 Decal



Location Background Wide 4m

P 15.300 x 5.600 | D 41
G 15.001 x 5.305

8240 NetLane



Direction Background Strip 2m

P 3.600 x 9.000 | D 41
G 3.298 x 9.000 | T 9

8241 Decal



Direction Background End Cap 2m

P 3.600 x 0.950 | D 41
G 3.305 x 0.649


8243 Decal



Direction Background Wide 2m

P 8.300 x 3.600 | D 41
G 8.008 x 3.298

8250 NetLane



Direction Background Strip 4m

P 5.600 x 9.000 | D 41
G 5.305 x 9.000 | T 9

8251 Decal



Direction Background End Cap 4m

P 5.600 x 0.950 | D 41
G 5.305 x 0.649


8253 Decal



Direction Background Wide 4m

P 15.300 x 5.600 | D 41
G 15.001 x 5.305

8280 NetLane



Mandatory Background Strip 2m

P 3.300 x 9.000 | D 41
G 2.997 x 9.000 | T 9


8283 Decal



Mandatory Background Wide 2m

P 8.300 x 3.300 | D 41
G 8.008 x 2.997

8290 NetLane



Mandatory Background Strip 4m

P 5.300 x 9.000 | D 41
G 5.000 x 9.000 | T 9


8293 Decal



Mandatory Background Wide 4m

P 15.300 x 5.300 | D 41
G 15.001 x 5.000

8320 NetLane



White Red Background Strip 2m

P 3.600 x 9.000 | D 41
G 3.298 x 9.000 | T 9

8321 Decal



White Red Background End Cap 2m

P 3.600 x 0.950 | D 41
G 3.305 x 0.649

Added assets - 26/26

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


8323Decal



White Red Background Wide 2m

P 8.300 x 3.600 | D 41
G 8.008 x 3.298


8330NetLane



White Red Background Strip 4m

P 5.600 x 9.000 | D 41
G 5.305 x 9.000 | T 9


8331Decal



White Red Background End Cap 4m

P 5.600 x 0.950 | D 41
G 5.305 x 0.649


8333Decal



White Red Background Wide 4m

P 15.300 x 5.600 | D 41
G 15.001 x 5.305


8400NetLane



Outline White 10cm

P 0.400 x 9.000 | D 41
G 0.100 x 9.000 | T 9


8410NetLane



Outline Black 10cm

P 0.400 x 9.000 | D 41
G 0.100 x 9.000 | T 9


8411NetLane



Outline Black 15cm

P 0.450 x 9.000 | D 41
G 0.150 x 9.000 | T 9


8420NetLane



Outline Yellow 10cm

P 0.400 x 9.000 | D 41
G 0.100 x 9.000 | T 9


8500Surface



No-parking hatch area · CAAM · red 10 cm

T 1.2021 | D 40
Free area and outline


9900Decal



Calibration Grid 10m

P 10.300 x 10.300 | D 42
G 10.038 x 10.038

9910Decal




Calibration Ruler 20m

P 20.300 x 1.300 | D 42
G 20.062 x 1.000

Original author sources - 1/8

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

1001 Decal



White A · 2 m

P 0.994 x 2.300 | D 42
G 0.695 x 1.999

1002 Decal



White A · 4 m

P 1.688 x 4.300 | D 42
G 1.388 x 3.998

1011 Decal



White B · 2 m

P 0.846 x 2.300 | D 42
G 0.545 x 1.999

1012 Decal



White B · 4 m

P 1.392 x 4.300 | D 42
G 1.090 x 3.998


1021 Decal



White C · 2 m

P 0.834 x 2.300 | D 42
G 0.533 x 1.999

1022 Decal



White C · 4 m

P 1.368 x 4.300 | D 42
G 1.067 x 3.998

1031 Decal



White D · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999


1032 Decal



White D · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

1041 Decal



White E · 2 m

P 0.800 x 2.300 | D 42
G 0.500 x 1.999

1042 Decal



White E · 4 m

P 1.300 x 4.300 | D 42
G 0.999 x 3.998


1051 Decal



White F · 2 m

P 0.800 x 2.300 | D 42
G 0.500 x 1.999

1052 Decal



White F · 4 m

P 1.300 x 4.300 | D 42
G 0.999 x 3.998

1061 Decal



White G · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999


1062 Decal



White G · 4 m

P 1.378 x 4.300 | D 42
G 1.078 x 3.998

1071 Decal



White H · 2 m

P 0.853 x 2.300 | D 42
G 0.553 x 1.999

Original author sources - 2/8

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.


1072 Decal



White H · 4 m

P 1.407 x 4.300 | D 42
G 1.107 x 3.998


1081 Decal



White I · 2 m

P 0.426 x 2.300 | D 42
G 0.127 x 1.999


1082 Decal



White I · 4 m

P 0.552 x 4.300 | D 42
G 0.252 x 3.998


1091 Decal



White J · 2 m

P 0.805 x 2.300 | D 42
G 0.505 x 1.999


1092 Decal



White J · 4 m

P 1.310 x 4.300 | D 42
G 1.009 x 3.998

1101 Decal



White K · 2 m

P 0.873 x 2.300 | D 42
G 0.573 x 2.001


1102 Decal



White K · 4 m

P 1.446 x 4.300 | D 42
G 1.146 x 4.002


1111 Decal



White L · 2 m

P 0.805 x 2.300 | D 42
G 0.505 x 1.999

1112 Decal



White L · 4 m

P 1.310 x 4.300 | D 42
G 1.009 x 3.998

1121 Decal



White M · 2 m

P 0.941 x 2.300 | D 42
G 0.640 x 1.999

1122 Decal



White M · 4 m

P 1.582 x 4.300 | D 42
G 1.282 x 4.002

1131 Decal



White N · 2 m

P 0.839 x 2.300 | D 42
G 0.537 x 1.999


1132 Decal



White N · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998


1141 Decal



White O · 2 m

P 0.863 x 2.300 | D 42
G 0.563 x 1.999

1142 Decal



White O · 4 m

P 1.426 x 4.300 | D 42
G 1.125 x 3.998

Original author sources - 3/8

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

1151 Decal



White P · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

1152 Decal



White P · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

1161 Decal



White Q · 2 m

P 0.844 x 2.300 | D 42
G 0.544 x 1.999

1162 Decal



White Q · 4 m

P 1.389 x 4.300 | D 42
G 1.088 x 3.998

1171 Decal



White R · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

1172 Decal



White R · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

1181 Decal



White S · 2 m

P 0.853 x 2.300 | D 42
G 0.553 x 1.999


1182 Decal



White S · 4 m

P 1.407 x 4.300 | D 42
G 1.106 x 3.998

1191 Decal



White T · 2 m

P 0.795 x 2.300 | D 42
G 0.495 x 1.999


1192 Decal



White T · 4 m

P 1.290 x 4.300 | D 42
G 0.990 x 3.998

1201 Decal



White U · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

1202 Decal



White U · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

1211 Decal



White V · 2 m

P 0.931 x 2.300 | D 42
G 0.631 x 1.999

1212 Decal



White V · 4 m

P 1.562 x 4.300 | D 42
G 1.263 x 3.998

1221 Decal






White W · 2 m

P 1.018 x 2.300 | D 42
G 0.717 x 1.999

Original author sources - 4/8

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

1222 Decal  White W · 4 m P 1.737 x 4.300 D 42 G 1.435 x 4.002	1231 Decal  White X · 2 m P 0.858 x 2.300 D 42 G 0.558 x 2.001	1232 Decal  White X · 4 m P 1.417 x 4.300 D 42 G 1.115 x 4.002
1241 Decal  White Y · 2 m P 0.999 x 2.300 D 42 G 0.699 x 1.999	1242 Decal  White Y · 4 m P 1.698 x 4.300 D 42 G 1.396 x 4.002	1251 Decal  White Z · 2 m P 0.844 x 2.300 D 42 G 0.544 x 1.999
1252 Decal  White Z · 4 m P 1.387 x 4.300 D 42 G 1.088 x 3.998	1261 Decal  White O · 2 m P 0.870 x 2.300 D 42 G 0.569 x 1.999	1262 Decal  White O · 4 m P 1.440 x 4.300 D 42 G 1.139 x 3.998
1271 Decal  White 1 · 2 m P 0.509 x 2.300 D 42 G 0.209 x 1.999	1272 Decal  White 1 · 4 m P 0.717 x 4.300 D 42 G 0.418 x 3.998	1281 Decal  White 2 · 2 m P 0.849 x 2.300 D 42 G 0.549 x 1.999
1282 Decal  White 2 · 4 m P 1.397 x 4.300 D 42 G 1.097 x 3.998	1291 Decal  White 3 · 2 m P 0.829 x 2.300 D 42 G 0.529 x 1.999	1292 Decal  White 3 · 4 m P 1.358 x 4.300 D 42 G 1.058 x 3.998

Original author sources - 5/8

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

1301 Decal



White 4 · 2 m

P 0.902 x 2.300 | D 42
G 0.602 x 1.999

1302 Decal



White 4 · 4 m

P 1.504 x 4.300 | D 42
G 1.203 x 4.002

1311 Decal



White 5 · 2 m

P 0.849 x 2.300 | D 42
G 0.549 x 1.999

1312 Decal



White 5 · 4 m

P 1.397 x 4.300 | D 42
G 1.097 x 3.998

1321 Decal



White 6 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

1322 Decal



White 6 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998

1331 Decal



White 7 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

1332 Decal



White 7 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998

1341 Decal



White 8 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

1342 Decal



White 8 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998

1351 Decal



White 9 · 2 m

P 0.839 x 2.300 | D 42
G 0.539 x 1.999

1352 Decal



White 9 · 4 m

P 1.378 x 4.300 | D 42
G 1.076 x 3.998

1361 Decal



White hyphen · 2 m

P 1.407 x 0.620 | D 42
G 1.107 x 0.320


1362 Decal



White hyphen · 4 m

P 2.514 x 0.941 | D 42
G 2.214 x 0.640

4000 Decal



Runway 0 · 3 × 9 m

P 3.296 x 9.309 | D 42
G 3.000 x 9.000


Original author sources - 6/8

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

4001 Decal


Runway 0 · 6 × 18 m

P 6.295 x 18.322 | D 42
G 6.000 x 18.000

4002 Decal


Runway 0 · 9 × 27 m

P 9.290 x 27.320 | D 42
G 9.000 x 27.000

4010 Decal


Runway 1 · 1.1 × 9 m

P 1.410 x 9.300 | D 42
G 1.100 x 9.000

4011 Decal


Runway 1 · 2.2 × 18 m

P 2.511 x 18.304 | D 42
G 2.200 x 18.000

4012 Decal


Runway 1 · 3.3 × 27 m

P 3.626 x 27.293 | D 42
G 3.300 x 27.000

4020 Decal


Runway 2 · 3 × 9 m

P 3.296 x 9.309 | D 42
G 3.000 x 9.000

4021 Decal



Runway 2 · 6 × 18 m

P 6.302 x 18.322 | D 42
G 6.000 x 18.000

4022 Decal


Runway 2 · 9 × 27 m

P 9.300 x 27.320 | D 42
G 9.000 x 27.000

4030 Decal


Runway 3 · 3 × 9 m

P 3.296 x 9.309 | D 42
G 3.000 x 9.000

4031 Decal


Runway 3 · 6 × 18 m

P 6.295 x 18.322 | D 42
G 6.000 x 18.000

4032 Decal


Runway 3 · 9 × 27 m

P 9.290 x 27.320 | D 42
G 9.000 x 27.000

4040 Decal


Runway 4 · 3.9 × 9 m

P 4.208 x 9.300 | D 42
G 3.900 x 9.000

4041 Decal



Runway 4 · 7.8 × 18 m

P 8.109 x 18.304 | D 42
G 7.800 x 18.000

4042 Decal


Runway 4 · 11.7 × 27 m

P 12.029 x 27.293 | D 42
G 11.700 x 27.000

4050 Decal


Runway 5 · 3 × 9 m

P 3.296 x 9.309 | D 42
G 3.000 x 9.000

Original author sources - 7/8

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

4051 Decal



Runway 5 · 6 × 18 m

P 6.295 x 18.322 | D 42
G 6.000 x 18.000

4052 Decal



Runway 5 · 9 × 27 m

P 9.290 x 27.320 | D 42
G 9.000 x 27.000

4060 Decal



Runway 6 · 3 × 9.5 m

P 3.296 x 9.806 | D 42
G 3.000 x 9.500

4061 Decal



Runway 6 · 6 × 19 m

P 6.295 x 19.302 | D 42
G 6.000 x 19.000

4062 Decal



Runway 6 · 9 × 28.5 m

P 9.290 x 28.809 | D 42
G 9.000 x 28.500

4070 Decal



Runway 7 · 3.5 × 9 m

P 3.797 x 9.309 | D 42
G 3.500 x 9.000

4071 Decal



Runway 7 · 7 × 18 m

P 7.299 x 18.304 | D 42
G 7.000 x 18.000

4072 Decal



Runway 7 · 10.5 × 27 m

P 10.795 x 27.320 | D 42
G 10.500 x 27.000

4080 Decal



Runway 8 · 3 × 9 m

P 3.296 x 9.309 | D 42
G 3.000 x 9.000

4081 Decal



Runway 8 · 6 × 18 m

P 6.295 x 18.322 | D 42
G 6.000 x 18.000

4082 Decal



Runway 8 · 9 × 27 m

P 9.290 x 27.320 | D 42
G 9.000 x 27.000

4090 Decal



Runway 9 · 3 × 9.5 m

P 3.296 x 9.806 | D 42
G 3.000 x 9.500

4091 Decal



Runway 9 · 6 × 19 m

P 6.295 x 19.302 | D 42
G 6.000 x 19.000


4092 Decal



Runway 9 · 9 × 28.5 m

P 9.290 x 28.809 | D 42
G 9.000 x 28.500

4100 Decal









Runway L · 3 × 9 m

P 3.296 x 9.309 | D 42
G 3.000 x 9.000

Original author sources - 8/8

Decals use physical aspect; NetLane/Surface show UV tiles. Card dimensions are metres.

4101 Decal  Runway L · 6 × 18 m P 6.295 x 18.322 D 42 G 6.000 x 18.000	4102 Decal  Runway L · 9 × 27 m P 9.290 x 27.320 D 42 G 9.000 x 27.000	4110 Decal  Runway C · 3 × 9 m P 3.296 x 9.309 D 42 G 3.000 x 9.000
4111 Decal  Runway C · 6 × 18 m P 6.295 x 18.322 D 42 G 6.000 x 18.000	4112 Decal  Runway C · 9 × 27 m P 9.290 x 27.320 D 42 G 9.000 x 27.000	4120 Decal  Runway R · 3 × 9 m P 3.303 x 9.300 D 42 G 3.000 x 9.000
4121 Decal  Runway R · 6 × 18 m P 6.308 x 18.304 D 42 G 6.000 x 18.000	4122 Decal  Runway R · 9 × 27 m P 9.309 x 27.320 D 42 G 9.000 x 27.000	6000 NetLane  TaxiWay Dark Surface P 0.450 x 9.000 D 42 G 0.150 x 9.000 T 9
6001 NetLane  TaxiWay Light Surface P 0.600 x 9.000 D 42 G 0.300 x 9.000 T 9	6011 NetLane  TaxiWay Centerline Enhanced Light Surface P 1.200 x 4.000 D 42 G 0.900 x 4.000 T 4	6021 NetLane  TaxiWay Stopline Enhanced P 2.550 x 1.800 D 42 G 2.251 x 1.800 T 1.8
6041 NetLane  ILS Critical Area Boundary P 2.550 x 3.900 D 42 G 2.251 x 3.900 T 3.9	6061 NetLane  TaxiWay Stopline P 0.750 x 1.800 D 42 G 0.450 x 1.800 T 1.8	7302 Decal  Arrow Straight P 1.497 x 4.303 D 42 G 1.196 x 4.000