

Table of Contents

Introduction	1.1
1. Use	1.2
1.1 登入界面	1.2.1
1.1.1. 登入	1.2.1.1
1.2. 注册界面	1.2.2
1.2.1. 查询用户名重复	1.2.2.1
1.2.2. 请求短信验证码	1.2.2.2
1.2.3. 用户注册	1.2.2.3
1.3. 帐户设置界面 – 基本资料	1.2.3
1.3.1. 更新基本资料	1.2.3.1
1.4. 帐户设置界面 – 手机号码	1.2.4
1.4.1. 更新手机	1.2.4.1
1.5. 帐户设置界面 – 更新密码	1.2.5
1.5.1. 更新密码	1.2.5.1
2. Shop	1.3
2.1. Add Shop UI	1.3.1
2.1.1. 查询店户名重复	1.3.1.1
2.1.2. 查询店URL重复	1.3.1.2
2.1.3. 开店	1.3.1.3
2.2. 更新店面界面	1.3.2
2.2.1. 更新店面设定	1.3.2.1
2.3. Shop Listing UI	1.3.3
2.3.1. 帐户店面列表	1.3.3.1
3. Design	1.4
3.1. Design Product List	1.4.1
3.1.1. 设计版面产品列表	1.4.1.1
3.1.2. 原产品类别选项列表	1.4.1.2
3.1.3. 上传设计图	1.4.1.3
3.1.4. 提交到下一步	1.4.1.4
3.2. 设计产品界面	1.4.2
3.2.1. 设计产品选项列表	1.4.2.1

介绍

这个就是一个我的书籍

1.1.登入界面

登入帐户

电话/电邮

密码

登入

注册

Cras justo odio, dapibus ac facilisis in, egestas eget quam. 费用全免

注册

登入/注册

登入

logo

1.1.1.登入

Request: GET /users/login

```
{
  "login": "tester", (用户名/电话)
  "password": "12346"
}
```

Response:

```
{
  "token": "fesrglkthtgrtgklttthy"
}
```

ParameterException("Invalid user name or password.") - 400, 用户名/电话/电邮/密码不对
UserAccountException("User account suspended.") - 401, 帐户已被暂停
UserAccountException("User account terminated.") - 401, 帐户已被删除

1.2.注册界面



1.2.1.查询用户名重复

```
Request: Get /users/name-check
{
  "username": "peter"
}
```

```
Response:
{
  "exist": true
}
```

1.2.2.请求短信验证码

```
Request: POST /users/sms-verification
{
  "mobile": "13172008872"
}
```

```
Response:
{
  "sent": true
}
```

ParameterException("Mobile number already existed.") - 400, 手机号码已被使用
ParameterException("Invalid mobile number.") - 400, 手机号码无效
SMSException("SMS cannot be sent.") - 500, 无法发出短信

1.2.3.用户注册

Request: POST /users

```
{
  "username": "peter",
  "mobile": "13172008872",
  "smsVerificationCode": "12321",
  "password": "dy201817"
}
```

Response:

```
{
  "token": "sjhkrsgkhsdk4565hgy6jh"
}
```

ParameterException("Username must be at least 2 charactres long and contains at least one non-numeric character.") - 400, 用户名长度不得少于2字及必须包含最少一个非数字字符

ParameterException("Username already existed.") - 400, 用户名已被使用

ParameterException("Invalid mobile number.") - 400, 手机号码无效

ParameterException("Mobile number already existed.") - 400, 手机号码已被使用

ParameterException("Invalid SMS verification code.") - 400, 短信验证码错误或过期（十分钟）

ParameterException("Password must be at least 6 character long and contains both letter and number.") - 400, 密码长度必须为6位以上及同时包含数字和非数字字符

1.3.帐户设置界面 – 基本资料

The screenshot displays the 'Account Settings' interface for 'DIYEE'. The left sidebar contains navigation links: Home, Design, Orders, Financial Center, and Service Center. The main content area is titled 'Account Settings' and features a profile card. The card has three tabs: 'Basic Information' (selected), 'Mobile Number', and 'Change Password'. Under 'Basic Information', there are input fields for Nickname, Surname, Given Name, and Email, each with a placeholder 'Please enter your [field]'. Below these are radio buttons for Gender (Male/Female) and a birthdate selector (Year, Month, Day). A 'Confirm Update' button is located at the bottom of the form.


1.3.1.更新基本资料

```
Request: PUT /users
{
  "surname": "test test",
  "givenName": "test test",
  "email": "test test",
  "gender": 1,
  "birthday": "1988-08-08"
}
```

```
Response:
{
  "result": "ok"
}
```

ParameterException("Email not in correct format.") - 400, 电邮地址格式错误

1.4.帐户设置界面 – 手机号码



1.4.1.更新手机

```
Request: PUT /users/mobile
{
  "mobile": "13172008872",
  "smsVerificationCode": "321123"
}
```


```
Response:
{
  "result": "ok"
}
```

ParameterException("Invalid mobile number.") - 400, 手机号码无效

ParameterException("Mobile number already existed.") - 400, 手机号码已被使用

ParameterException("Invalid SMS verification code.") - 400, 短信验证码错误或过期 (十分钟)

1.5.帐户设置界面 – 更新密码



1.5.1.更新密码


```
Request: PUT /users/password
{
  "oldPassword": "123456",
  "newPassword": "654321"
}
```

```
Response:
{
  "result": "ok"
}
```

ParameterException("Incorrect existing password.") - 400, 现有密码错误

ParameterException("Password must be at least 6 character long and contains both letter and number.") - 400, 密码长度必须为6位以上及同时包含数字和非数字字符

2.1.新增店面界面



2.1.1.查询店户名重复

```
Request: GET /shops/name-check
{
  "shopName": "test name"
}
```

```
Response:
{
  "exist": false
}
```

2.1.2.查询店URL重复

```
Request: GET /shops /url-check
{
  "shopUrlPath": "shishishop"
}
```

```
Response:
{
  "exist": true
}
```

2.1.3.开店

Request: POST /shops

```
{
  "shopName": "试试店",
  "shopUrlPath": "shishishop",
  "currencyId": 1, (1 for RMB)
  "description": "test test test test..."
}
```


Response:

```
{
  ...shop 物件属性
}
```

ParameterException("Shop name already existed.") - 400, 店名已被使用

ParameterException("Shop URL already existed.") - 400, 店铺网址已被使用

2.2.更新店面界面



2.2.1.取得店面属性

Request: GET /shops/{id}

Response:

```
{
  ...shop 物件属性
}
```

ResourceNotFoundException("Shop record not found.") - 404, 找不到店面记录

2.2.2.更新店面设定

```
Request: PUT /shops/{id}
{
  "currencyId": 1, (1 for RMB)
  "description": "test test test test..."
  "isDefault": true
}
```

Response:


```
{
```

```
...shop 物件属性  
}
```

`ResourceNotFoundException("Shop record not found.")` - 404, 找不到店面记录

`AuthorizationException("User not authorized to update shop ID - 12345.")` - 401, 用户没有权限更改此店铺

2.3.店面列表




2.3.1.帐户店面列表

```
Request: GET /shops?offset=5&limit=10

Response:
{
  "result": [ {
    "id":12345,
    "shopName":"teststore",
    "shopStatusName":"正常",
    "designCount":"9/38",
    "orderCount":"82/366"
  } ],
  "paging": {
    "total": 3,      表项目总数
    "offset": 5,    跳过项目数
    "limit": 10     限制项目数
  }
}
```

3.1.上载设计界面



3.1.1.店面选项列表

Request: GET /shops/select-list

Response:

```
{
  "result": [ {
    "id":12345,
    "shopName":"teststore"
  } ... ],
}
```

3.1.2.原产品类别选项列表

Request: GET /categories/select-list?endnode=true

Response:

```
{
  "result": [ {
    "id":12345,
    "categoryName":"T 恤"
  } ... ],
}
```

3.1.3.上传设计图

```
Request: POST /files
{
    "designId": 3699
}
Response:
{
    "upload_token": "redtgkhdfgkfdjg454t5T"
}

Request: POST file to 供应商
Response:
{
    "externalfileId":12345,
    "sourceImage": "65hyty.jpg",


    "resizedImageL":"8ghjgh.jpg",
    "resizedImageM":"ht63jg5.jpg",
    "resizedImageS":"43jhg5.jpg"
}
```

3.1.4.提交到下一步

```
Request: POST /designs
{
    "title":"什么什么设计",
    "fileId":12345,
    "file":[{"externalfileId":12345,
    "sourceImage": "65hyty.jpg",
    "resizedImageL":"hfjkh867.jpg",
    "resizedImageM":"ht63jg5.jpg",
    "resizedImageS":"43jhg5.jpg"
    }]
}

Response:
{
    ...design 物件
}
```

3.2.设计产品界面



3.2.1.设计产品选项列表

Request: GET /designs/{id}/product-designer

Response:

```
{
  "result": [ {
    "productId": 123
    "productId": 123
```



```

        "categoryName": "标准印花T恤",
        "productImageM": "/3/123m_yii4586.jpg",
        "productImageL": "/3/123l_445fiuh.jpg",
        "canvasWidth": "6000px",
        "canvasHeight": "8000px",
        "canvasMinWidth": "1500px",
        "canvasMinHeight": "2000px",
        "canvasScreenWidth": "600px",
        "canvasScreenHeight": "800px",
        "canvasScreenOffsetX": "50px",
        "canvasScreenOffsetY": "60px",
        "designFileWidth": "6000px",
        "designFileHeight": "8000px",
        "customizations": {
            "resizedImageL": "/5/315l_45khh89.jpg",
            "imagePositionX": "0px",
            "imagePositionY": "0px",
            "imageScaleX": "1",
            "imageScaleY": "1",
            "imageRepeatTypeId": "1"
        }
    } ]
}

```

ParameterException("Design not found") - 400, 设计不存在