

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number

**PROVISIONAL APPLICATION FOR PATENT COVER SHEET – Page 1 of 2**

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No. \_\_\_\_\_

INVENTOR(S)		
Given Name (first and middle [if any])	Family Name or Surname	Residence (City and either State or Foreign Country)
Lawrence Roy	Beck	Boise, Idaho
Additional inventors are being named on the _____ separately numbered sheets attached hereto.		
TITLE OF THE INVENTION (500 characters max):		
Method Of Enabling A Human Powered Vehicle With Power Assist To Be Used As An Exercise Machine		
Direct all correspondence to:		CORRESPONDENCE ADDRESS
<input type="checkbox"/> The address corresponding to Customer Number: _____		_____
OR		
<input checked="" type="checkbox"/> Firm or <input checked="" type="checkbox"/> Individual Name Lawrence Beck		
Address 1707 N. 21st Street		
City Boise	State ID	Zip 83702
Country USA	Telephone (208) 336-9800	Email LBeck37@gmail.com
ENCLOSED APPLICATION PARTS (check all that apply)		
<input type="checkbox"/> Application Data Sheet. See 37 CFR 1.76.	<input type="checkbox"/> CD(s), Number of CDs _____	
<input checked="" type="checkbox"/> Drawing(s) Number of Sheets 1	<input checked="" type="checkbox"/> Other (specify) PTO/SB/15A, PTO-2038	
<input checked="" type="checkbox"/> Specification (e.g., description of the invention) Number of Pages 4	_____	
Fees Due: Filing Fee of \$280 (\$140 for small entity) (\$70 for micro entity). If the specification and drawings exceed 100 sheets of paper, an application size fee is also due, which is \$400 (\$200 for small entity) (\$100 for micro entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).		
METHOD OF PAYMENT OF THE FILING FEE AND APPLICATION SIZE FEE FOR THIS PROVISIONAL APPLICATION FOR PATENT		
<input type="checkbox"/> Applicant asserts small entity status. See 37 CFR 1.27.	70	
<input checked="" type="checkbox"/> Applicant certifies micro entity status. See 37 CFR 1.29. Applicant must attach form PTO/SB/15A or B or equivalent.		
<input type="checkbox"/> A check or money order made payable to the Director of the United States Patent and Trademark Office is enclosed to cover the filing fee and application size fee (if applicable).	TOTAL FEE AMOUNT (\$)	
<input checked="" type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.		
<input type="checkbox"/> The Director is hereby authorized to charge the filing fee and application size fee (if applicable) or credit any overpayment to Deposit Account Number: _____.		

**USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT**

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 10 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number

**PROVISIONAL APPLICATION FOR PATENT COVER SHEET – Page 2 of 2**

The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.

 No.

Yes, the invention was made by an agency of the U.S. Government. The U.S. Government agency name is: \_\_\_\_\_

Yes, the invention was made under a contract with an agency of the U.S. Government. The name of the U.S. Government agency and Government contract number are: \_\_\_\_\_

**WARNING:**

Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO, petitioners/applicants should consider redacting such personal information from the documents before submitting them to the USPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available.

SIGNATURE Lawrence R. Beck DATE Feb 11, 2018

TYPED OR PRINTED NAME Lawrence Roy Beck REGISTRATION NO. \_\_\_\_\_  
(if appropriate)

TELEPHONE (208) 336-9800 DOCKET NUMBER \_\_\_\_\_


## CERTIFICATION OF MICRO ENTITY STATUS (GROSS INCOME BASIS)

Application Number or Control Number (if applicable):	Patent Number (if applicable):
First Named Inventor: Lawrence Roy Beck	Title of Invention: Method Of Enabling A Human Powered Vehicle With Power Assist To Be Used As An Exercise Machine

The applicant hereby certifies the following—

- (1) **SMALL ENTITY REQUIREMENT** – The applicant qualifies as a small entity as defined in 37 CFR 1.27.
- (2) **APPLICATION FILING LIMIT** – Neither the applicant nor the inventor nor a joint inventor has been named as the inventor or a joint inventor on more than four previously filed U.S. patent applications, excluding provisional applications and international applications under the Patent Cooperation Treaty (PCT) for which the basic national fee under 37 CFR 1.492(a) was not paid, and also excluding patent applications for which the applicant has assigned all ownership rights, or is obligated to assign all ownership rights, as a result of the applicant's previous employment.
- (3) **GROSS INCOME LIMIT ON APPLICANTS AND INVENTORS** – Neither the applicant nor the inventor nor a joint inventor, in the calendar year preceding the calendar year in which the applicable fee is being paid, had a gross income, as defined in section 61(a) of the Internal Revenue Code of 1986 (26 U.S.C. 61(a)), exceeding the "Maximum Qualifying Gross Income" reported on the USPTO Web site at [http://www.uspto.gov/patents/law/micro\\_entity.jsp](http://www.uspto.gov/patents/law/micro_entity.jsp) which is equal to three times the median household income for that preceding calendar year, as most recently reported by the Bureau of the Census.
- (4) **GROSS INCOME LIMIT ON PARTIES WITH AN "OWNERSHIP INTEREST"** – Neither the applicant nor the inventor nor a joint inventor has assigned, granted, or conveyed, nor is under an obligation by contract or law to assign, grant, or convey, a license or other ownership interest in the application concerned to an entity that, in the calendar year preceding the calendar year in which the applicable fee is being paid, had a gross income, as defined in section 61(a) of the Internal Revenue Code of 1986, exceeding the "Maximum Qualifying Gross Income" reported on the USPTO Web site at [http://www.uspto.gov/patents/law/micro\\_entity.jsp](http://www.uspto.gov/patents/law/micro_entity.jsp) which is equal to three times the median household income for that preceding calendar year, as most recently reported by the Bureau of the Census.

**SIGNATURE by an authorized party set forth in 37 CFR 1.33(b)**

Signature			
Name	Lawrence Roy Beck		
Date	Feb 11, 2018	Telephone	(208) 336-9800
<input type="checkbox"/>	There is more than one inventor and I am one of the inventors who are jointly identified as the applicant. The required additional certification form(s) signed by the other joint inventor(s) are included with this form.		

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## Credit Card Payment Form

*(Do not submit this form electronically via EFS-Web)  
Please Read Instructions before Completing this Form*

### Credit Card Information

Credit Card Type:  Visa  MasterCard  American Express  Discover

Credit Card Account #: 4100 4004 3354 5277

Credit Card Expiration Date (mm/yyyy): 02/2020

Name as it Appears on Credit Card: Larry Beck

Payment Amount (US Dollars): \$ 70

Cardholder Signature:

Date (mm/dd/yyyy): 02/11/2018

The USPTO does not accept an s-signature (37 CFR 1.4(e)) on credit card payment forms.

**Refund Policy:** The USPTO may refund a fee paid by mistake or in excess of that required. A change of purpose after the payment of a fee will not entitle a party to a refund of such fee. The USPTO will not refund amounts of \$25.00 or less unless a refund is specifically requested and will not notify the payor of such amounts (37 CFR 1.26). Refund of a fee paid by credit card will be issued as a credit to the credit card account to which the fee was charged.

**Maximum Daily Limit:** There is a \$24,999.99 daily limit per credit card account effective June 1, 2015. There is no daily limit for debit cards.

### Credit Card Billing Address

Street Address 1: 1707 N 21st Street

Street Address 2:

City: Boise

State/Province: ID

Zip/Postal Code: 83702

Country: USA

Daytime Phone #: (208) 336-9800

Fax #:

### Request and Payment Information

Description of Request and Payment Information:

#### Provisional Application for Patent, micro entity

<input checked="" type="checkbox"/> Patent Fee	<input type="checkbox"/> Patent Maintenance Fee	<input type="checkbox"/> Trademark Fee	<input type="checkbox"/> Other Fee
--	---	--	------------------------------------

Application No.

Application No.

Application No.

IDON Customer No.

Patent No.

Patent No.

Registration No.

Attorney Docket No.

Identify or Describe Mark

If the cardholder includes a credit card number on any form or document other than the Credit Card Payment Form or submits this form electronically via EFS-Web, the United States Patent and Trademark Office will not be liable in the event that the credit card number becomes public knowledge.

# **Method Of Enabling A Human Powered Vehicle With Power Assist To Be Used As An Exercise Machine**

## **Field of the Invention**

This invention is an improvement to current human powered vehicles with power assist such as but not limited to electric pedal assist bicycles. More specifically, this invention is used to enable such vehicles to be used as an exercise machine such as those in a gym. This invention utilizes an electronic controller with sensors to compute, and cause to happen, a power level (or resistance) to compensate for external conditions such as climbing or descending hills, head and tail winds or other factors. This may allow the user to exercise at a desired power level and rate of exercise. Vehicles using this invention that have a means of additional resistance such as a friction brake, eddy current brake, generator or other means may provide a resistance to the user in those situations where the power required to propel the vehicle is less than the power desired by the user. For some users an additional resistance device may not be necessary as the natural resistance of the vehicle may be sufficient for the exercise they desire and situations such as going down a hill may be viewed as a rest period.

## **The Problem**

The pedal assist bicycle is currently the only human powered vehicle with power assist that I am aware of, however there may be other human powered vehicles with power assist that may benefit by being usable as an exercise machine. Such vehicles may include any vehicle with one or more wheels and which is powered by one or more humans and this invention may be applicable to them also. I will illustrate the problem my invention solves by using the pedal assist bicycle as the example as I am familiar with them and I have prototyped the invention on such a vehicle.

Pedal assist bicycles are bicycles that have an electric motor that may provide assist power when the rider is pedaling. The advantage over a regular bicycle is that the assist from the motor may overcome the extra effort needed for riding up hills or into a headwind. A disadvantage of a pedal-assist bicycle is that a rider using a bicycle for exercise may not feel that they are getting the amount of exercise they desire and they may feel that others are thinking they are “cheating” on an exercise program by riding an electric bicycle.

A problem with most anaerobic exercise machines is they are stationary and almost always indoors which is generally a less enjoyable experience than being on a bicycle outdoors. A problem when trying to use a non-assist bicycle as an exercise machine is that it may be difficult for the rider to maintain a desired exercise routine and the rider may have no indication of the force and power they are currently producing.

## **The Solution**

The initial implementation of the invention was on a pedal assist bicycle with a Bafang motor mounted in the bicycle bottom bracket and driving the rear wheel through the existing chain and derailleur. The control system for this implementation was a program written in C++ running on an ESP32 microprocessor along with a MPU-6050 6-DOF (Degrees Of Freedom) Inertial Measurement unit with a 3-axis MEMS accelerometer and 3-axis MEMS gyroscope. The accelerometer monitored the attitude of the bicycle and an output signal line to the power assist motor controller was used to control motor current. The existing motor controller system had a thumb throttle which sent a signal to the motor controller which set the power level of the motor. The microprocessor program utilized the thumb throttle signal line to set the motor current. The rider selected a

power assist level that felt comfortable and established a pedaling cadence that was comfortable by selecting the appropriate gear for the bike speed. The microprocessor program monitored the G levels from the accelerometer and converted them to the current pitch angle of the bicycle. When the bicycle encountered a hill the pitch angle computed by the program increased from zero and the program computed a power level sufficient to overcome the additional resistance. The required increase in power was calculated from the pitch angle, the speed of the bicycle and the total bike weight (bike and rider) which had been entered earlier. The required power increase was converted to the thumb throttle signal level to set the required motor current. The relationship between thumb throttle signal level and motor current had been previously determined. Voltage to the motor was a constant so the current required was equal to the power desired divided by the voltage to the motor.

The initial implementation allowed the user to set a power level output they were comfortable with and they were able to maintain that level of output and speed in spite of encountering hills. The initial implementation displayed the rider power output which was calculated from the bike speed and a previously estimated wind drag coefficient.

The addition of sensors directly measuring the force exerted by the rider may improve the accuracy of the displayed user power output. These sensors may include but are not limited to force sensors at the pedals, strain sensors in the pedal crank arms or torque sensors in the bottom bracket. If the motor is not transmitting its power through the drive chain, a chain tension sensor may be used to determine rider output. If the motor also transmits its power through the drive train, a chain tension sensor will measure the sum of the user and motor power output and the rider power output may be determined by subtracting out the motor power. The power being supplied by the motor may be estimated from the product of the voltage and current into the motor. The motor power may also be estimated using the current into the motor and the RPM of the motor as parameters to determine motor power from motor performance curves or data. Motor power may also be estimated in any manner known in the art.

When using conventional exercise machines that may include but are not limited to treadmills, stationary bicycles or stair steppers, the user may set the desired rate of exercise for by setting the speed of the belt on a treadmill or, in the case of a stationary bicycle or stair stepper, by the user monitoring and maintaining the speed presented to the user through a meter or other means. A conventional exercise machine may allow the user to set a resistance level which may be indicated to the user and the actual power level may also be displayed.

Some exercise machines may allow a programmed exercise routine to be performed with a variable rate of exercise and resistance. In the case of a treadmill, both the rate of exercise (belt speed) and resistance (incline) may both be controlled by the system and may not be dependent on the user. In the case of a stationary bicycle or treadmill, the currently desired rate may be indicated to the user along with their current rate.

In the solution enabled by this invention, the user may set the rate of exercise with a combination of selected gear and desired speed and may allow the user to select an assist power level which produces the desired level of resistance to the user. The user may then be presented with information on the current vehicle speed, pedal cadence, motor power and/or estimate of the user power from either estimated wind drag or user power may be estimated from direct or indirect measurement of user force and rate of exercise. If a sensor measuring the incline of road is available, which may include but is not limited to accelerometers, gyros or tilt sensors, this

solution may provide additional assist power to overcome the incline and maintain the current speed. If a sensor measuring headwind is available, the solution may enable additional power to overcome the wind resistance and maintain the current speed.

If sufficiently accurate estimates of user power are available then a system without accelerometers or gyros may maintain the desired power level in spite of hills or head wind by monitoring the user supplied power and supplying enough additional power to maintain the current speed. Including accelerometers and wind speed sensors would allow the system to more accurately maintain a desired exercise routine.

From the initial implementation it was also recognized that the system may perform better as an aerobic exercise machine if there was additional information, such as might be found on a conventional exercise machine such as a treadmill or stationary bike. This information may include, but is not limited to items such as user power output in various units such as watts or calories/min, user rate of power delivery (pedal cadence) and total energy expended by the user during the current exercise routine. Many higher end exercise machines allow the user to follow an exercise program where power delivery and rate are changed according to a predetermined schedule. Displaying the same information as existing exercise machines makes it easier for a user to adapt to an assisted vehicle with the invention integrated in it.

In this solution these same items may be displayed along with items such as the desired power expenditure, the total power propelling the vehicle, the power from the assist motor and the power being expended by the user. The power from the assist motor may be estimated from the product of the motor battery current and the voltage at the motor. This value may overestimate the output of the motor because of parasitic losses such as friction and electrical heat losses but if the motor performance characteristics are known, a motor speed (rpm) sensor and the motor battery current may allow a more accurate estimate.

There are multiple ways to estimate the force (lbf) and power (watts) the user is exerting to power the vehicle. If a force sensor measuring user force is available the estimate of force and power can be derived from the force and speed of user motion. If a user force sensor is not available, user power may be calculated by estimating the total power necessary to power the vehicle, including but not limited to road inclination, wind resistance and vehicle parasitic losses and subtracting out the motor power as described previously. The total power to propel the vehicle may be determined from the forward speed of the vehicle and a drag coefficient whose value determined by the system at a calibration time or through normal operation of the system.

## Description

Figure 1 is a block diagram showing the components that may be included in a system implementing the method of enabling a human powered vehicle with power assist to be used as an exercise machine. The Exercise Microprocessor Controller 101 may be a separate unit or may be functionality provided by a controller providing other control functions. The Controller 101 may include non-volatile storage and may have interfaces to various sensors. Based on the sensor values and values that may have been previously stored in non-volatile memory, the Controller 101 sets a force level at the Motor Assembly 108 or the Retarder Assembly 106. The Controller 101 may also command the Gear Selector 109 to select the appropriate gear. The block diagram in Figure 1 groups the sensors into Vehicle Sensors 102, Biologic Sensors 104 and User Inputs 103. Vehicle Sensors 102 may include but is not limited to sensors for Wind Speed, Chain Tension, Pedal Force, Pedal

Speed, Vehicle Speed, Motor Current and Voltage, Acceleration in three axis, Gyroscope rotation rate in 3-axis and/or Tilt sensors. Biologic Sensors 104 may include but is not limited to sensors for Heart Monitoring, Pulse Rate, Blood Pressure, Respiration Rate, Blood Oxygen Level, Blood Sugar Level and Brain Waves. The Biologic Sensors 104 may be used by Controller 101 but not limited to optimize the exercise program, provide feedback to the user and/or warn the user of problems. User Inputs 103 may include but is not limited to sensors such as a Thumb Throttle, Buttons and Switches, Tactile sensors (for example the user squeezing a handlebar grip) and User Voice Input. In addition to controlling the force level at the Motor Assembly 108 or the Retarder Assembly 106, the Controller 101 may provide a variety of User Outputs 105 which may include but limited to a Visual Display, Audible Feedback Devices and/or Tactile Feedback Devices (for example vibrating hand grips). The External Applications and Data Storage 110 may include but not limited to access to a Cell Phone or Tablet which may but is not limited to running applications and/or accessing the Internet and may have a connection to the Internet which may but is not limited to being used to run applications or access cloud storage. The Controller 101 may interface to the Battery to understand the Battery condition and the Retarder Assembly 106 which may provide a resisting force and may produce electrical energy that may be used for Battery charging. The Retarder Assembly 106 may also function as a vehicle braking device.

## **Summary**

This invention allows a user to experience an exercise program similar to exercise machines, such as but not limited to, treadmills, stationary exercise bicycles, stair step machines and to experience this exercise program outdoors.

18:30, 2/11/18

# Method Of Enabling A Human Powered Vehicle With Power Assist To Be Used As An Exercise Machine




Figure 1