



	# of Parameters	Log-Likelihood	AIC
(1) Any VTE			
Proportional Hazards	20	-10166.2	20372.5
Interaction with log(t)	21	-10115.3	20272.6
NCS with df = 1	21	-10155.8	20353.7
NCS with df = 2	22	-10136.0	20316.1
NCS with df = 3	23	-10112.1	20270.2
NCS with df = 6	26	-10095.1	20242.2
NCS with df = 8	28	-10088.9	20233.8
NCS with df = 10	30	-10088.9	20237.7
(2) DVT (no PE)			
Proportional Hazards	20	-6625.6	13291.3
Interaction with log(t)	21	-6596.3	13234.7
NCS with df = 1	21	-6620.9	13283.8
NCS with df = 2	22	-6608.6	13261.2
NCS with df = 3	23	-6593.4	13232.9
NCS with df = 6	26	-6579.3	13210.5
NCS with df = 8	28	-6576.0	13208.0
NCS with df = 10	30	-6575.5	13211.0
(3) PE (w/ or w/out DVT)			
Proportional Hazards	20	-3516.8	7073.5
Interaction with log(t)	21	-3499.0	7040.0
NCS with df = 1	21	-3512.8	7067.6
NCS with df = 2	22	-3506.4	7056.7
NCS with df = 3	23	-3498.3	7042.6
NCS with df = 6	26	-3490.2	7032.4
NCS with df = 8	28	-3487.1	7030.3
NCS with df = 10	30	-3486.6	7033.3










Log Hazard Ratio for Surgery Over Time First VTE Event













Log Hazard Ratio for Surgery Over Time

DVT (w/out PE)











Log Hazard Ratio for Surgery Over Time

PE (w/ or w/out DVT)



Log Hazard Ratio for Surgery Over Time

Comparison by Outcome



Outcome — (1) Any VTE — (2) DVT (no PE) — (3) PE (w/ or w/out DVT)