

Mr. Li AI Film Full-Workflow Skill · User Manual

Nov 3, 2026 · Created by @热心市民李先生 (Mr. Li) · Version 2.4.1

Give a finished script to an AI assistant that has this Skill installed. Like an experienced assistant director, it walks you step by step through choosing a style, making character and location images, and writing segmented video prompts that are ready to generate. It then builds the nodes on your generation platform, and you review them and press “generate” yourself.

01 What it is

In one sentence: you own the script and make the calls; it follows the working method of a traditional film director and turns the script into character and location images with a consistent format, plus segmented video prompts you can generate directly.

It is not another piece of software to learn. It is a set of “director’s working rules” installed into your AI assistant. Once installed, you talk to the assistant as usual, and it guides you through the work according to these rules.

Item	Details
Product name	Mr. Li AI Film Full-Workflow Skill (technical name: mr-li-seedance-25)
Current version	2.4.1 (November 3, 2026)
Form	Skill package: rule files, install and self-check scripts, single-file runtime, film aesthetics knowledge base, getting-started guide, automated tests

Item	Details
Coverage	The full workflow from script to deliverable shot material, leaving room for editing, music and packaging in post
Supported assistants	Codex, Claude, DeepSeek Harness (DSH) and other AI assistants that can read Skills; assistants that can only read one file use the single-file runtime
Generation platforms	Not tied to any platform. The creator uses Jimeng (Seedance 2.5) and TapNow daily; it also works with LibTV and others, or you can copy the prompts into any platform
Creator	@热心市民李先生 (WeChat lbh1761745734)
Team	@爱冒险的柯基, @大羽玩AI, @未定义视觉 (邪恶红猴子), @山音, @茶狮子
Special thanks	@卢小狼, @雷二白, @欧码吉利大曼波, @栾彬, @卢行易, @MokeLMa, @我叫李晓威, @安三寿, @黄狗, @阿盖, @林朝西, @海带, @茶杯先生, @罗杰狄银斯, @玉米进行时, @黑猫好多毛

02 Who it is for, and when to use it

Use it once the script is locked and you are ready to produce shots: it starts from a scene and ends with a set of video nodes laid out on the canvas. These four groups get the most out of it:

- **Traditional filmmakers moving into AI**: you can shoot, direct and read a shot, but haven't figured out AI yet. It writes prompts using the focal lengths, shot sizes, over-the-shoulders and shot/reverse-shots you already know, so your experience carries over directly.
- **Creators with a complete script**: you want material made quickly with fewer wasted takes.
- **Companies and teams**: several people working together need a shared prompt style, asset format and canvas layout, so newcomers can pick it up and start working. Changsha Yuanmu Culture already uses it in its company workflow.
- **Complete beginners**: no knowledge of film language needed. The seven-step guide asks you questions one at a time and gives you options.

Where people used to get stuck, and how it is solved now

The old problem	What actually happened	How this Skill handles it
Each generation has a length limit, so dialogue was crammed in or cut off arbitrarily	Speech didn't sound human; sentences were cut in half	Estimates time at 3.5–4.2 Chinese characters per second plus action and pauses, cuts at natural points, max 30 seconds per segment
The model has no memory across segments	The next segment changes the face, costume or voice	Every segment fully binds its own characters, location and voices, and uses a position screenshot from the previous segment to keep blocking consistent

The old problem	What actually happened	How this Skill handles it
AI changes dialogue or adds scenes on its own when writing prompts	The approved script gets altered	The script is the only reference; dialogue is used word for word; questions are only flagged, and you decide
No consistent format for character and location images	Episodes don't match; material gets messier over time	Fixed-format character sheets and empty-location master plates, reused across episodes for the same place
Music and subtitles mixed into the generation	They can't be handled separately in post	Every segment carries the fixed line "No BGM, no music, no subtitles, no packaging, sound effects only." Music and packaging are left for post
One mistake meant rewriting and regenerating the whole segment	Credits and time multiply	Diagnose the cause first, then change only the part that went wrong
Letting AI press "generate" directly	Credits wasted on segments nobody reviewed	Build, don't run: the assistant only builds the nodes; you review and press generate yourself
Beginners can't describe the style they want	Endless trial and error, inconsistent results	Two directions, A and B, plus C custom; once chosen, the style is fixed for the whole film

03 Where it comes from

These rules come from a traditional filmmaker's seven years of working methods, refined one rule at a time on real broadcast projects.

Creator: 热心市民李先生 (Mr. Li), TapNow L4 Creator and Seko Pioneer Creator. A cinematographer by training, he has shot, produced, directed and line-produced films, series, TVCs, commercials, fashion films and government promotional projects.

It started with a series that was going on air. In August 2026, while making the micro-drama *Zuo Liu Qing Feng*, he wrote his method down as rules so that the AI assistant would reliably write prompts his way. That was the predecessor of this Skill. Apart from the screenplay, he did the directing, assets, prompts, generation and editing himself. The series premiered on October 2 on "Sanxiang Fengji", the official account of the Hunan Provincial Commission for Discipline Inspection and Supervision.

Every mistake became a new rule. On the campus competition drama *Iron Youth* and on *I Grow Rice in Africa*, whenever the AI got something wrong, he corrected it on the spot, wrote it into the rules, then opened a new conversation and ran the whole flow again as a beginner would. The character-sheet format, separate methods for dialogue and action scenes, the over-the-shoulder phrasing, never altering dialogue, "build, don't run", and the canvas layout all came about this way. One requirement runs through all of it, in his words: "The core ability must not change — what it outputs must not change."

Date	Version	What happened
2026-11-03	2.4	Seven-step guide rewritten for complete beginners; global block, binding and shot-breakdown rules upgraded; fixed canvas layout
11-02	2.3.1	Added “build, don’t run” and the getting-started guide
10-31	2.3	Stable pre-contest release; credits and acknowledgements finalized
10-30	2.2.33	Added field experience from connecting to the Jimeng canvas
10-13	2.2.31	Installed in DeepSeek Harness (DSH), proving it works across assistants and models; then used for *I Grow Rice in Africa*
10-02	—	*Zuo Liu Qing Feng* premieres on “Sanxiang Fengji”
10-01	2.2.0	Added 2,733 entries of film aesthetics knowledge; recommends styles based on the script
09-11	2.1	Added the step-by-step guide
09-07	2.0	Removed everything tied to a single project or tool; became general-purpose rules
08-31 to 09-05	1.6 → 1.9.4A	More than ten versions revised during production of *Iron Youth*
08-29	1.5.0	First official release: the script is the only reference; every segment is fully self-contained
08-13	Predecessor	Basic workflow for segment timing, locked dialogue and asset binding built for *Zuo Liu Qing Feng*

04 How it helps you

There is one guiding idea: work the way a traditional film crew divides labor. You are the director, the AI is the rule-abiding assistant director and script supervisor, and the generation platform is the camera.

Eight core practices


1. **The script rules**: dialogue is used word for word, no added scenes, no changed endings. Questions in the script are only flagged, and you decide. The finished film can pass review.
2. **Cut by real performance**: first estimate the length of the whole scene, then cut where a line or action naturally ends, max 30 seconds per segment. One shot does one thing; in one shot only one person

speaks.

3. **Every segment stands alone**: global block (style, quality baseline, fixed sound line) → asset binding (location → characters → position screenshot → props → voices) → shot-by-shot body. Copy it anywhere and it generates on its own.
4. **Assets have a consistent format**: characters are multi-view sheets on white; locations are empty master plates, reused across episodes for the same place.
5. **Build, don't run**: once connected to the canvas, the AI only builds the video nodes and wires them up; it never presses generate. You review each segment and press it yourself. Seedance 2.5 is not cheap, and this rule saves a lot of credits.
6. **Leave room for post**: no music, subtitles or packaging in the generation; the canvas is laid out "one row per episode, one block per scene", so every scene has its matching generation nodes.
7. **Personal experience becomes team assets**: the rules live in files, so the whole team writes the same way; every problem found in practice is added to the rules.
8. **Not tied to a platform**: any assistant that reads Skills can use it; any generation platform can work with it.

Where you always make the call: which script version to use, what style to set, which image to accept, whether to change a prompt, which segment to generate, and how to rework results. The AI offers plans and options; it doesn't decide for you.

The seven-step guide: for a new project, the assistant leads you through the seven steps below. Steps marked ★ are required; the others can be skipped. Steps ④–⑦ loop scene by scene.



Seven-step guide · 3 required steps, ④–⑦ loop per scene

Steps ①–③ are done once per project; ④–⑦ are repeated for every scene until the film is finished. Experienced users can jump to any step, and you can pick up again in a new conversation.

05 What it can do

The table below lists the features available in version 2.4.1, plus one item being planned. Features are listed in the order you will actually use them.

Feature	What you get	Status
Seven-step guide and three working modes	Guide me, Just do it, Do it all at once; every step shows results first, then options	Available
Script reading and flagging	Version reference; list of characters, locations and props; questions that affect the image; dialogue never changed	Available
Style recommendation	Directions A and B plus C custom, each with visual differences and reasons; built-in 2,733 film aesthetics entries	Available
Quality baseline	One set of positive quality terms and one set of exclusions per film, fixed throughout	Available
Asset planning and production standards	Fixed formats for character sheets, location master plates, prop images and blocking images; checked against the script before generating and image by image afterwards	Available
Image-generation guidance	When the assistant can’t make images itself, it helps you connect Jimeng, LibTV or TapNow, or (with your consent) control Doubao or Codex on your computer, or simply gives you image prompts	Available
Voice preparation	If you have no voice samples, shows you how to generate a 5-second speaking clip from the character sheet and export the audio in your editing software	Available
Scene timing and segmentation	Whole-scene length and natural cut points; max 30 seconds per segment; a length you specify only applies to that segment	Available
Segmented video prompts	Separate methods for dialogue and action scenes; rules for over-the-shoulder phrasing, one action per shot, opening blocking, binding order and the fixed sound line	Available

Feature	What you get	Status
Connecting generation platforms	Before the first delivery it asks which platform you use, looks up the official integration method and walks you through it; you log in yourself	Available
Canvas: build, don't run	Builds and wires a video node for every segment; asks you about resolution and reports the credits; you review and generate yourself	Available
Fixed canvas layout	Master asset area at the top, one row per episode, one block per scene: assets in the left column, segments in the right; checked for overlaps afterwards	Available
Position-screenshot handoff	Reminds you at each delivery to grab a blocking screenshot, which is bound automatically to the next segment	Available
Diagnosis and targeted rework	Explains the cause and changes only what went wrong, nothing else	Available
Asset organization and resuming across conversations	"Master library + episode/scene" folders; you can continue where you left off in a new conversation	Available
Installation, self-check and tests	One-command install with file verification; consistency self-check; 100 automated tests	Available
Productized, one-stop software	Working with @大羽玩AI to turn this creative workflow into a one-stop software product	Planned

How it runs

- The assistant first reads the entry file SKILL.md, then reads only the modules needed for the current task — for example the prompt-writing rules when writing prompts, or the canvas rules when connecting a canvas.
- Generation is done by your platform: the Jimeng canvas CLI (dreamina-canvas), the TapNow MCP, and so on. The Skill itself does not produce images or video.
- The install and self-check scripts only need Python 3.9 or later, with no other dependencies.

06 A walkthrough

Here is the full workflow on a one-scene short film, *Night Shift*: a convenience store at 2 a.m., a conversation between the clerk Lin Xiao and a regular, Old Zhou. All screenshots come from a real test on November 3: a new conversation, the Skill installed, connected to the Jimeng canvas, all the way to finished video nodes.

Step 0: Install it

Drag the Skill zip into your AI assistant and say: “Please install this skill.” That’s it.

Step 1: Say your first sentence

Tell the assistant: “Hi, this is my first time. I want to turn a script into an AI video — how do I start?” It first shows the credits, then explains the seven steps and lets you choose “Guide me”, “Just do it” or “Do it all at once”. The first time, choose “Guide me”.

① Send the script

Paste in the script. It doesn’t change a single word. It lists the characters, locations, props, dialogue character count and estimated scene length, and points out 3 questions that affect the image: Is Lin Xiao male or female? Where is the oden pot? What is being used to study vocabulary? Answer them, say “Go with this version”, and you move to the next step.

② Set the style

It first says what this scene should make the audience feel, then offers two directions — A “quiet observation under cold white light” and B “human warmth in warm close-ups” — each with visual differences, reasons and trade-offs, plus C custom.

In the test we chose C: “I’d like the feeling of Lee Chang-dong’s *Poetry* — quiet, greyish, very restrained. Landscape.” It broke this sentence down into concrete requirements for light, color, lens and performance, and proposed a fixed quality baseline for the whole film for you to confirm. Because you named the director yourself, the name is written at the start of every segment; if you set the style by sending an image, no name is written.

③ Prepare characters, locations and voices

It first asks whether you already have images. If not, it lists what’s needed: two character sheets for Lin Xiao and Old Zhou and one master plate of the store. It tells you honestly that it can’t make images itself and asks which platform you use.

Once connected to Jimeng, it quoted the prices of all available image models and used the cheapest one (0 credits this time). It opened and checked every image, and the problems it found were real: a head showing in the front full-body view, spots on the padded jacket, the store too dark, the glass door open. With your consent it did two rounds of rework; the final assets are below.



Final assets for Night Shift: character sheets for Lin Xiao and Old Zhou and the store master plate

For voices, if you have no samples it gives three options: send existing audio; generate a 5-second speaking clip from the character sheet and export the audio; or skip for now.

④ Write the prompts

It first estimates the scene length (about 39–46 seconds here) and cuts it into two segments at the moment Old Zhou finishes saying “the nights get really long” and Lin Xiao freezes, then delivers one segment at a time. Below is the manual-copy version of segment 2 — paste the whole thing into any platform and it will generate. (The prompt is shown in the original Chinese, as it is sent to the model, followed by an English translation.)

> 韩国导演李沧东电影视觉风格，《诗》《密阳》质感，35mm胶片拍摄，自然散射光，低饱和度灰绿色调，色彩克制近乎单色，细腻胶片颗粒，沉默与停顿的视觉节奏，环境氛围沉静忧伤，诗意现实主义，年代纪实质感，写实真人，横屏16:9，表演克制，靠沉默和眼神，真实物理光影，材质肌理自然哑光，电影构图，景深自然，真实空气透视，画面层次柔和，无虚假高光，无过度锐化，无网游CG质感，无塑料感，无怪脸，无AI生成痕迹，无BGM，无音乐，无字幕，不出现包装，仅音效。
>
> 便利店店内参考@便利店店内.png，林晓参考@林晓.png，老周参考@老周.jpg（角色位置空间关系参考@1-1-1截图.png），关东煮纸杯参考@关东煮纸杯.png。林晓音色参考@林晓音色.mp3，老周音色参考@老周音色.mp3。
>
> 50mm平视双人中景，凌晨的便利店店内，老周穿着旧棉袄，在画面左侧，站在收银台前的关东煮锅旁；林晓在画面右侧的收银台后，两人隔着收银台相对。林晓垂下眼，低下头。
>
> 50mm过肩人物关系中景，林晓拿起一个空纸杯，从关东煮锅里取出两串萝卜，放进纸杯。
>
> 85mm过肩人物关系近景，老周站在原地，等待。
>
> 85mm特写，林晓的手又从关东煮锅里取出一颗鱼丸，放进纸杯，落在两串萝卜旁边。
>
> 85mm过肩人物关系近景，林晓抬起眼看着老周，轻声说：“这颗算我的。”
>
> 85mm过肩人物关系近景，老周看着林晓手里纸杯中的鱼丸，停了片刻，低声说：“……你这孩子。”

> Visual style of Korean director Lee Chang-dong, the texture of *Poetry* and *Secret Sunshine*, shot on 35mm film, natural diffused light, low-saturation grey-green palette, restrained, almost monochrome color, fine film grain, a visual rhythm of silence and pauses, a calm and melancholy atmosphere, poetic realism, period documentary texture, photorealistic live action, landscape 16:9, restrained acting carried by silence and looks, real physical light and shadow, natural matte textures, cinematic composition, natural depth of field, real aerial perspective, soft tonal layering, no fake highlights, no over-sharpening, no game-CG look, no plastic look, no distorted faces, no traces of AI generation, no BGM, no music, no subtitles, no packaging, sound effects only.
>
> Store interior: see @便利店店内.png; Lin Xiao: see @林晓.png; Old Zhou: see @老周.jpg (character positions and spatial relationship: see @1-1-1截图.png); oden paper cup: see @关东煮纸杯.png. Lin Xiao’s voice: see @林晓音色.mp3; Old Zhou’s voice: see @老周音色.mp3.
>
> 50mm eye-level two-shot, medium, inside the convenience store before dawn. Old Zhou, in an old padded jacket, is on the left of frame, standing by the oden pot in front of the counter; Lin Xiao is on the right behind the counter, the two facing each other across it. Lin Xiao lowers her eyes and bows her head.
>
> 50mm over-the-shoulder medium shot: Lin Xiao picks up an empty paper cup, takes two skewers of radish from the oden pot and puts them in the cup.
>
> 85mm over-the-shoulder close shot: Old Zhou stands where he is, waiting.
>
> 85mm close-up: Lin Xiao’s hand takes a fish ball from the oden pot and puts it in the cup, next to the two radish skewers.
>
> 85mm over-the-shoulder close shot: Lin Xiao looks up at Old Zhou and says softly, “This one’s on me.”

> 85mm over-the-shoulder close shot: Old Zhou looks at the fish ball in the cup in Lin Xiao's hand, pauses, and says quietly, "...You kid."

To read this segment you only need to look at three parts:


- **Global block**: style reference (only a director you named) → confirmed specific features → quality baseline → fixed sound line. Short phrases joined by commas, no explanations.
- **Binding block**: location → characters → previous segment's position screenshot → props → voices. Written out in full every time, never "same as above".
- **Shot-by-shot body**: the first shot establishes who is on the left and who is on the right; one shot does one thing; a long action like filling the cup is broken up with a reaction shot of the other person; dialogue follows the script word for word; no sound descriptions in the body.

⑤ Connect your generation tool

Before the first delivery it asks which platform you use, looks up the official integration method and walks you through installing and authorizing it; you log in yourself. In the test, Jimeng was already connected in step ③, so this step simply reused it. If you can't connect, that's fine — copy manually.

⑥ Delivery: build, don't run

When connected to the canvas, it first asks which resolution you want and reports the credits for each option; then it builds the nodes in the fixed layout: the scene's location and characters in the left column, the segment video nodes in the right column, all wired up.



The 1-1 block on the test canvas: location and characters on the left, two segment video nodes on the right

Open any video node and the prompt, asset references, model, aspect ratio and length are all filled in. The bottom right shows how many credits this segment will cost, but nothing has been generated. You review it and press generate yourself.



A video node with prompt and references filled in: Seedance 2.5, 16:9, 720P, 18 seconds, quoted at 360 credits, not yet generated

At every delivery it reminds you: after generating, grab a frame from the video that clearly shows where the characters stand. The next segment will bind this image so nobody ends up in the wrong place. Without a canvas connection, it gives you the full copyable text shown above.

⑦ Review the results and rework

If something is off after generation, just tell it: face, action, style or voice. It explains the cause first, then changes only the part that went wrong and leaves the rest alone. Steps ④–⑦ loop scene by scene until the film is finished.

Common phrases (copy directly)

You want to	Just say
Write the next segment	Continue
Write a range in one go	Using the agreed plan, finish 1-1 to 1-3 in a row without waiting for me
Allow more time for this segment	Write this segment at 50 seconds
Skip image-making	Skip assets, go straight to prompts
Change just one thing	Only change blocking and eyelines, keep everything else

You want to	Just say
Change the style	Go back to setting the style
The result looks wrong	The face broke in 1-4-2, please take a look
Continue from last time	Continue *Project Name* from 2-3
Wrap up	That's it for today, let's finish

What you do throughout: answer questions, choose the style, approve images, confirm resolution and credits, review prompts, press generate, grab position screenshots and give feedback on the results. Leave the rest to it.

07 What the results look like

Three real projects: one already aired, one about to air, one in production. The images below are taken from finished films or samples; the canvas screenshots are from the Jimeng canvas.

Project	Scale	Status	Role of the Skill
Zuo Liu Qing Feng, historical micro-drama	6 episodes, about 31 minutes, 1080p	Premiered October 2 on "Sanxiang Fengji" of the Hunan Provincial Commission for Discipline Inspection and Supervision	Where the Skill began; segment timing, locked dialogue and asset binding all came from here
Iron Youth, campus competition youth drama	6 episodes, about 29 minutes, 1080p	To air on Hunan Education Television	More than ten versions revised during production; settled the asset format and the separate methods for dialogue and action scenes
I Grow Rice in Africa, series	912 canvas nodes, laid out through episode 8	In production	Run in DeepSeek Harness (DSH) with DeepSeek models, proving it works across assistants and models; the canvas layout rules come from this project

Zuo Liu Qing Feng

Apart from the screenplay, the directing, assets, prompts, generation and editing were all done by Mr. Li alone. It was the opening title of Hunan Province's second showcase of micro-dramas on integrity culture in the new era.



Still from Zuo Liu Qing Feng

Iron Youth

A youth ensemble drama about a campus robotics competition, with dialogue scenes, arena action and mechanical close-ups. The character-sheet format, the over-the-shoulder phrasing and the reminder to prepare voices before generating were all settled on this series.



Still from Iron Youth


I Grow Rice in Africa

The story moves from Changsha to Africa, with many characters and many locations. Below are frames from the sample.




Still from I Grow Rice in Africa

This series’ canvas is the model for the Skill’s canvas layout: the master asset area at the top, the old-version archive on the left, and one row per episode below.




The whole canvas: master asset area at the top, old-version archive on the left, one row per episode below

Zoomed in to one episode: one block per scene, with the scene’s location, characters, voices and props stacked in the left column and the segment video nodes on the right.



The row for episode 7: one block per scene, assets on the left, segment nodes on the right

The generated footage sits to the right of its segment, so you can see at a glance which videos belong to which scene, and you know which node to change when rework is needed.



The first scenes of episode 1: generated footage already sits to the right of the segment nodes

Work by other creators using this Skill

Beyond the creator’s three projects, this Skill has been used for short animated films, museum and cultural projects, fashion concept films and more.

Work	Genre	Notes
Four of Me Live in This Room	Short film (live action + AI animation)	The fourth short film in Xiaohongshu's "Super Works" series, released exclusively on Xiaohongshu on September 18, with advisory support from the FIRST Film Festival; directed by @山音, animation design by @茶狮子; 热心市民李先生 took part in the creative discussions for the animated part, using this Skill
That Day, I Stood in the Dock at Shunde Museum (草台制片厂)	Museum and culture short	Benchmark project in the "AIGC content creation" track of the 2026 Hundred Universities Shunde Tour and Youth Entrepreneurship AI Hackathon (Communist Youth League Committee of Shunde District, Foshan, August 16, 2026)
Grind (奇妙人生商店)	Original AI animated short	Released on Xiaohongshu on September 7, about 2 minutes
All in Black: The Black Dahlia	Women's fashion concept short	Vertical fashion film
The Regret Repair Shop (摆不烂的余)	Original AI short	Released on WeChat Channels on October 29, watch
Promo film for the Ziran Yijie AI art-education platform	Brand promo	Released September 13 on the WeChat Channels account "自然艺界AI美育", watch

Four of Me Live in This Room



Frames from the animated part of Four of Me Live in This Room



Poster for Four of Me Live in This Room: directed by Shanyin, starring Maizi, with advisory support from the FIRST Film Festival

That Day, I Stood in the Dock at Shunde Museum



Frames from the Shunde Museum short



Certificate: benchmark project, “AIGC content creation” track, Shunde Hackathon

Grind



Frames from Grind

All in Black: The Black Dahlia



Frames from All in Black: The Black Dahlia

WeChat Channels covers



WeChat Channels covers: the Ziran Yijie AI art-education promo and The Regret Repair Shop

08 How to try it, and current limitations

All you need is an AI assistant that can read Skills. Without a generation platform connected, it only outputs the full prompt text and costs nothing.

What to prepare

Item	Notes
Skill package	mr-li-seedance-25-v2.4.1.zip, or this GitHub repository; see Step 0 in section 06 for installation
AI assistant	Codex, Claude, DeepSeek Harness (DSH) or another assistant that can read Skills
Runtime	Python 3.9 or later, only for installation and self-check
Generation platform (optional)	Your own Jimeng, TapNow, LibTV or other account; it works without one, you just copy manually

Item	Notes
Test account	Not needed. The Skill ships with no generation account and calls no paid API

Current limitations

- The AI assistant does not produce images or video itself; that depends on the platform you connect.
- Image models don't always respect the format: in testing, "no head visible in the front full-body view" failed three times in a row and was fixed by masking locally.
- Video models are random; the same segment may need several generations. The Skill reduces rework but cannot guarantee success on the first try.
- Deep canvas integration ("build, don't run", fixed layout) has been tested most on the Jimeng canvas; on other platforms it follows whatever integration they officially offer.
- Canvas uploads are occasionally unstable; when that happens the assistant stops and asks you to drag the image in manually instead of retrying again and again.
- The film aesthetics knowledge base consists of text description cards and contains no film stills; for works not in the library, the assistant relies on its own understanding, so sending reference images to check is recommended.
- Without voice samples, the platform assigns voices itself, and the same character may sound different across segments.

About the materials

Material	Use
The full text and images of this manual (film stills, canvas screenshots, test screenshots)	May be shared publicly
The Skill package itself	Open source on GitHub under CC BY-NC 4.0 (originally submitted for contest review)

Translated from the Chinese original. If the translation and the Chinese version differ, the Chinese version prevails.