```
(base) brandon@Brandons-MacBook-Pro node-postgres % cd
(base) brandon@Brandons-MacBook-Pro ~ % cd /Users/brandon/Desktop/Dashboard/Server
(base) brandon@Brandons-MacBook-Pro Server % npm init
This utility will walk you through creating a package.json file.
It only covers the most common items, and tries to guess sensible defaults.
See `npm help init` for definitive documentation on these fields
and exactly what they do.
Use `npm install <pkg>` afterwards to install a package and
save it as a dependency in the package.json file.
Press ^C at any time to quit.
package name: (server)
version: (1.0.0)
description:
entry point: (index.js)
test command:
git repository:
keywords:
author:
license: (ISC)
About to write to /Users/brandon/Desktop/Dashboard/Server/package.json:
  "name": "server",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  "author": ""
  "license": "ISC"
Is this OK? (yes) n
Aborted.
(base) brandon@Brandons-MacBook-Pro Server % npm init
This utility will walk you through creating a package.json file.
It only covers the most common items, and tries to guess sensible defaults.
See `npm help init` for definitive documentation on these fields
and exactly what they do.
Use `npm install <pkg>` afterwards to install a package and
save it as a dependency in the package.json file.
Press ^C at any time to quit.
package name: (server)
version: (1.0.0)
description: MLB Dashboard
entry point: (index.js)
test command:
git repository:
keywords:
author: Brandon Montalvo
license: (ISC)
About to write to /Users/brandon/Desktop/Dashboard/Server/package.json:
  "name": "server"
  "version": "1.0.0"
  "description": "MLB Dashboard",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  "author": "Brandon Montalvo",
  "license": "ISC"
```

Last login: Tue Aug 23 12:43:35 on ttys000

```
Is this OK? (yes)
(base) brandon@Brandons-MacBook-Pro Server % npm i express pg cors
added 74 packages, and audited 75 packages in 2s
7 packages are looking for funding
   run `npm fund` for details

found 0 vulnerabilities
(base) brandon@Brandons-MacBook-Pro Server % touch index.js
(base) brandon@Brandons-MacBook-Pro Server % node index.js
server has started

^[[B^[[B^[[B]]]]]
^[[C^[^[c^[Cq]]]]
q\qq\q\
```