# Target.com

## Test Plan and Test Cases

Prepared by Leroy Burgess, QA Engineer | Version 1.0 | November 11, 2026

## 1. Introduction

This document covers manual functional testing of the Target.com public website (https://www.target.com). Target.com lets shoppers search for products, check pricing and stock, choose a fulfillment method (shipping, order pickup, drive up or same day delivery), manage a cart and sign in to their account.

The goal of this test cycle is to confirm that the core shopping flows a customer uses before checkout work correctly and handle bad input without breaking. Testing is black-box and is done from the customer's side only, with no access to source code, APIs or back-end systems.

### Objectives

- Verify product search, store selection, cart and sign in work as expected with valid data
- Confirm the site rejects invalid input with clear messages and no crashes
- Check behavior at input limits (quantity, field length) and in less common situations
- Log any defects found with clear steps, evidence and severity

## 2. Scope

### In Scope (what we are testing)

| Feature | What is covered |
|---|---|
| Product search | Keyword search, no-results handling, input length, special characters |
| Product detail page | Price, availability and fulfillment option display; Add to cart |
| Store locator | Setting My Store by ZIP code, invalid ZIP handling |
| Cart | Adding items, quantity changes, subtotal updates, guest-to-account cart carryover |
| Sign in | Valid sign in with a tester-owned account |
| Browsers | Chrome (desktop) as primary; Safari on iPhone for a spot check of TC-01 and TC-02 |

### Out of Scope (what we are not testing)

- Placing real orders or entering real payment details; testing stops at the cart / checkout page
- Target Circle Card applications, gift card purchases and the registry
- Target mobile app (iOS and Android) and in-store systems

- Performance, load and stress testing
- Automated testing and API testing
- Security testing beyond basic input handling in search (no penetration testing)
- Full accessibility (WCAG) audit
- Creating accounts or changing settings on accounts the tester does not own

## 3. Test Approach

- Manual, black-box functional testing based on the test cases in Section 9
- Test types: positive, negative, boundary value and edge case
- Exploratory testing sessions (time-boxed at 60 minutes) around search and cart
- Defects logged in Jira with steps to reproduce, expected vs. actual result, screenshots or screen recordings, browser and OS version, and severity
- Failed test cases are retested once a fix is confirmed (or re-run at the end of the cycle on a live site)

## 4. Test Environment

| Item | Details |
|---|---|
| Application URL | https://www.target.com (production, public site) |
| Operating systems | Windows 11; macOS Sonoma; iOS 17 or later |
| Browsers | Google Chrome (latest), Safari (latest), Microsoft Edge (latest) for regression spot checks |
| Devices | Desktop / laptop at 1920 x 1080; iPhone for mobile web |
| Network | Standard home broadband, 50 Mbps or higher |
| Test data | Tester-owned Target.com test account; ZIP codes 29201 (valid), ABCDE, 00000, 2920 (invalid); prepared 500-character string |
| Tools | Jira (defects and test tracking), Excel or Google Sheets (test execution log), browser DevTools, Snipping Tool / Loom for evidence |

## 5. Resources

| Role | Name | Responsibilities |
|---|---|---|
| QA Engineer / Test Lead | Leroy Burgess | Write the test plan and test cases, run tests, log and retest defects, report results |
| QA Tester (support) | TBD | Run cross-browser checks and exploratory sessions, peer review test cases |
| Stakeholder / Reviewer | TBD | Review and approve the test plan and final summary report |

## 6. Schedule (48 Hours)

| Time Window | Activity | Output |
|---|---|---|
| Hours 0 to 4 | Review the site, confirm scope, set up browsers, devices and test account | Approved test plan, ready environment |
| Hours 4 to 10 | Write and peer review test cases, prepare test data | 10 reviewed test cases, test data set |
| Hours 10 to 22 | Execute all 10 test cases on Chrome desktop | Execution log with Pass / Fail results |
| Hours 22 to 30 | Cross-browser spot checks (Safari, Edge, iPhone) and exploratory sessions | Session notes, additional defects |
| Hours 30 to 38 | Log defects with evidence, assign severity | Defect reports in Jira |
| Hours 38 to 44 | Retest failed cases and run a short regression pass on search and cart | Updated execution log |
| Hours 44 to 48 | Write the test summary report and sign off | Test summary report |

## 7. Risks and Mitigation

| Risk | Impact | Mitigation |
|---|---|---|
| Live production site changes during testing (layout, promotions, A/B tests) | Medium | Record date, time and screenshots for every result; re-run failed tests before logging a defect |
| Account lockout or CAPTCHA after failed sign in attempts | High | Limit sign in attempts to one or two per hour; use a dedicated test account only |
| Products go out of stock or change price | Medium | Keep two backup products for each cart test; record price at time of test |
| No access to a staging environment or back end | Medium | Testing is black-box only; note any results that need back-end confirmation |
| 48-hour window leaves little time for retesting | High | Run high-priority cases first; keep the schedule's retest block protected |
| Bot detection blocks rapid or repeated actions | Low | Pace test steps normally; avoid scripts or automation on the live site |
| Location-based content varies by ZIP code | Low | Use the same ZIP (29201) for all location-dependent tests |

## 8. Entry and Exit Criteria

### Entry Criteria

- Test plan reviewed and approved
- Target.com is reachable and test account is working
- Browsers, devices and tools are set up; test data is ready

### Exit Criteria

- All 10 test cases executed
- 100% of High priority test cases pass, or have a logged defect with an agreed workaround
- No open Critical or High severity defects without a documented decision
- Test summary report delivered

### Deliverables

- Test plan (this document)
- Test cases with execution results
- Defect reports
- Test summary report

## 9. Test Cases

| ID | Title | Type | Priority |
|---|---|---|---|
| TC-01 | Search returns relevant results for a valid product keyword | Positive | High |
| TC-02 | Add an in-stock item to the cart from the product page | Positive | High |
| TC-03 | Set "My Store" using a valid ZIP code | Positive | Medium |
| TC-05 | Search with a keyword that matches no products | Negative | Medium |
| TC-06 | Store search rejects an invalid ZIP code | Negative | Medium |
| TC-07 | Cart quantity at the minimum and maximum allowed values | Boundary | High |
| TC-08 | Search field handles minimum and very long input | Boundary | Low |
| TC-09 | Search input with special characters and script tags is handled safely | Edge Case | High |
| TC-10 | Guest cart items carry over after signing in | Edge Case | Medium |
| TC-11 | Sign in succeeds with a valid email and password | Positive | High |

## TC-01: Search returns relevant results for a valid product keyword

| | |
|---|---|
| **Test Case ID** | TC-01 |
| **Title** | Search returns relevant results for a valid product keyword |
| **Test Type** | Positive |
| **Preconditions** | • Browser open with cache and cookies cleared<br>• Target.com home page loaded<br>• Tester is not signed in |
| **Steps to Execute** | 1. Click the search bar in the header<br>2. Type "coffee maker"<br>3. Press Enter (or click the search icon)<br>4. Review the first page of results |
| **Expected Results** | • Results page loads in under 5 seconds<br>• Products shown are coffee makers or closely related items<br>• Result count, filters (price, brand, rating) and sort options are displayed<br>• Each product card shows an image, name, price and rating |
| **Actual Result** | • Results page loads in under 5 seconds<br>• Products shown are coffee makers or closely related items<br>• Result count, filters (price, brand, rating) and sort options are displayed<br>• Each product card shows an image, name, price and rating |
| **Status (Pass / Fail / Blocked)** | **Pass** |

## TC-02: Add an in-stock item to the cart from the product page

| | |
|---|---|
| **Test Case ID** | TC-02 |
| **Title** | Add an in-stock item to the cart from the product page |
| **Test Type** | Positive |
| **Preconditions** | • Target.com loaded with a store or ZIP code set<br>• Cart is empty<br>• A product that is in stock for shipping has been identified |
| **Steps to Execute** | 1. Search for the in-stock product and open its product page<br>2. Select the Shipping fulfillment option<br>3. Click "Add to cart"<br>4. Click "View cart & check out" in the confirmation panel |
| **Expected Results** | • A confirmation panel appears showing the item was added<br>• Cart icon count in the header changes from 0 to 1<br>• Cart page lists the item with the correct name, price, quantity 1 and Shipping selected<br>• Subtotal equals the item price |
| **Actual Result** | • A confirmation panel appears showing the item was added<br>• Cart icon count in the header changes from 0 to 1<br>• Cart page lists the item with the correct name, price, quantity 1 and Shipping selected<br>• Subtotal equals the item price |
| **Status (Pass / Fail / Blocked)** | **Pass** |

## TC-03: Set "My Store" using a valid ZIP code

| | |
|---|---|
| **Test Case ID** | TC-03 |
| **Title** | Set "My Store" using a valid ZIP code |
| **Test Type** | Positive |
| **Preconditions** | • Target.com home page loaded<br>• Location permission in the browser is denied so the site cannot auto-detect location |
| **Steps to Execute** | 1. Click the store name / "Choose a store" link in the header<br>2. Enter ZIP code 29201 (Columbia, SC)<br>3. Submit the search<br>4. Click "Set as my store" on the first store in the list |
| **Expected Results** | • A list of nearby Target stores is shown with distance and address<br>• After selecting, the header shows the chosen store's name<br>• Product pages now show pickup and drive up availability for that store |
| **Actual Result** | • A list of nearby Target stores is shown with distance and address<br>• After selecting, the header shows the chosen store's name<br>• Product pages now show pickup and drive up availability for that store |
| **Status (Pass / Fail / Blocked)** | **Pass** |

## TC-05: Search with a keyword that matches no products

| | |
|---|---|
| **Test Case ID** | TC-05 |
| **Title** | Search with a keyword that matches no products |
| **Test Type** | Negative |
| **Preconditions** | • Target.com home page loaded |
| **Steps to Execute** | 1. Click the search bar<br>2. Type "qxzvwplk"<br>3. Press Enter |
| **Expected Results** | • Site does not crash or show a blank page<br>• Search suggestions, related categories or popular items are offered so the user can continue shopping |
| **Actual Result** | • Site does not crash<br>• Search suggestions are viewed |
| **Status (Pass / Fail / Blocked)** | **Pass** |

## TC-06: Store search rejects an invalid ZIP code

| | |
|---|---|
| **Test Case ID** | TC-06 |
| **Title** | Store search rejects an invalid ZIP code |
| **Test Type** | Negative |
| **Preconditions** | • Target.com home page loaded<br>• Store selector panel is open |
| **Steps to Execute** | 1. Enter "ABCDE" in the ZIP / city field and submit<br>2. Clear the field, enter "00000" and submit<br>3. Clear the field, enter "2920" (4 digits) and submit |
| **Expected Results** | • For each entry, no store is set and the current store stays unchanged<br>• A validation or "no stores found" message is displayed<br>• No error page, stack trace or unhandled exception appears |
| **Actual Result** | • For each entry, no store is set and the current store stays unchanged<br>• A validation or "no stores found" message is displayed<br>• No error page, stack trace or unhandled exception appears |
| **Status (Pass / Fail / Blocked)** | **Pass** |

## TC-07: Cart quantity at the minimum and maximum allowed values

| | |
|---|---|
| **Test Case ID** | TC-07 |
| **Title** | Cart quantity at the minimum and maximum allowed values |
| **Test Type** | Boundary |
| **Preconditions** | • One in-stock item is in the cart at quantity 1<br>• The item's purchase limit is noted from the quantity dropdown (referred to below as MAX) |
| **Steps to Execute** | 1. On the cart page, open the quantity selector for the item<br>2. Confirm the lowest number offered is 1<br>3. Select MAX<br>4. Open the selector and check whether max 10 is offered |
| **Expected Results** | • Quantity 0 or negative values cannot be selected; removal happens only through "Remove"<br>• At MAX the line total equals price x MAX and the subtotal updates<br>• MAX + 1 is not available, or a purchase limit message is shown if attempted<br>• Returning to 1 recalculates the subtotal correctly |
| **Actual Result** | • Both minimum and maximum quantity values were allowed |
| **Status (Pass / Fail / Blocked)** | **Pass** |

## TC-08: Search field handles minimum and very long input

| | |
|---|---|
| **Test Case ID** | TC-08 |
| **Title** | Search field handles minimum and very long input |
| **Test Type** | Boundary |
| **Preconditions** | • Target.com home page loaded<br>• A 500-character text string is prepared in a text editor |
| **Steps to Execute** | 1. Enter a single character "a" in the search bar and press Enter<br>2. Clear the field, paste the 500-character string and press Enter<br>3. Click the search bar with it empty and press Enter |
| **Expected Results** | • Single character: results or suggestions load without error<br>• 500 characters: the input is either truncated at the field limit or searched; the page stays stable with no error page<br>• Empty search: no search is run, or the user stays on the current page; no error is shown |
| **Actual Result** | • Search field handled minimum and very long inputs successfully |
| **Status (Pass / Fail / Blocked)** | **Pass** |

## TC-09: Search input with special characters and script tags is handled safely

| | |
|---|---|
| **Test Case ID** | TC-09 |
| **Title** | Search input with special characters and script tags is handled safely |
| **Test Type** | Edge Case |
| **Preconditions** | • Target.com home page loaded<br>• Browser developer console open |
| **Steps to Execute** | 1. Enter <script>alert('test')</script> in the search bar and press Enter<br>2. Enter "kids' toys & games" and press Enter |
| **Expected Results** | • No alert pop-up appears and no script runs; text is shown as plain text if echoed back<br>• Apostrophe and ampersand search returns relevant toys and games results<br>• Emoji input does not break the page; results for headphones or a no-results message are shown<br>• No new errors appear in the console tied to the search |
| **Actual Result** | • Search input with special characters and script tags were handled safely |
| **Status (Pass / Fail / Blocked)** | **Pass** |

## TC-10: Guest cart items carry over after signing in

| | |
|---|---|
| **Test Case ID** | TC-10 |
| **Title** | Guest cart items carry over after signing in |
| **Test Type** | Edge Case |
| **Preconditions** | • Tester owns a registered test account whose saved cart is empty<br>• Tester is signed out with an empty guest cart |
| **Steps to Execute** | 1. As a guest, add two different in-stock items to the cart<br>2. Note the cart count and subtotal<br>3. Click "Sign in" and sign in with the test account<br>4. Open the cart |
| **Expected Results** | • Both items added as a guest are still in the cart after sign in<br>• Quantities, prices and fulfillment selections are unchanged<br>• Cart count in the header matches the number of items<br>• No duplicate line items are created |
| **Actual Result** | • Unable to log in to existing account |
| **Status (Pass / Fail / Blocked)** | **Blocked** |

## TC-11: Sign in succeeds with a valid email and password

| | |
|---|---|
| **Test Case ID** | TC-11 |
| **Title** | Sign in succeeds with a valid email and password |
| **Test Type** | Positive |
| **Preconditions** | • Tester owns a registered Target.com test account with a known email and password<br>• Tester is signed out<br>• Target.com home page loaded |
| **Steps to Execute** | 1. Navigate to Account, then click it<br>2. Click "Sign in or create account"<br>3. Enter a valid email, then click "Continue" |
| **Expected Results** | • Sign in succeeds and the user is returned to the page they started from<br>• The header shows the account holder's first name in place of "Sign in"<br>• Opening the account menu shows options such as Orders and Account<br>• No error messages are displayed |
| **Actual Result** | • User cannot continue past the email login<br>• An error message shows |
| **Status (Pass / Fail / Blocked)** | **Fail** |