



PHEMI Central[™] Big Data Warehouse

Product Description

PHEMI Central Big Data Warehouse — collect, curate, and consume data with privacy, security, and governance.

For the first time, organizations that need to protect and govern the use of their information can take advantage of big data technology to access, catalog, and analyze their digital assets at speed and scale.



Table of Contents

Beyond the “Data Lake”	4
Introducing PHEMI Central Big Data Warehouse	5
PHEMI Central Features Overview	6
Collecting Data	7
Curating Data	8
Consuming Data	11
Privacy, Security, and Governance	12
Data Management	16
System Management	19
Applications	19
Enterprise Information	21
Healthcare	26
Public Sector	29
Deployment Options for PHEMI Central	32
Why PHEMI Central for your needs?	37
About PHEMI	40

TO BE
UPDATED
& ACTUAL
PAGE #S
TBD

Beyond the “Data Lake”

Introducing a powerful, new way to manage your organization's data
— collect, curate and consume data at speed and scale.

PHEMI Central is a fully integrated big data warehouse that takes advantage of the power, scalability and flexibility of Hadoop while providing advanced privacy, security, and governance along with powerful traditional enterprise data warehouse capabilities — all built right in.


Beyond the “Data Lake”

Many big data approaches today just pour data in its native format into a data repository, with little oversight or governance. The resulting “data lake” often quickly becomes a “data swamp,” with data that’s almost impossible to find and retrieve.

PHEMI Central's powerful metadata framework automatically indexes and catalogs all of your digital assets, so that you can find them quickly and easily — making sense of the data lake even as it adds privacy, security, and governance to your data to ensure rightful access at speed and scale.

PHEMI Central Has it All


Other big data platforms may use Hadoop's distributed file system capabilities. But PHEMI Central goes far beyond “plain old Hadoop,” providing a fully integrated solution that leverages the Hadoop ecosystem while making big data easy and secure. PHEMI takes the best of big data technologies and traditional relational database systems — then outstrips them both to offer a robust yet flexible solution that can meet any organization's data warehousing needs.



Introducing PHEMI Central Big Data Warehouse

Collect, curate, and consume your data with privacy, security, and governance.

PHEMI Central is a new class of data warehouse that uses big data technologies to allow your organization to collect, curate, and consume of any volume and variety of data, while meeting your organization's standards for data management, privacy, and governance.



PHEMI Central Features Overview

COLLECT

Ingest all data types at record-setting speeds.



PHEMI Central can collect virtually any kind of data—structured (such as database records), semi-structured (such as Microsoft Excel, machine-collected data, or genomic files) or unstructured (such as images or documents). Data can be ingested and aggregated from multiple disparate sources. During collection, PHEMI Central tags each raw data object with metadata, then stores the tagged raw data in PHEMI's fast, powerful data store. The data store is key-value-based and schemaless, so data can be ingested at record-setting ingest rates without complex, time-consuming, or brittle schema-mapping exercises.

CURATE

Find digital assets in milliseconds even within petabytes of data.



PHEMI Central's powerful data store automatically indexes and catalogs all ingested data, so that even the raw data becomes a digital asset. Next user-specifiable data processing functions cleanse, parse, and structure the data—transforming the raw data into analytics-ready digital assets. All digital assets are cataloged and indexed for linking based on key words, graph relationships and geospatial location. Aggregates are computed to accelerate analytics and application performance. This lets users find specific digital assets within milliseconds, even within petabytes of data.

CONSUME

Access your datasets on-demand.



With PHEMI Central, you can build datasets on demand without having to manage multiple data marts or complex MapReduce or YARN processes. Whether the dataset is consumed by a user or exported to a spreadsheet, application or analytics tool, PHEMI Central strictly enforces your organization's privacy and security policies to ensure appropriate access to data.

Privacy, Security, and Governance

Automatically de-identify, encrypt, or mask personal information.



PHEMI Central can automatically de-identify, encrypt, or mask personal information and enforce privacy based on sophisticated user access privileges and fine-grained sharing and consent rules. With a powerful Privacy by Design framework at its core, PHEMI Central helps you achieve your organization's governance objectives.

Data Management

Use a powerful metadata framework to manage digital assets at the field-level.



The power and sophistication of PHEMI Central's data management capability comes from its powerful metadata framework which extends across the entire system, and ensures that data can be managed right at the field level for its entire life cycle.

System Management

Get reliability and cluster economics at scale.



PHEMI Central runs on commercial servers and commodity disk drives, driving down hardware costs and allowing the system to scale from megabytes to petabytes without expensive Storage Area Network (SAN)/Network Attached Storage (NAS) costs or performance bottlenecks. Automatic replication and load balancing means data is always available and performance is optimized across system nodes.

PHEMI Central Big Data Warehouse is fully Integrated and fully adaptable.

Designed to adapt to constantly evolving business demands, PHEMI Central unlocks data silos and transforms structured and unstructured data into analytics-ready digital assets for users to gain better insights, faster. With increased agility in data collection and increased power in data inventory and curation, organizations can conceive new business applications and rapidly build new solutions to support business objectives.



Collecting Data

Easily ingest any type of data.

Data Sources

PHEMI Central can ingest virtually any kind of data, so organizations can consolidate their data and eliminate silos. Data sources can include any data type from small kilobyte messages to large terabyte files:


- **Database Records** — Data extracted from information systems, databases, etc.
- **Structured Non-Relational Data** — Spreadsheets, GIS datasets, genomics, machine data, XML, JSON, HL7, etc.
- **Semi-structured** — ECGs, tabular documents, etc.
- **Unstructured files & datasets** — Images, consult letters, reports, emails, customer feedback, social media, etc.

Because PHEMI Central does not impose a schema on source systems, the ingest process is faster, less complex and less brittle.

Data Import

PHEMI Central can import data in a variety of ways:

- **Streaming** — Machine-to-machine data sources, such as telemetry and hospital bedside monitors, can stream data to PHEMI Central by means of the PHEMI REST interface.
- **Push** — Data sources and ETL tools can publish to PHEMI Central using either JDBC or the PHEMI REST interface.
- **Pull** — Custom connectors based on PHEMI's REST interface can be developed to allow PHEMI Central to fetch source data from sources.
- **Manual** — Files can be manually uploaded to PHEMI Central from a standard browser window.
- **Store by Reference and Action** — PHEMI Central can reference remote data or a remote dataset through a URL, stored procedure, SQL query, external table, or REST API. Applications can also be stored and executed, causing external tables or external data to be accessed and pre-processed. Store by Reference and Store by Action operations are ideal for collaboration projects between organizations or when accessing third-party datasets where data sharing agreements restrict data from being replicated.



Metadata Tagging on Ingest

Immediately on ingest, PHEMI Central catalogs and describes raw data as part of cross-system data management. Metadata governing digital rights management, retention rules, data sharing agreements, and privacy policies are applied and enforced. Metadata fields are fully extensible.

Powerful metadata tagging features convert your data into digital assets, making governance and privacy rules easy to apply and enforce across the entire system. Metadata fields are fully extensible.

Curating Data


Convert raw data into analytics-ready digital assets.

A data processing function (DPF) is an executable piece of code that transforms the original raw data (for example, a log message or medical report) into analytics-ready, digital assets specifically targeted for your organization's needs (such as a temperature reading or blood glucose measurement). The DPF is uploaded as a code archive into PHEMI Central using the Data Management and Governance Console. The code is executed by the PHEMI Central DPF Engine.

DPFs Provide Power and Flexibility

The DPF supplies the instructions for parsing the raw data, extracting key content and performing data cleansing, enhanced indexing and cataloging, and structuring data according to the organization's needs. Standard PHEMI DPFs are included to index and describe structured data, such as database records or strongly typed XML/JSON. User-defined DPFs can also be developed for advanced needs, such as analysing semi-structured data or performing natural language processing on free text. Or, DPFs can catalog data and standardize it into ontologies such as SNOMED or LOINC, making it easier for data analysts to find the right information in the right format.

DPFs can also analyze streams of machine data to find patterns and exceptions, calculating aggregates and converting streaming data into an analytics-ready state for trending and predictive analysis. As the organization's



The PHEMI standard DPF library includes:

Excel Reader // col. title TBD

Ingested Microsoft Excel spreadsheets, comma-separated value (CSV) files, XML files and JSON files are converted into field-level analytics ready digital assets, with each cell governed by the parent file's data sharing agreement.

VCF Reader

Ingested genomic Variant Call Format (VCF) files are converted into a series of analytics-ready variants, with each variant governed by the parent file's data sharing agreement.

PHEMI's powerful concept of DPFs

Data Processing Functions (DPFs) enable data scientists and programmers to write rich, customized transform functions in common programming languages using standardized tools. No specialized expertise in MapReduce or YARN is required. Your DPFs can be written by PHEMI, by your organization's in-house programmers, or by third-party developers.

needs evolve and as knowledge advances, DPFs can be updated and re-executed, to leverage the value of your historical data in new ways.

PHEMI's Unique DPF Concept

DPFs enable data scientists and programmers to write rich, customized transform functions in common programming

languages (including Python, Java, and C++) using standard development tools. No specialized expertise in MapReduce or YARN is required. For parsing unstructured documents such as scans or X-rays, the DPF can include specialized parsing functions, like Optical Character Recognition (OCR) or image parsing. DPFs can be written by PHEMI, by your organization's in-house programmers, or by third-party developers.

Curating Data continued

With the PHEMI Central Data Store, you can reliably store your digital assets at scale, with powerful features that index, protect, and transform data to be ready for use.


The PHEMI Central Data Store: Beyond Hadoop

PHEMI Central uses well-established and industry-leading big data technologies to reliably store the curated digital assets at scale. PHEMI Central leverages this base “operating system” capability to build powerful features that index, protect, and transform data for business use.

- **Hadoop Distributed File System (HDFS)** provides linear scale and reliable data storage across large cluster of low-cost commodity servers.
- **Accumulo** is a distributed database on top of the HDFS distributed file system. Developed by the NSA, Accumulo provides high-performance storage and retrieval with fine-grained privacy access controls.
- **Ambari** is an open framework to provision, manage and monitor Apache Hadoop clusters.
- **Hive** delivers interactive and batch SQL query capabilities into PHEMI Central in order to interoperate with analytics tools and pre-existing applications.
- **YARN** provides resource management and distributed computing for the PHEMI Central system.

In contrast to conventional Hadoop-based systems, PHEMI Central is a fully integrated enterprise-grade system. Users don’t need to worry about digging deep into the world of Hadoop, MapReduce, YARN, Pig, HIVE, Sqoop, HBase, Zookeeper, Accumulo, and so on.

To protect information privacy and security, at no time can users, applications or external systems bypass the PHEMI policy enforcement engine to access data directly.



The PHEMI Central Data Store provides fully integrated reliable enterprise-grade storage of curated digital assets at scale. Schemaless storage means that organizations have the flexibility to advance quickly and effectively.

Schemaless Storage

PHEMI Central’s Data Store is schemaless: both raw and curated data items are stored in a binary format that is unaffected by the source and destination schema. This approach means that organizations can quickly aggregate new data sources without costly redefinition of old schemas.

Schemaless storage also permits the organization to extend uses or imagine new uses for data as knowledge advances and needs evolve, without concern for migrating rigid predefined schemas. Instead, PHEMI Central uses a flexible, powerful, distributed key-value store and sophisticated metadata tagging to manage, describe, and govern the data it stores. Curated digital assets derived from the raw data are

Quickly aggregate new data sources without costly redefinition of old schemas.

linked to the original raw data, but PHEMI Central’s SQL and REST interfaces abstract away from internal linkages and structures, so users and applications can focus on data use rather than data janitorial work.

Curating Data continued

PHEMI Central comes with a set of powerful built-in features to support data curation. Indexing and cataloging functions are automatic, while user-defined DPFs can extend the built-in capabilities. Data linking allows a more complete picture of your data. The Data dictionary allows control of diverse data types, providing consistent interpretation at the point of querying and analysis. Geospatial data capabilities make PHEMI Central a great foundation for geospatial-drive applications and analysis.

Indexing and Cataloging

Indexing and cataloging functions occur automatically in PHEMI Central's Indexing and Cataloging Engine, making it easier and faster to find and consume data. User-defined DPFs enable deeper and more sophisticated indexing and cataloging, and second-order indexes and graph relationships allow data analysts to quickly find and build datasets across petabytes of heterogeneous digital assets. Linking datasets with common keys makes it faster and easier to build meaningful datasets across many sources. These powerful indexing features mean that data can be accessed in milliseconds, without having to wait for MapReduce or YARN jobs to complete.

Data Linking

PHEMI Central brings together disparate data and data that has been isolated in data silos, so that the organization can extract the greatest value from its information. PHEMI Central links data across different data types and formats with unique identifiers based on powerful graph database capabilities. Data linking allows you to query and analyze a more complete picture of your data, so you can see, at scale and efficiently, relationships between objects in the system.

Data Dictionary

Conventional big data systems store data, but can't catalog or track diverse data types. PHEMI Central provides a powerful data dictionary capability that links data from curation, when data types and fields are identified and tagged, through consumption, when users, tools, and applications query and analyze data. The data dictionary can be used to cleanse data by identifying fields that occur frequently but are named differently, or use different format conventions, across different data sources. For example, different medical imaging systems can use different terminology and conventions for the same concepts and measurements. PHEMI Central allows you to identify and save a common interpretation of these types and fields. Cleansing data with a data dictionary greatly simplifies querying and analysis.

Geospatial Capability

PHEMI Central's efficiently indexes and searches geospatial data, so that organizations can store and analyze data collections rich in geospatial components. PHEMI Central is scalable and fast: a flexible basis on which to build geospatial-driven applications and analysis.

Powerful indexing features allow data to be accessed in milliseconds without having to wait for MapReduce or YARN jobs to complete.

With schemaless storage, organizations can extend uses or imagine new uses for data, without concern for migrating rigid or predefined schema.

Consuming Data

Leverage your existing analytics tools and software to build innovative new applications.

PHEMI Central integrates with your existing infrastructure, applications, and analytics tools to let you immediately take advantage of the big data warehouse. Multiple users can concurrently interact with the system, accessing datasets via SQL, data exports, and using custom applications, breaking down the costly data silos spread throughout your organization. Because all digital assets are catalogued and indexed, consuming data is fast.

Dataset Access

Datasets can be accessed in a variety of ways:


- Export to a Microsoft Excel spreadsheet or Comma Separated Value (CSV) file
- Custom application via the PHEMI REST API
- Applications and analytics tools via ODBC/JDBC connectors
- SAP HANA via the SAP Smart Data Access connector

On Demand Datasets

Datasets are instantiated when information is needed, without having to predefine or navigate complex relational database schema. Datasets are logical mappings that define a subset of the cataloged digital assets in the system across a specified collection of data. They can be created, altered, and discarded, and, since they are virtual constructs, they eliminate any need for data marts. Datasets can show, de-identify or hide data based on attributes of the user and data sharing agreement policies.

Data Analysis

PHEMI Central supports standard tools, including R, SAP, SAS, SPSS, Stata, Tableau and more, to let organizations leverage their existing software.



SQL Support

SQL remains the primary method for analyzing and accessing data in many logical data warehouse architectures. PHEMI Central supports batch and interactive SQL queries.

Custom Applications


In-house developers, PHEMI developers, or third-party developers can develop custom applications using the PHEMI REST web services interface. The REST interface provides a rich set of statements that can access core system functionality, including flexible queries for data. REST queries, like all other queries are subject to the access controls enforcing information privacy, security and governance. Organizations can quickly trial innovative new applications, putting information in the hands of their users. This development agility means that applications that gain traction can be hardened and expanded while others are retired.

PHEMI Central integrates with existing infrastructure, applications, and analytics tools to let you immediately take advantage of the big data warehouse.

Privacy, Security, and Governance

Protect sensitive information at scale.

Information governance is about controlling an organization's data. The data may be sensitive, or perhaps it is important that the data be absolutely accurate, or perhaps the organization must achieve legislative and compliance targets. Data governance includes the process and policies around the protection, curation, and access to data. Data governance encompasses all of privacy protection, data security, and data audit. PHEMI Central helps organizations achieve compliance objectives by providing an industry-pioneering set of capabilities to manage the privacy, security, and governance of data. These capabilities are fully configurable and are automatically enforced throughout the data lifecycle.



Privacy is Built Right Into PHEMI Central

Privacy by Design Principles

- Proactive, not reactive
- Privacy as default setting
- Privacy embedded in design
- Full functionality — positive sum, not zero sum
- End-to-end security — full life-cycle protection
- Visibility and transparency — keep it open
- Respect for user privacy — keep it user-centric

PHEMI Central Implementation

- Metadata enables policies to define data access
- Assets are immutable. Policies required to access data
- Metadata and computational access are the core of the system
- Data governance policies enable data use/analysis and do not create restrictions
- Digital assets self-specify how they are managed and handled
- Metadata and auditing provide accountability
- Data steward defines and sets policies on use

PHEMI Design Innovation

- Data firewalls protect data internally, not just externally
- Rely on automated operational policies, instead of manual processes
- Proper management and control enables positive use of private data

Privacy by Design

Traditional privacy, security and governance approaches are fragmented, relying on application developers to implement *ad hoc* security mechanisms. PHEMI Central takes a different approach, designed from the ground up to incorporate an innovative Privacy by Design framework to define, manage, and enforce data sharing agreements and privacy policies across an entire organization.

Because privacy, security, and governance features are one coordinated design across the system, you don't have to rely on a cobbled-together solution of security mechanisms to protect your organization's sensitive data.



Using **Privacy by Design** to Achieve Big Data Innovation Without Compromising Privacy

Privacy, Security, and Governance continued

Build your access policies quickly and easily.


PHEMI Central tags sensitive data to identify its visibility, captures user authorizations, and combines them in simple, powerful access rules for attribute-based access control. PHEMI Central also manages and enforces data sharing agreements

Role Based Access Control

User roles determine what operations a user can perform. For example, only users with a role of administrator can configure the system, while only users with a role of data analyst can export a dataset.

Attribute Based Access Control

Users can be tagged with attributes that describe their level of authorization. Data can be tagged with attributes that describe its level of sensitivity or its requirements for privacy. Together, these two attributes can be combined to allow sophisticated access privileges to identified, nonidentifiable, de-identified, or anonymized data. For example, a data analyst with Level 1 clearance can export fully identified data; an analyst with Level 2 clearance may only have access to de-identified data, and Level 3 may have view-only privileges with no export.



Access Policy Builder

Choose Policy to Edit New Policy

Name

Rule 1

Subject **Action**

Object


☐ CONFIDENTIAL
☒ DE_IDENTIFIED
☐ PHI

Add Rule Save Access Policy

Build Access Policies

Data exports can be fully de-identified to reduce the risk of data being compromised. With this capability, a stolen laptop or USB stick with [Personal Health Information](#) (a common HITECH violation) will not result in a privacy breach since the exported data has been de-identified.

Privacy, security, and governance features are one coordinated design across the system — no need for bolted-on, external and fragmented security mechanisms.




System Configuration

[Password Policy](#) [Datasets Destination](#) [Data Retention](#) [Datasource Categories](#) [Data Visibilities](#) [User Authorizations](#)

Name	Description	<input type="checkbox"/> Rearrangement
PHI	Protected Health Information, such as a patient's name.	<input type="checkbox"/> <input type="checkbox"/>
NON_PHI	Not Protected Health Information, such as a patient's height.	<input type="checkbox"/> <input type="checkbox"/>
MASKED_PHI	Masked PHI that is non-attributable to a patient.	<input type="checkbox"/> <input type="checkbox"/>

Create Visibility

Define Data Visibilities



System Configuration

[Password Policy](#) [Datasets Destination](#) [Data Retention](#) [Datasource Categories](#) [Data Visibilities](#) [User Authorizations](#)

Name	Description	<input type="checkbox"/> <input type="checkbox"/>
BUSINESS_ANALYST	Business Intelligence role	<input type="checkbox"/> <input type="checkbox"/>
CARDIOLOGIST	Professional care worker in Cardiology	<input type="checkbox"/> <input type="checkbox"/>
PUBLIC	Public Level Authorization	<input type="checkbox"/> <input type="checkbox"/>
RESEARCHER	A new authorization being created for identifying users that are Researchers.	<input type="checkbox"/> <input type="checkbox"/>

Create Authorization

Define User Authorizations

Data visibilities and user authorizations can be defined and refined through the System Configuration settings. Sets of visibilities settings can be created along with sets of users with various access definitions.

Privacy, Security, and Governance continued

Protect both privacy and data consistency with sophisticated automatic data de-identification. Audit operations simply and reliably. Fine-tune data encryption settings.

Data De-Identification

PHEMI Central can automatically de-identify, encrypt, or mask personal information and enforce privacy based on sophisticated user access privileges and fine-grained sharing and consent rules. PHEMI Central stores the fully identified data but strictly controls the rightful use of all digital assets. When the user's access privileges and the recorded data sharing agreements dictate, PHEMI Central can invoke a data processing function to de-identify or anonymize any information. Anonymization and de-identification may include disallowing access to personally identifiable information, masking certain information, redacting content, or may involve more sophisticated data dependency algorithms to reduce the risk of re-identification. Centralizing anonymization and de-identification helps reduce data sprawl and reduces the risk of data consistency errors.

Audit Log

PHEMI Central maintains complete audit logs of system and user operations. They include all create/modify/delete operations, along with a record of all queries made to the system through the REST interface. These log files are completely tamperproof for all users. Approved users can filter log files and export the information for downstream analysis and compliance reporting.

Encryption at Rest

For performance reasons, it is usually unnecessary to encrypt all data. Instead, encryption of only personally identifiable information is advised. PHEMI Central allows you to specify what data must be encrypted when at rest within the system.

Encryption in Motion

PHEMI Central can encrypt links from data sources and to consuming applications and analytics tools using either Secure Sockets Layer (SSL) or Transport Layer Security (TLS).

Data Management

Manage your data right at the data field level.


Proper management of data through its lifecycle is critical as volumes grow and variety increases. The PHEMI Central Data Management and Governance Console provides the primary interface for data management.

Powerful Metadata Framework

The power and sophistication of PHEMI Central's data management capability arises from its powerful metadata framework, which extends from end to end across the system. Metadata is applied on ingestion and enriched by cataloging, indexing, and invoking data processing functions. The result is data description at the element level embedding the rules and policies governing the element, as well as configured properties such as the data source ownership, retention policy (time to live), and what visibility the element should have. For example, de-identification, encryption, and masking, along with other privacy restrictions can be enforced per data item, at the individual field-level.

In a traditional system, a user would have to plan a file system hierarchy or a database schema. Data would be forced to comply with this rigid hierarchy, and everyone just has to hope that the design scales and that requirements do not change. When PHEMI Central's metadata framework is deployed with its scalable distributed key-value store, users no longer need worry about how to structure the system. PHEMI Central structures data automatically, on the fly. Data scales to large volumes at minimal cost while still providing fast access, and changes to requirements do not necessitate changes to design of the data store.

Users and integrated applications benefit from the metadata because they can use simple web-service calls based



on the properties of the data, rather than having to navigate complex directories or schemas to find the data they seek.

Governance Rule Enforcement

Most organizations have governance rules and data sharing agreements that stipulate how data may be used and shared. Governance rules are instantiated in PHEMI Central using the PHEMI Central Data Management and Governance Console. PHEMI Central manages and enforces data sharing agreements by flagging the sensitivity of individual digital assets, tracking the retention period, recording rules around version control, and specifying de-identification, encryption, and data access permissions. Automating this function at scale across a variety of data sources and types is critical to managing privacy, security, and governance.

The power and sophistication of PHEMI Central's data management capability arises from its powerful metadata framework, which extends from end to end across the entire system.

Data Management continued

Lifecycle Management

PHEMI Central uses organization-specific retention rules to manage digital assets throughout their entire life cycle, from data creation through curation, usage, and end of life. Retention rules are captured in the Data Management and Governance Console, and the system calculates a time to live for every digital asset based on the retention policy and time of ingestion. It also prevents users from deleting data during a configured retention period and automatically de-identify, delete or otherwise process information when the retention period expires.

Data Immutability

PHEMI Central stores all data in a write-only data system that is never modified. Data may only be deleted at when its predetermined "time to live" expires, as specified by the organization's retention policy. This approach provides assurance of data integrity for audit and compliance requirements.

Version Control

PHEMI Central has robust version control and rollback capabilities to ensure data is never lost, corrupted, or overwritten. The system keeps a history of data revisions and allows administrators to trace changes over time, including the ability to audit who made changes and when, and the ability to roll back changes if necessary. This design provides a complete history for audit and compliance requirements.

DPF Framework

Just as the metadata framework manages the tagging of data items throughout the lifetime of data in the system, the PHEMI Central DPF framework manages DPF deployment and execution across the entire system. The DPF framework is very simple and easy for programmers to learn and use: code libraries are uploaded into the system as simple ZIP files and PHEMI Central manages DPF execution across all datasets and all data elements within the system.

PHEMI Central has
robust version control
and data rollback
features to ensure data
is never lost, corrupted
or over-written.

System Management

Get enterprise-grade reliability, availability, and scalability with cluster economics.

Commodity Hardware

PHEMI Central eliminates the cost and performance bottlenecks associated with expensive Storage Area Network (SAN) or Network Attached Storage (NAS) architectures. The system uses low cost, commodity hardware components and direct attached disk drives to significantly lower the cost of ownership compared to traditional enterprise data warehouse systems.

Scalability and Performance

PHEMI Central can easily aggregate structured and unstructured data, scaling storage and compute linearly from terabytes to petabytes with each additional hard drive and node.

Reliability and Availability

All data stored in PHEMI Central is replicated three times across the system to ensure high availability and resiliency in the event of a hardware failure. Direct attached hard drives can be hot swapped without impacting performance or data availability while larger or faster drives and nodes can be absorbed into the system and load balanced automatically.

LDAP integration

PHEMI Central can operate with your existing LDAP or Active Directory identity management systems or via internally managed PHEMI Central user accounts.

Maintenance and Support

PHEMI Central provides clear visibility into overall system health, diagnostics, troubleshooting, capacity and digital assets under management so that IT administrators can quickly configure and test all nodes. Additionally, with Apache Ambari, system management capabilities can be integrated with IT infrastructure monitoring tools such as Microsoft System Center, Teradata Viewpoint, Nagios and Ganglia.

System Metrics

Global Metrics

Users

Admins	1
Data Owners	0
Privacy Officers	1

Content

Used Space	5.15 MB
Free Space	~279.04 GB
Objects	1,009
Data Sources	5

Data Source Metrics

System Performance

Task Monitoring

Data Source

Choose 1 or more data sources from the list:

5 selected

Period


☒ Now

☐ Date Range


2014-12-28

2015-01-27


Query




Objects




Total size



Raw size



Metadata size



Derived size

● Cardiology Procedures ● Echocardiograms ● test_simple_ingest ● test_xl_ingest

Monitor the System at a Glance

# Objects	Total size	Raw size	Metadata size	Derived size
	5.15 MB	4.86 MB	253.23 KB	48.16 KB

See a summary of current system activity and settings in one convenient dashboard view. With options to filter by time period, data source, and task, the metrics summary can be fine-tuned to extract relevant information. Potential problems can be spotted early and resolved.


Deployment Options for PHEMI Central

PHEMI Central is available in either a cloud or on-premise environment and can typically be operational within 30 days.

All our deployments align with appropriate privacy and security requirements, including the rules and regulations of BC's Personal Information Protection Act (PIPA) and the US's Health Insurance Portability and Accountability Act (HIPAA) and Health Information Technology for Economic and Clinical Health (HITECH) Act.


On-Premise

Run PHEMI Central at your site. Choose between a virtual machine or physical server deployment.



In the Cloud

Run PHEMI Central as a managed service in a cloud-based deployment, using industry-leading Amazon Web Services.



Cloud service grows from 1TB storage capacity

Why PHEMI Central?

PHEMI Central offers the perfect big data solution for a variety of organizations.

Beyond the traditional enterprise data warehouse

—PHEMI Central compliments your data warehouse by:

- **Aggregate New Data Sources Faster**

PHEMI Central uses a schemaless architecture to quickly aggregate new data sources, lowering startup cost and complexity.

- **Integrate Any Data Type**

PHEMI Central easily works with structured, semi-structured and unstructured data.

- **Lower Cost of Ownership by 60%**

PHEMI Central uses low cost commodity hardware, eliminating expensive storage and server hardware.

- **Scale to Petabytes**

PHEMI Central is built on big data technology — proven to scale to petabytes in production environments worldwide.

- **Enforce Privacy, Security and Governance Across Your Organization**

Governance rules for privacy and security are enforced within the PHEMI Central big data warehouse, rather than at the application layer, ensuring data custodians, not application developers, retain control over privacy and security.

Beyond the traditional Hadoop data lake

—PHEMI Central lets you operationalize your big data requirements:

- **Curate Digital Assets**

PHEMI Data Processing Functions present a common Python, Java or C++ programming environment for data scientists abstracting away the complexities of working with MapReduce and YARN jobs.

- **Catalog All Digital Assets**

PHEMI Central maintains a catalog and index of all digital assets in the system so that analysts can quickly build datasets across very large and varied data.

- **Enforce Fine-Grained Privacy, Security and Governance Across Your Entire Organization**

Governance rules for privacy and security are enforced within the PHEMI Central big data warehouse, rather than at the application layer, ensuring data custodians, not application developers, retain control over privacy and security.

- **Focus on Mining Digital Assets**

PHEMI Central is an enterprise-grade, fully integrated system so you don't have to worry about the confusing world of Apache Hadoop, MapReduce, YARN, Pig, HIVE, Sqoop, HBase or Accumulo. Instead, you can focus on unlocking your information silos and discovering new insights with your digital assets.

Enterprise Information Applications

Build New Applications	Retire Legacy Systems	Analyze Machine Data	Curate Documents	Self Serve Data
<p>Consolidate data silos and create a warehouse of curated digital assets.</p> <p>Quickly build innovative new and experimental applications for stakeholders. Those applications that gain traction may be hardened and expanded while others are retired.</p> <p>Outsource application development without compromising privacy, security or governance.</p>	<p>Reduce database license costs by retiring and consolidating legacy systems.</p> <p>Migrate data and point the retired application to the PHEMI Central Big Data Warehouse with commodity hardware economics.</p> <p>Manage privacy and security of data.</p> <p>Provide read-only access to data for archive and historic purposes.</p>	<p>Collect billions of machine readable messages from streaming data and Internet of Things endpoints.</p> <p>Convert messages into digital assets, build aggregates and monitor data for anomalies, trends and out-of-range readings.</p> <p>Conduct predictive analysis, trending and <i>ad hoc</i> analysis via a third party analytics tool.</p>	<p>Aggregate Microsoft Word, Excel, PDF, image and text documents with commodity hardware economics, applying privacy, security and governance rules on all documents to control rightful access.</p> <p>Perform keyword parsing and Optical Character Recognition where necessary to index text in all files.</p> <p>Allow users to search for key words, exposing documents based on their access privileges.</p>	<p>Aggregate and curate an inventory of analytics-ready digital assets, applying privacy, security and governance rules.</p> <p>Provide a portal for users to authenticate themselves and gain access to appropriate identified and de-identified data based on their access privileges.</p> <p>Empower developers, data scientists and data analysts to explore and innovate.</p>

Healthcare Applications

Personalized Medicine	Population Health	Quality & Outcomes
<p>Aggregate genotype and phenotype data at scale with commodity hardware economics. Integrate mircoarray, Whole Genome Sequences, and microbiome data.</p> <p>Add clinical data from the hospital EMR and claims data, supplementing it with datasets from patients, researchers and clinicians.</p> <p>Apply and enforce data sharing agreements.</p> <p>Convert all raw data into fine-grained analytics-ready data and perform a cluster analysis across petabytes of de-identified data in seconds.</p> <p>Integrate advanced bioinformatics and visualization tools to navigate, annotate and discover insights.</p> <p>Search for biomarkers to select the best drug and treatment for individuals based on their genetic profile.</p>	<p>Convert medical reports into SNOMED, LOINC, RxNorm and ICD codes.</p> <p>Link the data and write data processing functions to flag patients for screening.</p> <p>Integrate data from various hospital information systems.</p>	<p>Identify and close gaps in care. Integrate information from various hospital information systems.</p> <p>Apply and enforce data sharing agreements.</p> <p>Convert medical reports into SNOMED, LOINC, RxNorm and ICD codes.</p> <p>Link the data and analyze treatment plans and outcomes by provider.</p> <p>Use your existing analytics tools to generate de-identified reports for each provider showing peer benchmarks compared to registry and other in-network providers.</p> <p>Conduct business analytics on demand to build a clearer view of financial and operational performance and measure the impact of operational changes in real time.</p>

Public Sector Applications

Open Data	Program Review	Citizen Services
<p>Aggregate data sources.</p> <p>Apply and enforce data sharing agreements.</p> <p>Build an inventory of digital assets.</p> <p>Mark the sensitivity of data such as social insurance or social security numbers (Public, Classified, Secret, Top Secret, etc).</p> <p>Link data across various sources.</p> <p>Allow self-service access to some data and accept dataset applications when users request more sensitive data, de-identifying data when appropriate based on the risk of re-identification.</p>	<p>Collect data from government information systems.</p> <p>Apply and enforce data sharing agreements.</p> <p>Write Data Processing Functions to convert Microsoft Excel, database and unstructured data into structured digital assets.</p> <p>Use your existing analytics tools to conduct ad hoc analysis, drilling in to program effectiveness, identifying opportunities to improve program efficiency.</p>	<p>Build new applications to automate citizen services such as permitting and licensing.</p> <p>Manage the privacy, security, and governance of applicant data and de-identify information based on the reviewer identity.</p> <p>Draw on information from various government information systems to supplement the application and apply rules as part of the process workflow to validate or approve the applications.</p>

About PHEMI

PHEMI was founded in 2013 by a team of proven entrepreneurs and industry experts. Headquartered in Vancouver, Canada, the PHEMI team has extensive experience bringing innovative technologies to enterprise-class customers. Industry expertise, including healthcare and security, drives PHEMI Central features, while networking and high performance computing technology expertise drive PHEMI architecture to meet the challenges of big data.

PHEMI Central gives organizations the agility to seamlessly collect data sources, catalog and curate a powerful inventory of secure digital assets, conceive new business applications and rapidly build new solutions to support strategic objectives.

PHEMI partners with best-in-class technology and service providers to deliver a complete solution to meet any organization's needs.

Visit www.phemi.com for more information.

