

# **Contents**

The	Password Policy	.3
	View the Password Policy	3
	Configure the Password Policy	3

# The Password Policy

A password policy is one way your organization can secure your information systems.


A password policy generally enforces the strength of a password, by requiring passwords to be of a certain length and by stipulating that a password must include a certain mix of letters, numbers, and/or special characters. The password policy may also control how quickly a given password can be reused.

The password policy is generally decided on by the privacy officer, or someone in a similar role. The privacy policy is implemented in PHEMI Central by the PHEMI Administrator, as part of system configuration.

## **View the Password Policy**

Use the Password Policy screen of the System Configuration page to see the configured password policy.


Open the **System Configuration** page, by clicking the **System Configuration** icon in the left navigation bar. The **System Configuration** page opens on the **Password Policy** screen.



# **Configure the Password Policy**

Use the Password Policy screen of the System Configuration page to configure your organization's password policy.

1. Open the **System Configuration** page, by clicking the **System Configuration** icon in the left navigation bar. The **System Configuration** page opens on the **Password Policy** screen.



### 2. Set the password policy information.

$\sim$	. •	
	ntia	'n
•	υu	,,,

#### Description

### **Minimum Length**

Mandatory. The minimum length for the password. The range is 6 to 15. The default is 6.

#### **Maximum Length**

Mandatory. The maximum length for the password. The maximum starts at the value set for **Minimum Length** (that is, maximum and minimum value can be the same) and ranges to 32 characters. The default is 32.

#### Can't reuse *n* passwords

Optional. Specifies the number of times in a row a password can be used. For example, if this value is set to 1, the user cannot reuse the same password twice; at least one more password must intervene before reusing the original password. The range is 0 to 12. The default is 0, which means that the same password can be repeated indefinitely.

### Non-Alpha Character

Optional. Specifies whether the password must include with a non-alphabetical character. Non-alphabetical characters are numbers or special characters. Spaces are not supported. Supported values are as follows:

- Required: Passwords must include at least one non-alphabetical character.
- Optional: Passwords can consist of only alphabetic characters.

The default is Optional.

# First/Last non-numeric characters

Optional. Specifies whether the password must begin and end with a non-numeric character. Non-numeric characters include alphabetical characters and special characters. Spaces are not supported. Supported values are as follows:

- Required: Passwords must begin and end with a non-numeric character.
- Optional: Passwords may begin and end with alphabetic or special characters.

The default is Optional.

### **User ID in Password**

Optional. Specifies whether the string representing the user's ID may appear in the password. Supported values are as follows:

- Disallowed: The user ID may not appear in the password.
- Allowed: The user ID may appear in the password.

Option

## Description

The default is Allowed.

**3.** Save the password policy by clicking the **Save** button.