

# **The Object Browser**

# Contents

**The Object Browser..... 3**  
    View an Object..... 3  
    Delete an Object..... 4

# The Object Browser

View or delete objects stored in PHEMI Central using the **Object Browser**.


The Object Browser lets you view individual objects that have been stored in PHEMI Central. You can see the metadata that has been applied to the object, the data elements (if any) that were derived by running a DPF on the ingested data, and the binary data that makes up the object, shown as hexadecimal and ASCII.


Only a PHEMI Administrator can access the Object Browser, but administrator access to data is restricted by the governance placed around the data. Like all other data, access to data is governed by data visibility, user authorization, and whatever access policy has been applied to the data source.

## View an Object

View individual objects stored in the system from the **Object Browser** page.


To view an object:

1. Open the **Object Browser** page, by clicking the **Object Browser** icon in the left navigation bar.  The **Object Browser** page opens.



2. Click the drop-down arrow on the **Data Source** field and select the data source containing the object.

The available objects are listed in the **Objects** text box. Each object has the original file name it had on ingest, prepended with the system key that PHEMI Central has assigned.



3. Select the object you want to view, scrolling through the list as necessary.

Once selected, the object's information is retrieved and displays with the **Metadata** tab initially showing.

0594E527ABC01000 2015-forms-server-2015-02-05T20:32:09.json  
**0599F1F634401000 2015-forms-server-2015-02-09T18:40:30.json**  
 059A79240D001000 2015-forms-server-2015-02-10T04:31:07.json

53 objects

0599F1F634401000 2015-forms-server-2015-02-09T18:40:30.json Delete

Metadata **Digital Assets** Raw Data

Admin


| Name            | Value                    |
|-----------------|--------------------------|
| datasource      | 54d17077e2509e175240f5e3 |
| delete on       | 1455043230931            |
| document status | Current                  |
| source of data  | 49.144.112.220           |
| time to live    | 31536000000              |

- View the object's metadata on the **Metadata** tab.
- View any data elements derived by executing a DPF on the original data by clicking the **Digital Assets** tab.
- View a hexadecimal and ASCII representation of the original data object by clicking the **Raw Data** tab.

## Delete an Object

Delete an individual object from the system from the **Object Browser** page.

To delete an object:

1. Open the **Object Browser** page, by clicking the **Object Browser** icon in the left navigation bar. 

The **Object Browser** page opens.

**Object Browser**

Data Source  
 Choose Data Source

Objects

2. Click the drop-down arrow on the **Data Source** field and select the data source containing the object.

The available objects are listed in the **Objects** text box. Each object has the original file name it had on ingest, prepended with the system key that PHEMI Central has assigned.

**Object Browser**

Data Source  
 2015 Forms Server

Objects

0594D275BAC01000 2015-forms-server-2015-02-05T19:10:28.json  
 0594D2A529001000 2015-forms-server-2015-02-05T19:11:17.json  
 0594D33116801000 2015-forms-server-2015-02-05T19:13:40.json  
 0594D70E9F401000 2015-forms-server-2015-02-05T19:30:33.json  
 0594D760E8C01000 2015-forms-server-2015-02-05T19:31:57.json  
 0594D8C37F401000 2015-forms-server-2015-02-05T19:38:01.json  
 0594E193B5401000 2015-forms-server-2015-02-05T20:16:31.json  
 0594E42AB6001000 2015-forms-server-2015-02-05T20:27:50.json  
 0594E47A5CC01000 2015-forms-server-2015-02-05T20:29:11.json  
 0594E490BA801000 2015-forms-server-2015-02-05T20:29:34.json  
 0594E4B125C01000 2015-forms-server-2015-02-05T20:30:08.json  
 0594E4E527801000 2015-forms-server-2015-02-05T20:31:01.json  
 0594E50B1B801000 2015-forms-server-2015-02-05T20:31:40.json  
 0594E527ABC01000 2015-forms-server-2015-02-05T20:32:09.json

53 objects

3. Select the object you want to view, scrolling through the list as necessary.

Once selected, the object's information is retrieved and displays with the **Metadata** tab showing, and the **Delete** button appears.

The screenshot shows the Object Browser interface. At the top, a list of objects is displayed, with the selected object highlighted: **0599F1F634401000 2015-forms-server-2015-02-09T18:40:30.json**. Below the list, the selected object's name is shown: **0599F1F634401000 2015-forms-server-2015-02-09T18:40:30.json**. A red **Delete** button is visible next to the object name. Below the object name, there are three tabs: **Metadata**, **Digital Assets**, and **Raw Data**. The **Metadata** tab is selected. Under the **Metadata** tab, there is an **Admin** section with a table showing the object's metadata.

| Name            | Value                    |
|-----------------|--------------------------|
| datasource      | 54d17077e2509e175240f5e3 |
| delete on       | 1455043230931            |
| document status | Current                  |
| source of data  | 49.144.112.220           |
| time to live    | 31536000000              |

4. To delete the original object, click the **Delete** button. The system asks you to confirm permanent deletion of the object. If you want to delete the derived data items in addition to the original object, check the checkbox. Click **Delete**.