AI 辅助学习与项目实践

从学习基础、分段实践到运行结果与仓库推送

写在前面

我的学习方式

1. 让 AI 拆解任务所需知识。
2. 让 AI 将所需知识的学习分段，包括实践与问答。
3. 根据 AI 的计划，新建对话讲解当前分段。
4. 看不懂的地方直接问，直到觉得基本明白。
5. 根据上文 AI 写程序完成实践；中途卡住再询问原因，直到完成实践。
6. 回答分段检验问题，让 AI 判断掌握程度。

具体 AI 问答参照 AI-part.md。

本次进展

本次分段 4 基本上完成“并发汇总脚本”的要求。

以上依据原文整理；后续各页为截图与补充图注。

我的基础




图 1　原文引用的 Python 学习路线与进度。

材料顺序


学习基础与方法 → 日志记录 → JSON 汇总

→ Git 暂存检查 → 关联远程仓库并推送

Git 截图中的本机用户名与设备名已抹去。

01 运行日志：请求与响应

图 2 app.log 记录了多轮接口请求过程。




说明：截图中每轮包含 3 个接口请求，均返回 HTTP 200，随后记录“请求成功”。

各接口日志顺序有所不同；此图用于展示请求记录，单凭截图不能验证全部异常处理与配置逻辑。

02 结果汇总：JSON 输出

图 3 results.json 展示汇总统计与各接口返回数据。




说明：汇总字段显示 total = 3、success = 3、failed = 0；每项包含 url、status 与 data。

截图仅展示文件可见区域，后续记录未在该画面中完整展开。

03 版本管理：暂存与状态检查

图 4 执行 git add . 后，通过 git status 查看暂存区。



说明：此时位于 master 分支，尚无提交；“Changes to be committed”表示文件已进入暂存区。

此截图位于首次提交之前。后续推送成功说明已有提交，但所附截图未展示 git commit 命令。

04 远程仓库：关联与首次推送

图 5 将分支重命名为 main，配置 origin 并推送到 GitHub。

```
                    MINGW64 /d/work/school-ai-learning (master)
$ git branch -M main

                    MINGW64 /d/work/school-ai-learning (main)
$ git remote add origin https://github.com/lbw557/school-ai-learning.git

                    MINGW64 /d/work/school-ai-learning (main)
$ git remote -v
origin  https://github.com/lbw557/school-ai-learning.git (fetch)
origin  https://github.com/lbw557/school-ai-learning.git (push)

                    MINGW64 /d/work/school-ai-learning (main)
$ git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 42, done.
Counting objects: 100% (42/42), done.
Delta compression using up to 16 threads
Compressing objects: 100% (30/30), done.
Writing objects: 100% (42/42), 2.68 MiB | 4.85 MiB/s, done.
Total 42 (delta 9), reused 42 (delta 9), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (9/9), done.
To https://github.com/lbw557/school-ai-learning.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

                    MINGW64 /d/work/school-ai-learning (main)
$
```

说明：git remote -v 确认远程地址；git push -u origin main 成功创建远程 main 分支。

输出显示本地 main 已跟踪 origin/main。两张 Git 截图的用户名与设备名均已进行不可逆像素遮除。