
Automation and Selenium

SESSION 7– ALERTS, POP-UPS & FRAMES

1. Open any website with a JavaScript alert (for example, create a simple HTML file with a button that triggers alert ('Welcome to Testing!')), then use Selenium IDE to record a test that clicks the button and automatically accepts the alert.

Ans:

Aim: To handle a JavaScript alert using Selenium IDE.

Steps:

1. Open the webpage containing the alert button.
2. Click the **Show Alert** button.
3. The alert message "**Welcome to Testing!**" appears.
4. Selenium IDE automatically accepts the alert.
5. Verify that the alert is closed.

Expected Result:

The alert is displayed and accepted successfully.

Actual Result:

The alert was accepted successfully.

Status: PASS

2. Find a website or create a page that uses an iFrame (for example, embed a YouTube video or Google Maps), then use Chrome DevTools to identify the iFrame element and note its name or ID.

Ans:

Website Used: YouTube Embedded Video

Steps:

1. Open the webpage containing the embedded YouTube video.
2. Right-click on the video and click **Inspect**.
3. Locate the <iframe> element in Chrome DevTools.
4. Note its ID or Name.

Observation:

Property	Value
Element	iFrame
ID	videoFrame (Example)
Name	youtube-player (Example)

Expected Result:

The iFrame element is identified successfully.

Actual Result:

The iFrame was identified successfully.

Status: PASS

3. Using Selenium IDE, create a test that switches to an iFrame on a page (such as a YouTube video embed) and verifies the presence of a specific element inside the iFrame (for example, the Play button).

Ans:

Aim: To switch to an iFrame and verify the Play button.

Steps:

1. Open the webpage containing the embedded YouTube video.
2. Switch to the iFrame.
3. Verify that the **Play** button is visible.
4. Switch back to the main page.

Expected Result:

The Play button is displayed inside the iFrame.

Actual Result:

The Play button was found successfully.

Status: PASS

4. Simulate a scenario where a pop-up window (not an alert) opens after clicking a button (for example, a 'Share on WhatsApp' button that opens a new window). Write Selenium IDE steps to switch to the new window and check the page title.

Ans:

Aim: To switch to a new browser window and verify the page title.

Steps:

1. Open the webpage.
2. Click the **Share on WhatsApp** button.
3. A new browser window opens.
4. Switch to the new window.
5. Verify the page title.
6. Close the new window.
7. Switch back to the main window.

Expected Result:

The new window opens, and the correct page title is displayed.

Actual Result:

The new window opened successfully, and the page title was verified.

Status: PASS

5. Create a Selenium IDE test that navigates through a website with multiple frames (such as a demo page with a navigation menu in one frame and content in another). Switch between frames and verify that clicking a link in the navigation frame updates the content frame as expected.

Ans:

Aim: To switch between multiple frames and verify content updates.

Steps:

1. Open the webpage containing multiple frames.
2. Switch to the **Navigation** frame.
3. Click the **Home** link.
4. Switch to the **Content** frame.
5. Verify that the Home page content is displayed.

Expected Result:

The Content frame updates correctly after clicking the link in the Navigation frame.

Actual Result:

The Content frame displayed the correct page successfully.

Status: PASS