
Automation and Selenium

SESSION 8– WAITS & SYNCHRONIZATION (FUNCTIONAL PERSPECTIVE)

1. Open Selenium IDE and record a test that searches for "Bluetooth Headphones" on Flipkart, then waits for the product results to appear before clicking on the first product.

Ans:

Aim: To search for **Bluetooth Headphones** on Flipkart and wait for the search results before opening the first product.

Steps:

1. Open Flipkart in Selenium IDE.
2. Enter **Bluetooth Headphones** in the search box.
3. Click the **Search** button.
4. Add a **Wait for Element Visible** command for the product list.
5. Click the **first product** from the search results.

Expected Result:

The search results appear, and the first product opens successfully.

Actual Result:

The first product opened after the results were displayed.

Status: PASS

2. Add an explicit wait in your Selenium IDE test to ensure the "Add to Cart" button is visible before clicking it on a product page.

Ans:

Aim: To use an explicit wait before clicking the **Add to Cart** button.

Steps:

1. Open a product page on Myntra.
2. Wait until the **Add to Cart** button becomes visible.
3. Click the **Add to Cart** button.
4. Verify that the product is added to the cart.

Expected Result:

The **Add to Cart** button becomes visible before clicking, and the product is added successfully.

Actual Result:

The product was added to the cart successfully.

Status: PASS

3 Simulate an AJAX wait scenario by recording a test in Selenium IDE that enters a location in the Zomato search bar and waits for the dropdown suggestions to appear before selecting one.

Ans:

Aim: To wait for AJAX suggestions before selecting a location.

Steps:

1. Open Zomato.
2. Click the location search box.
3. Enter **Surat**.
4. Wait until the location suggestions appear.
5. Select the **second suggestion**.
6. Verify that the selected location appears in the search box.

Expected Result:

The suggestions load successfully, and the selected location is displayed.

Actual Result:

The location was selected successfully after the suggestions appeared.

Status: PASS

4. You have a Selenium IDE test that sometimes fails because the Instagram login button appears after a delay. Identify where to add a wait command and fix the test so it passes reliably.

Ans:

Aim: To make the Instagram login test more reliable.

Where to Add the Wait Command:

Add the **Wait for Element Visible** command **before clicking the Login button**.

Steps:

1. Open Instagram.
2. Enter the username.
3. Enter the password.
4. Wait until the **Login** button becomes visible.
5. Click the **Login** button.

Expected Result:

The Login button becomes visible before clicking, and the login process starts successfully.

Actual Result:

The test runs successfully without failure.

Status: PASS

5. Explain in your own words the difference between implicit and explicit waits in Selenium, and give a real-world example for each from any app you use daily.

Ans:

Implicit Wait	Explicit Wait
Implicit wait applies to the entire test script.	Explicit wait is used for a specific element.
Selenium waits for a fixed amount of time for all elements.	Selenium waits only until the required element is visible or clickable.
It is set once and used throughout the test.	It is applied only where needed.

Real-World Examples

Implicit Wait:

When opening **Amazon**, Selenium waits for the homepage elements to load before performing any action.

Explicit Wait:

When searching for a restaurant on **Zomato**, Selenium waits for the location suggestions to appear before selecting one.

Conclusion:

Implicit wait is a general wait for all elements, whereas explicit wait is used only for a particular element when needed.

