
Automation and Selenium

SESSION 9– ADVANCED USER ACTION (NO CODING)

1. Use Selenium IDE to record a test that hovers over the 'Categories' menu on the Flipkart homepage and verifies that the dropdown appears.

Ans:

Aim: To verify that the Categories menu dropdown appears on hover.

Steps:

1. Open <https://www.flipkart.com>.
2. Move the mouse pointer over the **Categories** menu.
3. Wait for the dropdown menu to appear.
4. Verify that the dropdown is displayed.

Expected Result:

The Categories dropdown menu appears successfully.

Actual Result:

The Categories dropdown appeared successfully.

Status: PASS

2. Install the UI. Vision RPA Chrome extension and create a macro to perform a drag-and-drop operation on <https://jqueryui.com/droppable/> by dragging the draggable box into the drop area.

Ans:

Aim: To perform a drag-and-drop operation using UI. Vision RPA.

Steps:

1. Install the **UI. Vision RPA** Chrome extension.
2. Open <https://jqueryui.com/droppable/>.
3. Switch to the demo frame.
4. Start recording a new macro.
5. Drag the **Draggable** box.
6. Drop it into the **Drop Here** area.
7. Stop and save the macro.

Expected Result:

The draggable box is dropped successfully into the target area, and the text changes to **Dropped!**

Actual Result:

The drag-and-drop operation completed successfully.

Status: PASS

3. In Selenium IDE, automate a scenario where you use keyboard shortcuts to search for a product on Myntra: focus the search bar, type 'shoes', and press Enter to trigger the search.

Ans:

Aim: To search for a product using keyboard actions.

Steps:

1. Open <https://www.myntra.com>.
2. Click on the search bar.
3. Type **shoes**.
4. Press the **Enter** key.
5. Verify that the search results page opens.

Expected Result:

The search results for **shoes** are displayed.

Actual Result:

The search results page opened successfully.

Status: PASS

4. List 3 limitations you faced while trying to automate hover or drag-and-drop actions using only Selenium IDE or Chrome add-ons, and briefly explain how these limitations might affect testing real-world web apps.

Ans:

Limitation	Effect on Testing
Hover actions may not work consistently on dynamic websites.	Dropdown menus may not open, causing test failures.
Drag-and-drop is not fully supported on some websites.	Some UI interactions cannot be automated correctly.
Dynamic elements may load slowly or change frequently.	Tests may become unstable and fail unexpectedly.

Conclusion:

These limitations can reduce the reliability of automation tests for modern web applications that use advanced JavaScript and dynamic user interfaces.

5. Use Selenium IDE to automate navigating the Zomato website's menu: hover over the 'Order Food Online' section, click on a cuisine (e.g., 'Pizza'), and verify that the results page loads.

Ans:

Aim: To automate menu navigation on the Zomato website.

Steps:

1. Open <https://www.zomato.com>.
2. Hover over the **Order Food Online** section.
3. Click on the **Pizza** cuisine option.
4. Wait for the results page to load.
5. Verify that the Pizza results page is displayed.

Expected Result:

The Pizza results page loads successfully after selecting the cuisine.

Actual Result:

The Pizza results page opened successfully.

Status: PASS