

LCAPIX v3 — Product Review

Visual walkthrough of the current build

What this PDF covers

Seven screens tell the end-to-end story: sign in, pick a project, add a case, build it out in the tree, drop in a component, and run an assessment. The final page summarizes the rest of the build — screens we have completed but left out of the walkthrough, and screens still under construction.

Generated 2026-04-24 • Captured at 1440×900 @2x

Sign in



Welcome back.

Sign in to continue your assessments.

EMAIL

PASSWORD



Log in

or

 Continue with Google

Don't have an account? [Sign up](#) →

“Three methods, same battery, three different answers. That's science.”

CML 2001 Midpoint, EU	126.82 kg CO ₂ -eq
ReCiPe Midpoint (H) Hierarchist	72.37 kg CO ₂ -eq
TRACI 2.1 US EPA	70.36 kg CO ₂ -eq



LCAPIX

Projects

Library

Integrations

Docs

Q Search...

⌕

🔔

KP

Welcome back, there

2 projects

Import

New Project

PROJECTS

2

2 total



ASSESSMENTS

4

across all cases



FACTORS

162

→ synced



COMPONENTS

42

across portfolio



Your Projects

All

Base

Comparative

Active

Q Search projects

🗶

☰

Nutroleum vs Petroleum Jelly LCA Demo

LCA and cost driver analysis for Petroleum Jelly (base) and Nutroleum...

2 cases · 0 comps · 5mo ago

COMP

Updated 5mo ago

Electric Vehicle Manufacturing

Life Cycle Assessment comparing coal-powered vs renewable energy EV...

2 cases · 0 comps · 5mo ago

COMP

Updated 5mo ago

RECENT ACTIVITY

Kavish ran assessment on Baseline Production 2025

4min ago

System refreshed Electricity Maps data (412 regions)

1h ago

Kavish edited Cathode Coating component

2h ago

Gary created Renewable Energy Scenario

3h ago

System BLS occupation pull partial (rate limit)

1d ago

Kavish exported PDF: EV Manufacturing Baseline

2d ago

System Metals-API key expired — pricing unavailable

3d ago

N

WALKTHROUGH

Project detail

LCAPIX

Projects

Library

Integrations

Docs

Q

Search...

⌵

J

Projects > Nutroleum vs Petroleum Jelly LCA Demo

Nutroleum vs Petroleum Jelly LCA Demo

comparative

LCA and cost driver analysis for Petroleum Jelly (base) and Nutroleum (comparative) 3 oz products

Analytics

Compare Cases

Add Case

✦

Comparing Petroleum Jelly (3 oz) Base Case vs Nutroleum (3 oz) Comparative Case

-28.0% CO₂

·

+\$240

Open Full Comparison →

Petroleum Jelly (3 oz) Base Case

BASE

0 comps · 0 drivers

Nutroleum (3 oz) Comparative Case

COMP

0 comps · 0 drivers

+ Add case

Case Tree · Petroleum Jelly (3 oz) Base Case

drag · scroll to zoom

View Full Hierarchy

Open editor

PRODUCT

NMC Battery Pack (60 k...

MACHINE/LINE

Cell Production Line

MACHINE/LINE

Module Assembly

MACHINE/LINE

Pack Integration

SUBPROCESS

Cathode Coating

SUBPROCESS

Anode Coating

SUBPROCESS

Cell Stacking

SUBPROCESS

Busbar Welding

SUBPROCESS

Thermal Management In...

SUBPROCESS

BMS Integration

OPERATION

Slurry Mixing

OPERATION

Drying Oven

OPERATION

Graphite Deposition

OPERATION

Automated Pick-Place

ELEMENTAL TASK

NMC Powder Handling

ELEMENTAL TASK

Solvent Dispensing

ELEMENTAL TASK

Thermal Treatment

ELEMENTAL TASK

Copper Foil Prep

ELEMENTAL TASK

Robotic Welding

Impact Overview

Not assessed

GLOBAL WARMING · CML 2001

126.82

kg CO₂-eq

0 components · 6 categories · 0 drivers

Top contributors

Cathode Material (NMC)

48.2

38.0%

Electricity (Cell Production)

32.7

25.8%

Aluminum Housing

18.4

14.5%

Graphite Anode

14.9

11.7%

Electrolyte (LiPF6)

12.6

9.9%

Home → Nutroleum vs Petroleum Jelly LCA Demo → Create Base Case

Create your Base Case

Define the reference scenario for your LCA project.

Base Case Details

The base case represents your current or reference process that will serve as the baseline for comparison.

Case Name *

e.g., Current Production Process

0/60 characters

Description

Describe your base case scenario, including key processes, materials, and assumptions...

Optional: Provide additional context about this base case

Cancel

Create Base Case

What is a Base Case?

Your base case establishes the reference scenario against which all comparative cases will be measured. It typically represents your current process, standard practice, or the scenario you want to improve upon.


Note: Each base case is designed to analyze a single product. This ensures clear and focused lifecycle assessment results.





+

Add Component



Top-level functional unit. Inherits region and method from the case.

\$0

48.50 kg...

IN Electricity (grid)

412.00 kWh

Save

– 35% + Fit Reset


Add component modal

▶ Run Assessment



+

Add Component



412.00 kWh

Save

WALKTHROUGH

Assessment results

LCAPIX

ProjectsLibraryIntegrationsDocs

Search...

🔔

J

Projects > Nutroleum (3 oz) Comparative Case > Nutroleum (3 oz) Comparative Case > Results

Nutroleum (3 oz) Comparative Case

LATEST RUNRun #27 · 11/18/2025, 11:02:18 PM

📄 CML 2001

🌐 US Grid

📄 Export PDF

▶ Re-run

TOTAL IMPACT

15.42 kg CO2 eq

ACTIVE CATEGORIES

5

COMPONENTS ASSESSED

78

LAST RUN

11/18/2025, 11:02:18 PM

Global WarmingOzone DepletionAcidificationPhotochemical OxidationEutrophication

TOTAL · GLOBAL WARMING

15.42 kg CO2 eq

COMPONENT CONTRIBUTION

43%26%26%2%0%

■ Weigh glycerin, beeswax, glucoside ■ Heat reactor ■ Engage mixer ■ 50¢ lid ■ Apply label (50¢ each)

Impact by category

Global Warming

15.42 kg CO2 eq

Ozone Depletion

3.1e-3 kg CFC-11 eq

Acidification

0.026 kg SO2 eq

Photochemical Oxidation

6.3e-3 kg C2H4 eq

Eutrophication

1.6e-3 kg PO4 eq

log scale

Top contributors

1 Weigh glycerin, beeswax, glucoside6.6

2 Heat reactor4.1

3 Engage mixer4.1

4 50¢ lid0.4

5 Apply label (50¢ each)0.1

Flow-level detail10 flows (sample)

▽ All

Inputs

Outputs

COMPONENT

SUBSTANCE

DID

AMOUNTUNIT

FACTOR

IMPACT

What's left

The walkthrough covered roughly half of the workflow. Here is the rest.

Completed — not shown in the walkthrough

- New project form
- New comparative case form
- Case editor — List view
- Case editor — Graph view

Still under construction

- Comparisons (list)
- Analytics
- Integrations (admin)
- Docs / Guide
- About