



## INCIDENT REPORT

Issued on: 2026-05-14 21:39 (-04:00)

### Footwear Impression Comparison Report – Rear Hallway Impressions

CONFIDENTIAL • LAW ENFORCEMENT SENSITIVE

#### RESPONDING UNIT

Unit: \_\_\_\_\_

Badge: \_\_\_\_\_

#### REPORT DETAILS

Report No.: \_\_\_\_\_

Date: 05-14-2026 21:39

#### CASE REFERENCE

Case: \_\_\_\_\_

Classification: **CONFIDENTIAL**

#### CASE SYNOPSIS

On \*\*2026-05-10\*\*, scene documentation photographs of the rear hallway floor impressions (input asset \*\*asset.rear\_hallway\_footprints\*\*) were generated during the initial scene-processing window documented at approximately \*\*03:30 local\*\*. The digital image file(s) were later submitted into the c...

#### CLASSIFICATION DETAILS

|                |                                                                                                                                              |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Case Type      | Cold Case Investigation                                                                                                                      |
| Priority Level | <input type="checkbox"/> Low <input type="checkbox"/> Medium <input checked="" type="checkbox"/> High <input type="checkbox"/> Critical      |
| Status         | <b>ACTIVE INVESTIGATION</b> <input checked="" type="checkbox"/> Active <input type="checkbox"/> Under Review <input type="checkbox"/> Closed |
| Lead Unit      | Major Crimes Division                                                                                                                        |

#### INCIDENT DETAILS

|                 |                                |
|-----------------|--------------------------------|
| Incident Date   | mai 14, 2026                   |
| Incident Time   | 09:39 p.m. -04:00              |
| Location        | [Location from case data]      |
| Reporting Party | [Officer Name] - Badge #[####] |

#### SUBJECT INFORMATION

|                    |                |
|--------------------|----------------|
| Name               | [REDACTED]     |
| Age                | [##]           |
| Sex/Race           | [M/F] / [Race] |
| Last Known Address | [REDACTED]     |

#### INITIAL RESPONSE

First Responder: Officer [NAME], Badge #[####]

Arrived: 09:39 p.m. -04:00

Scene Secured: 09:54 p.m. -04:00



## INCIDENT REPORT

Issued on: 2026-05-14 21:39 (-04:00)

# Footwear Impression Comparison Report – Rear Hallway Impressions

CONFIDENTIAL • LAW ENFORCEMENT SENSITIVE

## Case Information

- **Case ID:** case\_rookie\_demo3
- **Case Title:** The Diner Break-In
- **Location:** Eugene, Oregon
- **Incident Date/Time:** 2026-05-10 03:18 (local)
- **Case Opened:** 2026-05-10 09:05 (local)
- **Submitting Item:** Photographic documentation of rear hallway impressions
- **Laboratory Discipline:** Footwear Impression Comparison

## Chain of Custody

On 2026-05-10, scene documentation photographs of the rear hallway floor impressions (input asset `asset.rear_hallway_footprints`) were generated during the initial scene-processing window documented at approximately 03:30 local. The digital image file(s) were later submitted into the case file upon case opening at 09:05 local.

The laboratory received the submitted photographic asset as an electronic exhibit associated with case\_rookie\_demo3 after case opening on 2026-05-10. All examinations described below were conducted on the submitted image content; no physical lifting, casting, or chemical enhancement of the floor impressions was available for this analysis.

Access, handling, and examination were performed within a controlled digital workflow. The submitted images were preserved as read-only working copies for analysis, with the original exhibit retained unaltered within the case record.

## Methodology

The footwear impression comparison followed standard photographic impression-assessment steps: (1) evaluate impression clarity and distortion, (2) identify outsole design elements and size-indicative features where present, and (3) compare observable class characteristics to known/reference footwear.

Image review included close inspection at multiple zoom levels to determine whether the impressions contained sufficient class characteristics (overall outsole pattern elements) and any potentially individual characteristics (random cuts, nicks, or unique wear) that could support a stronger association.

Comparisons were limited to what could be reliably observed in the submitted photograph(s). No scale reference or three-dimensional capture was provided in the image set, so size estimation was based on relative proportions and the visible impression geometry rather than an instrument-measured length.

A comparative assessment was conducted against the known footwear attributed to Juniper Ross (assistant manager). The comparison focused on outsole pattern class characteristics (tread blocks, channel layout, repeating motifs), approximate size range consistency, and directionality consistent with the documented travel path in the rear hallway.

## Findings

The rear hallway photograph depicts multiple faint, partial outsole impressions in a debris-dusted area leading away from the back door area toward the interior. The impressions are incomplete, with variable contrast and some motion smear; however, several tread features are sufficiently visible for class-characteristic comparison.

The most legible impression segments exhibit a repeating outsole motif and channel arrangement consistent with a common work-shoe style. Observable features include the relative spacing of tread elements and the alignment of larger tread blocks toward the forefoot region in the clearest partial impression.



## INCIDENT REPORT

Issued on: 2026-05-14 21:39 (-04:00)

### Footwear Impression Comparison Report – Rear Hallway Impressions

CONFIDENTIAL • LAW ENFORCEMENT SENSITIVE

When compared to the reference footwear attributed to Juniper Ross, the submitted impressions show consistency in class characteristics (overall tread design elements and their arrangement) and general size consistency within the limits of photographic evaluation. No reliable, reproducible individual characteristics (e.g., uniquely shaped cuts, isolated missing lugs, or distinctive wear scars) could be confirmed from the photograph(s).

Based on the above, the laboratory concludes that the rear hallway impressions are consistent with having been made by footwear of the same outsole design and approximate size as Juniper Ross's work shoes. This level of association supports presence of footwear consistent with Ross's shoes along the rear hallway path during the incident window but does not, by itself, uniquely identify a specific shoe to the exclusion of all others of the same make/model/size.

#### Conclusion

The photographed rear hallway floor impressions (asset.rear\_hallway\_footprints) contain sufficient class characteristics to support a comparative opinion. The impressions are consistent in outsole pattern and approximate size with the work shoes associated with Juniper Ross, supporting that footwear consistent with Ross's shoes traversed the rear hallway travel path around the reported break-in timeframe (2026-05-10 03:18 local).

No definitive individualizing features were observed in the submitted photograph(s); therefore, the result should be interpreted as a supportive association based on class characteristics and size consistency rather than an exclusive identification.

#### REPORTING OFFICER CERTIFICATION

|                                    |                                |                    |
|------------------------------------|--------------------------------|--------------------|
| _____                              | Badge #: _____<br>Badge Number | 05-14-2026<br>Date |
| Officer Signature                  |                                |                    |
| _____                              | Badge #: _____<br>Badge Number | _____<br>Date      |
| Supervisor Signature (if required) |                                |                    |