



Toolmark Comparison Report: Rear Door Pry Damage

CONFIDENTIAL • LAW ENFORCEMENT SENSITIVE

RESPONDING UNIT Unit: _____ Badge: _____	REPORT DETAILS Report No.: _____ Date: 05-14-2026 20:32	CASE REFERENCE Case: _____ Classification: CONFIDENTIAL
--	---	---

CASE SYNOPSIS

****Case:**** case_rookie_demo — *The Diner Break-In* (Eugene, OR)

CLASSIFICATION DETAILS

Case Type	Cold Case Investigation
Priority Level	☐ Low ☐ Medium ☒ High ☐ Critical
Status	ACTIVE INVESTIGATION ☒ Active ☐ Under Review ☐ Closed
Lead Unit	Major Crimes Division

INCIDENT DETAILS

Incident Date	mai 14, 2026
Incident Time	08:32 p.m. -04:00
Location	[Location from case data]
Reporting Party	[Officer Name] - Badge #[#####]

SUBJECT INFORMATION

Name	[REDACTED]
Age	[##]
Sex/Race	[M/F] / [Race]
Last Known Address	[REDACTED]

INITIAL RESPONSE

First Responder: Officer [NAME], Badge #[#####]
Arrived: 08:32 p.m. -04:00
Scene Secured: 08:47 p.m. -04:00

Toolmark Comparison Report: Rear Door Pry Damage (Exterior)



INCIDENT REPORT

Issued on: 2026-05-14 20:32 (-04:00)

Toolmark Comparison Report: Rear Door Pry Damage

CONFIDENTIAL • LAW ENFORCEMENT SENSITIVE

Administrative Information

Case: case_rookie_demo — *The Diner Break-In* (Eugene, OR)

Incident date/time: 2026-05-11 03:18 (PT)

Case opened: 2026-05-11 08:42 (PT)

Item examined: Photograph — *Back Door Damage (Exterior)* (asset.back_door_damage_photo)

Chain of Custody

The item submitted for examination was a digital photograph depicting the exterior face of the diner's rear service door, showing fresh pry damage, splintering near the latch/strike area, and apparent paint transfer on the strike plate. The photo was documented at the scene at approximately 2026-05-11 03:25 (PT) per the investigative timeline and included in the initial evidence package when the case was opened at 2026-05-11 08:42 (PT).

The laboratory received the digital file as provided in the case package. No indications of file corruption were observed during intake. This examination is limited to features visible in the submitted image and does not substitute for direct examination of the physical door/strike plate or a seized tool.

Methodology

The examination was conducted as a comparative toolmark assessment using digital microscopy principles applied to high-resolution imagery. The analyst assessed (1) class characteristics consistent with prying (edge width, fulcrum geometry, and deformation patterns) and (2) individual characteristics (striated microscopic lines, nicks, and recurring micro-features) to the extent they were resolved in the photograph.

The photograph was reviewed at multiple magnifications using calibrated on-screen measurement tools. Regions of interest included: the metal strike plate face adjacent to the latch, the leading edge of the pry impression, and areas of visible paint transfer. Contrast/levels adjustments were applied for visualization only; no content was added or removed.

Known reference information provided with the case file indicated a pry tool associated with Raymond Holtman (day manager) (e.g., access/ownership/availability as developed by investigators). Comparative assessment focused on whether the questioned marks exhibited recurring features consistent with that tool's documented working edge characteristics.

Interpretation followed commonly used forensic toolmark comparison logic: conclusions were based on the presence of sufficiently corresponding features in relative position and sequence, evaluated against the possibility of coincidental agreement, limited by image resolution and perspective.

Findings

- 1) Class characteristics:** The damage pattern at the latch area is consistent with insertion and leverage from a flat-edged prying implement. The width of the primary impression, the directionality of metal displacement on the strike plate, and the adjacent wood fiber tear-out are consistent with a single-force pry action followed by continued levering.
- 2) Striation pattern correspondences:** Within the clearest portion of the strike-plate abrasion, the image resolves a set of parallel striations exhibiting a repeatable spacing and orientation. The striations show a distinctive "banded" appearance (alternating deeper and lighter lines) across the area of contact, consistent with a working edge bearing small, stable surface irregularities.
- 3) Paint-transfer characteristics:** The photograph shows localized paint transfer on the strike plate consistent with contact between the plate and a painted/contaminated tool surface. The transfer is concentrated along the same



INCIDENT REPORT

Issued on: 2026-05-14 20:32 (-04:00)

Toolmark Comparison Report: Rear Door Pry Damage

CONFIDENTIAL • LAW ENFORCEMENT SENSITIVE

contact path as the striations, supporting a single contact event rather than incidental rubbing.

4) Association to Holtman-linked pry tool: The questioned striation set and paint-transfer path are consistent with reference characteristics documented for a pry tool linked to Raymond Holtman. The arrangement and repeated micro-features visible in the image provide more support for a common source than for a random, unrelated prying edge of similar class.

5) Limitations: Because the submitted item is a photograph rather than the physical substrate, the examination is constrained by resolution, lighting angle, and perspective distortion. Definitive individualization to a single tool is best supported through direct comparison of test marks produced by a seized tool against the physical strike plate/door hardware under controlled conditions.

Conclusion

The toolmark features visible in *Back Door Damage (Exterior)* exhibit striation and paint-transfer characteristics consistent with a pry tool associated with Raymond Holtman. Within the limits of photographic examination, the observed correspondences support that the same tool type—and likely the same specific pry tool—was used to force the rear door during the 2026-05-11 03:18 (PT) incident window.

Reporting analyst: Laboratory Forensic Services (Toolmark Unit)

Report date: 2026-05-11

REPORTING OFFICER CERTIFICATION

_____	Badge #: _____ Badge Number	05-14-2026 Date
Officer Signature		
_____	Badge #: _____ Badge Number	_____ Date
Supervisor Signature (if required)		