

# Exercise Session 6

## IESM Fall 2022-2023

Andrea Levy, Beatriz Mourão, Simon Dürr, Sophia Johnson

December 02, 2022

# Exercise 6 - DFT vs (Post) HF Methods

 Learning goals	 Chapter in script	 Resources
<p>Compare accuracy and efficiency of electron density based methods to wavefunction based methods</p> <p>Compare exchange-correlation functionals used in DFT calculations</p> <p>Learn how frontier orbital visualization supports the analysis of electronic structure calculations</p>	<p>Chapter 8 - Density Functional Theory</p>	<p>Introduction to Density Functional Theory (DFT) by David Sherrill <a href="#">video</a></p> <p>Review of DFT Methods by Axel D. Becke <a href="#">article</a></p>

## Exercise 6 - DFT vs (Post) HF Methods: Theory

- (Post) HF methods are wavefunction-based (we need to find the wavefunction)
- DFT shifts the focus: we need to find the ground-state charge density
- Why? For  $N$  electrons, wavefunction is a complex function of  $3N$  variables, but the ground-state charge density is a function of 3 variables
- The universal functional of DFT is not known, but proven to exist
- Everything that is unknown is contained in  $E_{XC}$

$$E(\rho) = T_0(\rho) + J(\rho) + \int v_{\text{ext}}\rho + E_{XC}$$



- Each functional will treat the XC part differently

## Comments on DFT

- Kohn-Sham formulation: fictitious molecular orbitals (non-interacting)
- If the exact XC functional is known - ground state energies, charge densities and HOMO (Koopman's theorem) are known
- Usually fast and widely available
- What can DFT do?
  - Atomic and cell geometries (fixed V,P)
  - Formation energy
  - Properties related to ground state

## Comments on DFT - downsides

- DFT also has some downsides - we will see this in practice
  - Difficulties with dispersion
  - Band gap problem - LUMO cannot be associated with KS orbitals (derivative discontinuity, deviation from piecewise linearity) [ref](#)




## Comments on orbitals

- Orbitals are spatial wavefunctions/probability amplitudes
- We work with approximations, orbitals are mathematical formulations that approximate reality
- “Dyson orbitals” show how electronic distribution varies with ionization
  - Can be measured in some ionization experiments
- Koopman’s theorem associates the Dyson orbital of an ionization process with the canonical HF orbital of the unionized state (for systems where we don’t have static correlation)
- Dyson and canonical HF orbitals can even disagree qualitatively (*the same goes for KS orbitals*)


**TAKE-HOME MESSAGE: be careful with overinterpreting orbitals!**

## Exercise 6.1 - Methylcyclohexane A-value



- You will perform calculations for axial and equatorial conformations with HF, MP2 and 8 DFT functionals
- You will perform calculations with HF and MP2 and two DFT functionals of your choice, add results to [collaborative spreadsheet](#) (linked also on Moodle)
- Points of comparison:
  - $\psi$  or  $\rho$  based?
  - how accurate (w.r.t. experimental reference)?
  - computational time
- DFT is a world on its own - depending on the functional chosen you can go from cheap, very off calculations to expensive and more reliable ones

## Exercise 6.2 - Geometric properties: $NO_3$ radical



- Calculate N-O bond lengths and O-N-O bond angles
  - Experiments:  $D_3^h$ , N-O 1.24 Å and O-N-O 120°
- Compare results (HF, MP2 vs DFT)
- You will visualize the KS orbitals - what can they tell us?
  - Changes in the electronic structure between different species
  - Changes in a chemical transformation

## Exercise 6 - Tips

### Tips!

- DFT will be further explored during lectures and the next exercises
- Here we used as reference papers that can be useful for further understanding [DFT1](#), [DFT2](#), [orbitals](#)
- Calculations for Exercise 6.1 will be done in a collaborative way to speed up the exercise, add your results to [collaborative spreadsheet](#) (linked also on Moodle)