

Exercise Session 1

IESM Fall 2023-2024

Andrej Antalik, Simon Dürr, Sophia Johnson, Andrea Levy

October 2, 2023

- Moodle page



The screenshot shows the top navigation bar of the EPFL Moodle page. On the left is a red vertical bar with a white right-pointing chevron. To its right is the EPFL logo in red, followed by a vertical line and the word 'MOODLE' in red. On the far right of the bar are the language links 'FR | EN' (with 'EN' in red), a bell icon for notifications, and a speech bubble icon for messages. Below the navigation bar is a white box containing the course title 'Introduction to electronic structure methods' in a large, bold, black font. Underneath the title is a breadcrumb trail: 'Dashboard > Courses > Chimie, Génie Chimique (CGC) > CGC - Bachelor > CH-353'.

> EPFL | MOODLE

FR | EN 🔔 💬

Introduction to electronic structure methods

Dashboard > Courses > Chimie, Génie Chimique (CGC) > CGC - Bachelor > CH-353

Exercise sessions


- Exercise website: <https://lcbc-epfl.github.io/iesm-public/>




Exercise structure

Introduction

- Learning goals
- Chapter in script
- Resources

 Learning goals

 Chapter in script

 Resources

Exercise structure

Theory section

- Relevant theory for the exercise
- Theoretical exercises

Practical exercises

- “Coding” exercises
- Interpretation of results

Exercise evaluation

- Examples:

Exercise 9

Give the commutator of the position and linear momentum operators in the position representation (consider one dimension only).

Bonus Exercise 10

Show that the potential energy operator $\hat{V}(\mathbf{r})$ is multiplicative when applied to the real-space wavefunction.

```
# Check orthogonality
phi1phi2 = 0 # Replace with vector operation
print(f'<phi1|phi2> = {phi1phi2}')
```

- Exercises contribute to 1/3 of final grade
- Submit report
 - pdf document answering the questions completely with relevant results
 - Handwritten portions ok (please verify legibility)
 - You can type responses in the noto notebook and save as a pdf
 - Due date is usually the next exercise session (check Moodle!)
 - Interviews during next exercise session
 - Test your understanding and discuss your doubts/questions
 - Detailed feedback via Moodle after the interview
 - No grade, but comments and detailed corrections

Computer environment

- We will use a virtual environment that you can directly launch from the [exercise website](#)
- Click the rocket button on the top right of the code files and choose JupyterHub to launch noto.epfl.ch



- On noto.epfl.ch your work will be saved on your EPFL storage
- Make sure to always activate (top right) the Computational Chemistry kernel



Jupyter notebooks

- .ipynb files organized in cells
 - Markdown (text)
 - Code
- Run a code cell by pressing Play button (or Ctrl+Enter)



Text cell

```
[1]: x = 1  
     y = 2
```

```
[ ]: print(x+y)
```


Jupyter notebooks

- .ipynb files organized in cells
 - Markdown (text)
 - Code
- Run a code cell by pressing :arrow_forward: (or Ctrl+Enter)



Text cell

```
[1]: x = 1  
     y = 2
```

```
[3]: print(x+y)
```

3

Saving Jupyter notebooks as PDFs



- Run a code cell by pressing :arrow_forward: (or Ctrl+Enter)



Text cell

Exercise 1 - Overview

Linear Algebra in Quantum Mechanics - [Exercise page](#)

- Linear Algebra in Quantum Mechanics
- Basic Concepts in Quantum Mechanics
- Working with vectors using Numpy

Learning goals

Review basic concept of linear algebra

Review basic notation of quantum mechanics

Chapter in script

Chapter 2 - Basic principles of Quantum Mechanics

Appendix A.1 - Vector space and scalar product

Resources

Cohen-Tannoudji, C., Diu, B., & Laloe, F. (1986). Quantum Mechanics, Volume 1.

- Chapter II B - State space, Dirac notation
- Chapter II C - Representations in the state space
- Chapter II D - Eigenvalue equations, observables
- Chapter II E - Two important examples of representations and observables
- Chapter II Complement D_{II} - A more detailed study of the $\{|r\rangle\}$ and $\{|p\rangle\}$ representations
- Chapter II Complement E_{II} - Some general properties of two observables, Q and P , whose commutator is equal to $i\hbar$

Exercise 1 - Tips

Tips!

- Start from Section 1.3 - [Working with vectos using Numpy](#) to get familiar with Noto environment and Jupyter Notebooks
- How to get the slides:
 - Download from the [exercise page](#)



- Once you open [Noto](#), in the exercise folder



- Will be uploaded on the [Moodle page](#)