

eFolio Task 5.1 - Screenshot 1

Password confirmation validation

NoMash Library

Home (Week 5)

About

Logout

User Information Form / Credentials

Username:

Password:

Confirm Password:

Passwords do not match.

Suburb:

This field uses one-way data binding.

☐ Australian Resident?

Reason For Joining:

Gender

Submit


Clear



The confirmation password is different from the password. The form displays the required error message: Passwords do not match.

eFolio Task 5.1 - Screenshot 2

Testing the HomeView component with Vue DevTools



Vue DevTools shows the HomeView component, its reactive formData state, validation functions and current field values.

src/router/index.js

Source file: src/router/index.js

```
1 import { createRouter, createWebHistory } from 'vue-router'
2 import { isAuthenticated } from '../auth'
3 import AboutView from '../views/AboutView.vue'
4 import AccessDeniedView from '../views/AccessDeniedView.vue'
5 import HomeView from '../views/HomeView.vue'
6 import LoginView from '../views/LoginView.vue'
7
8 const routes = [
9   {
10     path: '/',
11     name: 'Home',
12     component: HomeView
13   },
14   {
15     path: '/about',
16     name: 'About',
17     component: AboutView,
18     meta: { requiresAuth: true }
19   },
20   {
21     path: '/login',
22     name: 'Login',
23     component: LoginView
24   },
25   {
26     path: '/access-denied',
27     name: 'AccessDenied',
28     component: AccessDeniedView
29   }
30 ]
31
32 const router = createRouter({
33   history: createWebHistory(),
34   routes
35 })
36
37 router.beforeEach((to) => {
38   if (to.meta.requiresAuth && !isAuthenticated.value) {
39     return {
40       name: 'Login',
41       query: { redirect: to.fullPath, reason: 'denied' }
42     }
43   }
44
45   if (to.name === 'Login' && isAuthenticated.value) {
46     return { name: 'About' }
47   }
48 })
49
50 export default router
```

src/App.vue

Source file: src/App.vue

```
1 <script setup>
2 import BHeader from './components/BHeader.vue'
3 </script>
4
5 <template>
6   <div class="app-shell">
7     <BHeader />
8     <main class="py-4">
9       <RouterView />
10    </main>
11  </div>
12 </template>
```

src/views/HomeView.vue

Source file: src/views/HomeView.vue

```
1  <template>
2    <div class="container mt-5">
3      <div class="row">
4        <div class="col-md-8 offset-md-2">
5          <h1 class="text-center">User Information Form / Credentials</h1>
6          <form @submit.prevent="submitForm">
7            <div class="row">
8              <div class="col-sm-6">
9                <div class="mb-3">
10                 <label for="username" class="form-label">Username:</label>
11                 <input
12                   type="text"
13                   id="username"
14                   class="form-control"
15                   :class="{ 'is-invalid': errors.username }"
16                   v-model="formData.username"
17                   @blur="validateUsername(true)"
18                   @input="validateUsername(false)"
19                 >
20                 <div v-if="errors.username" class="invalid-feedback">
21                   {{ errors.username }}
22                 </div>
23               </div>
24             </div>
25
26             <div class="col-sm-6">
27               <div class="mb-3">
28                 <label for="password" class="form-label">Password:</label>
29                 <input
30                   type="password"
31                   id="password"
32                   class="form-control"
33                   :class="{ 'is-invalid': errors.password }"
34                   v-model="formData.password"
35                   @blur="validatePassword(true)"
36                   @input="validatePassword(false)"
37                 >
38                 <div v-if="errors.password" class="invalid-feedback">
39                   {{ errors.password }}
40                 </div>
41               </div>
42             </div>
43           </div>
44
45           <div class="row">
46             <div class="col-sm-6">
47               <div class="mb-3">
48                 <label for="confirm-password" class="form-label">Confirm Password:</label>
49                 <input
50                   type="password"
51                   id="confirm-password"
52                   class="form-control"
53                   :class="{ 'is-invalid': errors.confirmPassword }"
54                   v-model="formData.confirmPassword"
55                   @blur="validateConfirmPassword(true)"
56                 >
57                 <div v-if="errors.confirmPassword" class="invalid-feedback">
58                   {{ errors.confirmPassword }}
59                 </div>
60               </div>
61             </div>
62
63             <div class="col-sm-6">
64               <div class="mb-3">
65                 <label for="suburb" class="form-label">Suburb:</label>
66                 <input
67                   type="text"
68                   id="suburb"
69                   class="form-control"
70                   :value="formData.suburb"
71                 >
72                 <div class="form-text">This field uses one-way data binding.</div>
73               </div>
74             </div>
75           </div>
76
77           <div class="mb-3 form-check">
78             <input
79               type="checkbox"
80               id="isAustralian"
81               class="form-check-input"
82               :class="{ 'is-invalid': errors.isAustralian }"
83               v-model="formData.isAustralian"
84               @change="validateResidency(true)"
```

src/views/HomeView.vue (continued)

Source file: src/views/HomeView.vue

```
85         >
86         <label for="isAustralian" class="form-check-label">Australian Resident?</label>
87         <div v-if="errors.isAustralian" class="invalid-feedback d-block">
88             {{ errors.isAustralian }}
89         </div>
90     </div>
91
92     <div class="mb-3">
93         <label for="reason" class="form-label">Reason For Joining:</label>
94         <textarea
95             id="reason"
96             class="form-control"
97             :class="{ 'is-invalid': errors.reason }"
98             rows="3"
99             v-model="formData.reason"
100             @blur="validateReason(true)"
101             @input="validateReason(false)"
102         ></textarea>
103         <div v-if="errors.reason" class="invalid-feedback">
104             {{ errors.reason }}
105         </div>
106         <div v-if="formData.reason.toLowerCase().includes('friend')" class="text-success
mt-1">
107             Great to have a friend
108         </div>
109     </div>
110
111     <div class="mb-3">
112         <label for="gender" class="form-label">Gender</label>
113         <select
114             id="gender"
115             class="form-select"
116             :class="{ 'is-invalid': errors.gender }"
117             v-model="formData.gender"
118             @change="validateGender(true)"
119         >
120             <option disabled value="">Please select a gender</option>
121             <option value="female">Female</option>
122             <option value="male">Male</option>
123             <option value="other">Other</option>
124         </select>
125         <div v-if="errors.gender" class="invalid-feedback">
126             {{ errors.gender }}
127         </div>
128     </div>
129
130     <div class="text-center">
131         <button type="submit" class="btn btn-primary me-2">Submit</button>
132         <button type="button" class="btn btn-secondary" @click="clearForm">Clear</button>
133     </div>
134 </form>
135 </div>
136 </div>
137
138 <div class="row mt-5 v-if="submittedUsers.length">
139     <div class="col-12">
140         <h2 class="mb-3">Submitted User Information</h2>
141         <DataTable :value="submittedUsers" stripedRows tableStyle="min-width: 50rem">
142             <Column field="username" header="Username" />
143             <Column header="Password">
144                 <template #body>*****</template>
145             </Column>
146             <Column header="Australian Resident">
147                 <template #body="slotProps">
148                     {{ slotProps.data.isAustralian ? 'Yes' : 'No' }}
149                 </template>
150             </Column>
151             <Column field="gender" header="Gender" />
152             <Column field="reason" header="Reason for Joining" />
153         </DataTable>
154     </div>
155 </div>
156 </div>
157 </template>
158
159 <script setup>
160 import { ref } from 'vue'
161 import DataTable from 'primevue/datatable'
162 import Column from 'primevue/column'
163
164 const formData = ref({
165     username: '',
166     password: '',
167     confirmPassword: '',
```

src/views/HomeView.vue (continued)

Source file: src/views/HomeView.vue

```
168   isAustralian: false,
169   reason: '',
170   gender: '',
171   suburb: 'Clayton'
172 })
173
174 const submittedUsers = ref([])
175
176 const errors = ref({
177   username: null,
178   password: null,
179   confirmPassword: null,
180   isAustralian: null,
181   reason: null,
182   gender: null
183 })
184
185 const validateUsername = (showError) => {
186   const username = formData.value.username.trim()
187
188   if (username.length < 3) {
189     if (showError) errors.value.username = 'Username must be at least 3 characters.'
190     return false
191   }
192
193   errors.value.username = null
194   return true
195 }
196
197 const validatePassword = (showError) => {
198   const password = formData.value.password
199   let message = null
200
201   if (password.length < 8) {
202     message = 'Password must be at least 8 characters.'
203   } else if (!/[A-Z]/.test(password)) {
204     message = 'Password must include an uppercase letter.'
205   } else if (!/[a-z]/.test(password)) {
206     message = 'Password must include a lowercase letter.'
207   } else if (!/\d/.test(password)) {
208     message = 'Password must include a number.'
209   } else if (!/[!@#%&*(),.?":{}|<>]/.test(password)) {
210     message = 'Password must include a special character.'
211   }
212
213   if (message) {
214     if (showError) errors.value.password = message
215     return false
216   }
217
218   errors.value.password = null
219   return true
220 }
221
222 const validateConfirmPassword = (showError) => {
223   if (formData.value.password !== formData.value.confirmPassword) {
224     if (showError) errors.value.confirmPassword = 'Passwords do not match.'
225     return false
226   }
227
228   errors.value.confirmPassword = null
229   return true
230 }
231
232 const validateResidency = (showError) => {
233   if (!formData.value.isAustralian) {
234     if (showError) errors.value.isAustralian = 'Please confirm that you are an Australian
235     resident.'
236     return false
237   }
238
239   errors.value.isAustralian = null
240   return true
241 }
242
243 const validateReason = (showError) => {
244   const reason = formData.value.reason.trim()
245
246   if (reason.length < 10) {
247     if (showError) errors.value.reason = 'Please enter at least 10 characters.'
248     return false
249   }
250
251   errors.value.reason = null
```

src/views/HomeView.vue (continued)

Source file: src/views/HomeView.vue

```
251   return true
252 }
253
254 const validateGender = (showError) => {
255   if (!formData.value.gender) {
256     if (showError) errors.value.gender = 'Please select a gender.'
257     return false
258   }
259   errors.value.gender = null
260   return true
261 }
262
263
264 const submitForm = () => {
265   const usernameIsValid = validateUsername(true)
266   const passwordIsValid = validatePassword(true)
267   const confirmPasswordIsValid = validateConfirmPassword(true)
268   const residencyIsValid = validateResidency(true)
269   const reasonIsValid = validateReason(true)
270   const genderIsValid = validateGender(true)
271
272   if (
273     !usernameIsValid ||
274     !passwordIsValid ||
275     !confirmPasswordIsValid ||
276     !residencyIsValid ||
277     !reasonIsValid ||
278     !genderIsValid
279   ) {
280     return
281   }
282
283   submittedUsers.value.push({
284     username: formData.value.username,
285     password: formData.value.password,
286     isAustralian: formData.value.isAustralian,
287     reason: formData.value.reason,
288     gender: formData.value.gender
289   })
290   clearForm()
291 }
292
293 const clearForm = () => {
294   formData.value = {
295     username: '',
296     password: '',
297     confirmPassword: '',
298     isAustralian: false,
299     reason: '',
300     gender: '',
301     suburb: 'Clayton'
302   }
303
304   errors.value = {
305     username: null,
306     password: null,
307     confirmPassword: null,
308     isAustralian: null,
309     reason: null,
310     gender: null
311   }
312 }
313 </script>
```


eFolio Task 5.2 - Home Page

Application running on localhost

NoMash Library

Home (Week 5)

About

Login

User Information Form / Credentials

Username:

Password:

Confirm Password:

Suburb:

This field uses one-way data binding.

☐ Australian Resident?

Reason For Joining:

Gender

Submit


Clear



The Home route displays the Week 5 registration form with the updated navigation menu.

eFolio Task 5.2 - About Page

Protected route after successful login



The About route is available after a successful login and displays the protected members page.