

CERTIFICATE OF TEST



Page 01 of 01

Certification Date

CUSTOMER ORDER NUMBER

NOT VALID

CUSTOMER PART NUMBER

Invoice Number

304 PIPE	1361 PETROLEUM PARKWAY	BI38228
SOLD TO:	SHIP TO:	
	BROUSSARD LA 70518	

01	SMPS
----	------

DOWNHOLE & DESIGN INTL CORP
1443 PROSPECT BOULEVARD
HOUMA LA 70364

DOWNHOLE & DESIGN INTL CORP
1443 PROSPECT BOULEVARD
HOUMA LA 70364

Description: 304/304L IMPORT CF ANNEALED & PICKLED

2" SCH 80, SMLS PIPE X 20'

Line Total 4,800.0000 IN

HEAT: SY2412A094

ITEM: SMPS CST 2.04IN 4800.00IN

Specifications:


*** TEST REPORT TEMPORARILY UNAVAILABLE FOR THIS MATERIAL

*** MESSAGE - CONTACT YOUR SALES R

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination.

We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description.
The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes.

Material did not come in contact with mercury while in our possession.



EARLE M. JORGENSEN CO
6201 LUMBERDALE

HOUSTON

TX 77092

713 672-1621

SOLD TO:

DOWNHOLE & DESIGN INTL CORP

1443 PROSPECT BOULEVARD

HOUMA LA

70364

985 223-4998

DRIVER NOTES:

** HEAT NUMBER: SY2412A094

** 20 @ 20'0"

SHIP TO:
DOWNHOLE & DESIGN INTL CO
1443 PROSPECT BOULEVARD
HOUMA LA
70364

COD AMOUNT (\$):

PREPAID

CUSTOMER PO: 304 PIPE
ORDERED DATE: 16-MAR-26
SHIPPING DATE: 25-MAR-26
SHIPPED VIA: 0T
FREIGHT TERMS: DESTINATION
INSIDE SALES: MORGAN BABINEAUX
EMJ SALES ORDER: B138228 553
BUYER: GLENN PLAISANCE

INTERNAL USE
Truck: 03-25RALPH
TR: B
CT:

ITEM

DESCRIPTION

CUSTOMER PART #

QUANTITY

SMPs

304/304L IMPORT CF ANNEALED & PICKLED

SMPs

2" SCH 80, SMLS PIPE X 20'

WGT/FT: 1.0000

COLOR:

JOB:

CLS: 050

ECCN:

TARIFF CD:

CUST PART# BARCODE:

HEAT:

SY2412A094



Po 2108

MESSAGES:

** HEAT NUMBER: SY2412A094

** 20 @ 20'0"

PACKING SLIP



FROM: EARLE M. JORGENSEN COMPANY
6201 LUMBERDALE

S.I.D. ORDER NO. B138228
ORDERED BY: GLENN PLAISA
PHONE: 985 223-4998
CUST. ORD. NO.: 304 PIPE

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

2. Once the problem is identified, the next step is to define the objectives and goals of the project. This helps to clarify what needs to be achieved and provides a clear direction for the team.

3. The third step is to develop a plan or strategy to address the problem. This involves breaking down the problem into smaller, manageable tasks and determining the resources needed to complete each task.

4. The fourth step is to implement the plan. This involves putting the strategy into action and monitoring progress regularly to ensure that the project is on track.

5. The final step is to evaluate the results of the project. This involves comparing the actual outcomes against the objectives and goals to determine the effectiveness of the project.

HOUSTON
DOWNHOLE & DESIGN INTL CORP

CUST. ORD. NO.: 304 PIP

PAGE 1 OF 1

TO
SOLD

1443 PROSPECT BOULEVARD
HOUMA

1443 PROSPECT BOULEVARD
HOUMA

LA 70364

LA 70364

XFER #

[illegible]



TSINGSHAN STEEL PIPE CO.,LTD.

Xiaozhi Industrial Zone, Wenzhou Town, Qingtian County, Lishui, Zhejiang 323903, P. R. China

MILL INSPECTION CERTIFICATE to EN 10204/3.1 PED 2014/68/EU
PED Certificate no.: 01 202 CHN/Q-16 0600 ISO 9001 Certificate no: 01 100 1733602

Customer : Contract No. : Q25LXX0116-02REV01
Specification : ASTM / ASME A/ SA312/ 376Cold Drawn
Steel Grade : TP304/304L
Delivery Condition : Solution Annealed
PO : 219/005077(TX-5090-JER)
Cert No. : TS250810-03

Goods : Stainless Steel Seamless Pipes
Appearance
Pickling

Heat No. :
C Si Mn P S Cr Ni Mo Ti

Spec. :
Min. :
Max. :
0.035 0.75 2.00 0.045 0.030 20.00 11.00 8.00

Product Analysis :
SY2412A094
0.015 0.34 1.30 0.030 0.004 18.13 8.01

Batch No. :
Size :
Quantity :
Visual Examination :
OK

37250224-34
60.3*5.54*6096
20 PCS
909 KGS
121.92 M
400.00 FT

Mechanical Properties (Acc to ASTM A370)
Tensile
Yield Strength
Elongation
Flattening
Ring
Tensile
Expanding
Ring
Grain
Hardness

Test No. :
Strength
Yield Strength
Elongation
Flattening
Ring
Tensile
Expanding
Ring
Grain
Hardness

Spec. :
Min. :
Max. :
515
205
35
GOOD
/

LS25022521
673
275
53
GOOD
/

Leak Tightness Test
Non-destructive Testing
Intergranular Corrosion Test

Acc to ASTM A999
Eddy Current Test
Acc to ASTM E213
Ultrasonic Test
Acc to ASTM A262-E

GOOD
/

Additional Remarks:
1. Country of Origin: China
2. 100% PMI
3. No weld repair
4. Solution Temperature : 1050°C. Hold 30 minutes, Rapid Water Cooling.
5. ISO 15156, 17945, NACE MRO 175, NACE MRO 103
6. Material free from radioactive elements and mercury.
7. Steel melting process: EAF-AOD
8. Country of Melt & Pour: China
9. RoHS Compliance & Reach Compliance

We hereby certify that the material described above has been tested and complies with the terms of the Contract & the specification, and we confirm that P.M.I. has been done.

Date : AUG/12/2025
Quality Technology Director : Lin Yufen

Heat # :
Spec. # :
Invoice # :
Cust. P.O. :
Customer :
Date :
314-26
342412A094
Rev. :
B135225

EMU COMPANY
CERTIFICATION OF COMPLIANCE
We certify that this shipment of material conforms to the applicable specifications shown on the purchase order.

304 Pipe

TSINGSHAN STEEL PIPE CO.,LTD.