Endpoints

GET /benchmarks
GET /combinations
GET /crude/timeseries
GET /crude/timeseries-rolling
GET /diesel/timeseries
GET /diesel/timeseries-rolling
GET /gasoline/timeseries
GET /gasoline/timeseries-rolling
GET /jet/timeseries
GET /jet/timeseries-rolling
GET /products
GET /regions
GET /timeseries
GET /timeseries-rolling

API Products

Emissions
European gas API
Onshore Asset Monitoring
Refineries
AIS
Insight
Power
Cargo
Supply & Demand
Arbitrage
Next Destination
Freight

Arbitrage

Arbitrage API

Download Specification

/benchmarks JSON

Get Arbitrage Benchmarks

Return the destination-side benchmark curves that can be used in arbitrage calculations.

Request

GET /benchmarks

Query Parameter

`commodity` anyOf optional

commodity to filter by.

Possible types:

- **`string`**

Commodity exposed by public arbitrage LOV endpoints.

- **`null`**

Response

200 application/json object

`benchmarks` object[]

`commodity` string

Commodity exposed by public arbitrage

Possible values

Crude Oil/Condensate Gasoline Diesel Naphtha Jet Fuel Oil

name string

shortName string

/combinations JSON

List supported combinations

Return the supported arbitrage combinations. Each combination represents one product, one origin, one destination, one vessel class, one route code and one reference combination used by the arbitrage engine.

Request

GET /combinations

Query Parameter

commodity anyOf optional

commodity to filter by.

Possible types:

- **string**

  Commodity exposed by public arbitrage LOV endpoints.
- **null**

products anyOf optional

Optional list of product/grade names to filter by.

Possible types:

- **array** string[] optional

Optional list of destination port names to keep in scope.

Possible types:

- **array** string[] optional
- **null**

destinationTradingRegions anyOf optional

Optional list of destination trading region names, such as NWE or SING.

Possible types:

- **array** string[] optional
- **null**

vesselTypes anyOf optional

Optional list of vessel classes to include in the request universe.

Possible types:

- **array** string[] optional

Possible values

Suezmax Aframax VLCC

- **null**

viaRoutes anyOf optional

Optional list of voyage via-points to include in the combinations screen.

Possible types:

- **array** string[] optional

Possible values

direct cogh suez panama capehorn pipeline

- **null**

Response

combinations object[]

commodity string

Commodity exposed by public arbitrage LOV endpoints.

Possible values

Crude Oil/Condensate Gasoline Diesel Naphtha Jet Fuel Oil

destination object

Location model for origin or destination.

distance integer

origin object

Location model for origin or destination.

product string

referenceRoute object

Reference route identifier.

vesselType string

Vessel type for crude oil

Possible values

Suezmax Aframax VLCC

viaRoute string

Voyage via-point: direct = no specific via-point, cogh = Cape of Good Hope, suez = Suez Canal,
panama = Panama Canal, capehorn = Cape Horn, pipeline = pipeline route.

pipeline

/crude/timeseries JSON

Get Crude Public Timeseries

Retrieve the time history of one fixed forward loading or discharge window for a single crude calculation combination. Use this endpoint when the commercial question is about a named window such as `1-5 Oct-25` or `Oct-25` and you want that same window to remain fixed across the full assessment-date history. Unlike `/crude/timeseries-rolling`, this endpoint does not move the forward window automatically as the assessment date changes.

Request

GET /crude/timeseries

Query Parameter

`product` string

Product/grade name.

`loadPort` string

load port name for the combination you want to analyze.

`destinationPort` string

Destination port name for the combination you want to analyze.

`vesselType` string

Vessel class used to price the voyage economics and parcel size.

LR2 Product Tanker Panamax

NOT_APPLICABLE

`flowDirection` string

Commercial perspective of the calculation combination: import looks at arrival windows, export looks at loading windows.

Possible values

import export

`assessmentStartDate` string

First assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`assessmentEndDate` string

Last assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`destinationBenchmark` anyOf optional

Price benchmark used on the destination side of the calculation, such as Brent Future or Dubai Swap.

Possible types:

- **`string`**

  Destination benchmark to use for the calculation

- **`null`**

`viaRoute` string

Voyage via-point for the calculation combination: `direct` means no specific via-point is required, `cogh` means via Cape of Good Hope, `suez` means via Suez Canal, `panama` means via Panama Canal, and `capehorn` means via Cape Horn.

Window string defining the load/discharge period. There are 3 types of windows corresponding to 3 types of WindowGranularity. For example, '1-5 Oct-25' is a 5-day window, '1-10 Oct-25' is a 10-day window and 'Oct-25' is a Month window

Response

200 application/json object

flowDirection string

Flow direction (import or export)

Possible values

import export

identifier object

Route identifier.

destination object

Location model for origin or destination.

loadPortId anyOf optional

Possible types:

- **integer**
- **null**

origin object

Location model for origin or destination.

product string

vesselType string

Vessel class for the arbitrage

Possible values

LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

viaRoute string

Possible values

direct cogh suez panama capehorn pipeline

items object[]

arbitrage object

assessmentDate string

benchmarks object

Load and discharge benchmarks for a route.

landedValue anyOf optional

Possible types:

- **object**

  Model for landed value calculation

- **null**

landedValueArbitrage anyOf optional

Possible types:

- **number**
- **null**

period object

Time period for a timeseries item.

refineryMargin object

voyage object

Voyage details.

`destination` object

Location model for origin or destination.

`origin` object

Location model for origin or destination.

`product` string

`vesselType` string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`viaRoute` string

Possible values

direct cogh suez panama capehorn pipeline

/crude/timeseries-rolling

JSON

Get Crude Public Timeseries Rolling

Get rolling-period crude oil arbitrage timeseries data. Unlike `/crude/timeseries`, which follows one fixed loading or discharge window through history, this endpoint recalculates the requested rolling

available forward period for the same arbitrage also moves forward.

Request

GET /crude/timeseries-rolling

Query Parameter

`product` string

Product/grade name.

`loadPort` string

load port name for the combination you want to analyze.

`destinationPort` string

Destination port name for the combination you want to analyze.

`vesselType` string

Vessel class used to price the voyage economics and parcel size.

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`flowDirection` string

Commercial perspective of the calculation combination: import looks at arrival windows, export looks at loading windows.

Possible values

import export

`assessmentStartDate` string

`assessmentEndDate` string

Last assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`windowGranularity` string

Size of the loading or discharge window used, for example 5-day, 10-day or monthly buckets.

Possible values

5d 10d month

`rollingPeriod` integer optional defaults to 1

Forward bucket number to retrieve in the rolling timeseries. `1` is the front bucket, `2` the next bucket, and so on.

`destinationBenchmark` anyOf optional

Price benchmark used on the destination side of the calculation, such as Brent Future or Dubai Swap.

Possible types:

- **`string`**

  Destination benchmark to use for the calculation

- **`null`**

`requireArbitrage` boolean optional defaults to true

Filter only voyages with arbitrage data

`viaRoute` string

Voyage via-point for the calculation combination: `direct` means no specific via-point is required, `cogh` means via Cape of Good Hope, `suez` means via Suez Canal, `panama` means via Panama Canal, and `capehorn` means via Cape Horn.

Response

200 application/json object

`flowDirection` string

Flow direction (import or export)

Possible values

import export

`identifier` object

Route identifier.

`destination` object

Location model for origin or destination.

`loadPortId` anyOf optional

Possible types:

- **`integer`**
- **`null`**

`origin` object

Location model for origin or destination.

`product` string

`vesselType` string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`viaRoute` string

direct cogh suez panama capehorn pipeline

items object[]

arbitrage object

assessmentDate string

benchmarks object

Load and discharge benchmarks for a route.

landedValue anyOf optional

Possible types:

- **object**

  Model for landed value calculation

- **null**

landedValueArbitrage anyOf optional

Possible types:

- **number**
- **null**

period object

Time period for a timeseries item.

refineryMargin object

voyage object

Voyage details.

referenceIdentifier object

Reference route identifier.

destination object

Location model for origin or destination.

origin object

`product` string

`vesselType` string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`viaRoute` string

Possible values

direct cogh suez panama capehorn pipeline

/diesel/timeseries JSON

Get Diesel Public Timeseries

Retrieve the time history of one fixed forward loading or discharge window for a single diesel calculation combination. Use this endpoint when the commercial question is about a named window such as `1-5 Oct-25` or `Oct-25` and you want that same window to remain fixed across the full assessment-date history. Unlike `/diesel/timeseries-rolling`, this endpoint does not move the forward window automatically as the assessment date changes.

Request

`product` string

Product/grade name.

`loadPort` string

load port name for the combination you want to analyze.

`destinationPort` string

Destination port name for the combination you want to analyze.

`vesselType` string

Vessel class used to price the voyage economics and parcel size.

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`flowDirection` string

Commercial perspective of the calculation combination: import looks at arrival windows, export looks at loading windows.

Possible values

import export

`assessmentStartDate` string

First assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`assessmentEndDate` string

Last assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

Price benchmark used on the destination side of the calculation, such as Brent Future or Dubai Swap.

Possible types:

- `string`

  Destination benchmark to use for the calculation
- `null`

`viaRoute` string

Voyage via-point for the calculation combination: `direct` means no specific via-point is required, `cogh` means via Cape of Good Hope, `suez` means via Suez Canal, `panama` means via Panama Canal, and `capehorn` means via Cape Horn.

`window` string

Window string defining the load/discharge period. There are 3 types of windows corresponding to 3 types of WindowGranularity. For example, '1-5 Oct-25' is a 5-day window, '1-10 Oct-25' is a 10-day window and 'Oct-25' is a Month window

Response

200 application/json object

`flowDirection` string

Flow direction (import or export)

Possible values

import export

`identifier` object

Route identifier.

loadPortId anyOf optional

Possible types:

- **integer**
- **null**

origin object

Location model for origin or destination.

product string

vesselType string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

viaRoute string

Possible values

direct cogh suez panama capehorn pipeline

items object[]

arbitrage anyOf optional

Possible types:

- **object**

  Public model for refined arbitrage sales price calculation.
- **null**

assessmentDate string

benchmarks object

landedValue anyOf optional

Possible types:

- **object**

  Model for landed value calculation

- **null**

landedValueArbitrage anyOf optional

Possible types:

- **number**
- **null**

period object

Time period for a timeseries item.

voyage object

Voyage details.

referenceIdentifier object

Reference route identifier.

destination object

Location model for origin or destination.

origin object

Location model for origin or destination.

product string

vesselType string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

Possible values

direct cogh suez panama capehorn pipeline

/diesel/timeseries-rolling

JSON

Get Diesel Public Timeseries Rolling

Get rolling-period diesel arbitrage timeseries data. Unlike `/diesel/timeseries`, which follows one fixed loading or discharge window through history, this endpoint recalculates the requested rolling period for each assessment date. As the assessment date moves forward, the first available forward period for the same arbitrage also moves forward.

Request

GET /diesel/timeseries-rolling

Query Parameter

product string

Product/grade name.

loadPort string

load port name for the combination you want to analyze.

destinationPort string

Destination port name for the combination you want to analyze.

vesselType string

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`flowDirection` string

Commercial perspective of the calculation combination: import looks at arrival windows, export looks at loading windows.

Possible values

import export

`assessmentStartDate` string

First assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`assessmentEndDate` string

Last assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`windowGranularity` string

Size of the loading or discharge window used, for example 5-day, 10-day or monthly buckets.

Possible values

5d 10d month

`rollingPeriod` integer optional defaults to 1

Forward bucket number to retrieve in the rolling timeseries. `1` is the front bucket, `2` the next bucket, and so on.

Price benchmark used on the destination side of the calculation, such as Brent Future or Dubai Swap.

Possible types:

- `string`

  Destination benchmark to use for the calculation
- `null`

`requireArbitrage` boolean optional defaults to true

Filter only voyages with arbitrage data

`viaRoute` string

Voyage via-point for the calculation combination: `direct` means no specific via-point is required, `cogh` means via Cape of Good Hope, `suez` means via Suez Canal, `panama` means via Panama Canal, and `capehorn` means via Cape Horn.

Response

200 application/json object

`flowDirection` string

Flow direction (import or export)

Possible values

import export

`identifier` object

Route identifier.

`destination` object

Location model for origin or destination.

`loadPortId` anyOf optional

- **null**

origin object

Location model for origin or destination.

product string

vesselType string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

viaRoute string

Possible values

direct cogh suez panama capehorn pipeline

items object[]

arbitrage anyOf optional

Possible types:

- **object**

  Public model for refined arbitrage sales price calculation.

- **null**

assessmentDate string

benchmarks object

Load and discharge benchmarks for a route.

landedValue anyOf optional

Model for landed value calculation

- **null**

landedValueArbitrage anyOf optional

Possible types:

- **number**
- **null**

period object

Time period for a timeseries item.

voyage object

Voyage details.

referenceIdentifier object

Reference route identifier.

destination object

Location model for origin or destination.

origin object

Location model for origin or destination.

product string

vesselType string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

viaRoute string

Possible values

pipeline

/gasoline/timeseries

JSON

Get Gasoline Public Timeseries

Retrieve the time history of one fixed forward loading or discharge window for a single gasoline calculation combination. Use this endpoint when the commercial question is about a named window such as `1-5 Oct-25` or `Oct-25` and you want that same window to remain fixed across the full assessment-date history. Unlike `/gasoline/timeseries-rolling`, this endpoint does not move the forward window automatically as the assessment date changes.

Request

GET /gasoline/timeseries

Query Parameter

`product` string

Product/grade name.

`loadPort` string

load port name for the combination you want to analyze.

`destinationPort` string

Destination port name for the combination you want to analyze.

`vesselType` string

Vessel class used to price the voyage economics and parcel size.

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`flowDirection` string

Commercial perspective of the calculation combination: import looks at arrival windows, export looks at loading windows.

Possible values

import export

`assessmentStartDate` string

First assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`assessmentEndDate` string

Last assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`destinationBenchmark` anyOf optional

Price benchmark used on the destination side of the calculation, such as Brent Future or Dubai Swap.

Possible types:

- **`string`**

  Destination benchmark to use for the calculation

- **`null`**

`viaRoute` string

Voyage via-point for the calculation combination: `direct` means no specific via-point is required, `cogh` means via Cape of

`panama` means via Panama Canal, and `capehorn` means via Cape Horn.

window string

Window string defining the load/discharge period. There are 3 types of windows corresponding to 3 types of WindowGranularity. For example, '1-5 Oct-25' is a 5-day window, '1-10 Oct-25' is a 10-day window and 'Oct-25' is a Month window

Response

200 application/json object

flowDirection string

Flow direction (import or export)

Possible values

import export

identifier object

Route identifier.

destination object

Location model for origin or destination.

loadPortId anyOf optional

Possible types:

- **integer**
- **null**

origin object

Location model for origin or destination.

product string

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

viaRoute string

Possible values

direct cogh suez panama capehorn pipeline

items object[]

arbitrage anyOf optional

Possible types:

- **object**
- **null**

assessmentDate string

benchmarks object

Load and discharge benchmarks for a route.

landedValue anyOf optional

Possible types:

- **object**

  Model for landed value calculation
- **null**

landedValueArbitrage anyOf optional

Possible types:

- **number**
- **null**

period object

voyage object

Voyage details.

referenceIdentifier object

Reference route identifier.

destination object

Location model for origin or destination.

origin object

Location model for origin or destination.

product string

vesselType string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

viaRoute string

Possible values

direct cogh suez panama capehorn pipeline

/gasoline/timeseries-rolling

JSON

Get Gasoline Public Timeseries Rolling

`/gasoline/timeseries`, which follows one fixed loading or discharge window through history, this endpoint recalculates the requested rolling period for each assessment date. As the assessment date moves forward, the first available forward period for the same arbitrage also moves forward.

Request

GET /gasoline/timeseries-rolling

Query Parameter

`product` string

Product/grade name.

`loadPort` string

load port name for the combination you want to analyze.

`destinationPort` string

Destination port name for the combination you want to analyze.

`vesselType` string

Vessel class used to price the voyage economics and parcel size.

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`flowDirection` string

Commercial perspective of the calculation combination: import looks at arrival windows, export looks at loading windows.

import export

assessmentStartDate string

First assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

assessmentEndDate string

Last assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

windowGranularity string

Size of the loading or discharge window used, for example 5-day, 10-day or monthly buckets.

Possible values

5d 10d month

rollingPeriod integer optional defaults to 1

Forward bucket number to retrieve in the rolling timeseries. `1` is the front bucket, `2` the next bucket, and so on.

destinationBenchmark anyOf optional

Price benchmark used on the destination side of the calculation, such as Brent Future or Dubai Swap.

Possible types:

- **string**

  Destination benchmark to use for the calculation

- **null**

requireArbitrage boolean optional defaults to true

Filter only voyages with arbitrage data

Voyage via-point for the calculation combination: `direct` means no specific via-point is required, `cogh` means via Cape of Good Hope, `suez` means via Suez Canal, `panama` means via Panama Canal, and `capehorn` means via Cape Horn.

Response

200 application/json object

`flowDirection` string

Flow direction (import or export)

Possible values

import export

`identifier` object

Route identifier.

`destination` object

Location model for origin or destination.

`loadPortId` anyOf optional

Possible types:

- **`integer`**
- **`null`**

`origin` object

Location model for origin or destination.

`product` string

`vesselType` string

Vessel class for the arbitrage

Possible values

LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

viaRoute string

Possible values

direct cogh suez panama capehorn pipeline

items object[]

arbitrage anyOf optional

Possible types:

- **object**
- **null**

assessmentDate string

benchmarks object

Load and discharge benchmarks for a route.

landedValue anyOf optional

Possible types:

- **object**

  Model for landed value calculation
- **null**

landedValueArbitrage anyOf optional

Possible types:

- **number**
- **null**

period object

Time period for a timeseries item.

voyage object

`referenceIdentifier` object

Reference route identifier.

`destination` object

Location model for origin or destination.

`origin` object

Location model for origin or destination.

`product` string

`vesselType` string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`viaRoute` string

Possible values

direct cogh suez panama capehorn pipeline

/jet/timeseries JSON

Get Jet Public Timeseries

Retrieve the time history of one fixed forward loading or discharge window for a single jet calculation combination. Use this endpoint when the commercial question is about a named window such as `1-5 Oct-25` or `Oct-25` and you want that same

`/jet/timeseries-rolling`, this endpoint does not move the forward window automatically as the assessment date changes.

Request

GET /jet/timeseries

Query Parameter

`product` string

Product/grade name.

`loadPort` string

load port name for the combination you want to analyze.

`destinationPort` string

Destination port name for the combination you want to analyze.

`vesselType` string

Vessel class used to price the voyage economics and parcel size.

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`flowDirection` string

Commercial perspective of the calculation combination: import looks at arrival windows, export looks at loading windows.

Possible values

import export

DD.

assessmentEndDate string

Last assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

destinationBenchmark anyOf optional

Price benchmark used on the destination side of the calculation, such as Brent Future or Dubai Swap.

Possible types:

- **string**

  Destination benchmark to use for the calculation

- **null**

viaRoute string

Voyage via-point for the calculation combination: `direct` means no specific via-point is required, `cogh` means via Cape of Good Hope, `suez` means via Suez Canal, `panama` means via Panama Canal, and `capehorn` means via Cape Horn.

window string

Window string defining the load/discharge period. There are 3 types of windows corresponding to 3 types of WindowGranularity. For example, '1-5 Oct-25' is a 5-day window, '1-10 Oct-25' is a 10-day window and 'Oct-25' is a Month window

Response

200 application/json object

flowDirection string

Flow direction (import or export)

import export

identifier object

Route identifier.

destination object

Location model for origin or destination.

loadPortId anyOf optional

Possible types:

- **integer**
- **null**

origin object

Location model for origin or destination.

product string

vesselType string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

viaRoute string

Possible values

direct cogh suez panama capehorn pipeline

items object[]

arbitrage anyOf optional

Public model for refined arbitrage sales price calculation.

- **null**

assessmentDate string

benchmarks object

Load and discharge benchmarks for a route.

landedValue anyOf optional

Possible types:

- **object**

  Model for landed value calculation

- **null**

landedValueArbitrage anyOf optional

Possible types:

- **number**
- **null**

period object

Time period for a timeseries item.

voyage object

Voyage details.

referenceIdentifier object

Reference route identifier.

destination object

Location model for origin or destination.

origin object

Location model for origin or destination.

product string

vesselType string

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`viaRoute` string

Possible values

direct cogh suez panama capehorn pipeline

/jet/timeseries-rolling

JSON

Get Jet Public Timeseries Rolling

Get rolling-period jet arbitrage timeseries data. Unlike `/jet/timeseries`, which follows one fixed loading or discharge window through history, this endpoint recalculates the requested rolling period for each assessment date. As the assessment date moves forward, the first available forward period for the same arbitrage also moves forward.

Request

GET /jet/timeseries-rolling

Query Parameter

`product` string

Product/grade name.

`loadPort` string

`destinationPort` string

Destination port name for the combination you want to analyze.

`vesselType` string

Vessel class used to price the voyage economics and parcel size.

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

`flowDirection` string

Commercial perspective of the calculation combination: import looks at arrival windows, export looks at loading windows.

Possible values

import export

`assessmentStartDate` string

First assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`assessmentEndDate` string

Last assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`windowGranularity` string

Size of the loading or discharge window used, for example 5-day, 10-day or monthly buckets.

Possible values

`rollingPeriod` integer optional defaults to 1

Forward bucket number to retrieve in the rolling timeseries. `1` is the front bucket, `2` the next bucket, and so on.

`destinationBenchmark` anyOf optional

Price benchmark used on the destination side of the calculation, such as Brent Future or Dubai Swap.

Possible types:

- **`string`**

  Destination benchmark to use for the calculation

- **`null`**

`requireArbitrage` boolean optional defaults to true

Filter only voyages with arbitrage data

`viaRoute` string

Voyage via-point for the calculation combination: `direct` means no specific via-point is required, `cogh` means via Cape of Good Hope, `suez` means via Suez Canal, `panama` means via Panama Canal, and `capehorn` means via Cape Horn.

Response

200 application/json object

`flowDirection` string

Flow direction (import or export)

Possible values

import export

`identifier` object

Location model for origin or destination.

loadPortId anyOf optional

Possible types:

- **integer**
- **null**

origin object

Location model for origin or destination.

product string

vesselType string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax NOT_APPLICABLE

viaRoute string

Possible values

direct cogh suez panama capehorn pipeline

items object[]

arbitrage anyOf optional

Possible types:

- **object**

  Public model for refined arbitrage sales price calculation.

- **null**

Load and discharge benchmarks for a route.

landedValue anyOf optional

Possible types:

- **object**

  Model for landed value calculation

- **null**

landedValueArbitrage anyOf optional

Possible types:

- **number**
- **null**

period object

Time period for a timeseries item.

voyage object

Voyage details.

referenceIdentifier object

Reference route identifier.

destination object

Location model for origin or destination.

origin object

Location model for origin or destination.

product string

vesselType string

Vessel class for the arbitrage

Possible values

Suezmax Aframax VLCC MR Handy LR1 LR2 Product Tanker Panamax

`viaRoute` string

Possible values

direct cogh suez panama capehorn pipeline

/products JSON

List available products

Return the products that can be used.

Request

GET /products

Query Parameter

`commodity` anyOf optional

commodity to filter by.

Possible types:

- `string`

Commodity exposed by public arbitrage LOV endpoints.

- `null`

Response

200 application/json object

`products` object[]

`commodity` string

Commodity exposed by public arbitrage LOV endpoints.

Possible values

Naphtha Jet Fuel Oil

name string

/regions JSON

List destination regions

Return the destination trading regions available, together with a reference port for each region.

Request

GET /regions

Query Parameter

commodity anyOf optional

commodity to filter by.

Possible types:

- **string**

Commodity exposed by public arbitrage LOV endpoints.

- **null**

Response

200 application/json object

regions object[]

benchmarks object[]

commodity string

Commodity exposed by public arbitrage LOV endpoints.

Possible values

Naphtha Jet Fuel Oil

name string

referencePort string

/timeseries JSON

Lookup Crude Arbs Timeseries

Retrieve the time history of one fixed forward loading or discharge window for a single calculation combination. Use this endpoint when the commercial question is about a named window such as `1-5 Oct-25` or `Oct-25` and you want that same window to remain fixed across the full assessment-date history. Unlike `/timeseries-rolling`, this endpoint does not move the forward window automatically as the assessment date changes.

Request

GET /timeseries

Query Parameter

product string

Product/grade name.

loadPort string

load port name for the combination you want to analyze.

destinationPort string

Destination port name for the combination you want to analyze.

vesselType string

Vessel class used for the voyage, such as

Possible values

Suezmax Aframax VLCC

`flowDirection` string

Commercial perspective of the calculation combination: import looks at arrival windows, export looks at loading windows.

Possible values

import export

`assessmentStartDate` string

First assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`assessmentEndDate` string

Last assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`destinationBenchmark` anyOf optional

Price benchmark used on the destination side of the calculation, such as Brent Future or Dubai Swap.

Possible types:

- **`string`**

  Destination benchmark to use for the calculation

- **`null`**

`viaRoute` string

Voyage via-point for the calculation combination: `direct` means no specific via-point is required, `cogh` means via Cape of Good Hope, `suez` means via Suez Canal, `panama` means via Panama Canal, and

Window string defining the load/discharge period. There are 3 types of windows corresponding to 3 types of WindowGranularity. For example, '1-5 Oct-25' is a 5-day window, '1-10 Oct-25' is a 10-day window and 'Oct-25' is a Month window

Response

200 application/json object

flowDirection string

Flow direction (import or export)

Possible values

import export

identifier object

Route identifier.

destination object

Location model for origin or destination.

loadPortId anyOf optional

Possible types:

- **integer**
- **null**

origin object

Location model for origin or destination.

product string

vesselType string

Vessel type for crude oil

Possible values

viaRoute string

Voyage via-point: direct = no specific via-point, cogh = Cape of Good Hope, suez = Suez Canal,
panama = Panama Canal, capehorn = Cape Horn, pipeline = pipeline route.

Possible values

direct cogh suez panama capehorn pipeline

items object[]

arbitrage object

arbitrageSalesPrice anyOf optional

Possible types:

- **object**

  Public model for refined arbitrage sales price calculation.

- **null**

assessmentDate string

benchmarks object

Load and discharge benchmarks for a route.

landedArbitrage anyOf optional

Possible types:

- **number**
- **null**

landedValue anyOf optional

Possible types:

- **object**

  Model for landed value calculation

- **null**

Time period for rolling arbitrage.

refineryMargin object

voyage object

Voyage details.

referenceIdentifier object

Reference route identifier.

destination object

Location model for origin or destination.

origin object

Location model for origin or destination.

product string

vesselType string

Vessel type for crude oil

Possible values

Suezmax Aframax VLCC

viaRoute string

Voyage via-point: direct = no specific via-point, cogh = Cape of Good Hope, suez = Suez Canal,
panama = Panama Canal, capehorn = Cape Horn, pipeline = pipeline route.

Possible values

direct cogh suez panama capehorn pipeline

Get rolling-period crude oil arbitrage timeseries data. Unlike `/timeseries`, which follows one fixed loading or discharge window through history, this endpoint recalculates the requested rolling period for each assessment date. As the assessment date moves forward, the first available forward period for the same arbitrage also moves forward. For example, an export arbitrage observed on `2026-01-02` may use a first available load window starting on `2026-01-12`, while the same rolling period observed on `2026-01-12` may use a first available load window starting on `2026-01-22`. Use this endpoint when you want the first, second, or n-th available forward arbitrage for each assessment date without manually changing the loading or discharge window.

Request

GET /timeseries-rolling

Query Parameter

`product` string

Product/grade name.

`loadPort` string

load port name for the combination you want to analyze.

`destinationPort` string

Destination port name for the combination you want to analyze.

`vesselType` string

Vessel class used for the voyage, such as Aframax, Suezmax or VLCC.

Suezmax Aframax VLCC

`flowDirection` string

Commercial perspective of the calculation combination: import looks at arrival windows, export looks at loading windows.

Possible values

import export

`assessmentStartDate` string

First assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`assessmentEndDate` string

Last assessment date to include in the returned history, inclusive. Format: YYYY-MM-DD.

`windowGranularity` string

Size of the loading or discharge window used, for example 5-day, 10-day or monthly buckets.

Possible values

5d 10d month

`rollingPeriod` integer optional defaults to 1

Forward bucket number to retrieve in the rolling timeseries. `1` is the front bucket, `2` the next bucket, and so on.

`destinationBenchmark` anyOf optional

Price benchmark used on the destination side of the calculation, such as Brent Future or Dubai Swap.

Destination benchmark to use for the calculation

- `null`

`requireArbitrage` boolean optional defaults to true

Filter only voyages with arbitrage data

`viaRoute` string

Voyage via-point for the calculation combination: `direct` means no specific via-point is required, `cogh` means via Cape of Good Hope, `suez` means via Suez Canal, `panama` means via Panama Canal, and `capehorn` means via Cape Horn.

Response

200 application/json object

`flowDirection` string

Flow direction (import or export)

Possible values

import export

`identifier` object

Route identifier.

`destination` object

Location model for origin or destination.

`loadPortId` anyOf optional

Possible types:

- `integer`
- `null`

`origin` object

product string

vesselType string

Vessel type for crude oil

Possible values

Suezmax Aframax VLCC

viaRoute string

Voyage via-point: direct = no specific via-point, cogh = Cape of Good Hope, suez = Suez Canal,
panama = Panama Canal, capehorn = Cape Horn, pipeline = pipeline route.

Possible values

direct cogh suez panama capehorn pipeline

items object[]

arbitrage object

arbitrageSalesPrice anyOf optional

Possible types:

- **object**

  Public model for refined arbitrage sales price calculation.

- **null**

assessmentDate string

benchmarks object

Load and discharge benchmarks for a route.

landedArbitrage anyOf optional

Possible types:

landedValue anyOf optional

Possible types:

- **object**

  Model for landed value calculation

- **null**

period object

Time period for rolling arbitrage.

refineryMargin object

voyage object

Voyage details.

referenceIdentifier object

Reference route identifier.

destination object

Location model for origin or destination.

origin object

Location model for origin or destination.

product string

vesselType string

Vessel type for crude oil

Possible values

Suezmax Aframax VLCC

viaRoute string

Voyage via-point: direct = no specific via-point, cogh = Cape of Good Hope, suez = Suez Canal,
panama = Panama Canal, capehorn =

Possible values

direct cogh suez panama capehorn pipeline

© 2025 Kpler. All rights reserved.