A Monadic Parser and Interpreter for MiniJava Language

Huan Li[1]

[1] School of Computer Science
Fudan University
huanli16@fudan.edu.cn

Project Overview

- MiniJava language
  - A subset of Java
  - Can be compiled by a regular Java compiler
  - Basic features
    - Variables declaration/assignment
    - Arithmetic/Boolean operation
    - If, while, recursion, functions invoking each other

- Components
  - Parser[1]
  - Interpreter

---

[1]Graham Hutton, Erik Meijer. Monadic parsing in Haskell. Journal of functional programming, 1998, 8(04): 437-444.

```haskell
newtype Parser a = Parser { parse :: String -> [(a,String)] }

instance Monad Parser where
    return a = Parser ( \cs -> [(a,cs)] )
    p >>= f = Parser ( \cs -> do { (a,cs') <- parse p cs; parse (f a) cs' } )

(+++) :: Parser a -> Parser a -> Parser a
p +++ q = Parser (\cs -> case parse p cs ++ parse q cs of
                    [] -> []
                    x:xs -> [x] )

zero :: Parser a
zero = Parser ( \cs -> [] )
```

```haskell
item :: Parser Char
item = Parser f
    where f [] = []
          f (c:cs) = [(c,cs)]


sat :: (Char -> Bool) -> Parser Char
sat p = do { c <- item; if p c then return c else zero }


sat' :: (Char -> Bool) -> Parser String
sat' p = do { x <- sat p; return [x] }


char :: Char -> Parser Char
char c = sat (c==)


string :: String -> Parser String
string "" = return ""
string (c:cs) = char c >> string cs >> return (c:cs)


next :: String -> Parser String
next cs = string cs +++ (item >> next cs)
```

Combinators - Applying a Parser

```haskell
asterisk :: Parser a -> Parser [a]
asterisk p = plusSign p +++ return []

plusSign :: Parser a -> Parser [a]
plusSign p = do { x <- p; xs <- asterisk p; return (x:xs) }

space :: Parser String
space = sat' Char.isSpace

comments :: Parser String
comments = (string "/*" >> next "*/") +++ (string "//" >> next "\n")

white :: Parser String
white = asterisk (space +++ comments) >>= return . concat

token :: Parser a -> Parser a
token p = do { a <- p; white; return a }

apply :: Parser a -> String -> [(a,String)]
apply p = parse (white >> p)
```

Combinators - Parsing Sequence

```
-- ( (a op a) op a ) op a
lass :: Parser a -> Parser op -> (a -> b) -> (b -> op -> a -> b) -> Parser b
lass            a          op    single    cons     = a >>= rest . single
    where rest x = ( do
                     y <- op
                     z <- a
                     rest $ cons x y z ) +++ return x

-- a op ( a op (a op a) )
rass :: Parser a -> Parser op -> (a -> b) -> (a -> op -> b -> b) -> Parser b
rass            a          op    single    cons     = a >>= rest
    where rest x = ( do
                     y <- op
                     z <- a
                     r <- rest z
                     return $ (cons x y r) ) +++ return (single x)
```

```haskell
data AddOp    = Plus | Minus

plus      = token $ string "+" >> return Plus
minus     = token $ string "-" >> return Minus
addOp     = plus +++ minus

data MulOp    = Times | Slash | Modulo

times     = token $ string "*" >> return Times
slash     = token $ string "/" >> return Slash
modulo    = token $ string "%" >> return Modulo
mulOp     = times +++ slash +++ modulo
```

```
data AddExpr    = AMul MulExpr
                | AddExpr AddExpr AddOp MulExpr

addExpr = lass mulExpr addOp AMul AddExpr

data MulExpr    = AUnary UnaryExpr
                | MulExpr MulExpr MulOp UnaryExpr

mulExpr = lass unaryExpr mulOp AUnary MulExpr
```

Parsing Arithmetic Expressions - An Example

Terminal

```
ghci> fst . head $ apply addExpr "10 / 3 - 4 * 5 % 7"
(AddExpr
    (MulExpr
        (int 10)
        (op "/")
        (int 3)
    )
    (op "-")
    (MulExpr
        (MulExpr
            (int 4)
            (op "*")
            (int 5)
        )
        (op "%")
        (int 7)
    )
)
```

The Type Interp

```haskell
newtype Env = Env (Map.Map Ident Int, Map.Map Ident Func)

newtype Interp a = Interp {
    interp :: [Env] -> String -> Either (a,[Env],String) (Int,[Env],String) }

instance Monad Interp where
    return a = Interp ( \es0 cs0 -> Left (a,es0,cs0) )
    i >>= h = Interp ( \es0 cs0 -> case interp i es0 cs0 of
                                     Left  (a,es,cs) -> interp (h a) es cs
                                     Right (a,es,cs) -> Right (a,es,cs) )

return_ :: Int -> Interp a
return_ a = Interp ( \es cs -> Right (a,es,cs) )
```

Interpreting Arithmetic Expressions

```haskell
addExpr :: AddExpr -> Interp Int
addExpr (AMul a) = mulExpr a
addExpr (AddExpr a b c) = do
    i <- addExpr a
    j <- mulExpr c
    case b of
        Plus  -> return $ i + j
        Minus -> return $ i - j

mulExpr :: MulExpr -> Interp Int
mulExpr (AUnary a) = unaryExpr a
mulExpr (MulExpr a b c) = do
    i <- mulExpr a
    j <- unaryExpr c
    case b of
        Times  -> return $ i * j
        Slash  -> return $ i `div` j
        Modulo -> return $ i `mod` j
```

Interpreting Functions

```haskell
data Func = Funci { funci :: Interp Int }
          | Funcf { funcf :: Int -> Interp Func }

env1 = Env (Map.empty,Map.empty) :: Env

closure :: Interp Int -> Interp Int
closure i = Interp ( \(e0:es0) cs0 -> case interp i (env1:es0) cs0 of
                                    Right (a,e:es,cs) -> Left (a,e0:es,cs)
                                    Left  (a,e:es,cs) -> Left (a,e0:es,cs) )

valf :: Ident -> Interp Func

apply :: [Int] -> Interp Func -> Interp Int

invoke :: [Int] -> Ident -> Interp Int
invoke xs id = closure . apply xs . valf $ id
```

```haskell
env1 = Env (Map.empty,Map.empty) :: Env

pushe :: Interp Int
pushe = Interp ( \es cs -> Left (0, env1:es, cs) )

eval :: Program -> Interp Int
eval (Program [ClassDecl a b c d es f] EOF) = h
    where h = pushe >> methods es >> pushe >> invoke [] (Ident "main")
              where methods ...

execute :: Program -> String
execute p = case interp (eval p) [] "" of
                Left (a,_,cs) -> cs
```