ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

NCHS User Guide -- Questionnaire: Medical Conditions

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25501.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Medical Conditions (MCQ) Section (June 2002) Sample Person Questionnaire

Description

The medical conditions section (prefix **MCQ**) provides self-reported personal interview data on a broad range of health conditions for both children and adults. Many questions in the NHANES 1999-2000 MCQ section are also contained in previous NHANES surveys allowing researchers to monitor health trends over time. The NHANES MCQ questionnaire segment is generally modeled on the "Medical Conditions" questionnaire section of the U.S. National Health Interview Survey. In accordance with the Department of Health and Human Services' Survey Integration Plan, a number of questions on health conditions are in fact identical to those used in the redesigned National Health Interview Survey adult and child core sections that started in 1997.

Major Topics in the MCQ Section

Major health conditions:

Asthma, Childhood and Adult Emphysema

Anemia Goiter, Other Thyroid disease

Angina Hay Fever Attention Deficit Disorder (ADD) Headache

Arthritis (Rheumatoid & Osteoarthritis) Heart Attack (Myocardial Infarction)

Cancer (Multiple Varieties)
Chickenpox (Varicella)
Chronic Bronchitis
Congestive Heart Failure
Coronary Heart Disease
Learning Disability
Liver Disease
Overweight
Peptic Ulcer
Stroke

Ear Infections

Family History of Disease:

Alzheimer's Disease

Arthritis

Asthma

Diabetes

High Blood Pressure/Stroke

Heart Attack/Angina Hip Fracture in Mother

Osteoporosis

Questions Regarding Twelve Month Period Prevalence of Disablement:

Respondent Missed School Because of Illness or Injury (Children) Respondent Missed Job Because of Illness or Injury (Adults)

Eligible Sample and Exclusion Criteria

The target samples for questions in this section vary by age and gender. Please review the questionnaire and codebook carefully. Frequency counts were verified during the preparation of the file.

Data Processing, Preparation, and Data Editing

The data were reviewed and edited for completeness, consistency, and illogical values.

Analytic Notes

A number of additional questions occur in MCQ that are logically related to other questionnaires in exam segments. Analysts should refer to these other NHANES sections as a part of any data analysis.

Questions Supplementing Other NHANES Questionnaire and Exam Components:

Condition: Relates to:

5	
Blood Transfusion History	LAB (HIV, Hepatitis Serology, Liver Enzymes)
Childhood Hypertension	BPQ, EXAM
Prior Lead Poisoning Testing	LAB (Blood Lead)
Menses Onset < Age 12 Years	RHQ
Overweight, Physician Told	WHQ
Trouble Seeing with Current	VIQ & LAB (Visual Acuity Testing)
Vision Correction	

National Health and Nutrition Examination Survey Codebook for Data Production (1999-2000)

The Medical Conditions Section of the SP Questionnaire (MCQ) Person Level Data

July 2006

SEQN	Target
	B(1 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Respondent sequence number
English Text: Respondent sequence number.	
English Instructions:	

MCQ010	Target
Megolo	B(1 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Ever been told you have asthma
English Text: Has a doctor or other health professional ever told {you/SP} that {you have/s/he/SP has} asthma?	
English Instructions: CAPI INSTRUCTION: IF SP AGE >= 12, DISPLAY SP NAME AND "S/HE": IF SP AGE < 12, DISPLAY "YOU" AND SP NAME.	
Codes:	Skip To Values:
1= Yes	
2= No	MCQ053
7= Refused	MCQ053
9= Don't know	MCQ053

-
B(1 Yrs. to 19 Yrs.)
SAS Label
Age when first had asthma

English Text: How old {were you/was SP} when {you were/s/he was} first told {he/she} had asthma?

English Instructions: IF LESS THAN 1 YEAR, ENTER 1. CAPI INSTRUCTION: IF SP AGE >= 16, DISPLAY "WERE YOU" AND "YOU WERE". IF SP AGE = 12-15, DISPLAY "WAS {SP}" AND "S/HE WAS". IF SP AGE < 12, DISPLAY "WAS {SP}" AND "YOU WERE". ENTER AGE IN YEARS.

Codes: Skip To Values:

85= 85 years or older

77777= Refused

MCQ030	Target
MeQuan	B(1 Yrs. to 19 Yrs.)
Hard Edits	SAS Label
	Still have asthma
English Text: {Do you/Does SP} still have asthma?	
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	MCQ053
7= Refused	MCQ053
9= Don't know	MCQ053

MCQ040	Target
MCQ040	B(1 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Had asthma attack in past year
English Text: During the past 12 months, {have you/has SP} had an episode of asthma or an asthma attack?	
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	MCQ053
7= Refused	MCQ053
9= Don't know	MCQ053

MCQ050	Target
MeQuau	B(1 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Emergency care visit for asthma/past yr
English Text: [During the past 12 mocenter because of asthma?	onths], {have you/has SP} had to visit an emergency room or urgent care
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	
7= Refused	
9= Don't know	

MCQ053	Target
	B(1 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Taking treatment for anemia/past 3 mos
English Text: During the past 3 months, {have you/has SP} been on treatment for anemia, sometimes called "tired blood" or "low blood"? [Include diet, iron pills, iron shots, transfusions as treatment.]	
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	

7= Refused 9= Don't know

MCQ060	Target
	B(4 Yrs. to 19 Yrs.)
Hard Edits	SAS Label
	Told have attention deficit disorder?

English Text: Has a doctor or health professional ever told {you/SP} that {you/s/he/SP} had attention deficit disorder?

English Instructions: CAPI INSTRUCTION: IF SP AGE >= 16, DISPLAY "YOU" AND "YOU". IF SP AGE = 12-15, DISPLAY SP NAME AND "S/HE". IF SP AGE < 12, DISPLAY "YOU" AND SP NAME.

Codes: Skip To Values:

1 = Yes

2 = No

7= Refused

9= Don't know

MCQ080 Target B(2 Yrs. to 19 Yrs.)	Target
	B(2 Yrs. to 19 Yrs.)
Hard Edits	SAS Label
	Doctor ever said you were overweight

English Text: Has a doctor or health professional ever told {you/SP} that {you were/s/he/SP was} overweight?

English Instructions: CAPI INSTRUCTION: IF SP AGE >= 16, DISPLAY "YOU" AND "YOU WERE". IF SP AGE = 12-15, DISPLAY SP NAME AND "S/HE". IF SP AGE < 12, DISPLAY "YOU" AND SP NAME.

Codes: Skip To Values:

1 = Yes

2 = No

7= Refused

MCQ083	Target
	B(4 Yrs. to 15 Yrs.)
Hard Edits	SAS Label
	Ever told you have learning disability

English Text: Has a representative from a school or a health professional ever told {you/SP} that {s/he/SP} had a learning disability?

English Instructions: CAPI INSTRUCTION: IF SP AGE >= 12, DISPLAY SP NAME AND "S/HE". IF SP AGE < 12, DISPLAY "YOU" AND SP NAME.

Codes: Skip To Values:

1 = Yes

2 = No

7= Refused

9= Don't know

MCQ090	Target
MeQoo	B(6 Yrs. to 19 Yrs.)
Hard Edits	SAS Label
	Ever had chickenpox
English Text: {Have you/Has SP} ever had chickenpox?	
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	
7= Refused	

MCQ092	Target
1122072	B(6 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Ever receive blood transfusion
English Text: {Have you/Has SP} ev	ver received a blood transfusion?
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	MCQ100
7= Refused	MCQ100
9= Don't know	MCQ100

MCD093	Target
	B(6 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Year receive blood transfusion
English Text: In what year did {you/	SP} receive {your/his/her} first transfusion?
English Instructions: ENTER 4-DIC	GIT YEAR
Codes:	Skip To Values:
1= Before 1972	
2= 1972 - 1991	
3= 1992 to present	
7= Refused	
9= Don't know	

MCQ100	Target
MeQioo	B(8 Yrs. to 15 Yrs.)
Hard Edits	SAS Label
	Told have high blood pressure
English Text: Has a doctor or health professional ever told {SP} that {s/he} had hypertension, also called high blood pressure?	
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	MCQ120A
7= Refused	MCQ120A
9= Don't know	MCQ120A

MCQ110	Target
	B(8 Yrs. to 15 Yrs.)
Hard Edits	SAS Label
	Taking medicine for high blood pressure
English Text: Because of {SP's} high	n blood pressure [hypertension], is {he/she} currently taking medicine?
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	
7= Refused	
9= Don't know	

MCQ114	Target
	B(1 Yrs. to 5 Yrs.)
Hard Edits	SAS Label
	Ever tested for lead poisoning
English Text: Has {SP} ever been te	sted for lead poisoning?
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	MCQ120A
7= Refused	MCQ120A
9= Don't know	MCQ120A

MCQ117Q	Target
	B(1 Yrs. to 5 Yrs.)
Hard Edits	SAS Label
1 to 999	How long since lead poisoning test
English Text: How long has it been since {SP} was tested?	
English Instructions: IF LESS THAN 1 MONTH, ENTER 1 MONTH. ENTER NUMBER (OF MONTHS OR YEARS).	
Codes:	Skip To Values:
77777= Refused	MCQ120A
99999= Don't know	MCQ120A

MCQ117U	Target		
	B(1 Yrs. to 5 Yrs.)		
Hard Edits	SAS Label		
	Months or years		
English Text: Unit of measure	English Text: Unit of measure		
English Instructions: ENTER UNIT			
Codes:	Skip To Values:		
1= Months			
2= Years			
7= Refused			
9= Don't know			

Target
B(1 Yrs. to 19 Yrs.)
SAS Label
Had hay fever in past year
nths, {have you/has SP} hadhay fever?
JCTIONS: DISPLAY ITEMS A AND B IF SP AGE <= 3. DISPLAY AGE = 4-15. DISPLAY ITEMS A AND C IF SP AGE >= 16.
Skip To Values:

MCQ120B	Target
	B(1 Yrs. to 15 Yrs.)
Hard Edits	SAS Label
	Had 3 or more ear infections/past year
English Text: During the past 12 mo	nths, {have you/has SP} had3 or more ear infections?
English Instructions: CAPI INSTRUCTIONS: DISPLAY ITEMS A AND B IF SP AGE <= 3. DISPLAY	
ALL ITEMS (A, B, C AND D) IF SP	PAGE = 4-15. DISPLAY ITEMS A AND C IF SP AGE $>= 16$.
Codes:	Skip To Values:
1= Yes	

MCQ120C	Target
Wie Q1200	B(4 Yrs. to 19 Yrs.)
Hard Edits	SAS Label
	Had frequent/severe headaches/past yr

English Text: During the past 12 months, {have you/has SP} had . . .frequent or severe headaches, including migraines?

English Instructions: CAPI INSTRUCTIONS: DISPLAY ITEMS A AND B IF SP AGE <= 3. DISPLAY ALL ITEMS (A, B, C AND D) IF SP AGE = 4-15. DISPLAY ITEMS A AND C IF SP AGE >= 16.

Codes: Skip To Values:

1 = Yes

2= No

2= No 7= Refused 9= Don't know

7= Refused

MCQ120D	Target
	B(4 Yrs. to 15 Yrs.)
Hard Edits	SAS Label
	Stuttering/Stammering in past year
English Text: During the past 12 months, {have you/has SP} hadstuttering or stammering?	
English Instructions: CAPI INSTRUCTIONS: DISPLAY ITEMS A AND B IF SP AGE <= 3. DISPLAY ALL ITEMS (A, B, C AND D) IF SP AGE = 4-15. DISPLAY ITEMS A AND C IF SP AGE >= 16.	
Codes:	Skip To Values:
1= Yes	
2= No	
7= Refused	

MCQ140	Target
	B(2 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Trouble seeing even with glass/contacts
English Text: {Do you/Does SP} have {you/he/she} wear{s} them? English Instructions:	ve trouble seeing, even when wearing glasses or contact lenses, if
Codes:	Skip To Values:
1= Yes	•
2= No	
7= Refused	
9= Don't know	

MCQ147	Target	
MOQ117	F(8 Yrs. to 11 Yrs.)	
Hard Edits	SAS Label	
	Menstrual periods started yet?	
English Text: Have {SP's} periods or menstrual cycles started yet?		
English Instructions:		
Codes:	Skip To Values:	
1= Yes		
2= No	MCQ150G	
7= Refused	MCQ150G	
9= Don't know	MCQ150G	

MCQ148	Target
	F(8 Yrs. to 11 Yrs.)
Hard Edits	SAS Label
	Age when menstrual periods started
English Text: How old was {SP} when her periods or menstrual cycles started?	
English Instructions: ENTER AGE IN YEARS	
Codes:	Skip To Values:
7777= Refused	
9999= Don't know	

MCQ150G	Target	
112021200	B(6 Yrs. to 19 Yrs.)	
Hard Edits	SAS Label	
	School days missed from injury/illness	
English Text: During the past 12 months, that is, since {DISPLAY CURRENT MONTH} of {DISPLAY LAST YEAR}, about how many days did {you/SP} miss school because of an illness or injury?		
English Instructions: GATE QUESTION		
Codes:	Skip To Values:	
1= Enter number		
2= Did not go to school	MCQ160A	
7= Refused	MCQ160A	
9= Don't know	MCQ160A	

MCQ150Q	Target	
	B(6 Yrs. to 19 Yrs.)	
Hard Edits	SAS Label	
0 to 366	# school days missed from injury/illness	
English Text: During the past 12 months, that is, since {DISPLAY CURRENT MONTH} of {DISPLAY LAST YEAR}, about how many days did {you/SP} miss school because of an illness or injury?		
English Instructions: IF NONE, ENTER 0. ENTER NUMBER OF DAYS.		
Codes:	Skip To Values:	
77777= Refused		
99999= Don't know		

MCQ160A	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Doctor ever said you had arthritis	
English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he}had arthritis?		
English Instructions: CAPI INSTRUCTION: TEXT OF QUESTION SHOULD BE OPTIONAL AFTER FIRST ITEM IS READ.		
Codes:	Skip To Values:	
1= Yes	MCQ180A	
2= No		
7= Refused		
9= Don't know		

Target		
B(20 Yrs. to 120 Yrs.)		
SAS Label		
Ever told had congestive heart failure		
English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he}had congestive		
Skip To Values:		
MCQ180B		

MCQ160C	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Ever told you had coronary heart disease
English Text: Has a doctor or other heart disease?	nealth professional ever told {you/SP} that {you/s/he}had coronary
English Instructions:	
Codes:	Skip To Values:
1= Yes	MCQ180C
2= No	
7= Refused	
9= Don't know	

MCQ160D	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Ever told you had angina/angina pectoris	
English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he}had angina, also called angina pectoris?		
English Instructions:		
Codes:	Skip To Values:	
1= Yes	MCQ180D	
2= No		
7= Refused		
9= Don't know		

MCQ160E	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Ever told you had heart attack	
English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he}had a heart attack (also called myocardial infarction)?		
English Instructions:		
Codes:	Skip To Values:	
1= Yes	MCQ180E	
2= No		
7= Refused		
9= Don't know		

E

Ē

MCQ160F	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Ever told you had a stroke
English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he}had a stroke?	
English Instructions:	
Codes:	Skip To Values:
1= Yes	MCQ180F
2= No	
7= Refused	
9= Don't know	

MCQ160G	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Ever told you had emphysema
English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he}had emphysema?	
English Instructions:	
Codes:	Skip To Values:
1= Yes	MCQ180G
2= No	
7= Refused	
9= Don't know	

MCQ160H	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Ever told you had a goiter
English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he}had a goiter?	
English Instructions:	
Codes:	Skip To Values:
1= Yes	MCQ170H
2= No	
7= Refused	
9= Don't know	

MCQ160I	Target
MeQ1001	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Ever told you had thyroid disease
English Text: Has a doctor or other has the thyroid disease?	nealth professional ever told {you/SP} that {you/s/he}had another
English Instructions:	
Codes:	Skip To Values:
1= Yes	MCQ170I
2= No	
7= Refused	
9= Don't know	

MCQ160J	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Doctor said you were overweight
English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he}was overweight?	
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	
7= Refused	
9= Don't know	

MCQ160K	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Ever told you had chronic bronchitis	
English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he}had chronic bronchitis?		
English Instructions:		
Codes:	Skip To Values:	
1= Yes	MCQ170K	
2= No		
7= Refused		
9= Don't know		

MCQ160L	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Ever told you had any liver condition
English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he}had any kind of liver condition?	
English Instructions:	
Codes:	Skip To Values:
1= Yes	MCQ170L
2= No	
7= Refused	
9= Don't know	

E

MCQ170H	Target	
WieQ170H	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Do you still have a goiter	
English Text: {Do you/Does SP} still have a goiter?		
English Instructions:		
Codes:	Skip To Values:	
1= Yes	MCQ180H	
2= No	MCQ180H	
7= Refused	MCQ180H	
9= Don't know	MCQ180H	

MCQ170I	Target	
WCQ1701	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Do you still have thyroid disease	
English Text: {Do you/Does SP} still have another thyroid disease?		
English Instructions:		
Codes:	Skip To Values:	
1= Yes	MCQ180I	
2= No	MCQ180I	
7= Refused	MCQ180I	
9= Don't know	MCQ180I	

MCQ170K	Target	
Weditor	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Do you still have chronic bronchitis	
English Text: {Do you/Does SP} still have chronic bronchitis?		
English Instructions:		
Codes:	Skip To Values:	
1= Yes	MCQ180K	
2= No	MCQ180K	
7= Refused	MCQ180K	
9= Don't know	MCQ180K	

MCQ170L	Target	
WICQITOL	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Do you still have a liver condition	
English Text: {Do you/Does SP} still have any kind of liver condition?		
English Instructions:		
Codes:	Skip To Values:	
1= Yes	MCQ180L	
2= No	MCQ180L	
7= Refused	MCQ180L	
9= Don't know	MCQ180L	

MCQ180A	Target	
MeQiouA	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told you had arthritis	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he} had arthritis?		
English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ190.		
Codes:	Skip To Values:	
85= 85 years or older	MCQ190	
77777= Refused	MCQ190	
99999= Don't know	MCQ190	

MCQ180B	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told you had heart failure	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he}had congestive heart failure?		
English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160C.		
Codes:	Skip To Values:	
85= 85 years or older	MCQ160C	
77777= Refused	MCQ160C	
99999= Don't know	MCQ160C	

MCQ180C	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told had coronary heart disease	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he}had coronary heart disease?		
English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160D.		
Codes:	Skip To Values:	
85= 85 years or older	MCQ160D	
77777= Refused	MCQ160D	
99999= Don't know	MCQ160D	

MCQ180D	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told you had angina pectoris	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he}had angina, also called angina pectoris?		
English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160E.		
Codes:	Skip To Values:	
85= 85 years or older	MCQ160E	
77777= Refused	MCQ160E	
99999= Don't know	MCQ160E	

MCQ180E	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told you had heart attack	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he}had a heart attack (also called myocardial infarction)?		
English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160F.		
Codes:	Skip To Values:	
85= 85 years or older	MCQ160F	
77777= Refused	MCQ160F	
99999= Don't know	MCQ160F	

MCQ180F	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told you had a stroke	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he}had a stroke?		
English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160G.		
Codes:	Skip To Values:	
85= 85 years or older	MCQ160G	
77777= Refused	MCQ160G	
99999= Don't know	MCQ160G	

MCQ180G	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told you had emphysema	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he}had emphysema?		
English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160J.		
Codes:	Skip To Values:	
85= 85 years or older	MCQ160H	
77777= Refused	MCQ160H	
99999= Don't know	MCQ160H	

MCQ180H	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told you had a goiter	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he}had a goiter?		
English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160i.		
Codes:	Skip To Values:	
85= 85 years or older	MCQ160I	
77777= Refused	MCQ160I	
99999= Don't know	MCQ160I	

MCQ180I	Target	
Wedloor	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told you had thyroid disease	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he}had another thyroid disease?		
English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160j.		
Codes:	Skip To Values:	
85= 85 years or older	MCQ160J	
77777= Refused	MCQ160J	
99999= Don't know	MCQ160J	

MCQ180K	Target	
1,120,10011	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told you had chronic bronchitis	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he}had chronic bronchitis?		
English Instructions: ENTER AGE	N YEARS. SKIP TO MCQ160L.	
Codes:	Skip To Values:	
85= 85 years or older	MCQ160L	
77777= Refused	MCQ160L	
99999= Don't know	MCQ160L	

MCQ180L	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when told you had a liver condition	
English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he}had any kind of liver condition?		
English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ200160M		
Codes:	Skip To Values:	
85= 85 years or older	MCQ200	
77777= Refused MCQ200		
99999= Don't know	MCQ200	

MCQ190	Target
WCQ190	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Which type of arthritis
English Text: Which type of arthritis was it	
English Instructions:	
Codes:	Skip To Values:
1= Rheumatoid arthriti	MCQ160B
2= Osteoarthritis	MCQ160B
3= Other	MCQ160B
7= Refused	MCQ160B
9= Don't know	MCQ160B

MCQ200	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Ever told had stomach/duod/peptic ulcer
English Text: {Have you/Has SP} en ulcer, this could be a stomach, due	ver been told by a doctor or other health professional that {you/s/he} had odenal or peptic ulcer?
English Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	MCQ220
7= Refused	MCQ220
9= Don't know	MCQ220

MCQ210	Target
WICQ210	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Had ulcer in past year
glish Text: During the past 12 i	months {have you/has SP} had an ulcer?
glish Instructions:	
Codes:	Skip To Values:
1= Yes	
2= No	
7= Refused	
9= Don't know	

MCQ220	Target	
11100220	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Ever told you had cancer or malignancy	
English Text: {Have you/Has SP} ever been told by a doctor or other health professional that {you/s/he} had cancer or a malignancy of any kind?		
English Instructions:		
Codes:	Skip To Values:	
1= Yes		
2= No	MCQ245A	
7= Refused	MCQ245A	
9= Don't know	MCQ245A	

MCQ230A	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	What kind of cancer

English Instructions: ENTER UP TO 3 KINDS. IF RESPONDENT OFFERS MORE THAN 3, ENTER 66 AS THE 4TH RESPONSE. CAPI INSTRUCTIONS: ALLOW UP TO 3 ENTRIES. ALLOW 'MORE THAN 3 KINDS' (CODE 66) ONLY AS 4TH ENTRY.

- 10= Bladder
- 11= Blood
- 12 = Bone
- 13= Brain
- 14= Breast
- 15= Cervix (cervical)
- 16= Colon
- 17= Esophagus (esophageal)
- 18= Gallbladder
- 19= Kidney
- 20= Larynx/ windpipe
- 21= Leukemia
- 22 = Liver
- 23 = Lung
- 24= Lymphoma/Hodgkin's disease
- 25= Melanoma
- 26= Mouth/tongue/lip
- 27= Nervous system
- 28= Ovary (ovarian)
- 29= Pancreas (pancreatic)
- 30= Prostate
- 31= Rectum (rectal)
- 32= Skin (non-melanoma)
- 33= Skin (don't know what kind)
- 34= Soft tissue (muscle or fat)
- 35= Stomach
- 36= Testis (testicular)
- 37= Thyroid
- 38= Uterus (uterine)
- 39 = Other
- 66= More than 3 kinds
- 77= Refused
- 99= Don't know

MCQ230B	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	What kind of cancer

English Instructions: ENTER UP TO 3 KINDS. IF RESPONDENT OFFERS MORE THAN 3, ENTER 66 AS THE 4TH RESPONSE. CAPI INSTRUCTIONS: ALLOW UP TO 3 ENTRIES. ALLOW 'MORE THAN 3 KINDS (CODE 66) ONLY AS 4TH ENTRY.

- 10= Bladder
- 11= Blood
- 12 = Bone
- 13= Brain
- 14= Breast
- 15= Cervix (cervical)
- 16= Colon
- 17= Esophagus (esophageal)
- 18= Gallbladder
- 19= Kidney
- 20= Larynx/ windpipe
- 21= Leukemia
- 22 = Liver
- 23 = Lung
- 24= Lymphoma/Hodgkin's disease
- 25= Melanoma
- 26= Mouth/tongue/lip
- 27= Nervous system
- 28= Ovary (ovarian)
- 29= Pancreas (pancreatic)
- 30= Prostate
- 31= Rectum (rectal)
- 32= Skin (non-melanoma)
- 33= Skin (don't know what kind)
- 34= Soft tissue (muscle or fat)
- 35= Stomach
- 36= Testis (testicular)
- 37= Thyroid
- 38= Uterus (uterine)
- 39 = Other
- 66= More than 3 kinds
- 77= Refused
- 99= Don't know

MCQ230C	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	What kind of cancer

English Instructions: ENTER UP TO 3 KINDS. IF RESPONDENT OFFERS MORE THAN 3, ENTER 66 AS THE 4TH RESPONSE. CAPI INSTRUCTIONS: ALLOW UP TO 3 ENTRIES. ALLOW 'MORE THAN 3 KINDS (CODE 66) ONLY AS 4TH ENTRY.

- 10= Bladder
- 11= Blood
- 12 = Bone
- 13= Brain
- 14= Breast
- 15= Cervix (cervical)
- 16= Colon
- 17= Esophagus (esophageal)
- 18= Gallbladder
- 19= Kidney
- 20= Larynx/ windpipe
- 21= Leukemia
- 22 = Liver
- 23 = Lung
- 24= Lymphoma/Hodgkin's disease
- 25= Melanoma
- 26= Mouth/tongue/lip
- 27= Nervous system
- 28= Ovary (ovarian)
- 29= Pancreas (pancreatic)
- 30= Prostate
- 31= Rectum (rectal)
- 32= Skin (non-melanoma)
- 33= Skin (don't know what kind)
- 34= Soft tissue (muscle or fat)
- 35= Stomach
- 36= Testis (testicular)
- 37= Thyroid
- 38= Uterus (uterine)
- 39 = Other
- 66= More than 3 kinds
- 77= Refused
- 99= Don't know

MCQ230D	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	What kind of cancer

English Instructions: ENTER UP TO 3 KINDS. IF RESPONDENT OFFERS MORE THAN 3, ENTER 66 AS THE 4TH RESPONSE. CAPI INSTRUCTIONS: ALLOW UP TO 3 ENTRIES. ALLOW 'MORE THAN 3 KINDS (CODE 66) ONLY AS 4TH ENTRY.

- 10= Bladder
- 11= Blood
- 12 = Bone
- 13= Brain
- 14= Breast
- 15= Cervix (cervical)
- 16= Colon
- 17= Esophagus (esophageal)
- 18= Gallbladder
- 19= Kidney
- 20= Larynx/ windpipe
- 21= Leukemia
- 22 = Liver
- 23 = Lung
- 24= Lymphoma/Hodgkin's disease
- 25= Melanoma
- 26= Mouth/tongue/lip
- 27= Nervous system
- 28= Ovary (ovarian)
- 29= Pancreas (pancreatic)
- 30= Prostate
- 31= Rectum (rectal)
- 32= Skin (non-melanoma)
- 33= Skin (don't know what kind)
- 34= Soft tissue (muscle or fat)
- 35= Stomach
- 36= Testis (testicular)
- 37= Thyroid
- 38= Uterus (uterine)
- 39 = Other
- 66= More than 3 kinds
- 77= Refused
- 99= Don't know

MCQ240A	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age when bladder cancer first diagnosed

English Text: How old {were you/was SP} when {TYPE OF CANCER/cancer} was first diagnosed? How old (were you/was SP) when bladder cancer was first diagnosed?

English Instructions: ENTER AGE IN YEARS

Codes: Skip To Values:

85= 85 years or older

77777= Refused 99999= Don't know

MCQ240B	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age when blood cancer first diagnosed
English Text: How old {were you/was SP} when blood cancer was first diagnosed?	
English Instructions: ENTER AGE IN YEARS	
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240C	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age when bone cancer first diagnosed
English Text: How old (were you/wa	as SP) when bone cancer was first diagnosed?
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240D	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age when brain cancer first diagnosed
English Text: How old (were you/wa	as SP) when brain cancer was first diagnosed?
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240E	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age when breast cancer first diagnosed
English Text: How old (were you/wa	s SP) when breast cancer was first diagnosed?
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240F	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age when cervical cancer first diagnosed
English Text: How old (were you/was SP) when cervical cancer was first diagnosed?	
English Instructions: ENTER AGE IN YEARS	
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240G	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age when colon cancer first diagnosed
English Text: How old (were you/wa	as SP) when colon cancer was first diagnosed?
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240H	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age esophageal cancer first diagnosed
English Text: How old (were you/wa	s SP) when esophageal cancer was first diagnosed?
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

Target	
B(20 Yrs. to 120 Yrs.)	
SAS Label	
Age gallbladder cancer first diagnosed	
English Text: How old (were you/was SP) when gallbladder cancer was first diagnosed?	
IN YEARS	
Skip To Values:	

MCQ240J	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when kidney cancer first diagnosed	
English Text: How old (were you/was SP) when kidney cancer was first diagnosed?		
English Instructions: ENTER AGE IN YEARS		
Codes:	Skip To Values:	
85= 85 years or older		
77777= Refused		
99999= Don't know		

MCQ240K	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age larynx/windpipe cancer diagnosed	
English Text: How old (were you/was SP) when larynx or windpipe cancer was first diagnosed?		
English Instructions: ENTER AGE IN YEARS		
Codes:	Skip To Values:	
85= 85 years or older		
77777= Refused		
99999= Don't know		

MCQ240L	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when leukemia first diagnosed	
English Text: How old (were you/was SP) when leukemia was first diagnosed?		
English Instructions: ENTER AGE IN YEARS		
Codes:	Skip To Values:	
85= 85 years or older		
77777= Refused		
99999= Don't know		

MCQ240M	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when liver cancer first diagnosed	
English Text: How old (were you/was SP) when liver cancer was first diagnosed?		
English Instructions: ENTER AGE IN YEARS		
Codes:	Skip To Values:	
85= 85 years or older		
77777= Refused		
99999= Don't know		

	Target	
MCQ240N	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when lung cancer first diagnosed	
English Text: How old (were you/was SP) when lung cancer was first diagnosed?		
English Instructions: ENTER AGE IN YEARS		
Codes:	Skip To Values:	
85= 85 years or older		
77777= Refused		
99999= Don't know		

MCQ240O	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age lymphoma/Hodgkin's diagnosed
English Text: How old (were you/was SP) when lymphoma or Hodgkin's Disease was first diagnosed?	
English Instructions: ENTER AGE IN YEARS	
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240P	Target	
111002401	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when melanoma first diagnosed	
English Text: How old (were you/was SP) when melanoma was first diagnosed?		
English Instructions: ENTER AGE IN YEARS		
Codes:	Skip To Values:	
85= 85 years or older		
77777= Refused		
99999= Don't know		

	Target
MCQ240Q	Taiget
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age mouth\tongue\lip cancer diagnosed
English Text: How old (were you/was SP) when mouth, tongue, or lip cancer was first diagnosed?	
English Instructions: ENTER AGE IN YEARS	
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240R	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age nervous system cancer diagnosed
English Text: How old (were you/was SP) when cancer of the nervous system was first diagnosed?	
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240S	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age when ovarian cancer first diagnosed
English Text: How old (were you/was SP) when ovarian cancer was first diagnosed?	
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240T	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age pancreatic cancer first diagnosed	
English Text: How old (were you/was SP) when pancreatic cancer was first diagnosed?		
English Instructions: ENTER AGE IN YEARS		
Codes:	Skip To Values:	
85= 85 years or older		
77777= Refused		
99999= Don't know		

MCQ240U	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age prostate cancer first diagnosed	
English Text: How old (were you/was SP) when prostate cancer was first diagnosed?		
English Instructions: ENTER AGE IN YEARS		
Codes:	Skip To Values:	
85= 85 years or older		
77777= Refused		
99999= Don't know		

MCQ240V	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age when rectal cancer first diagnosed	
English Text: How old (were you/was SP) when rectal cancer was first diagnosed?		
English Instructions: ENTER AGE	IN YEARS	
Codes:	Skip To Values:	
85= 85 years or older		
77777= Refused		
99999= Don't know		

MCQ240W	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Age non-melanoma skin cancer diagnosed	
English Text: How old (were you/was SP) when non-melanoma skin cancer was first diagnosed?		
English Instructions: ENTER AGE	IN YEARS	
Codes:	Skip To Values:	
85= 85 years or older		
77777= Refused		
99999= Don't know		

MCQ240X	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age unknown skin cancer first diagnosed
English Text: How old (were you/was SP) when the unknown kind of skin cancer was first diagnosed?	
English Instructions: ENTER AGE IN YEARS	
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240Y	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age soft tissue cancer first diagnosed
English Text: How old (were you/wa	as SP) when soft tissue (muscle or fat) cancer was first diagnosed?
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240Z	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age stomach cancer first diagnosed
English Text: How old (were you/wa	s SP) when stomach cancer was first diagnosed?
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

Target
B(20 Yrs. to 120 Yrs.)
SAS Label
Age testicular cancer first diagnosed
as SP) when testicular cancer was first diagnosed?
IN YEARS
Skip To Values:

MCQ240BB	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age when thyroid cancer first diagnosed
English Text: How old (were you/wa	s SP) when thyroid cancer was first diagnosed?
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240CC	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age when uterine cancer first diagnosed
English Text: How old (were you/wa	s SP) when uterine cancer was first diagnosed?
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ240DD	Target
Medanob	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Age other type of cancer first diagnosed
English Text: How old (were you/wa	s SP) when some other type of cancer was first diagnosed?
English Instructions: ENTER AGE	IN YEARS
Codes:	Skip To Values:
85= 85 years or older	
77777= Refused	
99999= Don't know	

MCQ245A	Target
	B(16 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Work days missed for illness/maternity

English Text: During the past 12 months, that is since {DISPLAY CURRENT MONTH} of last year, about how many days did {you/SP} miss work at a job or business because of an illness or injury {do not include maternity leave}?

English Instructions: CAPI INSTRUCTION: DISPLAY "DO NOT INCLUDE MATERNITY LEAVE" ONLY IF SP IS FEMALE.

Codes: Skip To Values:

1= Enter number

2= Does not work

7= Refused

9= Don't know

MCQ245B	Target
	B(16 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
0 to 366	# of workdays missed

English Text: During the past 12 months, that is since {DISPLAY CURRENT MONTH} of last year, about how many days did {you/SP} miss work at a job or business because of an illness or injury {do not include maternity leave}?

English Instructions: ENTER NUMBER OF DAYS

Codes: Skip To Values:

77777= Refused 99999= Don't know

Target
B(20 Yrs. to 120 Yrs.)
SAS Label
Blood relatives have diabetes

English Text: Including living and deceased, were any of {SP's/your} biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a health professional that they had . . .diabetes?

English Instructions: CAPI INSTRUCTION: TEXT OF QUESTION SHOULD BE OPTIONAL, '[]'S, AFTER FIRST TIME.

Codes:

Skip To Values:

1 = Yes

MCQ260AA

2 = No

7= Refused

9= Don't know

MCQ250B	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relatives have Alzheimer's
	eceased, were any of {SP's/ your} biological that is, blood relatives ners, sisters ever told by a health professional that they hadAlzheimer's
English Instructions:	
~ -	

Codes:

Skip To Values:

1= Yes MCQ260BA

2 = No

7= Refused

9= Don't know

MCQ250C	Target
MeQ250c	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relatives have asthma
	eceased, were any of {SP's/ your} biological that is, blood relatives ners, sisters ever told by a health professional that they hadasthma?
English Instructions:	
Codes:	Skip To Values:
1= Yes	MCQ260CA
2= No	
7= Refused	
9= Don't know	

MCQ250D	Target
WIEQ230D	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relatives have arthritis
including grandparents, parents, brothe English Instructions:	ers, sisters ever told by a health professional that they hadarthritis?
Codes:	Skip To Values:
1= Yes	MCQ260DA
2= No	
7= Refused	

MCQ250E	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relatives have osteoporosis

English Text: Including living and deceased, were any of {SP's/ your} biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a health professional that they had . . .osteoporosis or brittle bones?

English Instructions:

Codes:

Skip To Values:

1 = Yes

MCQ260EA

2 = No

7= Refused

9= Don't know

MCQ250F	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relatives w/hypertension/stroke
English Text: Including living and deceased, were any of {SP's/ your} biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a health professional that they hadhigh blood pressure or stroke before the age of 50?	
English Instructions:	

Codes:

Skip To Values:

MCQ260FA

1 = Yes

2 = No

7= Refused

9= Don't know

MCQ250G	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relatives have angina
English Text: Including living and deceased were any of {SP's/your} biological that is blood relatives	

English Text: Including living and deceased, were any of {SP's/your} biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a health professional that they had . . .heart attack or angina before the age of 50?

English Instructions:

Codes: Skip To Values:

1= Yes MCQ260GA

2 = No

7= Refused

9= Don't know

MCQ260AA	Target	
11202200111	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Blood relative-diabetes-mother	
English Text: Which biological [blood] family member?		
English Instructions: CODE ALL THAT APPLY		
Codes:	Skip To Values:	
1= Mother	MCQ250B	
77= Refused	MCQ250B	
99= Don't know	MCQ250B	

MCQ260AB	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-diabetes-father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
2= Father	MCQ250B

MCQ260AC	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-diabetes-mother's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: Skip To Val	
3= Mother's mother	MCQ250B

MCQ260AD	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-diabetes-mother's father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: Skip To Valu	
4= Mother's father	MCQ250B

MCQ260AE	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-diabetes-father's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: Skip To Val	
5= Father's mother	MCQ250B

MCQ260AF	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-diabetes-father's father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: Skip To Val	
6= Father's father	MCQ250B

MCQ260AG	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-diabetes-brother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
7= Brother	MCQ250B

MCQ260AH	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-diabetes-sister
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: 8= Sister	Skip To Values: MCQ250B

MCQ260AI	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-diabetes-other
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
9= Other	MCQ250B

MCQ260BA	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Blood relative-Alzheimer's-mother	
English Text: Which biological [blood] family member?		
English Instructions: CODE ALL THAT APPLY		
Codes:	Skip To Values:	
1= Mother	MCQ250C	
77= Refused	MCQ250C	
99= Don't know	MCQ250C	

MCQ260BB	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-Alzheimer's-father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
2= Father	MCQ250C

MCQ260BC	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-Alzheimer's-mom's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
3= Mother's mother	MCQ250C

MCQ260BD	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-Alzheimer's-mom's father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: Skip To Val	
4= Mother's father	MCQ250C

MCQ260BE	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-Alzheimer's-dad's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
5= Father's mother	MCQ250C

MCQ260BF	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-Alzheimer's-dad's father
English Text: Which biological [bloom	d] family member?
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
6= Father's father	MCQ250C

MCQ260BG	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-Alzheimer's-brother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
7= Brother	MCQ250C

MCQ260BH	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-Alzheimer's-sister
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
8= Sister	MCQ250C

MCQ260BI	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-Alzheimer's-other
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
9= Other	MCQ250C

MCQ260CA	Target	
Medauch	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Blood relative-asthma-mother	
English Text: Which biological [blood] family member?		
English Instructions: CODE ALL THAT APPLY		
Codes:	Skip To Values:	
1= Mother	MCQ250D	
77= Refused	MCQ250D	
99= Don't know	MCQ250D	

MCQ260CB	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-asthma-father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
2= Father	MCQ250D

MCQ260CC	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-asthma-mother's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: Skip To Valu	
3= Mother's mother	MCQ250D

MCQ260CD	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-asthma-mother's father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
4= Mother's father	MCQ250D

MCQ260CE	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-asthma-father's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
5= Father's mother	MCQ250D

MCQ260CF	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-asthma-father's father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
6= Father's father	MCQ250D

MCQ260CG	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-asthma-brother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: 7= Brother	Skip To Values: MCQ250E

MCQ260CH	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-asthma-sister
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
8= Sister	MCQ250D

MCQ260CI	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-asthma-other
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
9= Other	MCQ250D

MCQ260DA	Target	
NICQ200DII	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Blood relative-arthritis-mother	
English Text: Which biological [bloom	al [blood] family member?	
English Instructions: CODE ALL THAT APPLY		
Codes:	Skip To Values:	
1= Mother	MCQ250E	
77= Refused	MCQ250E	
99= Don't know	MCQ250E	

MCQ260DB	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-arthritis-father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
2= Father	MCQ250E

MCQ260DC	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-arthritis-mother's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: Skip To Valu	
3= Mother's mother	MCQ250E

MCQ260DD	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-arthritis-mother's father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: Skip To Values	
4= Mother's father	MCQ250E

MCQ260DE	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-arthritis-father's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
5= Father's mother	MCQ250E

MCQ260DF	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-arthritis-father's father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
6= Father's father	MCQ250E

MCQ260DG	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-arthritis-brother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
7= Brother	MCQ250E

MCQ260DH	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-arthritis-sister
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
8= Sister	MCQ250E

MCQ260DI	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-arthritis-other
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
9= Other	MCQ250E

MCQ260EA	Target	
WICQ200EA	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Blood relative-osteoporosis-mother	
English Text: Which biological [blood] family member?		
English Instructions: CODE ALL THAT APPLY		
Codes:	Skip To Values:	
1= Mother	MCQ250F	
77= Refused	MCQ250F	
99= Don't know	MCQ250F	

MCQ260EB	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-osteoporosis-father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
2= Father	MCQ250F

MCQ260EC	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-osteoporosis-mom's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
3= Mother's mother	MCQ250F

MCQ260ED	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-osteoporosis-mom's father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
4= Mother's father	MCQ250F

MCQ260EE	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-osteoporosis-dad's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
5= Father's mother	MCQ250F

MCQ260EF	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-osteoporosis-dad's father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
6= Father's father	MCQ250F

MCQ260EG	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-osteoporosis-brother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
7= Brother	MCQ250F

МСQ260EH	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-osteoporosis-sister
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
8= Sister	MCQ250F

MCQ260EI	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-osteoporosis-other
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
9= Other	MCQ250F

MCQ260FA	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Blood relative-hypertension-mother	
English Text: Which biological [blood] family member?		
English Instructions: CODE ALL THAT APPLY		
Codes:	Skip To Values:	
1= Mother	MCQ250G	
77= Refused	MCQ250G	
99= Don't know	MCQ250G	

MCQ260FB	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-hypertension-father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
2= Father	MCQ250G

MCQ260FC	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-hypertension-mom's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: Skip To Va	
3= Mother's mother MCQ250G	

MCQ260FD	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-hypertension-mom's father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: Skip To Va	
4= Mother's father	MCQ250G

MCQ260FE	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-hypertension-dad's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
5= Father's mother	MCQ250G

MCQ260FF	Target	
	B(20 Yrs. to 120 Yrs.)	
Hard Edits	SAS Label	
	Blood relative-hypertension-dad's father	
English Text: Which biological [blood] family member?		
English Instructions: CODE ALL THAT APPLY		
Codes: Skip To Val		
6= Father's father	MCQ250G	

MCQ260FG	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-hypertension-brother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes: 7= Brother	Skip To Values: MCQ250G

MCQ260FH	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-hypertension-sister
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
8= Sister	MCQ250G

MCQ260FI	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-hypertension-other
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
9= Other	MCQ250G

MCQ260GA	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-heart attack-mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL T	HAT APPLY
Codes:	Skip To Values:
1= Mother	
77= Refused	
99= Don't know	

MCQ260GB	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-heart attack-father
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
2= Father	

MCQ260GC	Target
	B(20 Yrs. to 120 Yrs.)
Hard Edits	SAS Label
	Blood relative-heart attack-mom's mother
English Text: Which biological [blood] family member?	
English Instructions: CODE ALL THAT APPLY	
Codes:	Skip To Values:
3= Mother's mother	

MCQ260GD	Target			
MCQ2000D	B(20 Yrs. to 120 Yrs.)			
Hard Edits	SAS Label			
	Blood relative-heart attack-mom's father			
English Text: Which biological [blood] family member?				
English Instructions: CODE ALL THAT APPLY				
Codes:	Skip To Values:			
4= Mother's father				

MCQ260GE	Target			
MCQ200GE	B(20 Yrs. to 120 Yrs.)			
Hard Edits	SAS Label			
	Blood relative-heart attack-dad's mother			
English Text: Which biological [blood] family member?				
English Instructions: CODE ALL THAT APPLY				
Codes:	Skip To Values:			
5= Father's mother				

MCQ260GF	Target			
1/10 (2000)	B(20 Yrs. to 120 Yrs.)			
Hard Edits	SAS Label			
	Blood relative-heart attack-dad's father			
English Text: Which biological [blood] family member?				
English Instructions: CODE ALL THAT APPLY				
Codes:	Skip To Values:			
6= Father's father				

MCQ260GG	Target			
MCQ200GG	B(20 Yrs. to 120 Yrs.)			
Hard Edits	SAS Label			
	Blood relative-heart attack-brother			
English Text: Which biological [blood] family member?				
English Instructions: CODE ALL THAT APPLY				
Codes:	Skip To Values:			
7= Brother				

MCQ260GH	Target				
112 (2000)	B(20 Yrs. to 120 Yrs.)				
Hard Edits	SAS Label				
	Blood relative-heart attack-sister				
English Text: Which biological [blood] family member?					
English Instructions: CODE ALL T	HAT APPLY				
Codes:	Skip To Values:				
8= Sister					

MCQ260GI	Target				
Wedandi	B(20 Yrs. to 120 Yrs.)				
Hard Edits	SAS Label				
	Blood relative-heart attack-other				
English Text: Which biological [blood] family member?					
English Instructions: CODE ALL T	HAT APPLY				
Codes:	Skip To Values:				
9= Other					

MCQ270	Target			
Megaro	B(20 Yrs. to 120 Yrs.)			
Hard Edits	SAS Label			
	Your mother ever fracture hip			
English Text: Did {your/SP's} biolog	gical mother ever fracture her hip?			
English Instructions:				
Codes:	Skip To Values:			
1= Yes				
2= No	End of Section			
7= Refused	End of Section			
9= Don't know	End of Section			

MCQ280	Target				
1,100200	B(20 Yrs. to 120 Yrs.)				
Hard Edits	SAS Label				
0 to 120	Mother's age when fractured hip				
English Text: About how old was she when she fractured her hip (the first time)?					
English Instructions: ENTER AGE IN YEARS. SKIP TO END OF SECTION.					
Codes: Skip To Values:					
77777= Refused					
99999= Don't know					

MCQ290	Target		
1100250	B(20 Yrs. to 120 Yrs.)		
Hard Edits	SAS Label		
	Mother under/over 50 when fracture hip		
English Text: Was she			
English Instructions:			
Codes:	Skip To Values:		
1= Under 50 years old	, or		
2= 50 years old or olde	er?		
7= Refused			
9= Don't know			

NHANES 1999-2000 Data Release Frequency Distribution for the Medical Conditions Section of the SP Questionnaire (MCQ.XPT) July 2006

Ever been told you have asthma						
MCQ010 Frequency Percent Cumulative Percent Percent						
1 : Yes	1170	12.32	1170	12.32		
2: No 8314 87.58 9484 99.9						
9 : Don't know	9	0.09	9493	100.00		

Frequency Distribution for the Medical Conditions Section of the SP Questionnaire (MCQ.XPT) July 2006

Age when first had asthma						
MCQ020 Frequency Percent Cumulative Cumulative Percent						
Missing	8838	93.10	8838	93.10		
1 to 19	648	6.83	9486	99.93		
99999 : Don't know	7	0.07	9493	100.00		

Frequency Distribution for the Medical Conditions Section of the SP Questionnaire (MCQ.XPT) July 2006

Still have asthma							
MCQ030	Cumulative Cumulative Percent Frequency Percent						
Missing	8838	93.10	8838	93.10			
1 : Yes	415	4.37	9253	97.47			
2 : No	230	2.42	9483	99.89			
9 : Don't know	10	0.11	9493	100.00			

Had asthma attack in past year							
MCQ040	Frequency Percent Cumulative Cumulative Percent						
Missing	8563	90.20	8563	90.20			
1 : Yes	410	4.32	8973	94.52			
2 : No	520	5.48	9493	100.00			

Emergency care visit for asthma/past yr						
MCQ050	Frequency Percent Cumulative Cumulative Percent					
Missing	9083	95.68	9083	95.68		
1 : Yes	145	1.53	9228	97.21		
2 : No	265	2.79	9493	100.00		

Taking treatment for anemia/past 3 mos						
MCQ053 Frequency Percent Cumulative Cumulative Percent						
1 : Yes	277	2.92	277	2.92		
2 : No	9210	97.02	9487	99.94		
9 : Don't know	6	0.06	9493	100.00		

Told have attention deficit disorder?						
MCQ060	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	5595	58.94	5595	58.94		
1 : Yes	228	2.40	5823	61.34		
2 : No	3664	38.60	9487	99.94		
7 : Refused	2	0.02	9489	99.96		
9 : Don't know	4	0.04	9493	100.00		

Doctor ever said you were overweight						
MCQ080 Frequency Percent Cumulative Frequency Percent						
Missing	5144	54.19	5144	54.19		
1 : Yes	440	4.63	5584	58.82		
2 : No	3906	41.15	9490	99.97		
9 : Don't know	3	0.03	9493	100.00		

Ever told you have learning disability						
MCQ083	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	6761	71.22	6761	71.22		
1 : Yes	282	2.97	7043	74.19		
2 : No	2447	25.78	9490	99.97		
9 : Don't know	3	0.03	9493	100.00		

Ever had chickenpox						
MCQ090	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	5967	62.86	5967	62.86		
1 : Yes	2840	29.92	8807	92.77		
2 : No	642	6.76	9449	99.54		
9 : Don't know	44	0.46	9493	100.00		

Ever receive blood transfusion						
MCQ092 Frequency Percent Cumulative Frequency Percent						
Missing	1086	11.44	1086	11.44		
1 : Yes	694	7.31	1780	18.75		
2 : No	7638	80.46	9418	99.21		
9 : Don't know	75	0.79	9493	100.00		

Year receive blood transfusion					
MCD093	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	8799	92.69	8799	92.69	
1 : Before 1972	217	2.29	9016	94.98	
2 : 1972 - 1991	259	2.73	9275	97.70	
3 : 1992 to present	199	2.10	9474	99.80	
9 : Don't know	19	0.20	9493	100.00	

Told have high blood pressure						
MCQ100 Frequency Percent Cumulative Frequency Percent						
Missing	7504	79.05	7504	79.05		
1 : Yes	6	0.06	7510	79.11		
2 : No	1982	20.88	9492	99.99		
9 : Don't know	1	0.01	9493	100.00		

Taking medicine for high blood pressure							
MCQ110	MCQ110 Frequency Percent Cumulative Percent						
Missing	9487	99.94	9487	99.94			
2 : No	6	0.06	9493	100.00			

Ever tested for lead poisoning						
MCQ114 Frequency Percent Cumulative Cumulative Percent						
Missing	8409	88.58	8409	88.58		
1 : Yes	344	3.62	8753	92.20		
2 : No	677	7.13	9430	99.34		
9 : Don't know	63	0.66	9493	100.00		

How long since lead poisoning test						
MCQ117Q Frequency Percent Cumulative Cumulative Percent						
Missing	9149	96.38	9149	96.38		
1 to 18	337	3.55	9486	99.93		
99999 : Don't know	7	0.07	9493	100.00		

Months or years						
MCQ117U Frequency Percent Cumulative Cumulative Percent						
Missing	9156	96.45	9156	96.45		
1 : Months	187	1.97	9343	98.42		
2 : Years	150	1.58	9493	100.00		

Had hay fever in past year						
MCQ120A	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	4881	51.42	4881	51.42		
1 : Yes	439	4.62	5320	56.04		
2 : No	4140	43.61	9460	99.65		
9 : Don't know	33	0.35	9493	100.00		

Had 3 or more ear infections/past year							
MCQ120B	CQ120B Frequency Percent Cumulative Cumulative Percer						
Missing	6047	63.70	6047	63.70			
1 : Yes	306	3.22	6353	66.92			
2 : No	3136	33.03	9489	99.96			
9 : Don't know	4	0.04	9493	100.00			

Had frequent/severe headaches/past yr						
MCQ120C	Frequency Percent Cumulative Cumulative Percent					
Missing	5595	58.94	5595	58.94		
1 : Yes	745	7.85	6340	66.79		
2 : No	3148	33.16	9488	99.95		
9 : Don't know	5	0.05	9493	100.00		

Stuttering/Stammering in past year						
MCQ120D	MCQ120D Frequency Percent Cumulative Cumulative Perce					
Missing	6761	71.22	6761	71.22		
1 : Yes	140	1.47	6901	72.70		
2 : No	2588	27.26	9489	99.96		
9 : Don't know	4	0.04	9493	100.00		

Trouble seeing even with glass/contacts					
MCQ140	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	263	2.77	263	2.77	
1 : Yes	1489	15.69	1752	18.46	
2 : No	7724	81.37	9476	99.82	
9 : Don't know	17	0.18	9493	100.00	

Menstrual periods started yet?						
MCQ147	Frequency Percent Cumulative Cumulative Percent					
Missing	9122	96.09	9122	96.09		
1 : Yes	33	0.35	9155	96.44		
2 : No	336	3.54	9491	99.98		
9 : Don't know	2	0.02	9493	100.00		

Age when menstrual periods started						
MCQ148 Frequency Percent Cumulative Frequency Percent						
Missing	9461	99.66	9461	99.66		
9 to 11	32	0.34	9493	100.00		

School days missed from injury/illness						
MCQ150G	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	5967	62.86	5967	62.86		
1 : Enter number	3244	34.17	9211	97.03		
2 : Did not go to school	275	2.90	9486	99.93		
9 : Don't know	7	0.07	9493	100.00		

# school days missed from injury/illness						
MCQ150Q Frequency Percent Cumulative Cumulative Percent						
Missing	6249	65.83	6249	65.83		
0 to 180	3237	34.10	9486	99.93		
99999 : Don't know	7	0.07	9493	100.00		

Doctor ever said you had arthritis						
MCQ160A Frequency Percent Cumulative Cumulative Percent						
Missing	4613	48.59	4613	48.59		
1 : Yes	1239	13.05	5852	61.65		
2 : No	3634	38.28	9486	99.93		
9 : Don't know	7	0.07	9493	100.00		

Ever told had congestive heart failure					
MCQ160B	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	167	1.76	4780	50.35	
2 : No	4689	49.39	9469	99.75	
7 : Refused	1	0.01	9470	99.76	
9 : Don't know	23	0.24	9493	100.00	

Ever told you had coronary heart disease				
MCQ160C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4613	48.59	4613	48.59
1 : Yes	203	2.14	4816	50.73
2 : No	4644	48.92	9460	99.65
7 : Refused	2	0.02	9462	99.67
9 : Don't know	31	0.33	9493	100.00

Ever told you had angina/angina pectoris				
MCQ160D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4613	48.59	4613	48.59
1 : Yes	180	1.90	4793	50.49
2 : No	4674	49.24	9467	99.73
7 : Refused	1	0.01	9468	99.74
9 : Don't know	25	0.26	9493	100.00

Ever told you had heart attack					
MCQ160E	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	221	2.33	4834	50.92	
2 : No	4643	48.91	9477	99.83	
9 : Don't know	16	0.17	9493	100.00	

Ever told you had a stroke					
MCQ160F	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	190	2.00	4803	50.60	
2 : No	4687	49.37	9490	99.97	
9 : Don't know	3	0.03	9493	100.00	

Ever told you had emphysema					
MCQ160G	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	95	1.00	4708	49.59	
2 : No	4779	50.34	9487	99.94	
9 : Don't know	6	0.06	9493	100.00	

Ever told you had a goiter				
MCQ160H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4613	48.59	4613	48.59
1 : Yes	61	0.64	4674	49.24
2 : No	4812	50.69	9486	99.93
9 : Don't know	7	0.07	9493	100.00

Ever told you had thyroid disease				
MCQ160I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4613	48.59	4613	48.59
1 : Yes	291	3.07	4904	51.66
2 : No	4576	48.20	9480	99.86
9 : Don't know	13	0.14	9493	100.00

Doctor said you were overweight					
MCQ160J	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	1440	15.17	6053	63.76	
2 : No	3436	36.20	9489	99.96	
9 : Don't know	4	0.04	9493	100.00	

Ever told you had chronic bronchitis				
MCQ160K	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4613	48.59	4613	48.59
1 : Yes	299	3.15	4912	51.74
2 : No	4573	48.17	9485	99.92
9 : Don't know	8	0.08	9493	100.00

Ever told you had any liver condition					
MCQ160L	Frequency	Percent		Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	153	1.61	4766	50.21	
2 : No	4715	49.67	9481	99.87	
9 : Don't know	12	0.13	9493	100.00	

Do you still have a goiter					
MCQ170H	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	9432	99.36	9432	99.36	
1 : Yes	15	0.16	9447	99.52	
2 : No	44	0.46	9491	99.98	
9 : Don't know	2	0.02	9493	100.00	

Do you still have thyroid disease						
MCQ170I	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	9202	96.93	9202	96.93		
1 : Yes	195	2.05	9397	98.99		
2 : No	88	0.93	9485	99.92		
9 : Don't know	8	0.08	9493	100.00		

Do you still have chronic bronchitis						
MCQ170K	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	9194	96.85	9194	96.85		
1 : Yes	136	1.43	9330	98.28		
2 : No	156	1.64	9486	99.93		
9 : Don't know	7	0.07	9493	100.00		

Do you still have a liver condition						
MCQ170L	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	9340	98.39	9340	98.39		
1 : Yes	60	0.63	9400	99.02		
2 : No	80	0.84	9480	99.86		
9 : Don't know	13	0.14	9493	100.00		

Age when told you had arthritis					
MCQ180A	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	8257	86.98	8257	86.98	
1 to 84	1193	12.57	9450	99.55	
85 : 85 years or older	15	0.16	9465	99.71	
99999 : Don't know	28	0.29	9493	100.00	

Age when told you had heart failure					
MCQ180B	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	9326	98.24	9326	98.24	
1 to 84	163	1.72	9489	99.96	
85 : 85 years or older	2	0.02	9491	99.98	
99999 : Don't know	2	0.02	9493	100.00	

Age when told had coronary heart disease					
MCQ180C	Frequency	Percent		Cumulative Percent	
Missing	9290	97.86	9290	97.86	
1 to 84	199	2.10	9489	99.96	
85 : 85 years or older	4	0.04	9493	100.00	

Age when told you had angina pectoris					
MCQ180D	Frequency	Percent		Cumulative Percent	
Missing	9313	98.10	9313	98.10	
1 to 84	176	1.85	9489	99.96	
99999 : Don't know	4	0.04	9493	100.00	

Age when told you had heart attack					
MCQ180E	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	9272	97.67	9272	97.67	
2 to 83	209	2.20	9481	99.87	
85 : 85 years or older	5	0.05	9486	99.93	
99999 : Don't know	7	0.07	9493	100.00	

Age when told you had a stroke					
MCQ180F	Frequency	Percent		Cumulative Percent	
Missing	9303	98.00	9303	98.00	
1 to 84	186	1.96	9489	99.96	
85 : 85 years or older	4	0.04	9493	100.00	

Age when told you had emphysema					
MCQ180G	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	9398	99.00	9398	99.00	
3 to 83	91	0.96	9489	99.96	
85 : 85 years or older	1	0.01	9490	99.97	
99999 : Don't know	3	0.03	9493	100.00	

Age when told you had a goiter					
MCQ180H	Frequency	Percent		Cumulative Percent	
Missing	9432	99.36	9432	99.36	
1 to 72	59	0.62	9491	99.98	
99999 : Don't know	2	0.02	9493	100.00	

Age when told you had thyroid disease					
MCQ180I	Frequency	Percent		Cumulative Percent	
Missing	9202	96.93	9202	96.93	
5 to 84	283	2.98	9485	99.92	
85 : 85 years or older	3	0.03	9488	99.95	
99999 : Don't know	5	0.05	9493	100.00	

Age when told you had chronic bronchitis							
MCQ180K Frequency Percent Cumulative Frequency Percent							
Missing	9194	96.85	9194	96.85			
1 to 83	289	3.04	9483	99.89			
85 : 85 years or older	1	0.01	9484	99.91			
99999 : Don't know	9	0.09	9493	100.00			

Age when told you had a liver condition						
MCQ180L	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	9340	98.39	9340	98.39		
0 to 83	149	1.57	9489	99.96		
85 : 85 years or older	1	0.01	9490	99.97		
99999 : Don't know	3	0.03	9493	100.00		

Which type of arthritis							
MCQ190	Frequency	Percent	Cumulative Frequency	Cumulative Percent			
Missing	8254	86.95	8254	86.95			
1 : Rheumatoid arthritis	367	3.87	8621	90.81			
2 : Osteoarthritis	322	3.39	8943	94.21			
3 : Other	32	0.34	8975	94.54			
7 : Refused	1	0.01	8976	94.55			
9 : Don't know	517	5.45	9493	100.00			

Ever told had stomach/duod/peptic ulcer						
MCQ200	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	4613	48.59	4613	48.59		
1 : Yes	526	5.54	5139	54.13		
2 : No	4341	45.73	9480	99.86		
7 : Refused	1	0.01	9481	99.87		
9 : Don't know	12	0.13	9493	100.00		

Had ulcer in past year						
MCQ210	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	8967	94.46	8967	94.46		
1 : Yes	154	1.62	9121	96.08		
2 : No	366	3.86	9487	99.94		
9 : Don't know	6	0.06	9493	100.00		

Ever told you had cancer or malignancy						
MCQ220	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	4613	48.59	4613	48.59		
1 : Yes	386	4.07	4999	52.66		
2 : No	4489	47.29	9488	99.95		
9 : Don't know	5	0.05	9493	100.00		

Wha	nt kind of can	cer		
MCQ230A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9107	95.93	9107	95.93
10 : Bladder	10	0.11	9117	96.04
11 : Blood	1	0.01	9118	96.05
12 : Bone	5	0.05	9123	96.10
14 : Breast	63	0.66	9186	96.77
15 : Cervix (cervical)	20	0.21	9206	96.98
16 : Colon	28	0.29	9234	97.27
17 : Esophagus (esophageal)	2	0.02	9236	97.29
19 : Kidney	6	0.06	9242	97.36
20 : Larynx/ windpipe	3	0.03	9245	97.39
21 : Leukemia	4	0.04	9249	97.43
22 : Liver	1	0.01	9250	97.44
23 : Lung	10	0.11	9260	97.55
24 : Lymphoma/Hodgkin's disease	4	0.04	9264	97.59
25 : Melanoma	25	0.26	9289	97.85
26 : Mouth/tongue/lip	5	0.05	9294	97.90
28 : Ovary (ovarian)	18	0.19	9312	98.09
30 : Prostate	73	0.77	9385	98.86
31 : Rectum (rectal)	3	0.03	9388	98.89
32 : Skin (non-melanoma)	35	0.37	9423	99.26
33 : Skin (don't know what kind)	25	0.26	9448	99.53
34 : Soft tissue (muscle or fat)	2	0.02	9450	99.55
35 : Stomach	5	0.05	9455	99.60
36 : Testis (testicular)	2	0.02	9457	99.62
37 : Thyroid	3	0.03	9460	99.65
38 : Uterus (uterine)	17	0.18	9477	99.83
39 : Other	13	0.14	9490	99.97
99 : Don't know	3	0.03	9493	100.00

Wha	t kind of can	icer	What kind of cancer						
MCQ230B	Frequency	Percent	Cumulative Frequency	Cumulative Percent					
Missing	9446	99.50	9446	99.50					
10 : Bladder	1	0.01	9447	99.52					
12 : Bone	2	0.02	9449	99.54					
14 : Breast	1	0.01	9450	99.55					
15 : Cervix (cervical)	2	0.02	9452	99.57					
16 : Colon	4	0.04	9456	99.61					
20 : Larynx/ windpipe	1	0.01	9457	99.62					
21 : Leukemia	1	0.01	9458	99.63					
22 : Liver	3	0.03	9461	99.66					
23 : Lung	2	0.02	9463	99.68					
24 : Lymphoma/Hodgkin's disease	2	0.02	9465	99.71					
25 : Melanoma	2	0.02	9467	99.73					
26 : Mouth/tongue/lip	1	0.01	9468	99.74					
28 : Ovary (ovarian)	1	0.01	9469	99.75					
30 : Prostate	3	0.03	9472	99.78					
31 : Rectum (rectal)	3	0.03	9475	99.81					
32 : Skin (non-melanoma)	4	0.04	9479	99.85					
33 : Skin (don't know what kind)	1	0.01	9480	99.86					
35 : Stomach	1	0.01	9481	99.87					
36 : Testis (testicular)	1	0.01	9482	99.88					
37 : Thyroid	2	0.02	9484	99.91					
38 : Uterus (uterine)	6	0.06	9490	99.97					
39 : Other	3	0.03	9493	100.00					

What kind of cancer						
MCQ230C	CQ230C Frequency Percent Cumulative Frequency					
Missing	9489	99.96	9489	99.96		
22 : Liver	2	0.02	9491	99.98		
23 : Lung	1	0.01	9492	99.99		
38 : Uterus (uterine)	1	0.01	9493	100.00		

What kind of cancer							
MCQ230D Frequency Percent Frequency Percent							
Missing	9492	99.99	9492	99.99			
66 : More than 3 kinds	1	0.01	9493	100.00			

Age when bladder cancer first diagnosed						
MCQ240A Frequency Percent Cumulative Cumulative Percent Frequency Percent						
Missing	9482	99.88	9482	99.88		
5 to 80	11	0.12	9493	100.00		

Age when blood cancer first diagnosed							
MCQ240B Frequency Percent Cumulative Percent Prequency Percent							
Missing	9492	99.99	9492	99.99			
1	1	0.01	9493	100.00			

Age when bone cancer first diagnosed					
MCQ240C Frequency Percent Cumulative Percent					
Missing	9486	99.93	9486	99.93	
30 to 76	7	0.07	9493	100.00	

Age when brain cancer first diagnosed				
MCQ240D Frequency Percent Cumulative Cumulative Percent				
Missing	9493	100.00	9493	100.00

Age when breast cancer first diagnosed						
MCQ240E Frequency Percent Cumulative Cumulative Percent						
Missing	9429	99.33	9429	99.33		
14 to 79	63	0.66	9492	99.99		
99999 : Don't know	1	0.01	9493	100.00		

Age when cervical cancer first diagnosed					
MCQ240F Frequency Percent Cumulative Cumulative Percent Prequency Percent					
Missing	9471	99.77	9471	99.77	
16 to 64	22	0.23	9493	100.00	

Age when colon cancer first diagnosed						
MCQ240G Frequency Percent Frequency Percent						
Missing	9461	99.66	9461	99.66		
38 to 81	29	0.31	9490	99.97		
85 : 85 years or older	3	0.03	9493	100.00		

Age esophageal cancer first diagnosed						
MCQ240H Frequency Percent Cumulative Cumulative Percent						
Missing	9491	99.98	9491	99.98		
43 to 59	2	0.02	9493	100.00		

Age gallbladder cancer first diagnosed					
MCQ240I	Q240I Frequency Percent Cumulative Cumulative Percent				
Missing	9493	100.00	9493	100.00	

Age when kidney cancer first diagnosed					
MCQ240J Frequency Percent Cumulative Cumulative Percent					
Missing	9487	99.94	9487	99.94	
37 to 78	6	0.06	9493	100.00	

Age larynx/windpipe cancer diagnosed				
MCQ240K	Cumulative Percent			
Missing	9489	99.96	9489	99.96
50 to 74	4	0.04	9493	100.00

Age when leukemia first diagnosed					
MCQ240L Frequency Percent Cumulative Cumulat Percent Frequency Percent					
Missing	9488	99.95	9488	99.95	
48 to 72	5	0.05	9493	100.00	

Age when liver cancer first diagnosed							
MCQ240M Frequency Percent Cumulative Percent							
Missing	9487	99.94	9487	99.94			
42 to 71	5	0.05	9492	99.99			
85 : 85 years or older	1	0.01	9493	100.00			

Age when lung cancer first diagnosed						
MCQ240N Frequency Percent Cumulative Cumulative Percent						
Missing	9480	99.86	9480	99.86		
51 to 83	13	0.14	9493	100.00		

Age lymphoma/Hodgkin's diagnosed					
MCQ2400 Frequency Percent Cumulative Cumulat					
Missing	9487	99.94	9487	99.94	
9 to 77	6	0.06	9493	100.00	

Age when melanoma first diagnosed						
MCQ240P Frequency Percent Frequency Percent						
Missing	9466	99.72	9466	99.72		
19 to 83	26	0.27	9492	99.99		
85 : 85 years or older	1	0.01	9493	100.00		

Age mouth\tongue\lip cancer diagnosed					
MCQ240Q Frequency Percent Frequency Percent					
Missing	9487	99.94	9487	99.94	
42 to 67	6	0.06	9493	100.00	

Age nervous system cancer diagnosed				
MCQ240R	Frequency	Percent	Cumulative Frequency	
Missing	9493	100.00	9493	100.00

Age when ovarian cancer first diagnosed						
MCQ240S Frequency Percent Cumulative Percent P						
Missing	9474	99.80	9474	99.80		
16 to 80	19	0.20	9493	100.00		

Age pancreatic cancer first diagnosed					
MCQ240T	CQ240T Frequency Percent Frequency Percent				
Missing	9493	100.00	9493	100.00	

Age prostate cancer first diagnosed					
MCQ240U	Frequency	Percent		Cumulative Percent	
Missing	9417	99.20	9417	99.20	
2 to 84	73	0.77	9490	99.97	
85 : 85 years or older	3	0.03	9493	100.00	

Age when rectal cancer first diagnosed						
MCQ240V Frequency Percent Cumulative Cumulative Percent						
Missing	9487	99.94	9487	99.94		
65 to 74	5	0.05	9492	99.99		
85:85 years or older	1	0.01	9493	100.00		

Age non-melanoma skin cancer diagnosed						
MCQ240W	MCQ240W Frequency Percent Frequency Percent					
Missing	9454	99.59	9454	99.59		
20 to 82	39	0.41	9493	100.00		

Age unknown skin cancer first diagnosed						
MCQ240X Frequency Percent Frequency Perce						
Missing	9467	99.73	9467	99.73		
17 to 80	25	0.26	9492	99.99		
85 : 85 years or older	1	0.01	9493	100.00		

Age soft tissue cancer first diagnosed						
MCQ240Y Frequency Percent Cumulative Percent Percent						
Missing	9491	99.98	9491	99.98		
63 to 71	2	0.02	9493	100.00		

Age stomach cancer first diagnosed						
MCQ240Z Frequency Percent Cumulative Percent P						
Missing	9487	99.94	9487	99.94		
22 to 76	6	0.06	9493	100.00		

Age testicular cancer first diagnosed					
MCQ240AA Frequency Percent Cumulative Frequency Percent					
Missing	9490	99.97	9490	99.97	
42 to 75	3	0.03	9493	100.00	

Age when thyroid cancer first diagnosed				
MCQ240BB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9488	99.95	9488	99.95
17 to 55	5	0.05	9493	100.00

Age when uterine cancer first diagnosed						
MCQ240CC Frequency Percent Cumulative Frequency Percent						
Missing	9469	99.75	9469	99.75		
3 to 81	23	0.24	9492	99.99		
99999 : Don't know	1	0.01	9493	100.00		

Age other type of cancer first diagnosed						
MCQ240DD Frequency Percent Cumulative Frequency Percent						
Missing	9477	99.83	9477	99.83		
1 to 82	15	0.16	9492	99.99		
85 : 85 years or older	1	0.01	9493	100.00		

Work days missed for illness/maternity					
MCQ245A	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	3450	36.34	3450	36.34	
1 : Enter number	3470	36.55	6920	72.90	
2 : Does not work	2570	27.07	9490	99.97	
7 : Refused	1	0.01	9491	99.98	
9 : Don't know	2	0.02	9493	100.00	

# of workdays missed				
MCQ245B	Frequency	Percent		Cumulative Percent
Missing	6023	63.45	6023	63.45
0 to 365	3469	36.54	9492	99.99
99999 : Don't know	1	0.01	9493	100.00

Blood relatives have diabetes					
MCQ250A	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	2269	23.90	6882	72.50	
2 : No	2522	26.57	9404	99.06	
7 : Refused	1	0.01	9405	99.07	
9 : Don't know	88	0.93	9493	100.00	

Blood relatives have Alzheimer's					
MCQ250B	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	464	4.89	5077	53.48	
2 : No	4323	45.54	9400	99.02	
7 : Refused	1	0.01	9401	99.03	
9 : Don't know	92	0.97	9493	100.00	

Blood relatives have asthma					
MCQ250C	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	1005	10.59	5618	59.18	
2 : No	3788	39.90	9406	99.08	
9 : Don't know	87	0.92	9493	100.00	

Blood relatives have arthritis					
MCQ250D	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	2080	21.91	6693	70.50	
2 : No	2587	27.25	9280	97.76	
7 : Refused	1	0.01	9281	97.77	
9 : Don't know	212	2.23	9493	100.00	

Blood relatives have osteoporosis					
MCQ250E	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	478	5.04	5091	53.63	
2 : No	4220	44.45	9311	98.08	
9 : Don't know	182	1.92	9493	100.00	

Blood relatives w/hypertension/stroke					
MCQ250F	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
Missing	4613	48.59	4613	48.59	
1 : Yes	1249	13.16	5862	61.75	
2 : No	3417	35.99	9279	97.75	
7 : Refused	2	0.02	9281	97.77	
9 : Don't know	212	2.23	9493	100.00	

Blood relatives have angina				
MCQ250G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4613	48.59	4613	48.59
1 : Yes	555	5.85	5168	54.44
2 : No	4159	43.81	9327	98.25
7 : Refused	2	0.02	9329	98.27
9 : Don't know	164	1.73	9493	100.00

Blood relative-diabetes-mother					
MCQ260AA Frequency Percent Cumulative Cumulative Percent					
Missing	8705	91.70	8705	91.70	
1 : Mother	783	8.25	9488	99.95	
99 : Don't know	5	0.05	9493	100.00	

Blood relative-diabetes-father				
MCQ260AB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9036	95.19	9036	95.19
2 : Father	457	4.81	9493	100.00

Blood relative-diabetes-mother's mother						
MCQ260AC Frequency Percent Cumulative Frequency Percent						
Missing	9073	95.58	9073	95.58		
3 : Mother's mother	420	4.42	9493	100.00		

Blood relative-diabetes-mother's father						
MCQ260AD Frequency Percent Cumulative Frequency Percent						
Missing	9307	98.04	9307	98.04		
4 : Mother's father	186	1.96	9493	100.00		

Blood relative-diabetes-father's mother					
MCQ260AE Frequency Percent Cumulative Frequency Percent					
Missing	9259	97.54	9259	97.54	
5 : Father's mother	234	2.46	9493	100.00	

Blood relative-diabetes-father's father						
MCQ260AF Frequency Percent Cumulative Frequency Percent						
Missing	9369	98.69	9369	98.69		
6 : Father's father	124	1.31	9493	100.00		

Blood relative-diabetes-brother					
MCQ260AG Frequency Percent Frequency Percent Frequency					
Missing	9121	96.08	9121	96.08	
7 : Brother	372	3.92	9493	100.00	

Blood relative-diabetes-sister						
MCQ260AH Frequency Percent Cumulative Cumulative Percent						
Missing	9100	95.86	9100	95.86		
8 : Sister	393	4.14	9493	100.00		

Blood relative-diabetes-other					
MCQ260Al Frequency Percent Cumulative Cumulative Percent Frequency Per					
Missing	8998	94.79	8998	94.79	
9 : Other	495	5.21	9493	100.00	

Blood relative-Alzheimer's-mother						
MCQ260BA Frequency Percent Cumulative Cumulative Percent Frequency Percent						
Missing	9385	98.86	9385	98.86		
1 : Mother	107	1.13	9492	99.99		
99 : Don't know	1	0.01	9493	100.00		

Blood relative-Alzheimer's-father					
MCQ260BB Frequency Percent Cumulative Frequency Percent					
Missing	9440	99.44	9440	99.44	
2 : Father	53	0.56	9493	100.00	

Blood relative-Alzheimer's-mom's mother						
MCQ260BC Frequency Percent Cumulative Frequency Percent						
Missing	9418	99.21	9418	99.21		
3 : Mother's mother	75	0.79	9493	100.00		

Blood relative-Alzheimer's-mom's father						
MCQ260BD Frequency Percent Cumulative Frequency Percent						
Missing	9447	99.52	9447	99.52		
4 : Mother's father	46	0.48	9493	100.00		

Blood relative-Alzheimer's-dad's mother						
MCQ260BE Frequency Percent Cumulative Frequency Percent						
Missing	9446	99.50	9446	99.50		
5 : Father's mother	47	0.50	9493	100.00		

Blood relative-Alzheimer's-dad's father						
MCQ260BF Frequency Percent Cumulative Cumulative Percent						
Missing	9465	99.71	9465	99.71		
6 : Father's father	28	0.29	9493	100.00		

Blood relative-Alzheimer's-brother						
MCQ260BG Frequency Percent Cumulative Cumulative Percent						
Missing	9475	99.81	9475	99.81		
7 : Brother	18	0.19	9493	100.00		

Blood relative-Alzheimer's-sister					
MCQ260BH Frequency Percent Cumulative Cumulative Percent					
Missing	9466	99.72	9466	99.72	
8 : Sister	27	0.28	9493	100.00	

Blood relative-Alzheimer's-other					
MCQ260BI Frequency Percent Cumulative Percent					
Missing	9378	98.79	9378	98.79	
9 : Other	115	1.21	9493	100.00	

Blood relative-asthma-mother						
MCQ260CA Frequency Percent Frequency Percent						
Missing	9266	97.61	9266	97.61		
1 : Mother	227	2.39	9493	100.00		

Blood relative-asthma-father					
MCQ260CB Frequency Percent Frequency Perce					
Missing	9339	98.38	9339	98.38	
2 : Father	154	1.62	9493	100.00	

Blood relative-asthma-mother's mother						
MCQ260CC Frequency Percent Cumulative Frequency Percent						
Missing	9426	99.29	9426	99.29		
3 : Mother's mother	67	0.71	9493	100.00		

Blood relative-asthma-mother's father						
MCQ260CD Frequency Percent Cumulative Frequency Percent						
Missing	9458	99.63	9458	99.63		
4 : Mother's father	35	0.37	9493	100.00		

Blood relative-asthma-father's mother						
MCQ260CE Frequency Percent Cumulative Frequency Percent						
Missing	9468	99.74	9468	99.74		
5 : Father's mother	25	0.26	9493	100.00		

Frequency Distribution for the Medical Conditions Section of the SP Questionnaire (MCQ.XPT) July 2006

Blood relative-asthma-father's father						
MCQ260CF Frequency Percent Cumulative Frequency Percent						
Missing	9466	99.72	9466	99.72		
6 : Father's father	27	0.28	9493	100.00		

Blood relative-asthma-brother						
MCQ260CG Frequency Percent Cumulative Cumulative Percent						
Missing	9301	97.98	9301	97.98		
7 : Brother	192	2.02	9493	100.00		

Blood relative-asthma-sister						
MCQ260CH Frequency Percent Frequency Percent						
Missing	9289	97.85	9289	97.85		
8 : Sister	204	2.15	9493	100.00		

Blood relative-asthma-other						
MCQ260CI Frequency Percent Cumulative Cumulative Percent						
Missing	9172	96.62	9172	96.62		
9 : Other	321	3.38	9493	100.00		

Blood relative-arthritis-mother						
MCQ260DA Frequency Percent Cumulative Cumulative Percent						
Missing	8435	88.85	8435	88.85		
1 : Mother	1055	11.11	9490	99.97		
99 : Don't know	3	0.03	9493	100.00		

Blood relative-arthritis-father						
MCQ260DB Frequency Percent Cumulative Cumulative Percent						
Missing	9037	95.20	9037	95.20		
2 : Father	456	4.80	9493	100.00		

Blood relative-arthritis-mother's mother						
MCQ260DC Frequency Percent Cumulative Frequency Percent						
Missing	9067	95.51	9067	95.51		
3 : Mother's mother	426	4.49	9493	100.00		

Blood relative-arthritis-mother's father						
MCQ260DD Frequency Percent Cumulative Percent Prequency Percent						
Missing	9364	98.64	9364	98.64		
4 : Mother's father	129	1.36	9493	100.00		

Blood relative-arthritis-father's mother						
MCQ260DE Frequency Percent Cumulative Frequency Percent						
Missing	9293	97.89	9293	97.89		
5 : Father's mother	200	2.11	9493	100.00		

Frequency Distribution for the Medical Conditions Section of the SP Questionnaire (MCQ.XPT) July 2006

Blood relative-arthritis-father's father						
MCQ260DF Frequency Percent Cumulative Frequency Percent						
Missing	9414	99.17	9414	99.17		
6 : Father's father	79	0.83	9493	100.00		

Blood relative-arthritis-brother						
MCQ260DG Frequency Percent Cumulative Frequency Percent						
Missing	9330	98.28	9330	98.28		
7 : Brother	163	1.72	9493	100.00		

Blood relative-arthritis-sister						
MCQ260DH Frequency Percent Frequency Percent						
Missing	9188	96.79	9188	96.79		
8 : Sister	305	3.21	9493	100.00		

Blood relative-arthritis-other						
MCQ260DI Frequency Percent Cumulative Percent						
Missing	9278	97.74	9278	97.74		
9 : Other	215	2.26	9493	100.00		

Blood relative-osteoporosis-mother					
MCQ260EA Frequency Percent Frequency Percer					
Missing	9260	97.55	9260	97.55	
1 : Mother	233	2.45	9493	100.00	

Blood relative-osteoporosis-father				
MCQ260EB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9476	99.82	9476	99.82
2 : Father	17	0.18	9493	100.00

Blood relative-osteoporosis-mom's mother						
MCQ260EC Frequency Percent Cumulative Frequency Percent						
Missing	9399	99.01	9399	99.01		
3 : Mother's mother	94	0.99	9493	100.00		

Blood relative-osteoporosis-mom's father						
MCQ260ED Frequency Percent Cumulative Frequency Percent						
Missing	9486	99.93	9486	99.93		
4 : Mother's father	7	0.07	9493	100.00		

Blood relative-osteoporosis-dad's mother						
MCQ260EE Frequency Percent Cumulative Frequency Percent						
Missing	9443	99.47	9443	99.47		
5 : Father's mother	50	0.53	9493	100.00		

Blood relative-osteoporosis-dad's father					
MCQ260EF Frequency Percent Cumulative Frequency Percent					
Missing	9489	99.96	9489	99.96	
6 : Father's father	4	0.04	9493	100.00	

Blood relative-osteoporosis-brother					
MCQ260EG Frequency Percent Cumulative Percent Frequency Percent					
Missing	9482	99.88	9482	99.88	
7 : Brother	11	0.12	9493	100.00	

Blood relative-osteoporosis-sister				
MCQ260EH	Frequency	Percent		Cumulative Percent
Missing	9428	99.32	9428	99.32
8 : Sister	65	0.68	9493	100.00

Blood relative-osteoporosis-other					
MCQ260EI Frequency Percent Cumulative Percent					
Missing	9441	99.45	9441	99.45	
9 : Other	52	0.55	9493	100.00	

Frequency Distribution for the Medical Conditions Section of the SP Questionnaire (MCQ.XPT) July 2006

Blood relative-hypertension-mother					
MCQ260FA Frequency Percent Cumulative Cumulative Percent					
Missing	8922	93.99	8922	93.99	
1 : Mother	571	6.01	9493	100.00	

Frequency Distribution for the Medical Conditions Section of the SP Questionnaire (MCQ.XPT) July 2006

Blood relative-hypertension-father					
MCQ260FB Frequency Percent Frequency Percent Frequency					
Missing	9099	95.85	9099	95.85	
2 : Father	394	4.15	9493	100.00	

Blood relative-hypertension-mom's mother						
MCQ260FC Frequency Percent Cumulative Frequency Percent						
Missing	9359	98.59	9359	98.59		
3 : Mother's mother	134	1.41	9493	100.00		

Blood relative-hypertension-mom's father						
MCQ260FD Frequency Percent Cumulative Cumulative Frequency Percent						
Missing	9437	99.41	9437	99.41		
4 : Mother's father	56	0.59	9493	100.00		

Blood relative-hypertension-dad's mother						
MCQ260FE Frequency Percent Cumulative Frequency Percent						
Missing	9431	99.35	9431	99.35		
5 : Father's mother	62	0.65	9493	100.00		

Blood relative-hypertension-dad's father						
MCQ260FF Frequency Percent Cumulative Frequency Percent						
Missing	9455	99.60	9455	99.60		
6 : Father's father	38	0.40	9493	100.00		

Blood relative-hypertension-brother					
MCQ260FG Frequency Percent Cumulative Cumulative Perce					
Missing	9339	98.38	9339	98.38	
7 : Brother	154	1.62	9493	100.00	

Blood relative-hypertension-sister						
MCQ260FH	60FH Frequency Percent Cumulative Cumulative Percer					
Missing	9330	98.28	9330	98.28		
8 : Sister	163	1.72	9493	100.00		

Blood relative-hypertension-other					
MCQ260FI Frequency Percent Cumulative Cumulative Percent					
Missing	9369	98.69	9369	98.69	
9 : Other	124	1.31	9493	100.00	

Blood relative-heart attack-mother						
MCQ260GA Frequency Percent Cumulative Cumulative Percent						
Missing	9390	98.91	9390	98.91		
1 : Mother	102	1.07	9492	99.99		
99 : Don't know	1	0.01	9493	100.00		

Blood relative-heart attack-father						
MCQ260GB Frequency Percent Cumulative Cumulative Percent						
Missing	9314	98.11	9314	98.11		
2 : Father	179	1.89	9493	100.00		

Blood relative-heart attack-mom's mother						
MCQ260GC Frequency Percent Cumulative Frequency Percent						
Missing	9456	99.61	9456	99.61		
3 : Mother's mother	37	0.39	9493	100.00		

Blood relative-heart attack-mom's father						
MCQ260GD Frequency Percent Cumulative Cumulative Percent						
Missing	9453	99.58	9453	99.58		
4 : Mother's father	40	0.42	9493	100.00		

Blood relative-heart attack-dad's mother						
MCQ260GE Frequency Percent Cumulative Frequency Percent						
Missing	9482	99.88	9482	99.88		
5 : Father's mother	11	0.12	9493	100.00		

Frequency Distribution for the Medical Conditions Section of the SP Questionnaire (MCQ.XPT) July 2006

Blood relative-heart attack-dad's father						
MCQ260GF Frequency Percent Cumulative Cumulative Percent						
Missing	9457	99.62	9457	99.62		
6 : Father's father	36	0.38	9493	100.00		

Blood relative-heart attack-brother						
MCQ260GG	Frequency	Percent		Cumulative Percent		
Missing	9389	98.90	9389	98.90		
7 : Brother	104	1.10	9493	100.00		

Blood relative-heart attack-sister						
MCQ260GH Frequency Percent Frequency Percent						
Missing	9461	99.66	9461	99.66		
8 : Sister	32	0.34	9493	100.00		

Blood relative-heart attack-other						
MCQ260GI Frequency Percent Cumulative Cumulative Percent						
Missing	9406	99.08	9406	99.08		
9 : Other	87	0.92	9493	100.00		

Frequency Distribution for the Medical Conditions Section of the SP Questionnaire (MCQ.XPT) July 2006

Your mother ever fracture hip						
MCQ270	Frequency	Percent	Cumulative Frequency	Cumulative Percent		
Missing	4615	48.61	4615	48.61		
1 : Yes	248	2.61	4863	51.23		
2 : No	4492	47.32	9355	98.55		
9 : Don't know	138	1.45	9493	100.00		

Mother's age when fractured hip						
MCQ280 Frequency Percent Frequency Percent						
Missing	9245	97.39	9245	97.39		
5 to 101	239	2.52	9484	99.91		
99999 : Don't know	9	0.09	9493	100.00		

Mother under/over 50 when fracture hip						
MCQ290 Frequency Percent Frequency Percent						
Missing	9484	99.91	9484	99.91		
1 : Under 50 years old, or	1	0.01	9485	99.92		
2:50 years old or older?	8	0.08	9493	100.00		

General Information About NHANES Interview Data

Respondent Rules

In general, persons 16 years of age and older, and emancipated minors were interviewed directly. A small number of NHANES questionnaire sections have different respondent rules. Please review the questionnaire documentation, questionnaires, and interviewer training manuals carefully prior to analyzing the data.

Proxy Rules

A responsible adult provided information for sample persons under 16 years of age and for individuals who could not self-report. The interviewer training manuals and component-specific notes provided with these files provide additional information about the use of respondents.

Automated Data Collection Methodology

Household Interview and Mobile Examination Center (MEC) Interview data were recorded electronically with the use of computerized questionnaire forms that were programmed using Blaise© software. The Household Interview questionnaires were programmed in Blaise© and installed on laptop computers for use in the field. The MEC interviews were also administered in an automated format, but the interview module formats included non-Blaise© software. After data collection was completed, the interview data files were transmitted electronically to a central survey database system.

NHANES Spanish Language Questionnaires

All NHANES questionnaires were translated into Spanish and were administered in computer-assisted personal interview (CAPI) format along with the English language versions.

Household Interview Component Questionnaires:

Screener Questionnaire Family Interview Questionnaire Sample Person Questionnaire

Mobile Examination Center (MEC) Questionnaires:

MEC Computer-Assisted Personal Interview (MEC CAPI)
MEC Audio-Computer-Assisted Self Interview (MEC A-CASI)

The MEC Interview component is a two-part interview that addresses several health-related topics. The personal interview portion is conducted in a private setting by a trained interviewer. The Audio Computerized Self Administered (A-CASI) portion of the interview was conducted in a private room in the MEC without the interviewer being present. (The interviewers are present for a brief "training" session dealing with the use of the personal computer and interview system software) The A-CASI format permits the respondents to hear questions through earphones and to read questions on a computer screen. Respondents progress through the A-CASI questions at their own speed, as they touch the computer screen to indicate their response. The A-CASI portion of the interview consists of five separate sections, each of which deals with a sensitive health risk behavior topic.

Interviewer Training:

All interviewers completed a comprehensive two-week training program. Many of the interviewers had prior interviewing experience. A large percentage of the household interviewers were bilingual in English and Spanish.

The MEC interviewers also received extensive interviewer training on personal and audio-computer-assisted interview administration. This training focused on the specific interview modules that were administered in the MEC dealing with mental health and smoking, drug use, alcohol, and sexual behavior.

NHANES interviewer training included role-playing exercises and practice interviews, all of which were monitored by NCHS and contractor staff. Detailed information about the interviewer training requirements is found in the NHANES Household Interviewer Training Manual.

Interviewer Quality Control Monitoring

Extensive pretesting was completed prior to implementing the questionnaires in the field. A full "dress rehearsal" pilot test was conducted with the field and examination staff to test all of the survey participant contact and interview systems and procedures.

Several types of quality control monitoring methods were implemented to ensure that high quality data were collected during the survey. Interviewer monitoring was a major responsibility for NCHS and contractor staff. Interviewers were frequently accompanied on interviews and observed to verify that the interview protocol was administered correctly. Interviewers were retrained on survey procedures if necessary.

NCHS encouraged the interviewers to provide constructive comments and feedback based on their field experiences. NCHS used field staff and interviewer feedback to improve the questionnaires and survey materials. Survey staff

debriefing and training sessions were conducted annually. NCHS and contractor staff participated in the debriefing meetings. Interviewers were trained on new survey content and protocol changes prior to implementation in the field.

Data collection system consistency checks

The NHANES CAPI systems have built-in edit and range checks for most questions that have open-ended response options. When unusual or unrealistic responses were recorded, the interviewer was alerted immediately and instructed to verify or edit the initial response.

Data Preparation: Reviews, editing, and derived variables

During data preparation, variable frequency counts were checked, questionnaire "skip" patterns were verified, and the reasonableness of responses to the questions were reviewed. If changes were made to the original data, a derived variable was created. The derived variable is essentially the final version of the variable after editing and recoding was performed. The derived variable nomenclature for questionnaire data includes the letter "D" in the third position of the variable name in place of the letter "Q" for the questionnaire item that is customarily used in NHANES data release files. The survey questionnaire codebooks include the names and descriptions of the derived variables.

Check Items and Final Data Release Variables

The codebooks for each survey component include "check item" variables. Check item variables were used internally at NCHS as part of the quality control process to verify that the data collection process was correct. The check item variables are <u>not</u> part of the data release files, however. Analysts would need to re-create these variables to produce check item frequencies.

June 2009

Item #	Data File	Component	Item ID	Label
1	ACQ	Acculturation	SEQN	Respondent sequence number
2	ACQ	Acculturation	ACD010A	English usually spoken at home
3	ACQ	Acculturation	ACD010B	Spanish usually spoken at home
4	ACQ	Acculturation	ACD010C	Other language(s) usually spoken at home
5	ACQ	Acculturation	ACQ020	Language(s) read and spoken
6	ACQ	Acculturation	ACQ030	Language(s) used as child
7	ACQ	Acculturation	ACD040	Language(s) usually spoken at home
8	ACQ	Acculturation	ACQ050	Language(s) usually used to think
9	ACQ	Acculturation	ACQ060	Language(s) usually used with friends
10	ACQ	Acculturation	ACD070	Father's country of birth
11	ACQ	Acculturation	ACD080	Mother's country of birth
12	ALQ	Alcohol Use	SEQN	Respondent sequence number
13	ALQ	Alcohol Use	ALQ100	Had at least 12 alcohol drinks/1 yr?
14	ALQ	Alcohol Use	ALQ110	Had at least 12 alcohol drinks/lifetime?
15	ALQ	Alcohol Use	ALQ120Q	How often drink alcohol over past 12 mos
16	ALQ	Alcohol Use	ALQ120U	# days drink alcohol per wk, mo, yr
17	ALQ	Alcohol Use	ALQ130	Avg # alcoholic drinks/day -past 12 mos
18	ALQ	Alcohol Use	ALQ140Q	# days have 5 or more drinks/past 12 mos
19	ALQ	Alcohol Use	ALQ140U	# days per week, month, year?
20	ALQ	Alcohol Use	ALQ150	Ever have 5 or more drinks every day?
21	AUQ	Audiometry	SEQN	Respondent sequence number

VARQUEX Page 1 of 55

June 2009

Item #	Data File	Component	Item ID	Label
22	AUQ	Audiometry	AUQ130	General condition of hearing
23	AUQ	Audiometry	AUQ140	When was hearing last tested
24	AUQ	Audiometry	AUQ150	Ever worn a hearing aid
25	AUQ	Audiometry	AUQ160	Now wearing a hearing aid
26	AUQ	Audiometry	AUQ170	Worn hearing aid in past 12 months
27	AUQ	Audiometry	AUQ180	How often wear hearing aid in past year
28	AUQ	Audiometry	AUQ190	Ears ringing, roaring, buzzing past year
29	AUQ	Audiometry	AUQ200	How often ringing, roaring, buzzing
30	AUQ	Audiometry	AUQ210	Firearm noise exposure outside work
31	AUQ	Audiometry	AUQ220	Use ear protection around firearm noise
32	AUQ	Audiometry	AUQ230	Loud noise exposure outside work
33	AUQ	Audiometry	AUQ240	Use ear protection around loud noise
34	BAQ	Balance	SEQN	Respondent sequence number
35	BAQ	Balance	BAQ010	Dizzy/balance/falling problems/past yr
36	BAQ	Balance	BAQ020A	Dizziness problems in past year
37	BAQ	Balance	BAQ020B	Balance problems in past year
38	BAQ	Balance	BAQ020C	Falling problems in past year
39	BAQ	Balance	BAQ030A	How long did dizziness last
40	BAQ	Balance	BAQ030B	How long did balance problem last
41	BAQ	Balance	BAQ040	Get dizzy when turn over in bed
42	BAQ	Balance	BAQ060A	Off balance due to cold or flu

VARQUEX Page 2 of 55

June 2009

Item #	Data File	Component	Item ID	Label
43	BAQ	Balance	BAQ060B	Off balance due to injury or accident
44	BAQ	Balance	BAQ060C	Off balance due to drugs or medicine
45	BAQ	Balance	BAQ060D	Off balance due to aging
46	BAQ	Balance	BAQ060E	Off balance due to surgery
47	BAQ	Balance	BAQ060F	Off balance due to hearing problem
48	BAQ	Balance	BAQ060G	Off balance due to vision problem
49	BAQ	Balance	BAQ060H	Nothing related to balance problem
50	BAQ	Balance	BAQ070	Received treatment for dizziness/balance
51	BAQ	Balance	BAQ075	How long ago where you treated
52	BAQ	Balance	BAQ080A	Did treatment involve medication
53	BAQ	Balance	BAQ080B	Did treatment involve surgery to ear
54	BAQ	Balance	BAQ080C	Did treatment involve other type surgery
55	BAQ	Balance	BAQ080D	Did treatment involve exercises
56	BAQ	Balance	BAQ090	Treatment affect on dizziness/balance
57	BAQ	Balance	BAQ100	Blood relative dizziness/balance problem
58	BPQ	Blood Pressure	SEQN	Respondent sequence number
59	BPQ	Blood Pressure	BPQ010	Last blood pressure reading by doctor
60	BPQ	Blood Pressure	BPQ020	Ever told you had high blood pressure
61	BPQ	Blood Pressure	BPQ030	Told had high blood pressure - 2+ times
62	BPQ	Blood Pressure	BPQ040A	Taking prescription for hypertension
63	BPQ	Blood Pressure	BPQ040B	Told to control weight for hypertension

VARQUEX Page 3 of 55

June 2009

Item #	Data File	Component	Item ID	Label
64	BPQ	Blood Pressure	BPQ040C	Told to reduce sodium for hypertension
65	BPQ	Blood Pressure	BPQ040D	Told to exercise more for hypertension
66	BPQ	Blood Pressure	BPQ040E	Told to reduce alcohol for hypertension
67	BPQ	Blood Pressure	BPQ040F	Told to do other things for hypertension
68	BPQ	Blood Pressure	BPQ043A	Told to stop smoking for hypertension
69	BPQ	Blood Pressure	BPQ043B	Told to increase potassium for hyprtnsn
70	BPQ	Blood Pressure	BPQ043C	Told of other diet changes for hyprtnsn
71	BPQ	Blood Pressure	BPQ043D	Told to do other things for hyprtnsn
72	BPQ	Blood Pressure	BPQ050A	Now taking prescribed medicine
73	BPQ	Blood Pressure	BPQ050B	Now controlling weight
74	BPQ	Blood Pressure	BPQ050C	Now reducing salt/sodium
75	BPQ	Blood Pressure	BPQ050D	Now exercising more
76	BPQ	Blood Pressure	BPQ050E	Now reducing alcohol consumption
77	BPQ	Blood Pressure	BPQ060	Ever had blood cholesterol checked
78	BPQ	Blood Pressure	BPQ070	When blood cholesterol last checked
79	BPQ	Blood Pressure	BPQ080	Doctor told you - high cholesterol level
80	BPQ	Blood Pressure	BPQ090A	Told to eat less fat for cholesterol
81	BPQ	Blood Pressure	BPQ090B	Told to reduce weight for cholesterol
82	BPQ	Blood Pressure	BPQ090C	Told to exercise more for cholesterol
83	BPQ	Blood Pressure	BPQ090D	Told to take prescriptn for cholesterol
84	BPQ	Blood Pressure	BPQ100A	Now eating fewer high fat foods

VARQUEX Page 4 of 55

June 2009

Item #	Data File	Component	Item ID	Label
85	BPQ	Blood Pressure	BPQ100B	Now controlling weight
86	BPQ	Blood Pressure	BPQ100C	Now increasing exercise
87	BPQ	Blood Pressure	BPQ100D	Now taking prescribed medicine
88	BPQ	Blood Pressure	BPQ110A	Eating fewer high fat foods on own
89	BPQ	Blood Pressure	BPQ110B	Controlling weight on own
90	BPQ	Blood Pressure	BPQ110C	Increasing exercise on own
91	BPQ	Blood Pressure	BPQ120	Eating fewer high fat foods on own
92	BPQ	Blood Pressure	BPQ130	Controlling weight on own
93	BPQ	Blood Pressure	BPQ140	Increasing exercise on own
94	CDQ	Cardiovascular Disease	SEQN	Respondent sequence number
95	CDQ	Cardiovascular Disease	CDQ010	Shortness of breath on stairs/inclines
96	CDQ	Cardiovascular Disease	CDQ020	Short of breath walking on level surface
97	CDQ	Cardiovascular Disease	CDQ030	Stop for breath walking at own pace
98	CDQ	Cardiovascular Disease	CDQ040	Stop for breath walking 100 yards
99	CDQ	Cardiovascular Disease	CDQ050	Awakened by trouble breathing
100	CDQ	Cardiovascular Disease	CDQ060	Breathing trouble relieved by sitting up
101	CDQ	Cardiovascular Disease	CDQ070	Sleep on 2+ pillows to help breathe
102	CDQ	Cardiovascular Disease	CDQ080	Had swelling of feet or ankles
103	CDQ	Cardiovascular Disease	CDQ090	Swelling during day or overnight
104	CFQ	Cognitive Functioning	SEQN	Respondent sequence number
105	CFQ	Cognitive Functioning	CFD010	Can do exercise without distraction?

VARQUEX Page 5 of 55

June 2009

Item #	Data File	Component	Item ID	Label
106	CFQ	Cognitive Functioning	CFQ020	Usually wear glasses to read?
107	CFQ	Cognitive Functioning	CFD030	Has SP completed sample exercise?
108	CFQ	Cognitive Functioning	CFD040	Reason unable to complete sample
109	CFQ	Cognitive Functioning	CFD050	DSS exercise completion result
110	CFQ	Cognitive Functioning	CFDFINSH	Number complete
111	CFQ	Cognitive Functioning	CFDRIGHT	Score: number correct
112	DBQ	Diet Behavior & Alcohol	SEQN	Respondent sequence number
113	DBQ	Diet Behavior & Alcohol	DBQ010	Ever breastfed or fed breastmilk
114	DBQ	Diet Behavior & Alcohol	DBD020	Age started eating other foods (days)
115	DBQ	Diet Behavior & Alcohol	DBD030	Age stopped breastfeeding(days)
116	DBQ	Diet Behavior & Alcohol	DBD040	Age fed formula daily basis(days)
117	DBQ	Diet Behavior & Alcohol	DBD050	Age when stopped receiving formula(days)
118	DBQ	Diet Behavior & Alcohol	DBD060	Age first fed milk daily basis(days)
119	DBQ	Diet Behavior & Alcohol	DBQ070A	Type of milk first fed - whole milk
120	DBQ	Diet Behavior & Alcohol	DBQ070B	Type of milk first fed - 2% milk
121	DBQ	Diet Behavior & Alcohol	DBQ070C	Type of milk first fed - 1% milk
122	DBQ	Diet Behavior & Alcohol	DBQ070D	Type of milk first fed - skim/nonfat
123	DBQ	Diet Behavior & Alcohol	DBD070J	Type of milk first fed - other
124	DBQ	Diet Behavior & Alcohol	DBD080	Age started eating solid foods(days)
125	DBQ	Diet Behavior & Alcohol	DBD090	# of times/week eat restaurant food
126	DBQ	Diet Behavior & Alcohol	DBQ095	Type of salt used at table

VARQUEX Page 6 of 55

June 2009

Item #	Data File	Component	Item ID	Label
127	DBQ	Diet Behavior & Alcohol	DBQ100	How often add salt to food at table
128	DBQ	Diet Behavior & Alcohol	DBQ110	Ever eat poultry
129	DBQ	Diet Behavior & Alcohol	DBQ120	When eat poultry, how often eat skin
130	DBQ	Diet Behavior & Alcohol	DBQ130	Ever eat beef, pork, lamb or veal
131	DBQ	Diet Behavior & Alcohol	DBQ140	When eating meat, ever eat visible fat
132	DBQ	Diet Behavior & Alcohol	DBD195	Past 30 day milk product consumption
133	DBQ	Diet Behavior & Alcohol	DBQ220A	You drink whole or regular milk
134	DBQ	Diet Behavior & Alcohol	DBQ220B	You drink 2% fat milk
135	DBQ	Diet Behavior & Alcohol	DBQ220C	You drink 1% fat milk
136	DBQ	Diet Behavior & Alcohol	DBQ220D	You drink skim, nonfat or .5% milk
137	DBQ	Diet Behavior & Alcohol	DBD220J	You drank another type of milk
138	DBQ	Diet Behavior & Alcohol	DBD235A	How often drank milk age 5-12
139	DBQ	Diet Behavior & Alcohol	DBD235B	How often drank milk age 13-17
140	DBQ	Diet Behavior & Alcohol	DBD235C	How often drank milk age 18-35
141	DBQ	Diet Behavior & Alcohol	ALD240	How often drink beer(per month)
142	DBQ	Diet Behavior & Alcohol	ALD250	How often drink wine(per month)
143	DBQ	Diet Behavior & Alcohol	ALD260	How often drink hard liquor(per month)
144	DBQ	Diet Behavior & Alcohol	DBD270A	Helping of protein food eaten/day
145	DBQ	Diet Behavior & Alcohol	DBD270B	Helping of milk/dairy foods eaten/day
146	DBQ	Diet Behavior & Alcohol	DBD270C	Helping of fruit/fruit juices eaten/day
147	DBQ	Diet Behavior & Alcohol	DBD270D	Helping of vegetables eaten/day

VARQUEX Page 7 of 55

June 2009

Item #	Data File	Component	Item ID	Label
148	DBQ	Diet Behavior & Alcohol	DBD270E	Helping of breads/grain foods eaten/day
149	DBQ	Diet Behavior & Alcohol	DBQ300	Community/Government meals delivered
150	DBQ	Diet Behavior & Alcohol	DBQ330	Eat meals at community/senior center
151	DBQ	Diet Behavior & Alcohol	DBD360	Attend kindergarten thru high school
152	DBQ	Diet Behavior & Alcohol	DBD370	School serves school lunches
153	DBQ	Diet Behavior & Alcohol	DBD380	# of times/week get school lunch
154	DBQ	Diet Behavior & Alcohol	DBQ390	School lunch free, reduced or full price
155	DBQ	Diet Behavior & Alcohol	DBD400	School serve complete breakfast each day
156	DBQ	Diet Behavior & Alcohol	DBD410	# of times/week get school breakfast
157	DBQ	Diet Behavior & Alcohol	DBQ420	School breakfast free/reduced/full price
158	DEQ	Dermatology	SEQN	Respondent sequence number
159	DEQ	Dermatology	DEQ010	# moles at least 1/4 inch in diameter
160	DEQ	Dermatology	DEQ020	Natural hair color at age 18
161	DEQ	Dermatology	DEQ030	Skin reaction to sun after non-exposure
162	DEQ	Dermatology	DEQ040	Ever told by doctor you had melanoma
163	DEQ	Dermatology	DEQ050	Close blood relative have melanoma
164	DEQ	Dermatology	DEQ060	Dermatitis, eczema, rash in past year
165	DEQ	Dermatology	DEQ070	Have dermatitis, eczema, rash now
166	DEQ	Dermatology	DED080A	Hands affected by skin condition
167	DEQ	Dermatology	DED080B	Arms affected by skin condition
168	DEQ	Dermatology	DED080C	Head, face or neck skin affected

VARQUEX Page 8 of 55

June 2009

Item #	Data File	Component	Item ID	Label
169	DEQ	Dermatology	DED080D	Torso affected by skin condition
170	DEQ	Dermatology	DED080E	Legs affected by skin condition
171	DEQ	Dermatology	DED080F	Shoulder affected by skin condition
172	DEQ	Dermatology	DED080G	Groin affected by skin condition
173	DEQ	Dermatology	DED080H	Buttocks affected by skin condition
174	DEQ	Dermatology	DED080I	Feet affected by skin condition
175	DEQ	Dermatology	DED080J	Other area affected by skin condition
176	DEQ	Dermatology	DEQ090	Chemicals/Substances cause condition
177	DEQ	Dermatology	DEQ110	Substances picked up at work
178	DEQ	Dermatology	DED100A	1st Chemical/substance listed
179	DEQ	Dermatology	DED100B	2nd Chemical/substance listed
180	DEQ	Dermatology	DED100C	3rd Chemical/substance listed
181	DEQ	Dermatology	DED100D	4th Chemical/substance listed
182	DIQ	Diabetes	SEQN	Respondent sequence number
183	DIQ	Diabetes	DIQ010	Doctor told you have diabetes
184	DIQ	Diabetes	DIQ040G	Age when first told you had diabetes
185	DIQ	Diabetes	DIQ040Q	Number of years of age
186	DIQ	Diabetes	DIQ050	Taking insulin now
187	DIQ	Diabetes	DIQ060G	How long taking insulin
188	DIQ	Diabetes	DIQ060Q	Number of mos/yrs taking insulin
189	DIQ	Diabetes	DIQ060U	Unit of measure (month/year)

VARQUEX Page 9 of 55

June 2009

Item #	Data File	Component	Item ID	Label
190	DIQ	Diabetes	DIQ070	Take diabetic pills to lower blood sugar
191	DIQ	Diabetes	DIQ080	Diabetes affected eyes/had retinopathy
192	DIQ	Diabetes	DIQ090	Ulcer/sore not healed within 4 weeks
193	DIQ	Diabetes	DIQ100	Numbness in hands/feet-past 3 mos
194	DIQ	Diabetes	DIQ110	Numbness in hands, feet or both
195	DIQ	Diabetes	DIQ120	Pain/tingling in hands/feet - past 3 mos
196	DIQ	Diabetes	DIQ130	Pain/tingling in hands,feet or both
197	DIQ	Diabetes	DIQ140	Pain in either leg while walking
198	DIQ	Diabetes	DIQ150	Pain in calf or calves
199	DSQFILE1	Supplement Counts	SEQN	Respondent sequence number
200	DSQFILE1	Supplement Counts	DSD010	Any dietary supplements taken?
201	DSQFILE1	Supplement Counts	DSDCOUNT	Total # of dietary supplements taken
202	DSQFILE2	Participant's Use of Supplement	SEQN	Respondent sequence number
203	DSQFILE2	Participant's Use of Supplement	DSDSUPID	Supplement id number
204	DSQFILE2	Participant's Use of Supplement	DSDSUPP	Supplement name
205	DSQFILE2	Participant's Use of Supplement	DSD070	Was container seen?
206	DSQFILE2	Participant's Use of Supplement	DSDMTCH	Matching code
207	DSQFILE2	Participant's Use of Supplement	DSD090	How long supplement taken (days)?
208	DSQFILE2	Participant's Use of Supplement	DSD100Q	How often taken past month? (quantity)
209	DSQFILE2	Participant's Use of Supplement	DSD100U	How often taken past month? (unit)
210	DSQFILE2	Participant's Use of Supplement	DSD120Q	How much taken each time? (quantity)

VARQUEX Page 10 of 55

June 2009

Item #	Data File	Component	Item ID	Label
211	DSQFILE2	Participant's Use of Supplement	DSD120U	How much taken each time? (unit)
212	DSQFILE2	Participant's Use of Supplement	DSDANTA	Antacid reported as a dietary supplement
213	DSQFILE3	Supplement Information	DSDSUPID	Supplement ID number
214	DSQFILE3	Supplement Information	DSDSUPP	Supplement name
215	DSQFILE3	Supplement Information	DSDSRCE	Supplement information source
216	DSQFILE3	Supplement Information	DSDTYPE	Formulation type
217	DSQFILE3	Supplement Information	DSDSERVQ	Serving size quantity
218	DSQFILE3	Supplement Information	DSDSERVU	Serving size unit
219	DSQFILE3	Supplement Information	DSDSERVA	Alternative serving size
220	DSQFILE3	Supplement Information	DSDCNTV	Count of vitamins in the supplement
221	DSQFILE3	Supplement Information	DSDCNTM	Count of minerals in the supplement
222	DSQFILE3	Supplement Information	DSDCNTA	Count of amino acids in the supplement
223	DSQFILE3	Supplement Information	DSDCNTB	Count of botanicals in the supplement
224	DSQFILE3	Supplement Information	DSDCNTO	Count of other ingredients in the supplement
225	DSQFILE4	Ingredient Information	DSDSUPID	Supplement ID number
226	DSQFILE4	Ingredient Information	DSDSUPP	Supplement name
227	DSQFILE4	Ingredient Information	DSDINGID	Ingredient ID
228	DSQFILE4	Ingredient Information	DSDINGR	Ingredient name
229	DSQFILE4	Ingredient Information	DSDOPER	Ingredient operator
230	DSQFILE4	Ingredient Information	DSDQTY	Ingredient quantity
231	DSQFILE4	Ingredient Information	DSDUNIT	Ingredient unit

VARQUEX Page 11 of 55

June 2009

Item #	Data File	Component	Item ID	Label
232	DSQFILE4	Ingredient Information	DSDCAT	Ingredient category
233	DSQFILE4	Ingredient Information	DSDBLFLG	Blend flag
234	DSQFILE5	Supplement Blend	DSDINGID	Ingredient ID
235	DSQFILE5	Supplement Blend	DSDINGR	Ingredient name
236	DSQFILE5	Supplement Blend	DSDBCID	Blend component ID
237	DSQFILE5	Supplement Blend	DSDBCNAM	Blend component name
238	DSQFILE5	Supplement Blend	DSDBCCAT	Blend component category
239	DUQ	Drug Use	SEQN	Respondent sequence number
240	DUQ	Drug Use	DUQ100	Ever used cocaine or other street drug
241	DUQ	Drug Use	DUQ110	#days used street drugs over past year
242	DUQ	Drug Use	DUQ120	Ever used a needle to take street drugs
243	DUQ	Drug Use	DUQ130	#days used needle for street drugs/year
244	ECQ	Early Childhood	SEQN	Respondent sequence number
245	ECQ	Early Childhood	ECQ010	Mother's age when born
246	ECQ	Early Childhood	ECQ020	Mother smoked when pregnant
247	ECQ	Early Childhood	ECQ030	Mother quit smoking while pregnant
248	ECQ	Early Childhood	ECQ040	Mother quit smoking while pregnant (mo)
249	ECQ	Early Childhood	ECQ060	Receive newborn care at health facility
250	ECQ	Early Childhood	ECD070A	Weight at birth, pounds
251	ECQ	Early Childhood	ECD070B	Weight at birth, ounces
252	ECQ	Early Childhood	ECQ080	Weight more/less than 5.5 lbs

VARQUEX Page 12 of 55

June 2009

Item #	Data File	Component	Item ID	Label
253	ECQ	Early Childhood	ECQ090	Weight more/less than 9.0 lbs
254	ECQ	Early Childhood	ECD100	Ever attend day care or preschool
255	ECQ	Early Childhood	ECD110	Now attend day care or preschool
256	ECQ	Early Childhood	FSQ121	Now attend headstart
257	ECQ	Early Childhood	ECQ130	Hours spent away from home/weekday day
258	ECQ	Early Childhood	ECQ140	Hours spent away from home/weekend day
259	FSQ	Food Security	SEQN	Respondent sequence number
260	FSQ	Food Security	FSD010	Food adequacy indicator
261	FSQ	Food Security	FSD160	Household WIC received
262	FSQ	Food Security	FSD170N	No. people in HH authorized for fd stmps
263	FSQ	Food Security	FSD180	Authorized for fd stmps in last 12 mos
264	FSQ	Food Security	FSD190	No. mos authorized in last 12 mos
265	FSQ	Food Security	FSD200	Currently authorized for fd stmps
266	FSQ	Food Security	FSD655	Child received WIC in past 12 months
267	FSQ	Food Security	FSD660C	Child currently receives WIC
268	FSQ	Food Security	FSD665	How long child receiving WIC?
269	FSQ	Food Security	FSQ650	Mom received WIC in past 12 months
270	FSQ	Food Security	FSD660M	Mom currently receives WIC
271	FSQ	Food Security	FSD670	How long mom receiving WIC?
272	FSQ	Food Security	HHfdsec	Household food security category
273	FSQ	Food Security	ADfdsec	Adult food security category

VARQUEX Page 13 of 55

June 2009

Item #	Data File	Component	Item ID	Label
274	FSQ	Food Security	CHfdsec	Child food security category
275	HIQ	Health Insurance	SEQN	Respondent sequence number
276	HIQ	Health Insurance	HID010	Covered by health insurance
277	HIQ	Health Insurance	HID030A	Covered by private insurance
278	HIQ	Health Insurance	HID030B	Covered by Medicare
279	HIQ	Health Insurance	HID030C	Covered by Medicaid/CHIP
280	HIQ	Health Insurance	HID030D	Covered by other government insurance
281	HIQ	Health Insurance	HID030E	Covered by single service plan
282	HIQ	Health Insurance	HID040	Dental coverage included
283	HIQ	Health Insurance	HIQ210	Time when no insurance in past year?
284	HIQ	Health Insurance	HIQ220	How long since last insured
285	HOQ	Housing Characteristics	SEQN	Respondent sequence number
286	HOQ	Housing Characteristics	HOD010	Type of home
287	HOQ	Housing Characteristics	HOD030	How many apartments in building
288	HOQ	Housing Characteristics	HOD040	When was home built
289	HOQ	Housing Characteristics	HOD050	Number of rooms in home
290	HOQ	Housing Characteristics	HOD060	How many years family lived in home
291	HOQ	Housing Characteristics	HOQ065	Home owned, bought, rented, other
292	HOQ	Housing Characteristics	HOQ070	Source of tap water
293	HOQ	Housing Characteristics	HOQ080	Water treatment devices used or not
294	HOQ	Housing Characteristics	HOD140	Home painted in last 12 months

VARQUEX Page 14 of 55

June 2009

Item #	Data File	Component	Item ID	Label
295	HOQ	Housing Characteristics	HOD150	Old paint scraped when home painted?
296	HOQ	Housing Characteristics	HOD160	Paint peeling, flaking, chipping inside
297	HOQ	Housing Characteristics	HOD170	Inside peeling area plus 22x26
298	HOQ	Housing Characteristics	HOD180	Number of rooms 22x26 peeling
299	HOQ	Housing Characteristics	HOD190	Outside paint peeling/flaking/chipping
300	HOQ	Housing Characteristics	HOD210	Outside peeling larger than door?
301	HOQ	Housing Characteristics	HOD220	Window, cabinet or wall renovation
302	HSQ	Health Status	SEQN	Respondent sequence number
303	HSQ	Health Status	HSQ500	SP recent health - over past 4 weeks
304	HSQ	Health Status	HSQ510	SP have stomach or intestinal illness?
305	HSQ	Health Status	HSQ520	SP have flu, pneumonia, ear infection?
306	HSQ	Health Status	HSQ570	SP donated blood in past 12 months?
307	HSQ	Health Status	HSQ580	How long ago was last blood donation?
308	HSQ	Health Status	HSQ590	Blood ever tested for HIV virus?
309	HSQ	Health Status	HSAQUEX	Source of Health Status Data
310	HUQ	Hospital Utilization	SEQN	Respondent sequence number
311	HUQ	Hospital Utilization	HUQ010	General health condition
312	HUQ	Hospital Utilization	HUQ020	Health now compared with 1 year ago
313	HUQ	Hospital Utilization	HUQ030	Routine place to go for healthcare
314	HUQ	Hospital Utilization	HUQ040	Type place most often go for healthcare
315	HUQ	Hospital Utilization	HUQ050	#Times received healthcare over past yr

VARQUEX Page 15 of 55

June 2009

Item #	Data File	Component	Item ID	Label
316	HUQ	Hospital Utilization	HUQ060	How long since last healthcare visit
317	HUQ	Hospital Utilization	HUQ070	Overnight hospital patient in last year
318	HUQ	Hospital Utilization	HUD080	#Times overnite hospital patient/last yr
319	HUQ	Hospital Utilization	HUQ090	Seen mental health professional /past yr
320	IMQ	Immunization	SEQN	Respondent sequence number
321	IMQ	Immunization	IMQ010	Received hepatitis A vaccine series
322	IMQ	Immunization	IMQ020	Received hepatitis B 3 dose series
323	IMQ	Immunization	IMQ030	Had pneumonia vaccination
324	KIQ	Kidney	SEQN	Respondent sequence number
325	KIQ	Kidney	KIQ020	Ever told you had weak/failing kidneys
326	KIQ	Kidney	KIQ080	Difficulty starting to urinate
327	KIQ	Kidney	KIQ100	Bladder feel empty after urinating
328	KIQ	Kidney	KIQ120	Ever told you had enlarged prostate
329	KIQ	Kidney	KIQ140	Told it was a benign enlargement
330	KIQ	Kidney	KIQ160	Age first told had benign enlargement
331	KIQ	Kidney	KIQ180	Enlargement due to cancer
332	KIQ	Kidney	KIQ200	Ever told you had prostate cancer
333	KIQ	Kidney	KIQ220	Age when first told had prostate cancer
334	KIQ	Kidney	KIQ240	Ever had surgery on prostate gland
335	KIQ	Kidney	KIQ260	Surgery on prostate but not for cancer
336	KIQ	Kidney	KIQ280	Surgery for cancer of the prostate

VARQUEX Page 16 of 55

June 2009

Item #	Data File	Component	Item ID	Label
337	KIQ	Kidney	KIQ300	Radiation treatments for prostate cancer
338	KIQ	Kidney	KIQ320	Blood test to check for prostate cancer
339	KIQ	Kidney	KIQ040	Difficulty controlling bladder
340	KIQ	Kidney	KIQ060	Frequency of bladder control problem
341	KIQ	Kidney	KIQ340	Ever had rectal examination?
342	KIQ	Kidney	KIQ360	Rectal exam check for prostate cancer
343	KIQ	Kidney	KIQ380	Rectal exam check for blood in stool
344	KIQ	Kidney	KIAQUEX	Questions KIQ340, -360, -380: 1=SI , 2=MI
345	MCQ	Medical Conditions	SEQN	Respondent sequence number
346	MCQ	Medical Conditions	MCQ010	Ever been told you have asthma
347	MCQ	Medical Conditions	MCQ020	Age when first had asthma
348	MCQ	Medical Conditions	MCQ030	Still have asthma
349	MCQ	Medical Conditions	MCQ040	Had asthma attack in past year
350	MCQ	Medical Conditions	MCQ050	Emergency care visit for asthma/past yr
351	MCQ	Medical Conditions	MCQ053	Taking treatment for anemia/past 3 mos
352	MCQ	Medical Conditions	MCQ060	Told have attention deficit disorder?
353	MCQ	Medical Conditions	MCQ080	Doctor ever said you were overweight
354	MCQ	Medical Conditions	MCQ083	Ever told you have learning disability
355	MCQ	Medical Conditions	MCQ090	Ever had chickenpox
356	MCQ	Medical Conditions	MCQ092	Ever receive blood transfusion
357	MCQ	Medical Conditions	MCQ093	Year receive blood transfusion

VARQUEX Page 17 of 55

June 2009

Item #	Data File	Component	Item ID	Label
358	MCQ	Medical Conditions	MCQ100	Told have high blood pressure
359	MCQ	Medical Conditions	MCQ110	Taking medicine for high blood pressure
360	MCQ	Medical Conditions	MCQ114	Ever tested for lead poisoning
361	MCQ	Medical Conditions	MCQ117Q	How long since lead poisoning test
362	MCQ	Medical Conditions	MCQ117U	Months or years
363	MCQ	Medical Conditions	MCQ120A	Had hay fever in past year
364	MCQ	Medical Conditions	MCQ120B	Had 3 or more ear infections/past year
365	MCQ	Medical Conditions	MCQ120C	Had frequent/severe headaches/past yr
366	MCQ	Medical Conditions	MCQ120D	Stuttering/Stammering in past year
367	MCQ	Medical Conditions	MCQ140	Trouble seeing even with glass/contacts
368	MCQ	Medical Conditions	MCQ147	Menstrual periods started yet?
369	MCQ	Medical Conditions	MCQ148	Age when menstrual periods started
370	MCQ	Medical Conditions	MCQ150G	School days missed from injury/illness
371	MCQ	Medical Conditions	MCQ150Q	# school days missed from injury/illness
372	MCQ	Medical Conditions	MCQ160A	Doctor ever said you had arthritis
373	MCQ	Medical Conditions	MCQ160B	Ever told had congestive heart failure
374	MCQ	Medical Conditions	MCQ160C	Ever told you had coronary heart disease
375	MCQ	Medical Conditions	MCQ160D	Ever told you had angina/angina pectoris
376	MCQ	Medical Conditions	MCQ160E	Ever told you had heart attack
377	MCQ	Medical Conditions	MCQ160F	Ever told you had a stroke
378	MCQ	Medical Conditions	MCQ160G	Ever told you had emphysema

VARQUEX Page 18 of 55

June 2009

Item #	Data File	Component	Item ID	Label
379	MCQ	Medical Conditions	MCQ160H	Ever told you had a goiter
380	MCQ	Medical Conditions	MCQ160I	Ever told you had thyroid disease
381	MCQ	Medical Conditions	MCQ160J	Doctor said you were overweight
382	MCQ	Medical Conditions	MCQ160K	Ever told you had chronic bronchitis
383	MCQ	Medical Conditions	MCQ160L	Ever told you had any liver condition
384	MCQ	Medical Conditions	MCQ170H	Do you still have a goiter
385	MCQ	Medical Conditions	MCQ170I	Do you still have thyroid disease
386	MCQ	Medical Conditions	MCQ170K	Do you still have chronic bronchitis
387	MCQ	Medical Conditions	MCQ170L	Do you still have a liver condition
388	MCQ	Medical Conditions	MCQ180A	Age when told you had arthritis
389	MCQ	Medical Conditions	MCQ180B	Age when told you had heart failure
390	MCQ	Medical Conditions	MCQ180C	Age when told had coronary heart disease
391	MCQ	Medical Conditions	MCQ180D	Age when told you had angina pectoris
392	MCQ	Medical Conditions	MCQ180E	Age when told you had heart attack
393	MCQ	Medical Conditions	MCQ180F	Age when told you had a stroke
394	MCQ	Medical Conditions	MCQ180G	Age when told you had emphysema
395	MCQ	Medical Conditions	MCQ180H	Age when told you had a goiter
396	MCQ	Medical Conditions	MCQ180I	Age when told you had thyroid disease
397	MCQ	Medical Conditions	MCQ180K	Age when told you had chronic bronchitis
398	MCQ	Medical Conditions	MCQ180L	Age when told you had a liver condition
399	MCQ	Medical Conditions	MCQ190	Which type of arthritis

VARQUEX Page 19 of 55

June 2009

Item #	Data File	Component	Item ID	Label
400	MCQ	Medical Conditions	MCQ200	Ever told had stomach/duod/peptic ulcer
401	MCQ	Medical Conditions	MCQ210	Had ulcer in past year
402	MCQ	Medical Conditions	MCQ220	Ever told you had cancer or malignancy
403	MCQ	Medical Conditions	MCQ230A	What kind of cancer
404	MCQ	Medical Conditions	MCQ230B	What kind of cancer
405	MCQ	Medical Conditions	MCQ230C	What kind of cancer
406	MCQ	Medical Conditions	MCQ230D	What kind of cancer
407	MCQ	Medical Conditions	MCQ240A	Age when bladder cancer first diagnosed
408	MCQ	Medical Conditions	MCQ240B	Age when blood cancer first diagnosed
409	MCQ	Medical Conditions	MCQ240C	Age when bone cancer first diagnosed
410	MCQ	Medical Conditions	MCQ240D	Age when brain cancer first diagnosed
411	MCQ	Medical Conditions	MCQ240E	Age when breast cancer first diagnosed
412	MCQ	Medical Conditions	MCQ240F	Age when cervical cancer first diagnosed
413	MCQ	Medical Conditions	MCQ240G	Age when colon cancer first diagnosed
414	MCQ	Medical Conditions	MCQ240H	Age esophageal cancer first diagnosed
415	MCQ	Medical Conditions	MCQ240I	Age gallbladder cancer first diagnosed
416	MCQ	Medical Conditions	MCQ240J	Age when kidney cancer first diagnosed
417	MCQ	Medical Conditions	MCQ240K	Age larynx/windpipe cancer diagnosed
418	MCQ	Medical Conditions	MCQ240L	Age when leukemia first diagnosed
419	MCQ	Medical Conditions	MCQ240M	Age when liver cancer first diagnosed
420	MCQ	Medical Conditions	MCQ240N	Age when lung cancer first diagnosed

VARQUEX Page 20 of 55

June 2009

Item #	Data File	Component	Item ID	Label
421	MCQ	Medical Conditions	MCQ240O	Age lymphoma/Hodgkins' diagnosed
422	MCQ	Medical Conditions	MCQ240P	Age when melanoma first diagnosed
423	MCQ	Medical Conditions	MCQ240Q	Age mouth\tongue\lip cancer diagnosed
424	MCQ	Medical Conditions	MCQ240R	Age nervous system cancer diagnosed
425	MCQ	Medical Conditions	MCQ240S	Age when ovarian cancer first diagnosed
426	MCQ	Medical Conditions	MCQ240T	Age pancreatic cancer first diagnosed
427	MCQ	Medical Conditions	MCQ240U	Age prostate cancer first diagnosed
428	MCQ	Medical Conditions	MCQ240V	Age when rectal cancer first diagnosed
429	MCQ	Medical Conditions	MCQ240W	Age non-melanoma skin cancer diagnosed
430	MCQ	Medical Conditions	MCQ240X	Age unknown skin cancer first diagnosed
431	MCQ	Medical Conditions	MCQ240Y	Age soft tissue cancer first diagnosed
432	MCQ	Medical Conditions	MCQ240Z	Age stomach cancer first diagnosed
433	MCQ	Medical Conditions	MCQ240AA	Age testicular cancer first diagnosed
434	MCQ	Medical Conditions	MCQ240BB	Age when thyroid cancer first diagnosed
435	MCQ	Medical Conditions	MCQ240CC	Age when uterine cancer first diagnosed
436	MCQ	Medical Conditions	MCQ240DD	Age other type of cancer first diagnosed
437	MCQ	Medical Conditions	MCQ245A	Work days missed for illness/maternity
438	MCQ	Medical Conditions	MCQ245B	# of workdays missed
439	MCQ	Medical Conditions	MCQ250A	Blood relatives have diabetes
440	MCQ	Medical Conditions	MCQ250B	Blood relatives have Alzheimer's
441	MCQ	Medical Conditions	MCQ250C	Blood relatives have asthma

VARQUEX Page 21 of 55

June 2009

Item #	Data File	Component	Item ID	Label
442	MCQ	Medical Conditions	MCQ250D	Blood relatives have arthritis
443	MCQ	Medical Conditions	MCQ250E	Blood relatives have osteoporosis
444	MCQ	Medical Conditions	MCQ250F	Blood relatives w/hypertension/stroke
445	MCQ	Medical Conditions	MCQ250G	Blood relatives have angina
446	MCQ	Medical Conditions	MCQ260AA	Blood relative-diabetes-mother
447	MCQ	Medical Conditions	MCQ260AB	Blood relative-diabetes-father
448	MCQ	Medical Conditions	MCQ260AC	Blood relative-diabetes-mother's mother
449	MCQ	Medical Conditions	MCQ260AD	Blood relative-diabetes-mother's father
450	MCQ	Medical Conditions	MCQ260AE	Blood relative-diabetes-father's mother
451	MCQ	Medical Conditions	MCQ260AF	Blood relative-diabetes-father's father
452	MCQ	Medical Conditions	MCQ260AG	Blood relative-diabetes-brother
453	MCQ	Medical Conditions	MCQ260AH	Blood relative-diabetes-sister
454	MCQ	Medical Conditions	MCQ260AI	Blood relative-diabetes-other
455	MCQ	Medical Conditions	MCQ260BA	Blood relative-Alzheimer's-mother
456	MCQ	Medical Conditions	MCQ260BB	Blood relative-Alzheimer's-father
457	MCQ	Medical Conditions	MCQ260BC	Blood relative-Alzheimer's-mom's mother
458	MCQ	Medical Conditions	MCQ260BD	Blood relative-Alzheimer's-mom's father
459	MCQ	Medical Conditions	MCQ260BE	Blood relative-Alzheimer's-dad's mother
460	MCQ	Medical Conditions	MCQ260BF	Blood relative-Alzheimer's-dad's father
461	MCQ	Medical Conditions	MCQ260BG	Blood relative-Alzheimer's-brother
462	MCQ	Medical Conditions	MCQ260BH	Blood relative-Alzheimer's-sister

VARQUEX Page 22 of 55

June 2009

Item #	Data File	Component	Item ID	Label
463	MCQ	Medical Conditions	MCQ260BI	Blood relative-Alzheimer's-other
464	MCQ	Medical Conditions	MCQ260CA	Blood relative-asthma-mother
465	MCQ	Medical Conditions	MCQ260CB	Blood relative-asthma-father
466	MCQ	Medical Conditions	MCQ260CC	Blood relative-asthma-mother's mother
467	MCQ	Medical Conditions	MCQ260CD	Blood relative-asthma-mother's father
468	MCQ	Medical Conditions	MCQ260CE	Blood relative-asthma-father's mother
469	MCQ	Medical Conditions	MCQ260CF	Blood relative-asthma-father's father
470	MCQ	Medical Conditions	MCQ260CG	Blood relative-asthma-brother
471	MCQ	Medical Conditions	MCQ260CH	Blood relative-asthma-sister
472	MCQ	Medical Conditions	MCQ260CI	Blood relative-asthma-other
473	MCQ	Medical Conditions	MCQ260DA	Blood relative-arthritis-mother
474	MCQ	Medical Conditions	MCQ260DB	Blood relative-arthritis-father
475	MCQ	Medical Conditions	MCQ260DC	Blood relative-arthritis-mother's mother
476	MCQ	Medical Conditions	MCQ260DD	Blood relative-arthritis-mother's father
477	MCQ	Medical Conditions	MCQ260DE	Blood relative-arthritis-father's mother
478	MCQ	Medical Conditions	MCQ260DF	Blood relative-arthritis-father's father
479	MCQ	Medical Conditions	MCQ260DG	Blood relative-arthritis-brother
480	MCQ	Medical Conditions	MCQ260DH	Blood relative-arthritis-sister
481	MCQ	Medical Conditions	MCQ260DI	Blood relative-arthritis-other
482	MCQ	Medical Conditions	MCQ260EA	Blood relative-osteoporosis-mother
483	MCQ	Medical Conditions	MCQ260EB	Blood relative-osteoporosis-father

VARQUEX Page 23 of 55

June 2009

Item #	Data File	Component	Item ID	Label
484	MCQ	Medical Conditions	MCQ260EC	Blood relative-osteoporosis-mom's mother
485	MCQ	Medical Conditions	MCQ260ED	Blood relative-osteoporosis-mom's father
486	MCQ	Medical Conditions	MCQ260EE	Blood relative-osteoporosis-dad's mother
487	MCQ	Medical Conditions	MCQ260EF	Blood relative-osteoporosis-dad's father
488	MCQ	Medical Conditions	MCQ260EG	Blood relative-osteoporosis-brother
489	MCQ	Medical Conditions	MCQ260EH	Blood relative-osteoporosis-sister
490	MCQ	Medical Conditions	MCQ260EI	Blood relative-osteoporosis-other
491	MCQ	Medical Conditions	MCQ260FA	Blood relative-hypertension-mother
492	MCQ	Medical Conditions	MCQ260FB	Blood relative-hypertension-father
493	MCQ	Medical Conditions	MCQ260FC	Blood relative-hypertension-mom's mother
494	MCQ	Medical Conditions	MCQ260FD	Blood relative-hypertension-mom's father
495	MCQ	Medical Conditions	MCQ260FE	Blood relative-hypertension-dad's mother
496	MCQ	Medical Conditions	MCQ260FF	Blood relative-hypertension-dad's father
497	MCQ	Medical Conditions	MCQ260FG	Blood relative-hypertension-brother
498	MCQ	Medical Conditions	MCQ260FH	Blood relative-hypertension-sister
499	MCQ	Medical Conditions	MCQ260FI	Blood relative-hypertension-other
500	MCQ	Medical Conditions	MCQ260GA	Blood relative-heart attack-mother
501	MCQ	Medical Conditions	MCQ260GB	Blood relative-heart attack-father
502	MCQ	Medical Conditions	MCQ260GC	Blood relative-heart attack-mom's mother
503	MCQ	Medical Conditions	MCQ260GD	Blood relative-heart attack-mom's father
504	MCQ	Medical Conditions	MCQ260GE	Blood relative-heart attack-dad's mother

VARQUEX Page 24 of 55

June 2009

Item #	Data File	Component	Item ID	Label
505	MCQ	Medical Conditions	MCQ260GF	Blood relative-heart attack-dad's father
506	MCQ	Medical Conditions	MCQ260GG	Blood relative-heart attack-brother
507	MCQ	Medical Conditions	MCQ260GH	Blood relative-heart attack-sister
508	MCQ	Medical Conditions	MCQ260GI	Blood relative-heart attack-other
509	MCQ	Medical Conditions	MCQ270	Your mother ever fracture hip
510	MCQ	Medical Conditions	MCQ280	Mother's age when fractured hip
511	MCQ	Medical Conditions	MCQ290	Mother under/over 50 when fracture hip
512	MPQ	Miscellaneous Pain	SEQN	Respondent sequence number
513	MPQ	Miscellaneous Pain	MPQ010	Joint pain/aching/stiffness in past year
514	MPQ	Miscellaneous Pain	MPQ020	Symptoms present for most of month?
515	MPQ	Miscellaneous Pain	MPQ030	Symptoms begin only because of injury
516	MPQ	Miscellaneous Pain	MPD040	#wks have joint pain symptoms
517	MPQ	Miscellaneous Pain	MPD050A	Right shoulder affected
518	MPQ	Miscellaneous Pain	MPD050B	Left shoulder affected
519	MPQ	Miscellaneous Pain	MPD050C	Right elbow affected
520	MPQ	Miscellaneous Pain	MPD050D	Left elbow affected
521	MPQ	Miscellaneous Pain	MPD050E	Right hip affected
522	MPQ	Miscellaneous Pain	MPD050F	Left hip attected
523	MPQ	Miscellaneous Pain	MPD050G	Right wrist affected
524	MPQ	Miscellaneous Pain	MPD050H	Left wrist affected
525	MPQ	Miscellaneous Pain	MPD050I	Right knee affected

VARQUEX Page 25 of 55

June 2009

Item #	Data File	Component	Item ID	Label
526	MPQ	Miscellaneous Pain	MPD050J	Left knee affected
527	MPQ	Miscellaneous Pain	MPD050K	Right ankle afftected
528	MPQ	Miscellaneous Pain	MPD050L	Left ankle affected
529	MPQ	Miscellaneous Pain	MPD050M	Right toes affected
530	MPQ	Miscellaneous Pain	MPD050N	Left toes affected
531	MPQ	Miscellaneous Pain	MPD050O	Right fingers/thumb affected
532	MPQ	Miscellaneous Pain	MPD050P	Left fingers/thumb affected
533	MPQ	Miscellaneous Pain	MPD050Q	Other joints affected
534	MPQ	Miscellaneous Pain	MPQ060	Neck pain over last three months
535	MPQ	Miscellaneous Pain	MPQ070	Low back pain
536	MPQ	Miscellaneous Pain	MPQ080	Pain down either leg below knee
537	MPQ	Miscellaneous Pain	MPQ090	Severe headaches or migraines
538	MPQ	Miscellaneous Pain	MPQ100	Pain problem lasting more than 24 hrs
539	MPQ	Miscellaneous Pain	MPQ110	How long experience this pain
540	MPQ	Miscellaneous Pain	MPQ120A	Head affected
541	MPQ	Miscellaneous Pain	MPQ120B	Face/dental affected
542	MPQ	Miscellaneous Pain	MPQ120C	Right shoulder/girdle affected
543	MPQ	Miscellaneous Pain	MPQ120D	Left shoulder/girdle affected
544	MPQ	Miscellaneous Pain	MPQ120E	Right upper arm affected
545	MPQ	Miscellaneous Pain	MPQ120F	Left upper arm affected
546	MPQ	Miscellaneous Pain	MPQ120G	Right mid-arm affected

VARQUEX Page 26 of 55

June 2009

Item #	Data File	Component	Item ID	Label
547	MPQ	Miscellaneous Pain	MPQ120H	Left mid-arm affected
548	MPQ	Miscellaneous Pain	MPQ120I	Right lower arm affected
549	MPQ	Miscellaneous Pain	MPQ120J	Left lower arm affected
550	MPQ	Miscellaneous Pain	MPQ120K	Right upper back affected
551	MPQ	Miscellaneous Pain	MPQ120L	Left upper back affected
552	MPQ	Miscellaneous Pain	MPQ120M	Right lower back affected
553	MPQ	Miscellaneous Pain	MPQ120N	Left lower back affected
554	MPQ	Miscellaneous Pain	MPQ1200	Right buttock affected
555	MPQ	Miscellaneous Pain	MPQ120P	Left buttock affected
556	MPQ	Miscellaneous Pain	MPQ120Q	Right upper leg affected
557	MPQ	Miscellaneous Pain	MPQ120R	Left upper leg affected
558	MPQ	Miscellaneous Pain	MPQ120S	Right mid-leg affected
559	MPQ	Miscellaneous Pain	MPQ120T	Left mid-leg affected
560	MPQ	Miscellaneous Pain	MPQ120U	Right lower leg affected
561	MPQ	Miscellaneous Pain	MPQ120V	Left lower leg affected
562	MPQ	Miscellaneous Pain	MPQ120W	Neck affected
563	MPQ	Miscellaneous Pain	MPQ120X	Sternum affected
564	MPQ	Miscellaneous Pain	MPQ120Y	Right chest affected
565	MPQ	Miscellaneous Pain	MPQ120Z	Left chest affected
566	MPQ	Miscellaneous Pain	MPQ120AA	Abdomen affected
567	MPQ	Miscellaneous Pain	MPQ120AB	Spine affected

VARQUEX Page 27 of 55

June 2009

Item #	Data File	Component	Item ID	Label
568	MPQ	Miscellaneous Pain	MPQ120AC	Right hand affected
569	MPQ	Miscellaneous Pain	MPQ120AD	Left hand affected
570	MPQ	Miscellaneous Pain	MPQ120AE	Right foot affected
571	MPQ	Miscellaneous Pain	MPQ120AF	Left foot affected
572	OCQ	Occupation	SEQN	Respondent sequence number
573	OCQ	Occupation	OCQ130	Average hours/week of paid/unpaid work
574	OCQ	Occupation	OCQ150	Type of work done last week
575	OCQ	Occupation	OCQ160	Worked at all last week?
576	OCQ	Occupation	OCQ180	Hours worked last week at all jobs
577	OCQ	Occupation	OCQ210	Usually work 35 or more hours per week
578	OCQ	Occupation	OCQ260	Description of job/work situation
579	OCQ	Occupation	OCD270	Number of months working in the main job
580	OCQ	Occupation	OCQ280	Health insurance offered at main job
581	OCQ	Occupation	OCQ290G	Smell tobacco smoke at work
582	OCQ	Occupation	OCQ290Q	# Hrs/day smell tobacco smoke at work
583	OCQ	Occupation	OCQ300	Ever wear protective equipment at work
584	OCQ	Occupation	OCQ310A	Ever wear respirator at work
585	OCQ	Occupation	OCQ310B	Ever wear hearing protection at work
586	OCQ	Occupation	OCQ310C	Ever wear protective gloves at work
587	OCQ	Occupation	OCQ330A	Protective gloves of latex rubber
588	OCQ	Occupation	OCQ330B	Protective gloves of leather

VARQUEX Page 28 of 55

June 2009

Item #	Data File	Component	Item ID	Label
589	OCQ	Occupation	OCQ330C	Protective gloves of vinyl
590	OCQ	Occupation	OCQ330D	Protective gloves of cloth
591	OCQ	Occupation	OCQ330E	Protective gloves of something else
592	OCQ	Occupation	OCQ340	Ever exp. job noise 3+mos-SP working
593	OCQ	Occupation	OCQ350	Currently exposed to loud noise at work
594	OCQ	Occupation	OCQ360	Avg # hours loud noise exposure now
595	OCQ	Occupation	OCQ380	Main reason did not work last week
596	OCQ	Occupation	OCD395	Duration of longest work (months)
597	OCQ	Occupation	OCQ420	Ever exp. job noise 3+mos-SP not working
598	OCQ	Occupation	OCQ430	Loud job noise: 3 months on longest job?
599	OCQ	Occupation	OCQ440	# hours/day constant loud noise on job
600	OCQ	Occupation	OCQ450	Wear ear protection during work
601	OCQ	Occupation	OCQ270Q	How long worked at main job
602	OCQ	Occupation	OCQ270U	Unit of measure (day/week/month/year)
603	OHQ	Oral Health	SEQN	Respondent sequence number
604	OHQ	Oral Health	OHQ010	General condition of mouth and teeth
605	OHQ	Oral Health	OHQ020	Limit foods because of teeth problems
606	OHQ	Oral Health	OHQ030	When did you last visit a dentist
607	OHQ	Oral Health	OHQ033	Main reason for last dental visit
608	OHQ	Oral Health	OHQ040	Routine checkups over past 3 yrs
609	OHQ	Oral Health	OHQ050	Routine checkups frequency past 3 yrs

VARQUEX Page 29 of 55

June 2009

Item #	Data File	Component	Item ID	Label
610	OHQ	Oral Health	OHQ060	Regular dentist/lab you visit for care
611	OHQ	Oral Health	OHQ070Q	How long use this dentist/lab as regular
612	OHQ	Oral Health	OHQ070U	Unit of measure (days/wks/mos/yrs)
613	OHQ	Oral Health	OHQ080	Sip liquids to aid swallowing foods
614	OHQ	Oral Health	OHQ090	Amount of saliva in mouth
615	OHQ	Oral Health	OHQ100	Difficulties swallowing foods
616	OHQ	Oral Health	OHQ110	Mouth feel dry when eating meal
617	OSQ	Osteoporosis	SEQN	Respondent sequence number
618	OSQ	Osteoporosis	OSQ010A	Broken or fractured a hip
619	OSQ	Osteoporosis	OSQ010B	Broken or fractured a wrist
620	OSQ	Osteoporosis	OSQ010C	Broken or fractured spine
621	OSQ	Osteoporosis	OSQ020A	# Times broken/fractured hip
622	OSQ	Osteoporosis	OSQ020B	# Times broken/fractured wrist
623	OSQ	Osteoporosis	OSQ020C	# Times broken/fractured spine
624	OSQ	Osteoporosis	OSQ030AA	Age when fractured hip 1st time
625	OSQ	Osteoporosis	OSQ040AA	Under/over 50 when fracd. hip 1st time
626	OSQ	Osteoporosis	OSQ050AA	Reason hip fracture occurred 1st time
627	OSQ	Osteoporosis	OSQ030AB	Age when fractured hip 2nd time
628	OSQ	Osteoporosis	OSQ040AB	Under/over 50 when fracd. hip 2nd time
629	OSQ	Osteoporosis	OSQ050AB	Reason hip fracture occurred 2nd time
630	OSQ	Osteoporosis	OSQ030AC	Age when fractured hip 3rd time

VARQUEX Page 30 of 55

June 2009

Item #	Data File	Component	Item ID	Label
631	OSQ	Osteoporosis	OSQ040AC	Under/over 50 when fracd. hip 3rd time
632	OSQ	Osteoporosis	OSQ050AC	Reason hip fracture occurred 3rd time
633	OSQ	Osteoporosis	OSQ030BA	Age when fractured wrist 1st time
634	OSQ	Osteoporosis	OSQ040BA	Under/over 50 when fracd. wrist 1st time
635	OSQ	Osteoporosis	OSQ050BA	Reason wrist fracture occurred 1st time
636	OSQ	Osteoporosis	OSQ030BB	Age when fractured wrist 2nd time
637	OSQ	Osteoporosis	OSQ040BB	Under/over 50 when fracd. wrist 2nd time
638	OSQ	Osteoporosis	OSQ050BB	Reason wrist fracture occurred 2nd time
639	OSQ	Osteoporosis	OSQ030BC	Age when fractured wrist 3rd time
640	OSQ	Osteoporosis	OSQ040BC	Under/over 50 when fracd. wrist 3rd time
641	OSQ	Osteoporosis	OSQ050BC	Reason wrist fracture occurred 3rd time
642	OSQ	Osteoporosis	OSQ030BD	Age when fractured wrist 4th time
643	OSQ	Osteoporosis	OSQ040BD	Under/over 50 when fracd. wrist 4th time
644	OSQ	Osteoporosis	OSQ050BD	Reason wrist fracture occurred 4th time
645	OSQ	Osteoporosis	OSQ030BE	Age when fractured wrist 5th time
646	OSQ	Osteoporosis	OSQ040BE	Under/over 50 when fracd. wrist 5th time
647	OSQ	Osteoporosis	OSQ050BE	Reason wrist fracture occurred 5th time
648	OSQ	Osteoporosis	OSQ030BF	Age when fractured wrist 6th time
649	OSQ	Osteoporosis	OSQ040BF	Under/over 50 when fracd. wrist 6th time
650	OSQ	Osteoporosis	OSQ050BF	Reason wrist fracture occurred 6th time
651	OSQ	Osteoporosis	OSQ030BG	Age when fractured wrist 7th time

VARQUEX Page 31 of 55

June 2009

Item #	Data File	Component	Item ID	Label
652	OSQ	Osteoporosis	OSQ040BG	Under/over 50 when fracd. wrist 7th time
653	OSQ	Osteoporosis	OSQ050BG	Reason wrist fracture occurred 7th time
654	OSQ	Osteoporosis	OSQ030BH	Age when fractured wrist 8th time
655	OSQ	Osteoporosis	OSQ040BH	Under/over 50 when fracd. wrist 8th time
656	OSQ	Osteoporosis	OSQ050BH	Reason wrist fracture occurred 8th time
657	OSQ	Osteoporosis	OSQ030BI	Age when fractured wrist 9th time
658	OSQ	Osteoporosis	OSQ040BI	Under/over 50 when fracd. wrist 9th time
659	OSQ	Osteoporosis	OSQ050BI	Reason wrist fracture occurred 9th time
660	OSQ	Osteoporosis	OSQ030BJ	Age when fractured wrist 10th time
661	OSQ	Osteoporosis	OSQ040BJ	Under/over 50 when fracd wrist 10th time
662	OSQ	Osteoporosis	OSQ050BJ	Reason wrist fracture occurred 10th time
663	OSQ	Osteoporosis	OSQ030CA	Age when fractured spine 1st time
664	OSQ	Osteoporosis	OSQ040CA	Under/over 50 when fracd. spine 1st time
665	OSQ	Osteoporosis	OSQ050CA	Reason spine fracture occurred 1st time
666	OSQ	Osteoporosis	OSQ030CB	Age when fractured spine 2nd time
667	OSQ	Osteoporosis	OSQ040CB	Under/over 50 when fracd. spine 2nd time
668	OSQ	Osteoporosis	OSQ050CB	Reason spine fracture occurred 2nd time
669	OSQ	Osteoporosis	OSQ030CC	Age when fractured spine 3rd time
670	OSQ	Osteoporosis	OSQ040CC	Under/over 50 when fracd. spine 3rd time
671	OSQ	Osteoporosis	OSQ050CC	Reason spine fracture occurred 3rd time
672	OSQ	Osteoporosis	OSQ030CD	Age when fractured spine 4th time

VARQUEX Page 32 of 55

June 2009

Item #	Data File	Component	Item ID	Label
673	OSQ	Osteoporosis	OSQ040CD	Under/over 50 when fracd. spine 4th time
674	OSQ	Osteoporosis	OSQ050CD	Reason spine fracture occurred 4th time
675	OSQ	Osteoporosis	OSQ030CE	Age when fractured spine 5th time
676	OSQ	Osteoporosis	OSQ040CE	Under/over 50 when fracd. spine 5th time
677	OSQ	Osteoporosis	OSQ050CE	Reason spine fracture occurred 5th time
678	OSQ	Osteoporosis	OSQ060	Ever told had osteoporosis/brittle bones
679	OSQ	Osteoporosis	OSQ070	Ever treated for osteoporosis
680	PAQ	Physical Activity	SEQN	Respondent sequence number
681	PAQ	Physical Activity	PAD020	Walked or bicycled over past 30 days
682	PAQ	Physical Activity	PAQ050Q	# times walked or bicycled
683	PAQ	Physical Activity	PAQ050U	Unit of measure (day/week/month)
684	PAQ	Physical Activity	PAD080	How long per day (minutes)
685	PAQ	Physical Activity	PAQ100	Tasks around home/yard past 30 days
686	PAQ	Physical Activity	PAD120	# of times past 30 days
687	PAQ	Physical Activity	PAD160	How long each time (minutes)
688	PAQ	Physical Activity	PAQ180	Avg level of physical activity each day
689	PAQ	Physical Activity	PAD200	Vigorous activity over past 30 days
690	PAQ	Physical Activity	PAD320	Moderate activity over past 30 days
691	PAQ	Physical Activity	PAD440	Muscle strengthening activities
692	PAQ	Physical Activity	PAD460	Number of times past 30 days
693	PAQ	Physical Activity	PAQ480	Daily hours of TV, video or computer use

VARQUEX Page 33 of 55

June 2009

Item #	Data File	Component	Item ID	Label
694	PAQ	Physical Activity	PAQ500	Activity comparison last mo - last yr
695	PAQ	Physical Activity	PAQ520	Compare activity w/others same age
696	PAQ	Physical Activity	PAQ540	Compare activity with 10 years ago
697	PAQ	Physical Activity	PAQ560	# time/week you play or exercise hard
698	PAQ	Physical Activity	PAD570	# of hours watch TV or videos yesterday
699	PAQ	Physical Activity	PAQ580	# hours use computer/games yesterday
700	PAQ	Physical Activity	PAAQUEX	Questionnaire source flag for weighting
701	PAQIAF	Physical Activity Individual Activities File	SEQN	Respondent sequence number
702	PAQIAF	Physical Activity Individual Activities File	PADACTIV	Leisure time activity
703	PAQIAF	Physical Activity Individual Activities File	PADLEVEL	Activity level
704	PAQIAF	Physical Activity Individual Activities File	PADTIMES	# of times did activity in past 30 days
705	PAQIAF	Physical Activity Individual Activities File	PADDURAT	Average duration of activity (minutes)
706	PAQIAF	Physical Activity Individual Activities File	PADMETS	MET score for activity
707	PAQIAF	Physical Activity Individual Activities File	PAAQUEX	Questionnaire source flag for weighting
708	PFQ	Physical Functioning	SEQN	Respondent sequence number
709	PFQ	Physical Functioning	PFQ010	Physical,mental,emotional limitations
710	PFQ	Physical Functioning	PFQ015	Able to take part in most type of play
711	PFQ	Physical Functioning	PFQ020	Crawl, walk, run, play limitations

VARQUEX Page 34 of 55

June 2009

Item #	Data File	Component	Item ID	Label
712	PFQ	Physical Functioning	PFQ030	Long term impairment/health problem
713	PFQ	Physical Functioning	PFQ040	Receive Special Ed or Early Intervention
714	PFQ	Physical Functioning	PFQ048	Limitations keeping you from working
715	PFQ	Physical Functioning	PFQ050	Limited in amount of work you can do
716	PFQ	Physical Functioning	PFQ055	Need special equipment to walk
717	PFQ	Physical Functioning	PFQ056	Experience confusion/memory problems
718	PFQ	Physical Functioning	PFQ059	Physical, mental, emotional limitations
719	PFQ	Physical Functioning	PFQ060A	Managing money difficulty
720	PFQ	Physical Functioning	PFQ060B	Walking for a quarter mile difficulty
721	PFQ	Physical Functioning	PFQ060C	Walking up ten steps difficulty
722	PFQ	Physical Functioning	PFQ060D	Stooping, crouching, kneeling difficulty
723	PFQ	Physical Functioning	PFQ060E	Lifting or carrying difficulty
724	PFQ	Physical Functioning	PFQ060F	House chore difficulty
725	PFQ	Physical Functioning	PFQ060G	Preparing meals difficulty
726	PFQ	Physical Functioning	PFQ060H	Walking between rooms on same floor
727	PFQ	Physical Functioning	PFQ060I	Standingup from armless chair difficulty
728	PFQ	Physical Functioning	PFQ060J	Getting in and out of bed difficulty
729	PFQ	Physical Functioning	PFQ060K	Using fork, knife, drinking from cup
730	PFQ	Physical Functioning	PFQ060L	Dressing yourself difficulty
731	PFQ	Physical Functioning	PFQ060M	Standing for long periods difficulty
732	PFQ	Physical Functioning	PFQ060N	Sitting for long periods difficulty

VARQUEX Page 35 of 55

June 2009

Item #	Data File	Component	Item ID	Label
733	PFQ	Physical Functioning	PFQ060O	Reaching up over head difficulty
734	PFQ	Physical Functioning	PFQ060P	Grasp/holding small objects difficulty
735	PFQ	Physical Functioning	PFQ060Q	Going out to movies, events difficulty
736	PFQ	Physical Functioning	PFQ060R	Attending social event difficulty
737	PFQ	Physical Functioning	PFQ060S	Leisure activity at home difficulty
738	PFQ	Physical Functioning	PFD067A	Health problems causing difficulty
739	PFQ	Physical Functioning	PFD067B	Health problems causing difficulty
740	PFQ	Physical Functioning	PFD067C	Health problems causing difficulty
741	PFQ	Physical Functioning	PFD067D	Health problems causing difficulty
742	PFQ	Physical Functioning	PFD067E	Health problems causing difficulty
743	PFQ	Physical Functioning	PFD069AG	Arthritis or rheumatism problems
744	PFQ	Physical Functioning	PFD069AQ	Number of days/weeks/months/years
745	PFQ	Physical Functioning	PFD069AU	Unit of measure (da/wk/mo/yr)
746	PFQ	Physical Functioning	PFD069BG	Back or neck problems
747	PFQ	Physical Functioning	PFD069BQ	Number of days/weeks/months/years
748	PFQ	Physical Functioning	PFD069BU	Unit of measure (da/wk/mo/yr)
749	PFQ	Physical Functioning	PFQ069CG	Cancer condition
750	PFQ	Physical Functioning	PFQ069CQ	Number of days/weeks/months/years
751	PFQ	Physical Functioning	PFQ069CU	Unit of measure (da/wk/mo/yr)
752	PFQ	Physical Functioning	PFD069DG	Depression, anxiety, emotional problems
753	PFQ	Physical Functioning	PFD069DQ	Number of days/weeks/months/years

VARQUEX Page 36 of 55

June 2009

Item #	Data File	Component	Item ID	Label
754	PFQ	Physical Functioning	PFD069DU	Unit of measure (da/wk/mo/yr)
755	PFQ	Physical Functioning	PFQ069EG	Other development problems
756	PFQ	Physical Functioning	PFQ069EQ	Number of days/weeks/months/years
757	PFQ	Physical Functioning	PFQ069EU	Unit of measure (da/wk/mo/yr)
758	PFQ	Physical Functioning	PFQ069FG	Diabetes condition
759	PFQ	Physical Functioning	PFQ069FQ	Number of days/weeks/months/years
760	PFQ	Physical Functioning	PFQ069FU	Unit of measure (da/wk/mo/yr)
761	PFQ	Physical Functioning	PFQ069GG	Fractures, bone, joint injury problems
762	PFQ	Physical Functioning	PFQ069GQ	Number of days/weeks/months/years
763	PFQ	Physical Functioning	PFQ069GU	Unit of measure (da/wk/mo/yr)
764	PFQ	Physical Functioning	PFQ069HG	Hearing problems
765	PFQ	Physical Functioning	PFQ069HQ	Number of days/weeks/months/years
766	PFQ	Physical Functioning	PFQ069HU	Unit of measure (da/wk/mo/yr)
767	PFQ	Physical Functioning	PFD069IG	Heart problems
768	PFQ	Physical Functioning	PFD069IQ	Number of days/weeks/months/years
769	PFQ	Physical Functioning	PFD069IU	Unit of measure (da/wk/mo/yr)
770	PFQ	Physical Functioning	PFD069JG	Hypertension or high blood pressure
771	PFQ	Physical Functioning	PFD069JQ	Number of days/weeks/months/years
772	PFQ	Physical Functioning	PFD069JU	Unit of measure (da/wk/mo/yr)
773	PFQ	Physical Functioning	PFQ069KG	Lung or breathing problems
774	PFQ	Physical Functioning	PFQ069KQ	Number of days/weeks/months/years

VARQUEX Page 37 of 55

June 2009

Item #	Data File	Component	Item ID	Label
775	PFQ	Physical Functioning	PFQ069KU	Unit of measure (da/wk/mo/yr)
776	PFQ	Physical Functioning	PFQ069LG	Mental retardation condition
777	PFQ	Physical Functioning	PFQ069LQ	Number of days/weeks/months/years
778	PFQ	Physical Functioning	PFQ069LU	Unit of measure (da/wk/mo/yr)
779	PFQ	Physical Functioning	PFQ069MG	Other injury problems
780	PFQ	Physical Functioning	PFQ069MQ	Number of days/weeks/months/years
781	PFQ	Physical Functioning	PFQ069MU	Unit of measure (da/wk/mo/yr)
782	PFQ	Physical Functioning	PFQ069NG	Senility condition
783	PFQ	Physical Functioning	PFQ069NQ	Number of days/weeks/months/years
784	PFQ	Physical Functioning	PFQ069NU	Unit of measure (da/wk/mo/yr)
785	PFQ	Physical Functioning	PFQ069OG	Stroke problems
786	PFQ	Physical Functioning	PFQ069OQ	Number of days/weeks/months/years
787	PFQ	Physical Functioning	PFQ069OU	Unit of measure (da/wk/mo/yr)
788	PFQ	Physical Functioning	PFD069PG	Vision problems
789	PFQ	Physical Functioning	PFD069PQ	Number of days/weeks/months/years
790	PFQ	Physical Functioning	PFD069PU	Unit of measure (da/wk/mo/yr)
791	PFQ	Physical Functioning	PFD069QG	Weight problems
792	PFQ	Physical Functioning	PFD069QQ	Number of days/weeks/months/years
793	PFQ	Physical Functioning	PFD069QU	Unit of measure (da/wk/mo/yr)
794	PFQ	Physical Functioning	PFD069RG	Other impairment problems
795	PFQ	Physical Functioning	PFD069RQ	Number of days/weeks/months/years

VARQUEX Page 38 of 55

June 2009

Item #	Data File	Component	Item ID	Label
796	PFQ	Physical Functioning	PFD069RU	Unit of measure (da/wk/mo/yr)
797	PFQ	Physical Functioning	PFQ090	Require special healthcare equipment
798	PFQ	Physical Functioning	PFQ100	Special eating utensils
799	PFQ	Physical Functioning	PFQ110	Dressing aids or devices
800	PUQ	Pesticide Use	SEQN	Respondent sequence number
801	PUQ	Pesticide Use	PUD010	Pest control in home in past month?
802	PUQ	Pesticide Use	PUD020	Rooms treated for pests?
803	PUQ	Pesticide Use	PUD021	Foundation/outside of building treated?
804	PUQ	Pesticide Use	PUD031	Non-professional treated home?
805	PUQ	Pesticide Use	PUD032	# treatments in home by non-professional
806	PUQ	Pesticide Use	PUD033	Professional treated home?
807	PUQ	Pesticide Use	PUD034	# treatments in home by professional
808	PUQ	Pesticide Use	PUD040	Home have private yard?
809	PUQ	Pesticide Use	PUD060	Pest control in yard in past month?
810	PUQ	Pesticide Use	PUD071	Non-professional treated yard?
811	PUQ	Pesticide Use	PUD072	# treatments in yard by non-professional
812	PUQ	Pesticide Use	PUD073	Professional treated yard?
813	PUQ	Pesticide Use	PUD074	# treatments in yard by professional
814	RDQ	Respiratory Disease	SEQN	Respondent sequence number
815	RDQ	Respiratory Disease	RDQ010	Problems with coughing in past year
816	RDQ	Respiratory Disease	RDQ020G	Episodes of coughing in past year

VARQUEX Page 39 of 55

June 2009

Item #	Data File	Component	Item ID	Label
817	RDQ	Respiratory Disease	RDQ020Q	Enter number of episodes
818	RDQ	Respiratory Disease	RDQ030	Coughing most days - over 3 mo period
819	RDQ	Respiratory Disease	RDQ040	# years had cough problem
820	RDQ	Respiratory Disease	RDQ050	Bring up phlegm most days - 3 mo period
821	RDQ	Respiratory Disease	RDQ060	# years bringing up phlegm problem
822	RDQ	Respiratory Disease	RDQ070	Wheezing or whistling in chest - past yr
823	RDQ	Respiratory Disease	RDQ080	# wheezing/whistling attacks past year
824	RDQ	Respiratory Disease	RDQ090	Wheezing disturb sleep in past year
825	RDQ	Respiratory Disease	RDQ100	Chest sound wheezy during exercise
826	RDQ	Respiratory Disease	RDQ110	Wheezing severe enough to limit speech
827	RDQ	Respiratory Disease	RDQ120	Got medical attn for wheezing attack
828	RDQ	Respiratory Disease	RDQ130	Taken medication for wheezing -past yr
829	RDQ	Respiratory Disease	RDQ133	Doctor prescribe wheezing medication
830	RDQ	Respiratory Disease	RDQ135	Limit usual activities due to wheezing
831	RDQ	Respiratory Disease	RDQ137	Miss work or school due to wheezing
832	RDQ	Respiratory Disease	RDQ140	Had dry cough at night in past year
833	RHQ	Reproductive Health	SEQN	Respondent sequence number
834	RHQ	Reproductive Health	RHQ010	Age when first menstrual period occurred
835	RHQ	Reproductive Health	RHQ020	Age range at first menstrual period
836	RHQ	Reproductive Health	RHQ030	Had regular periods in past 12 months
837	RHQ	Reproductive Health	RHQ040	Reason not having regular periods

VARQUEX Page 40 of 55

June 2009

Item #	Data File	Component	Item ID	Label
838	RHQ	Reproductive Health	RHQ050	When did SP have last period?
839	RHQ	Reproductive Health	RHQ060	Age at last menstrual period
840	RHQ	Reproductive Health	RHQ070	Age range at last menstrual period
841	RHQ	Reproductive Health	RHD080	Days since last period
842	RHQ	Reproductive Health	RHQ090	Menstrual cycle regularity/last 5 years
843	RHQ	Reproductive Health	RHQ100	Menstrual bleeding rate/last 5 years
844	RHQ	Reproductive Health	RHQ110	Hot flashes, night sweats/last 6 mos?
845	RHQ	Reproductive Health	RHD120	Monthly frequency of hot flashes
846	RHQ	Reproductive Health	RHD130	Ever been pregnant?
847	RHQ	Reproductive Health	RHQ140	Think that you are pregnant now?
848	RHQ	Reproductive Health	RHQ150	What month of pregnancy are you in?
849	RHQ	Reproductive Health	RHQ160	How many times have been pregnant?
850	RHQ	Reproductive Health	RHD170	# pregnancies resulting in live births
851	RHQ	Reproductive Health	RHQ180	Age at first live birth
852	RHQ	Reproductive Health	RHQ190	Age at last live birth
853	RHQ	Reproductive Health	RHQ200	Now breastfeeding a child?
854	RHQ	Reproductive Health	RHQ210	Breastfed any of your children?
855	RHQ	Reproductive Health	RHD230	# of children breastfed at least 1 month
856	RHQ	Reproductive Health	RHQ240A	Reason not breastfed - job/schedule
857	RHQ	Reproductive Health	RHQ240B	Reason not breastfed - mother's phys/med
858	RHQ	Reproductive Health	RHQ240C	Reason not breastfed - child's phys/med

VARQUEX Page 41 of 55

June 2009

Item #	Data File	Component	Item ID	Label
859	RHQ	Reproductive Health	RHQ240D	Reason not breastfed - preferred bottle
860	RHQ	Reproductive Health	RHQ240E	Reason not breastfed - didn't know how
861	RHQ	Reproductive Health	RHQ240F	Reason not breastfed - other
862	RHQ	Reproductive Health	RHQ250	Any child weight <5.5 lbs at birth?
863	RHQ	Reproductive Health	RHQ260	# children weighing <5.5 lbs at birth?
864	RHQ	Reproductive Health	RHD270	Number of children born preterm
865	RHQ	Reproductive Health	RHD280	Had a hysterectomy?
866	RHQ	Reproductive Health	RHQ290	Age when had hysterectomy
867	RHQ	Reproductive Health	RHQ300	Had at least one ovary removed?
868	RHQ	Reproductive Health	RHQ310	Were both ovaries removed or only one?
869	RHQ	Reproductive Health	RHQ320	Both ovaries removed at same time?
870	RHQ	Reproductive Health	RHQ330	Age when first/both ovaries removed
871	RHQ	Reproductive Health	RHQ340	Age when second ovary removed
872	RHQ	Reproductive Health	RHD350	Fallopian tubes ever cut/tied/removed
873	RHQ	Reproductive Health	RHQ360	Told by doctor had endometriosis?
874	RHQ	Reproductive Health	RHQ370	Age when first told had endometriosis
875	RHQ	Reproductive Health	RHQ380	Told by doctor had uterine fibroids?
876	RHQ	Reproductive Health	RHQ390	Age when first told had uterine fibroids
877	RHQ	Reproductive Health	RHQ420	Ever taken birth control pills?
878	RHQ	Reproductive Health	RHQ430	Age when started taking birth pills
879	RHQ	Reproductive Health	RHD440	Taking birth control pills now?

VARQUEX Page 42 of 55

June 2009

Item #	Data File	Component	Item ID	Label
880	RHQ	Reproductive Health	RHQ450	Age when stopped taking birth pills
881	RHQ	Reproductive Health	RHQ460Q	How long taking birth control pills
882	RHQ	Reproductive Health	RHQ460U	Unit of measure: months, years
883	RHQ	Reproductive Health	RHD470	Brand name of contraceptives
884	RHQ	Reproductive Health	RHQ510	Used DepoProvera or injectables?
885	RHQ	Reproductive Health	RHQ520	Now use DepoProvera or injectables?
886	RHQ	Reproductive Health	RHQ540	Ever use female hormones?
887	RHQ	Reproductive Health	RHQ541A	Hormone pills used
888	RHQ	Reproductive Health	RHQ541B	Hormone patches used
889	RHQ	Reproductive Health	RHQ541C	Hormone cream/suppository/injection used
890	RHQ	Reproductive Health	RHQ550	Having periods when start hormones
891	RHQ	Reproductive Health	RHQ551A	Used estr/progest for menopause
892	RHQ	Reproductive Health	RHQ551B	Used estr/progest for emotions
893	RHQ	Reproductive Health	RHQ551C	Used estr/progest for hysterct/oophorect
894	RHQ	Reproductive Health	RHQ551D	Used estr/progest for osteoporosis
895	RHQ	Reproductive Health	RHQ551E	Used estr/progest for cardiovascular dis
896	RHQ	Reproductive Health	RHQ551F	Used estr/progest for irregular periods
897	RHQ	Reproductive Health	RHQ551G	Used estr/progest for other reasons
898	RHQ	Reproductive Health	RHQ554	Use hormone pills w/estrogen only
899	RHQ	Reproductive Health	RHQ556	Age started estrogen-only pills
900	RHQ	Reproductive Health	RHQ558	Taking estrogen only pills now?

VARQUEX Page 43 of 55

June 2009

Item #	Data File	Component	Item ID	Label
901	RHQ	Reproductive Health	RHQ560Q	How long taking estrogen only pills
902	RHQ	Reproductive Health	RHQ560U	Unit of measure: months, years
903	RHQ	Reproductive Health	RHQ562	Used hormone pills w/progestin only
904	RHQ	Reproductive Health	RHQ564	Age started progestin only pills
905	RHQ	Reproductive Health	RHQ566	Taking progestin only pills now?
906	RHQ	Reproductive Health	RHQ568Q	How long taking progestin only pills
907	RHQ	Reproductive Health	RHQ568U	Unit of measure: months, years
908	RHQ	Reproductive Health	RHQ570	Used estrogen/progestin combo pills
909	RHQ	Reproductive Health	RHQ572	Age started estrogen/progestin pills
910	RHQ	Reproductive Health	RHQ574	Taking estrogen/progestin now?
911	RHQ	Reproductive Health	RHQ576Q	How long taking estrogen/progestin
912	RHQ	Reproductive Health	RHQ576U	Unit of measure: months, years
913	RHQ	Reproductive Health	RHQ580	Used estrogen-only patches?
914	RHQ	Reproductive Health	RHQ582	Age started estrogen-only patches
915	RHQ	Reproductive Health	RHQ584	Using estrogen-only patches now?
916	RHQ	Reproductive Health	RHQ586Q	How long using estrogen only patch
917	RHQ	Reproductive Health	RHQ586U	Unit of measure: months, years
918	RHQ	Reproductive Health	RHQ596	Used estrogen/progestin combo patch
919	RHQ	Reproductive Health	RHQ598	Age started estrogen/progestin patch
920	RHQ	Reproductive Health	RHQ600	Use estrogen/progestin patch now?
921	RHQ	Reproductive Health	RHQ602Q	How long use estrogen/progestin patch

VARQUEX Page 44 of 55

June 2009

Item #	Data File	Component	Item ID	Label
922	RHQ	Reproductive Health	RHQ602U	Unit of measure: months, years
923	RXQ_ANA	Analgesics/Pain Relievers	SEQN	Respondent sequence number
924	RXQ_ANA	Analgesics/Pain Relievers	RXQ300	Drugs/over counter taken regularly
925	RXQ_ANA	Analgesics/Pain Relievers	RXQ310	Product taken
926	RXQ_ANA	Analgesics/Pain Relievers	RXD320	# years taking product every day
927	RXQ_ANA	Analgesics/Pain Relievers	RXQ330	Currently taking product every day
928	RXQ_ANA	Analgesics/Pain Relievers	RXD331Q	# of pills/doses taken/day
929	RXQ_ANA	Analgesics/Pain Relievers	RXD331U	Unit of measure (pills/doses)
930	RXQ_RX	Prescription Medications	SEQN	Respondent sequence number
931	RXQ_RX	Prescription Medications	RXD295	Number of prescription medicines taken
932	RXQ_RX	Prescription Medications	RXD030	Taken prescription medicine in past month
933	RXQ_RX	Prescription Medications	RXD260	Number of days taken medicine
934	RXQ_RX	Prescription Medications	RXD240B	Standard generic ingredient name
935	RXQ_RX	Prescription Medications	FDACODE1	FDA/NDC drug class code 1
936	RXQ_RX	Prescription Medications	FDACODE2	FDA/NDC drug class code 2
937	RXQ_RX	Prescription Medications	FDACODE3	FDA/NDC drug class code 3
938	RXQ_RX	Prescription Medications	FDACODE4	FDA/NDC drug class code 4
939	RXQ_RX	Prescription Medications	FDACODE5	FDA/NDC drug class code 5
940	RXQ_RX	Prescription Medications	FDACODE6	FDA/NDC drug class code 6
941	RXQ_RX	Prescription Medications	NHCODE	Generic ingredient code
942	RXQ_RX	Prescription Medications	RXQ250	Medicine container seen by interviewer

VARQUEX Page 45 of 55

June 2009

Item #	Data File	Component	Item ID	Label
943	RXQ_RX	Prescription Medications	RXQ280	Number of canisters used in past month
944	RXQ_RX	Prescription Medications	RXDDRGID	Generic drug code
945	SMQ	Smoking & Tobacco Use	SEQN	Respondent sequence number
946	SMQ	Smoking & Tobacco Use	SMQ020	Smoked at least 100 cigarettes in life
947	SMQ	Smoking & Tobacco Use	SMD030	Age started smoking cigarettes regularly
948	SMQ	Smoking & Tobacco Use	SMQ040	Do you now smoke cigarettes
949	SMQ	Smoking & Tobacco Use	SMQ050Q	How long since quit smoking cigarettes
950	SMQ	Smoking & Tobacco Use	SMQ050U	Unit of measure (day/week/month/year)
951	SMQ	Smoking & Tobacco Use	SMD055	Age last smoked cigarettes regularly
952	SMQ	Smoking & Tobacco Use	SMD057	# cigarettes smoked per day when quit
953	SMQ	Smoking & Tobacco Use	SMD070	# cigarettes smoked per day now
954	SMQ	Smoking & Tobacco Use	SMD075	How many years smoked this amount
955	SMQ	Smoking & Tobacco Use	SMD080	# days smoked cigs during past 30 days
956	SMQ	Smoking & Tobacco Use	SMD090	Avg # cigarettes/day during past 30 days
957	SMQ	Smoking and Tobacco Use	SMD100BR	Cigarette Brand/sub-brand
958	SMQ	Smoking and Tobacco Use	SMD100FL	Filter type
959	SMQ	Smoking and Tobacco Use	SMD100MN	Menthol indicator
960	SMQ	Smoking and Tobacco Use	SMD100LN	Length
961	SMQ	Smoking and Tobacco Use	SMD100TR	FTC Tar Content
962	SMQ	Smoking and Tobacco Use	SMD100NI	FTC Nicotine Content
963	SMQ	Smoking and Tobacco Use	SMD100CO	FTC Carbon Monoxide Content

VARQUEX Page 46 of 55

June 2009

Item #	Data File	Component	Item ID	Label
964	SMQ	Smoking & Tobacco Use	SMQ120	Smoked a pipe at least 20 times in life
965	SMQ	Smoking & Tobacco Use	SMD130	Age started smoking pipes regularly
966	SMQ	Smoking & Tobacco Use	SMQ140	Do you now smoke a pipe
967	SMQ	Smoking & Tobacco Use	SMQ143	# pipefuls of tobacco smoked per day
968	SMQ	Smoking & Tobacco Use	SMQ145	# years smoked this amount of pipes
969	SMQ	Smoking & Tobacco Use	SMQ150	Smoked cigars at least 20 times in life
970	SMQ	Smoking & Tobacco Use	SMD160	Age started smoking cigars regularly
971	SMQ	Smoking & Tobacco Use	SMQ170	Do you now smoke cigars
972	SMQ	Smoking & Tobacco Use	SMQ173	# cigars smokes per day
973	SMQ	Smoking & Tobacco Use	SMQ175	# years smoked this amount of cigars
974	SMQ	Smoking & Tobacco Use	SMQ180	Used snuff at least 20 times in life
975	SMQ	Smoking & Tobacco Use	SMD190	Age started using snuff regularly
976	SMQ	Smoking & Tobacco Use	SMQ200	Do you now use snuff
977	SMQ	Smoking & Tobacco Use	SMD203	# snuff pinches/dips/rubs per day
978	SMQ	Smoking & Tobacco Use	SMQ205	# years used this amount of snuff
979	SMQ	Smoking & Tobacco Use	SMQ210	Used chewing tobacco 20 times in life
980	SMQ	Smoking & Tobacco Use	SMD220	Age started chewing tobacco regularly
981	SMQ	Smoking & Tobacco Use	SMQ230	Do you now use chewing tobacco
982	SMQ	Smoking & Tobacco Use	SMD233	# chewing plugs/wads/chaws per day
983	SMQ	Smoking & Tobacco Use	SMD235	# years used this chewing tobacco amount
984	SMQFAM	Family Smoking	SEQN	Respondent sequence number

VARQUEX Page 47 of 55

June 2009

Item #	Data File	Component	Item ID	Label
985	SMQFAM	Family Smoking	SMD410	Does anyone smoke in the home
986	SMQFAM	Family Smoking	SMD415	Total number of smokers in home
987	SMQFAM	Family Smoking	SMD415A	Total # of cigarette smokers in home
988	SMQFAM	Family Smoking	SMD415B	Total # of cigar smokers in home
989	SMQFAM	Family Smoking	SMD415C	Total # of pipe smokers in home
990	SMQFAM	Family Smoking	SMD430	Total # cigarettes smoked in home
991	SMQFAM	Family Smoking	SMD440	Total # cigars smoked in home
992	SMQFAM	Family Smoking	SMD450	Total # pipes smoked in home
993	SMQMEC	Smoking & Tobacco Use	SEQN	Respondent sequence number
994	SMQMEC	Smoking & Tobacco Use	SMQ620	Ever tried cigarette smoking
995	SMQMEC	Smoking & Tobacco Use	SMD630	Age first smoked whole cigarette
996	SMQMEC	Smoking & Tobacco Use	SMQ640	# days smoked cigarettes in past month
997	SMQMEC	Smoking & Tobacco Use	SMQ650	# cigarettes per day during past month
998	SMQMEC	Smoking & Tobacco Use	SMQ660	Brands of cigarettes smoked/past mo
999	SMQMEC	Smoking & Tobacco Use	SMQ664B	Menthol or non-menthol BensonHedges
1000	SMQMEC	Smoking & Tobacco Use	SMQ664C	Menthol or non-menthol Camels
1001	SMQMEC	Smoking & Tobacco Use	SMQ664M	Menthol or non-menthol Marlboro
1002	SMQMEC	Smoking & Tobacco Use	SMQ664O	Menthol or non-menthol other brand
1003	SMQMEC	Smoking & Tobacco Use	SMQ664W	Menthol or non-menthol Winston
1004	SMQMEC	Smoking & Tobacco Use	SMQ666B	Regular, light or ultralite BensonHedges
1005	SMQMEC	Smoking & Tobacco Use	SMQ666C	Regular, light or ultralite Camels

VARQUEX Page 48 of 55

June 2009

Item #	Data File	Component	Item ID	Label
1006	SMQMEC	Smoking & Tobacco Use	SMQ666K	Regular, light or ultralite Kools
1007	SMQMEC	Smoking & Tobacco Use	SMQ666M	Regular, light or ultralite Marlboro
1008	SMQMEC	Smoking & Tobacco Use	SMQ666N	Regular, light or ultralite Newport
1009	SMQMEC	Smoking & Tobacco Use	SMQ666O	Regular, light or ultralite other brand
1010	SMQMEC	Smoking & Tobacco Use	SMQ666S	Regular, light or ultralite Salem
1011	SMQMEC	Smoking & Tobacco Use	SMQ666W	Regular, light or ultralite Winston
1012	SMQMEC	Smoking & Tobacco Use	SMQ670	Tried to quit smoking - past 12 months
1013	SMQMEC	Smoking & Tobacco Use	SMD680	Used tobacco or nicotine in last 5 days
1014	SMQMEC	Smoking & Tobacco Use	SMD690A	Used last 5 days - cigarettes
1015	SMQMEC	Smoking & Tobacco Use	SMD690B	Used last 5 days - pipes
1016	SMQMEC	Smoking & Tobacco Use	SMD690C	Used last 5 days - cigars
1017	SMQMEC	Smoking & Tobacco Use	SMD690D	Used last 5 days - chewing tobacco
1018	SMQMEC	Smoking & Tobacco Use	SMQ690E	Used last 5 days - snuff
1019	SMQMEC	Smoking & Tobacco Use	SMD690F	Used last 5 days - patch, gum, other
1020	SMQMEC	Smoking & Tobacco Use	SMD710	# days smoked cigarettes - last 5 days
1021	SMQMEC	Smoking & Tobacco Use	SMD720	# cigarettes smoked/day - last 5 days
1022	SMQMEC	Smoking & Tobacco Use	SMQ725	When did SP smoke last cigarette
1023	SMQMEC	Smoking & Tobacco Use	SMD740	# days smoked pipe - last 5 days
1024	SMQMEC	Smoking & Tobacco Use	SMD750	# pipes smoked/day - last 5 days
1025	SMQMEC	Smoking & Tobacco Use	SMQ755	When did SP smoke last pipe
1026	SMQMEC	Smoking & Tobacco Use	SMD770	# days smoked cigars - last 5 days

VARQUEX Page 49 of 55

June 2009

Item #	Data File	Component	Item ID	Label
1027	SMQMEC	Smoking & Tobacco Use	SMD780	# cigars smoked/day - last 5 days
1028	SMQMEC	Smoking & Tobacco Use	SMQ785	When did SP smoke last cigar
1029	SMQMEC	Smoking & Tobacco Use	SMD800	# days used chewing tobacco- last 5 days
1030	SMQMEC	Smoking & Tobacco Use	SMQ815	When did SP last use chewing tobacco
1031	SMQMEC	Smoking & Tobacco Use	SMQ817	# days used snuff over last 5 days
1032	SMQMEC	Smoking & Tobacco Use	SMQ819	When did SP last used snuff
1033	SMQMEC	Smoking & Tobacco Use	SMD830	# days used nicotine aids - last 5 days
1034	SMQMEC	Smoking & Tobacco Use	SMQ840	Last time used nicotine stop smoking aid
1035	SMQMEC	Smoking & Tobacco Use	SMAQUEX	Questionnaire source flag for weighting
1036	SSQ	Social Support	SEQN	Respondent sequence number
1037	SSQ	Social Support	SSQ010	Anyone to help with emotional support
1038	SSQ	Social Support	SSQ020A	Spouse gives most emotional support
1039	SSQ	Social Support	SSQ020B	Daughter gives most emotional support
1040	SSQ	Social Support	SSQ020C	Son gives most emotional support
1041	SSQ	Social Support	SSQ020D	Sibling gives most emotional support
1042	SSQ	Social Support	SSQ020E	Parent gives most emotional support
1043	SSQ	Social Support	SSQ020F	Other relative gives emotional support
1044	SSQ	Social Support	SSQ020G	Neighbors give most emotional support
1045	SSQ	Social Support	SSQ020H	Co-workers give most emotional support
1046	SSQ	Social Support	SSQ020I	Church members give emotional support
1047	SSQ	Social Support	SSQ020J	Club members give most emotional support

VARQUEX Page 50 of 55

June 2009

Item #	Data File	Component	Item ID	Label
1048	SSQ	Social Support	SSQ020K	ProfessionIs give most emotional support
1049	SSQ	Social Support	SSQ020L	Friends give most emotional support
1050	SSQ	Social Support	SSQ020M	Others give most emotional support
1051	SSQ	Social Support	SSQ020N	No one gives most emotional support
1052	SSQ	Social Support	SSQ030	Needed more support in past year
1053	SSQ	Social Support	SSQ040	How much more support needed
1054	SSQ	Social Support	SSQ050	Anyone to help with financial support
1055	SSQ	Social Support	SSQ060	Number of close friends
1056	SXQ	Sexual Behavior	SEQN	Respondent sequence number
1057	SXQ	Sexual Behavior	SXQ020	Ever had sexual intercourse
1058	SXQ	Sexual Behavior	SXD030	Age when first had sexual intercourse
1059	SXQ	Sexual Behavior	SXQ100	#men sex intercourse partners/life
1060	SXQ	Sexual Behavior	SXQ120	#men sex intercourse partners/year
1061	SXQ	Sexual Behavior	SXQ130	#women sex intercourse partners/life
1062	SXQ	Sexual Behavior	SXQ150	#women sex intercourse partners/year
1063	SXQ	Sexual Behavior	SXQ170	#women sex intercourse partners/life
1064	SXQ	Sexual Behavior	SXQ190	#women sex intercourse partners/year
1065	SXQ	Sexual Behavior	SXQ200	#men sex intercourse partners/lifetime
1066	SXQ	Sexual Behavior	SXQ220	#men sex intercourse partners/year
1067	SXQ	Sexual Behavior	SXQ240	#sexual intercourse partners/past mo
1068	SXQ	Sexual Behavior	SXQ250	#times had sex without condom/past mo

VARQUEX Page 51 of 55

June 2009

Item #	Data File	Component	Item ID	Label
1069	SXQ	Sexual Behavior	SXQ260	Doctor ever told you had genital herpes
1070	SXQ	Sexual Behavior	SXQ265	Doctor ever told you had genital warts
1071	SXQ	Sexual Behavior	SXQ270	Doctor ever told you had gonorrhea
1072	SXQ	Sexual Behavior	SXQ272	Doctor ever told you had chlamydia
1073	SXQ	Sexual Behavior	SXQ280	Are you circumcised or uncircumcised
1074	TBQ	Tuberculosis	SEQN	Respondent sequence number
1075	TBQ	Tuberculosis	TBQ010	Ever had TB/tuberculosis skin test
1076	TBQ	Tuberculosis	TBQ020	Ever told had positive TB skin test
1077	TBQ	Tuberculosis	TBQ030	Prescribed medicine for preventing TB
1078	TBQ	Tuberculosis	TBQ040	Ever told you had active TB
1079	TBQ	Tuberculosis	TBQ050	Prescribed medicine for active TB
1080	TBQ	Tuberculosis	TBQ060	Lived in household TB sick person
1081	VIQ	Vision	SEQN	Respondent sequence number
1082	VIQ	Vision	VIQ030	General condition of eyesight
1083	VIQ	Vision	VIQ040	Time worrying about eyesight
1084	VIQ	Vision	VIQ050A	Difficulty reading ordinary newsprint
1085	VIQ	Vision	VIQ050B	Difficulty with up close work or chores
1086	VIQ	Vision	VIQ050C	Difficulty seeing steps/curbs-dim light
1087	VIQ	Vision	VIQ050D	Difficulty noticing objects to side
1088	VIQ	Vision	VIQ050E	Difficulty findng object on crowdedshelf
1089	VIQ	Vision	VIQ055	Difficulty drivng daytime-familiar place

VARQUEX Page 52 of 55

June 2009

Item #	Data File	Component	Item ID	Label
1090	VIQ	Vision	VIQ060	Vision limits how long can do activities
1091	VIQ	Vision	VIQ070	Ever had a cataract operation
1092	VIQ	Vision	VIQ080	Operation in right, left or both eyes
1093	WHQ	Weight History	SEQN	Respondent sequence number
1094	WHQ	Weight History	WHD010	Current Self-reported height (inches)
1095	WHQ	Weight History	WHD020	Current Self-reported weight (pounds)
1096	WHQ	Weight History	WHQ030	How do you consider your weight
1097	WHQ	Weight History	WHD040	Like to weigh more, less or same
1098	WHQ	Weight History	WHD050	Self-reported weight-1 yr ago (pounds)
1099	WHQ	Weight History	WHD060	Weight change intentional
1100	WHQ	Weight History	WHQ070	Tried to lose weight in past year
1101	WHQ	Weight History	WHD080A	Ate less food to lose weight
1102	WHQ	Weight History	WHD080B	Lowered calories to lose weight
1103	WHQ	Weight History	WHQ080C	Ate less fat to lose weight
1104	WHQ	Weight History	WHD080D	Exercised to lose weight
1105	WHQ	Weight History	WHQ080E	Skipped meals to lose weight
1106	WHQ	Weight History	WHD080F	Ate diet products to lose weight
1107	WHQ	Weight History	WHQ080G	Used liquid diet formula to lose weight
1108	WHQ	Weight History	WHQ080H	Joined program to lose weight
1109	WHQ	Weight History	WHQ080I	Took RX diet pills to lose weight
1110	WHQ	Weight History	WHQ080J	Took non-RX suppl. to lose weight

VARQUEX Page 53 of 55

June 2009

Item #	Data File	Component	Item ID	Label
1111	WHQ	Weight History	WHQ080K	Took laxatives to lose weight
1112	WHQ	Weight History	WHD080L	Other methods to lose weight
1113	WHQ	Weight History	WHD080M	Drank a lot of water to lose weight
1114	WHQ	Weight History	WHD080N	Followed a special diet
1115	WHQ	Weight History	WHQ090	Tried not to gain weight in past year
1116	WHQ	Weight History	WHQ100A	Ate less to not gain weight
1117	WHQ	Weight History	WHQ100B	Lowered calories to not gain weight
1118	WHQ	Weight History	WHD100C	Ate less fat to not gain weight
1119	WHQ	Weight History	WHD100D	Exercised
1120	WHQ	Weight History	WHQ100E	Skipped meals to not gain weight
1121	WHQ	Weight History	WHD100F	Ate diet foods to not gain weight
1122	WHQ	Weight History	WHQ100G	Used liquid diet formula to not gain
1123	WHQ	Weight History	WHQ100H	Joined program to not gain weight
1124	WHQ	Weight History	WHQ100I	Took RX diet pills to not gain
1125	WHQ	Weight History	WHQ100J	Took non-RX suppl. to not gain weight
1126	WHQ	Weight History	WHQ100K	Took laxatives to not gain weight
1127	WHQ	Weight History	WHD100L	Other methods to lose weight
1128	WHQ	Weight History	WHD100M	Drank a lot of water to not gain weight
1129	WHQ	Weight History	WHD100N	Followed a special diet to lose weight
1130	WHQ	Weight History	WHD110	Self-reported weight-10 yrs ago (pounds)
1131	WHQ	Weight History	WHD120	Self-reported weight - age 25 (pounds)

VARQUEX Page 54 of 55

June 2009

Item #	Data File	Component	Item ID	Label
1132	WHQ	Weight History	WHD130	Self-reported height - age 25 (inches)
1133	WHQ	Weight History	WHD140	Self-reported greatest weight(pounds)
1134	WHQ	Weight History	WHD150	Age when heaviest weight
1135	WHQ	Weight History	WHD160	Least self-reported weight since 18(lbs)
1136	WHQ	Weight History	WHD170	Age when lightest weight

VARQUEX Page 55 of 55